

FINAL

**ENVIRONMENTAL CONDITION OF PROPERTY
REPORT**

**SGT JOSEPH E. MULLER
U.S. ARMY RESERVE CENTER (NY006)
555 EAST 238TH STREET (NEREID AVENUE)
BRONX, NY 10470**

Prepared For:

**U.S. Army Corps of Engineers – Louisville District
Engineering Division – Environmental Engineering Branch
600 Dr. Martin Luther King, Jr. Place
Louisville, Kentucky 40202-2232**

JUNE 2007

Executive Summary

CH2M HILL, under contract to the U.S. Army Corps of Engineers, Louisville District, prepared this Environmental Condition of Property (ECP) report for the SGT Joseph E. Muller U.S. Army Reserve (USAR) Center (Facility ID NY006), hereafter referred to as the "Property" or "USAR Center." The Property is located in the borough of Bronx, New York, and encompasses approximately 0.9 acre.

This ECP report was conducted in conformance with the Department of Defense's (DoD's) Base Redevelopment and Realignment Manual, DoD 4165.66-M (BRRM), Army Regulation 200-1, and the American Society for Testing and Materials (ASTM) Designation D6008-96 (2005), *Standard Practice for Conducting Environmental Baseline Surveys*.

This ECP report details the history of the Property, including the USAR and any prior tenant uses of the Property and the resulting environmental condition of the Property.

The USAR Center is on approximately 0.9 acre of land with one permanent structure, a 55,000-square-foot main building. The site is currently occupied by four units: the 3rd Brigade, the 2nd Battalion Military Police (MP), the 867th Detachment, and the 325th MI Battalion.

Based on a review of aerial photographs and U.S. Geological Survey (USGS) topographical maps dating back to 1897, the Property is within a populated area. The 1947 USGS topographical map shows the Property and areas to the south, north, and east as heavily developed. This map does not show the main building. According to 77th Regional Readiness Command personnel, the Property was originally a U.S. Navy Industrial Reserve Aircraft Plant that was transferred to the Army on October 31, 1959. The building was renovated in 1960 for the use as a 1,400-man Army Reserve Center; however, according to the chain of title report, the U.S. Government became the owner of the USAR Center on May 21, 1986.

Areas of potential environmental concern were reviewed, and CH2M HILL identified benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tertiary butyl ether (MTBE) contaminated groundwater migrating toward the Property from an adjacent property. The extent of this groundwater plume has not yet been determined.

In accordance with DoD policy defining the classifications (see Sherri Goodman memorandum dated October 21, 1996), the Property has been classified as Type 7. This classification does not include categorizing the property based on de minimis conditions that generally do not present material risk of harm to the public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.

Contents

Section	Page
Executive Summary	iii
Abbreviations and Acronyms	vii
1 Introduction	1-1
1.1 Purpose of Environmental Condition of Property	1-1
1.2 Scope of Services	1-2
2 Site Location and Physical Description	2-1
2.1 Site Location	2-1
2.2 Asset Information	2-1
2.3 Physical Description	2-1
2.4 Site Hydrology and Geology.....	2-3
2.4.1 Surface Water Characteristics	2-3
2.4.2 Hydrogeological Characteristics.....	2-3
2.5 Site Utilities.....	2-4
2.6 Water Supply Wells and Septic Systems	2-4
3 Site History	3-1
3.1 History of Ownership	3-1
3.2 Past Uses and Operations	3-1
3.3 Past Use, Storage, Disposal, and Release of Hazardous Substances	3-3
3.3.1 Past Use and Storage of Hazardous Substances.....	3-3
3.3.2 Past Disposal and Release of Hazardous Substances	3-3
3.4 Past Presence of Bulk Petroleum Storage Tanks	3-3
3.5 Review of Previous Environmental Reports.....	3-4
3.5.1 1994 Spill Prevention Control and Countermeasure Plan	3-4
3.5.2 1997 Asbestos Assessment and Abatement Prioritization Program Report	3-4
3.5.3 2004 Asbestos Inspection Report	3-4
4 Adjacent Properties	4-1
4.1 Land Uses.....	4-1
4.2 Findings.....	4-2
5 Review of Regulatory Information	5-1
5.1 Federal Environmental Records	5-1
5.1.1 Federal National Priorities List Sites within 1 Mile	5-1
5.1.2 Federal Comprehensive Environmental Response, Compensation and Liability Act Information Systems Sites within 0.5 Mile	5-1
5.1.3 Resource Conservation and Recovery Act Corrective Action Sites within 1 Mile	5-1
5.1.4 RCRA Treatment, Storage, and/or Disposal Sites within 0.5 Mile	5-2
5.1.5 Federal RCRA Small and Large Quantity Generators List within 0.25 Mile	5-2
5.1.6 Federal Emergency Response Notification System List	5-2
5.2 State and Local Environmental Records.....	5-2
5.2.1 State Lists of Hazardous Waste Sites within 1 Mile.....	5-3
5.2.2 State-Registered Landfills or Solid Waste Disposal Sites within 0.5 Mile	5-3

5.2.3	State-Registered Leaking UST Sites within 0.5 Mile.....	5-3
5.2.4	State-Registered UST Sites within 0.5 Mile.....	5-4
5.2.5	State Spills Incidents.....	5-5
5.2.6	Records of Contaminated Public Wells.....	5-5
5.2.7	Voluntary Remediation Program Sites within 0.5 Mile.....	5-5
5.2.8	State-Registered Bulk Fertilizer and Pesticide Storage Facilities within 0.25 Mile.....	5-5
5.3	Unmapped Sites.....	5-7
5.4	Summary of Properties Evaluated to Determine Risk to the Property.....	5-7
6	Site Investigation and Review of Hazards.....	6-1
6.1	USTs/ASTs.....	6-1
6.2	Inventory of Chemicals/Hazardous Substances.....	6-1
6.3	Waste Disposal Sites.....	6-1
6.4	OWS, Pits, Sumps, Drywells, and Catch Basins.....	6-2
6.5	Asbestos-containing Material.....	6-2
6.6	PCB-containing Equipment.....	6-2
6.7	Lead-based Paint.....	6-2
6.8	Radon.....	6-3
6.9	Munitions and Explosives of Concern.....	6-3
6.10	Radioactive Materials.....	6-3
7	Review of Special Resources.....	7-1
7.1	Land Use.....	7-1
7.2	Coastal Zone Management.....	7-1
7.3	Wetlands.....	7-1
7.4	100-year Floodplain.....	7-1
7.5	Natural Resources.....	7-1
7.6	Cultural Resources.....	7-1
7.7	Other Special Resources.....	7-2
8	Conclusions.....	8-1
8.1	Review of Findings.....	8-1
8.2	Environmental Condition of Property.....	8-3
9	References.....	9-1

Appendices

A	Figures
1	General Site Location Map
2	Site Layout Plan
3	1947 USGS 7.5-Minute Topographic Map, Mount Vernon, New York
4	1956 USGS 7.5-Minute Topographic Map, Mount Vernon, New York
5	1995 USGS 7.5-Minute Topographic Map, Mount Vernon, New York
6	1954 Aerial Photograph
7	1994 Aerial Photograph
B	Site Reconnaissance Photographs
C	Property Acquisition Documents
D	Previous Environmental Site Assessment Reports
E	Regulatory Database Search Report

Abbreviations and Acronyms

The following is a comprehensive list of abbreviations and acronyms that are used throughout this report.

ACM	asbestos-containing material
AMSA	Area Maintenance Support Activity
AR	Army Regulation
AST	aboveground storage tank
ASTM	American Society for Testing and Materials
BRAC	Base Realignment and Closure
BRRM	Base Redevelopment and Realignment Manual
BTEX	benzene, toluene, ethylbenzene, xylenes
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CERCLIS	Comprehensive Environmental Response, Compensation, and Liability Act Information System
CFR	Code of Federal Regulations
CORRACTS	Resource Conservation and Recovery Act corrective action site
DoD	Department of Defense
ECP	Environmental Condition of Property
EDR	Environmental Data Resources, Inc.
ERNS	Emergency Response Notification System
ET	evapo-transpiration
kg	kilogram
LBP	lead-based paint
LUST	leaking underground storage tank
MEC	munitions and explosives of concern
MEP	military equipment parking
MP	Military Police
msl	mean sea level

MTBE	methyl tertiary butyl ether
NBC	nuclear, biological, and/or chemical
NFA	no further action
NPL	National Priorities List
NRHP	National Register of Historic Places
NYCDOT	New York City Department of Transportation
NYSDEC	New York State Department of Environmental Conservation
OMS	Organizational Maintenance Shop
OWS	oil/water separator
PCB	polychlorinated biphenyl
pCi/L	picoCuries per liter
POL	petroleum, oil, and lubricant
POV	privately owned vehicle
RCRA	Resource Conservation and Recovery Act
RCRIS	Resource Conservation and Recovery Act Information System
RRC	Regional Readiness Command
SPCC	spill prevention control and countermeasure
SQG	small quantity generator
STATSGO	State Soil Geographic Database
SVE	soil vapor extraction
TSD	treatment, storage, and disposal
USACE	United States Army Corps of Engineers
USAR	United States Army Reserve
USEPA	United States Environmental Protection Agency
USFWS	United States Fish and Wildlife Service
USGS	United States Geological Survey
UST	underground storage tank

1 Introduction

CH2M HILL, under contract to the U.S. Army Corps of Engineers (USACE) Louisville District Engineering Division was authorized to conduct an Environmental Condition of Property (ECP) report for the SGT Joseph E. Muller U.S. Army Reserve (USAR) Center (NY006). The facility is located at 555 East 238th Street, Bronx, Bronx County, New York, and is hereafter referred to as the "Property" or "USAR Center." CH2M HILL prepared this ECP report under contract number W912QR-04-D-0020, Task Order No. 0018, with the USACE Louisville District.

A visual non-intrusive reconnaissance of the Property was conducted on September 6, 2006, in support of the ECP. The reconnaissance purpose was to visually obtain information indicating the likelihood of recognized environmental conditions associated with the Property or adjacent properties.

In preparing this ECP report, CH2M HILL gathered information from the available records and previous work from others, interviews with individuals purporting to be familiar with the Property, and observations from a site reconnaissance. The accuracy of the information obtained from these sources was not verified by CH2M HILL. As such, CH2M HILL will make no warranty, expressed or implied, relative to the accuracy, completeness, or reliability of the information used to create the records and reports prepared by others.

1.1 Purpose of Environmental Condition of Property

The Military Department with real property accountability shall assess, determine and document the environmental condition of all transferable property in an ECP report. This ECP report is based on readily available information. Pursuant to the Department of Defense's (DoD's) policy, set forth in the Base Redevelopment and Realignment Manual (DoD 4165.66-M, March 1, 2006) Section C8.3 (BRRM), the primary purposes of the ECP report include the following:

- Provide the Army with information it may use to make disposal decisions
- Provide the public with information relative to the environmental condition of the property
- Assist in community planning for the reuse of Base Realignment and Closure (BRAC) property
- Assist federal agencies during the property screening process
- Provide information for prospective buyers
- Assist prospective new owners in meeting the requirements under U.S. Environmental Protection Agency's (USEPA's) "All Appropriate Inquiry" regulations
- Provide information about completed remedial and corrective actions at the property

- Assist in determining appropriate responsibilities, asset valuation, and liabilities with other parties to a transaction

The ECP report contains the information required to comply with the provisions of 40 Code of Federal Regulations (CFR) Part 373, which require that a notice accompany contracts for the sale of, and deeds entered into, for the transfer of federal property on which any hazardous substance was stored, released, or disposed of. The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), Section 120(h) stipulates that a notice is required if certain quantities of designated hazardous substances have been stored on the property for 1 year or more—specifically, quantities exceeding 1,000 kilograms (kg) or the reportable quantity, whichever is greater, of the substances specified in 40 CFR 302.4 or 1 kg of acutely hazardous waste as defined in 40 CFR 261.30. A notice also is required if hazardous substances have been disposed of or released on the property in an amount greater than or equal to the reportable quantity. Army Regulation (AR) 200-1 requires that the ECP report address asbestos, lead-based paint (LBP), radon, and other substances potentially hazardous to human health.

This ECP report used the American Society for Testing and Materials (ASTM) Designation D6008-96 (2005), *Standard Practice for Conducting Environmental Baseline Surveys*, the BRRM, CERCLA §120, and AR 200-1.

1.2 Scope of Services

This ECP report covers the approximately 0.9-acre USAR Center located at 555 East 238th Street, Bronx, New York. The Property is bounded by East 238th Street to the south and a mix of light manufacturing, commercial, and residential development to the east and north. To the west lie railroad tracks and the Bronx River. All site maps, figures, and aerial photographs referenced herein are provided in Appendix A, while Appendix B contains photographs taken during the September 6, 2006, site reconnaissance. Appendix C contains the Property warranty deed information. Relevant historical environmental documents and reports are provided in Appendix D, while Appendix E contains the Environmental Data Resources, Inc. (EDR) radius search reports commissioned for this effort.

This ECP report classifies the Property into one of seven DoD Environmental ECP categories as defined by the DoD policy defining the classifications (see Sherri Goodman memorandum dated October 21, 1996). The property classification categories are as follows:

- ECP Area Type 1—An area or parcel of real property where no release or disposal of hazardous substances or petroleum products or their derivatives has occurred (including no migration of these substances from adjacent properties).
- ECP Area Type 2—An area or parcel of real property where only the release or disposal of petroleum products or their derivatives has occurred.
- ECP Area Type 3—An area or parcel of real property where release, disposal, or migration, or some combination thereof, of hazardous substances has occurred, but at concentrations that do not require a removal or remedial action.

- ECP Area Type 4 – An area or parcel of real property where release, disposal, or migration, or some combination thereof, of hazardous substances has occurred and all remedial actions necessary to protect human health and the environment have been taken.
- ECP Area Type 5 – An area or parcel of real property where release, disposal, or migration, or some combination thereof, of hazardous substances has occurred and removal or remedial actions, or both, are underway, but all required actions have not yet been taken.
- ECP Area Type 6 – An area or parcel of real property where release, disposal, or migration, or some combination thereof, of hazardous substances has occurred, but required response actions have not yet been initiated.
- ECP Area Type 7 – An area or parcel of real property that is unevaluated or requires additional evaluation.

2 Site Location and Physical Description

2.1 Site Location

The USAR Center is located in Bronx County, on the north side of the borough of Bronx, New York, at 555 East 238th Street. The approximately 0.9-acre parcel is situated on a main thoroughfare (East 238th Street, also known as Nereid Avenue) and is surrounded on other Property boundaries by a mix of light manufacturing, commercial, and residential development.

2.2 Asset Information

Facility Name and Address:	SGT Joseph E. Muller U.S. Army Reserve Center 555 East 238th Street Bronx, New York
Property Owner:	U.S. Government
Date of Ownership:	0.568 acre acquired on April 1, 1943; 0.7 acre acquired on December 21, 1959; and 0.26 acre acquired on January 8, 1960
Current Occupant:	3rd Brigade, 2nd Battalion Military Police (MP), 867th Detachment, 325th MI Battalion
Zoning:	M1-1, Light Manufacturing paired with R-5, Lower Density Residency District
County, State:	Bronx, New York
USGS Quadrangle(s):	Mount Vernon, New York
Latitude/Longitude:	40°54'0.0"N; 73°51'29.5"W
Legal Description:	The USAR Center consists of three parcels of land, as described in the deeds contained in Appendix C.

2.3 Physical Description

The USAR Center is located on an approximately 0.9-acre parcel on the northern side of Bronx, New York and contains one permanent structure and two parking areas. According to the 77th Regional Readiness Command (RRC), the 55,000-square-foot main building was constructed in 1954. The main building is a concrete block structure with brick exterior and a flat, tar and gravel roof.

A military equipment parking (MEP) area and a privately owned vehicle (POV) parking area are combined into one parking area located on the northeast corner of the Property. A

small area designated for POV parking is located on the eastern side of the main building. The USAR Center is surrounded by a fence that is locked at night. Access to the parking area during the day is through a single gate located on Bronx Boulevard, while entrance to the main building is through a single gate located on East 238th Street.

Over 90 percent of the 0.9-acre tract is considered impervious (asphalt parking areas, driveways, concrete walkways, building footprints, etc.), while the remainder is covered by a small lawn in front of the entrance on East 238th Street.

Main Building

The main building is a rectangular-shaped, four-story structure with a half-basement (Photograph 1, Appendix B). The building's interior consists of office space, classrooms, kitchen, mess hall, storage, former Organizational Maintenance Shop (OMS), and a boiler room.

The northeast end of the building's basement, in the boiler room, was the location of a 7,500-gallon No. 2 fuel oil aboveground storage tank (AST). This AST was removed in 2003. The boiler room is lower in elevation than the ground outside and houses the building's water heater, natural gas heating units, and electrical subpanel.

The north end of the first floor is where the OMS is located. The OMS is no longer used for light vehicle maintenance, and it is currently used for storage. During the site reconnaissance, various items including gym mats, publications, paper office supplies, coolers, etc. were being stored in this area. The remaining space on the first floor is caged storage. The caged storage areas on the first floor contain nuclear, biological, and/or chemical (NBC) monitors that contain small amounts of radioactive materials that are not regulated.

At the time of the site reconnaissance, the building was in the process of being repainted, and the majority of the project's paint supply was being stored on the first floor. Floors two, three, and four are primarily classrooms, offices, and storage areas. The kitchen and mess hall are located on the second floor. The Property contains two grease traps associated with the kitchen.

Vehicle Parking Area

The MEP/POV parking area, located in the northeast portion of the Property, contains a concrete vehicle wash rack (Photograph 2, Appendix B). Vehicle washing is no longer conducted at this facility. The edges of the wash rack are raised to contain the wash water. Wash water and any drippings from the vehicles were collected in a drain, which discharged into an oil/water separator (OWS). The OWS discharges into the sanitary sewer system. During the historical record review, no evidence was found indicating that the OWS has been removed; therefore, it is presumed to still be present. At the time of the site reconnaissance, there were a few military vehicles parked in the parking area.

The parking area also contains three dumpsters. These dumpsters are for nonhazardous solid waste only and are emptied on a weekly basis.

2.4 Site Hydrology and Geology

The USAR Center and Bronx are situated in the New England Province. The New England Province is a northward extension of the larger Appalachian Mountains or Highlands region. It is a plateau-like upland that rises gradually inland from the coast and is surrounded by mountain ranges or individual peaks. The topography of the New England Uplands section is that of a maturely dissected plateau with narrow valleys, and the entire area is greatly modified by glaciation. It is the most widespread of the geomorphic sections in the New England Province, extending from Canada through New England down to the Seaboard section and extending southwestward through New York and New Jersey as two narrow upland projections: the Manhattan Prong, which terminates at the tip of Manhattan Island, and the Reading Prong, which extends beyond the Hudson and Delaware rivers to Reading, Pennsylvania. These two projections serve to connect the New England Province with the Appalachian provinces (USFWS, 1997).

The USAR Center and Bronx are situated at the extreme southern end of the Manhattan Prong, a northeast-trending, deeply eroded sequence of metamorphosed Proterozoic to Lower Paleozoic rocks that widen northeastward into the crystalline terrains of New England. Southward from New York City, the rocks of the Manhattan Prong plunge unconformably beneath predominately buried Mesozoic rocks, Cretaceous strata, and overlying Pleistocene (glacial) sediment that cap Long Island and much of Staten Island (Merguerian, 2006).

2.4.1 Surface Water Characteristics

Figure 5 in Appendix A provides a portion of the 1995 Mount Vernon, New York U.S. Geological Survey (USGS) topographic map that includes the Property. As shown, the Property is situated at an elevation of approximately 121 feet above mean sea level (msl) and is relatively flat; however, the railroad tracks on the west side of the Property (east side of the Bronx River) are on an embankment sloping downward toward the river. The embankment slopes are uniformly greater than 25 percent grade. It should be noted that this embankment is not a natural feature and was constructed for railroad purposes.

Stormwater sheet flows to storm drains with associated catch basins located in the paved area along the eastern wall of the building. A storm drain also is located in the MEP/POV parking area.

No surface water features are located in the immediate vicinity of the Property. The Bronx River, located approximately 500 feet west of the Property, is the closest major surface water feature. According to the EDR radius map (Appendix E), the Property is not included in the 100-year floodplain elevation.

2.4.2 Hydrogeological Characteristics

The metamorphic bedrock underlying the area in which the Property is located is characterized by numerous steeply dipping northwest-southeast trending normal and reverse faults, many of which have formed zones of secondary porosity in the bedrock due to fracturing and are capable of transmitting groundwater to wells.

Locally, Pleistocene glacial and glaciofluvial sediments as well as recent river alluvium and salt marsh deposits overlay the bedrock. Glacial till in the South Bronx varies in thickness from less than 5 feet to over 100 feet and averages about 25 feet. Fine-grained layered lakebed sediments are usually encountered in the South Bronx along the Harlem River valley and the Bronx shore inland to Sedgwick Avenue at approximately 20 feet below ground surface. Thickness of these sediments ranges from 7 to 20 feet. They are generally underlain by stratified sand, clay, and gravel with a thickness of 7 to 20 feet. The glacial till underlying these lakebed sediments generally overlie decomposed bedrock.

In some places, deep valleys were gouged out of the bedrock by glaciers. These valleys were subsequently filled with organic material and glacial sediments. In many places in the Bronx, as much as 30 feet of artificial fill material (construction and demolition debris mixed with sand, gravel, rock, and cinders) overlies Holocene salt marsh and alluvial deposits, Pleistocene glacial drift, or bedrock.

Groundwater occurs within the unconsolidated sediments and generally occurs from 10 to 20 feet below ground surface. Groundwater also occurs in bedrock within secondary permeability zones such as fractures, faults, and foliation planes. In the region of the Inwood Marble, north of Manhattan, a karst aquifer exists, with groundwater occurring in dissolution fractures and voids within the marble. In general, regional groundwater flow direction is controlled by regional topography with groundwater flow from higher to lower elevations. The general groundwater flow direction in the site vicinity is assumed to be to the west-southwest toward the Bronx River.

2.5 Site Utilities

Water Service—The City of New York Department of Environmental Protection (New York City Water Board) provides potable water service to the Property.

Sanitary Sewer System—The City of New York Department of Environmental Protection (New York City Water Board) provides sanitary sewer service to the Property. The primary source of wastewater that is directed to the city sewer system includes nonprocess wastewater (bathrooms, sinks, etc.).

Gas and Electric—Con Edison provides natural gas and electrical service to the Property.

2.6 Water Supply Wells and Septic Systems

Based on a review of available historical site and agency records and interviews with site personnel, neither a water supply well nor a septic system is or was located at the Property. Potable water is supplied by the City of New York Department of Environmental Protection (New York City Water Board).

A search of federal and state water well databases identified no public water supply sources within 1 mile of the Property.

3 Site History

3.1 History of Ownership

The Property was acquired by the U.S. Government through three separate real estate transactions. In 1943, the U.S. Government acquired 0.568 acre through a declaration of taking from Ferrand Optical Company and Davis and Lawrence Company; in 1959, the U.S. Government acquired 0.7 acre through a declaration of taking from Ferrand Optical Company; and in 1960, the U.S. Government acquired by deed 0.26 acre from Harold Jacob. These declarations of takings and deeds are included in Appendix C.

77th RRC personnel indicated that "...the United States Army Reserve Center was originally a United States Navy Industrial Reserve Aircraft Plant. The building was renovated in 1960 for the use as a 1,400-man Army Reserve Center. In 1991, the windows were replaced and the building was re-clad in stucco. The building was originally constructed in conjunction with the neighboring building and both buildings were owned by Farrand Optical" (Ref. Sec. 110 Building Inventory Form, Tracerics, Inc, November 2006). The full report was not available for review and has not been included in Appendix D.

According to a city directory provided by EDR and dated August 1, 2006, the address of the USAR Center was not listed in the research source (New York Telephone Company) from 1927 through 2000. A copy of the city directory is included in Appendix E.

3.2 Past Uses and Operations

The Property primarily functioned as an administrative, logistical, and educational facility, with limited maintenance of military vehicles occurring on the first floor of the main building. During an interview with 77th RRC personnel, it was stated that this USAR Center used to make missile sights; however, due to the lack of historical records for this Property, this information could not be confirmed. In addition, according to 77th RRC personnel, the Property was originally a U.S. Navy Industrial Reserve Aircraft Plant. The building was renovated in 1960 for use as a 1,400-man Army Reserve Center.

The OMS located on the first floor of the main building was used to perform limited maintenance activities on military equipment. Activities inside the OMS were limited to preventative maintenance checks, including checking vehicle fluids such as motor oil, water, and antifreeze, and light maintenance activities. Drains from the OMS connect to a structure located in the basement that is either a sanitary sewer cleanout access (according to the 77th RRC's reading of as-built drawings) or a small OWS, which is periodically cleaned out (CH2M HILL, 1994). According to 77th RRC personnel, the as-built drawings for the main building do not indicate an OWS in the basement. This structure is connected to the city's sanitary sewer. Any equipment requiring heavier maintenance activities was sent to an Area Maintenance Support Activity (AMSA) shop located at one of the other USAR centers in New York. According to 77th RRC personnel during an interview, vehicle maintenance activities ceased after the building's renovation in the early 1990s.

At the time of the site reconnaissance, the OMS contained a flammable materials cabinet that contained 2 quarts of motor oil, 2 quarts of lubricant, 1 gallon of antifreeze, and four empty 5-gallon gas canisters. It also contained an unused parts washer and several nonhazardous items, including exercise mats, coolers, training manuals, office paper, etc.

There also is a battery room located within the OMS. This room drains to a neutralization tank, which in turn discharges to the city's sanitary sewer system. This battery room is no longer used. The 77th RRC personnel interviewed had no knowledge of this battery room ever being used during the 20 years they had been at this facility.

Vehicle washing would have historically occurred on the wash rack located in the MEP/POV parking area. Rinse water would drain into a dedicated OWS, which ultimately discharged to the municipal sanitary sewer. An inspection of the wash rack and OWS completed by the 77th RRC and USGS on June 1, 1998, indicated that the OWS is a fiberglass underground storage tank (UST) with baffles, with an approximately 8,000-gallon capacity. At the date of the inspection, washing activities had ceased, and the drain was overgrown with weeds.

Historical aerial photographs and topographic maps were an additional source of information on the past use and operations at the Property. Figures 3 through 7 in Appendix A provide USGS topographical maps and aerial views of the Property and surrounding areas in 1947, 1954, 1956, 1994, and 1995.

The 1947 USGS topographical map (Figure 3, Appendix A) shows the Property and areas to the south, north, and east as heavily developed. The Bronx River and railroad system are visible to the west. This map does not show the USAR Center building. The 1956 USGS topographical map (Figure 4, Appendix A) shows the Property and surrounding areas shaded in pink. The pink shading represents heavy urbanization. The 1995 USGS topographical map (Figure 5, Appendix A) is similar to the 1956 topographic map, with the exception of some additional commercial development to the east of the USAR Center. Topographic maps from 1897, 1966, and 1966-1979 also were evaluated, but were excluded due to lack of new information. Copies of these maps are located in Appendix E.

The 1954 aerial photograph (Figure 6, Appendix A) shows the main building and what appears to be military vehicles in the MEP/POV parking area. The surrounding area is heavily developed. The area just north of the parking area is vacant.

The 1994 aerial photograph (Figure 7, Appendix A) shows the Property and adjacent properties relatively unchanged from the 1954 aerial photograph. The only difference is the area just north of the parking area is now occupied by an automotive garage. Aerial photographs from 1966, 1974, and 1989 also were evaluated, but were similar to the other photographs examined. Copies of these photographs are located in Appendix E.

3.3 Past Use, Storage, Disposal, and Release of Hazardous Substances

3.3.1 Past Use and Storage of Hazardous Substances

Information related to the past use and storage of hazardous substances at the Property was compiled through review of available site records, search of federal and state environmental databases, and interviews with USAR personnel. While there were limited available reports at the time of this ECP report preparation, facility personnel indicated that chemicals formerly used and stored at the Property were associated with vehicle and facility maintenance activities and janitorial services. Janitorial chemicals and building maintenance-related products were stored in the designated storage area within the janitorial closet located in the main building. Vehicle maintenance products and small amounts of petroleum, oil, and lubricant (POL) products also were stored within designated areas in the OMS area located on the first floor of the main building. There is no evidence that CERCLA hazardous substances were stored at the Property for 1 year or more in excess of corresponding reportable quantities.

3.3.2 Past Disposal and Release of Hazardous Substances

Information related to past disposal and potential release of hazardous substances at the Property was compiled through review of available site records, search of federal and state environmental databases, and interviews with USAR personnel. While there were limited available reports at the time of this ECP report preparation, facility personnel and onsite records indicate that there is no evidence that hazardous substances above reportable quantities were released or disposed at the Property. In addition, hazardous, nonhazardous, and universal wastes that are generated at the facility are disposed of via a licensed contractor retained by the 77th RRC ARIM Environmental Division.

No stained soil or stressed vegetation was observed during the September 2006 site reconnaissance. Additionally, the MEP/POV parking area did not show any signs of staining, and no noxious or foul odors were noted during the site reconnaissance.

3.4 Past Presence of Bulk Petroleum Storage Tanks

Based on a review of available site records, a search of federal and state environmental databases, and interviews with USAR personnel, there is no evidence that any USTs currently or formerly were located at this facility, nor was any evidence of any USTs observed during the site reconnaissance.

One 7,500-gallon AST, containing No. 2 fuel oil for heating purposes, was previously located in the basement of the facility (CH2M HILL, 1994). According to 77th RRC personnel, this AST was registered as Tank #2-600896 and was removed in July 2003 as part of a conversion to natural gas. Prior to removal, the tank was reportedly inspected monthly by the 77th RRC per 6 NYCRR Part 613. Maintenance records, inspection reports, removal reports, etc., were not available during the preparation of this ECP report.

3.5 Review of Previous Environmental Reports

A review of site records produced several reports pertaining to the Property. The following subsections provide a brief summary of these reports. Copies of the reports are provided in Appendix D.

3.5.1 1994 Spill Prevention Control and Countermeasure Plan

CH2M HILL prepared the Spill Prevention, Control, and Countermeasure (SPCC) Plan in 1994. This plan provided a framework to prevent and minimize spills of petroleum and other hazardous substances at the USAR Center. The SPCC Plan described the facility, operations, and materials stored at the USAR Center as it was in 1994. The SPCC Plan was prepared simultaneously with the Installation Spill Contingency Plan. In January 2003, another SPCC Plan was completed for this facility. In January 2004, this was further updated to indicate that the AST was removed in July 2003, and the SPCC Plan was no longer necessary.

3.5.2 1997 Asbestos Assessment and Abatement Prioritization Program Report

Argonne National Laboratory provided personnel, equipment, and analytical services to inspect the main building at the USAR Center. The main building was inspected to identify visually accessible locations of known and suspected asbestos-containing materials (ACM) and to determine the friability of this material. The previous survey report prepared by Galson Technical Services (date unknown) was reviewed prior to fieldwork. At the time of the inspection, all ACM identified during the initial survey conducted by Galson Technical Services had been removed from the building, except for the breaching on the boiler. The boiler breaching material has been repaired and was found to be in good condition. In the sample data section of this report, it specified that the breaching material was friable, and the results tested positive for 5 percent chrysotile. This report did not specify whether the breaching material was encapsulated.

3.5.3 2004 Asbestos Inspection Report

Environmental Enterprise Group, Inc. prepared an asbestos inspection report for the USAR Center. Four distinct areas with suspected ACM were identified. Eight samples were collected and analyzed. Asbestos was not found in any of the areas sampled. None of the samples collected were of the breaching material on the boiler, mentioned in the previous report (Section 3.5.1).

4 Adjacent Properties

Adjacent property land uses are significant to the ECP process, as these current or past uses may have an environmental impact on the USAR Center. Adjacent properties were included in the EDR report review for this reason. Typically, adjacent properties within 0.25 mile of the USAR Center property boundaries are reviewed and visually surveyed. For the purposes of this ECP, the adjacent property reconnaissance was performed from the USAR Center property boundaries and from public access points. Historical aerial photographs and topographic maps also were reviewed for conditions or activities that may have had an environmental impact on the Property.

4.1 Land Uses

Land use south of the USAR Center is a heavily traveled road (East 238th Street, also known as Nereid Avenue). Hess Gas Station and a large multilevel skills training center (and associated parking lot) are directly south of the USAR Center on the south side of East 238th Street.

To the west of the Property are multiple railroad tracks and the Bronx River. Directly to the north is a small auto repair shop and residences. To the east of the Property is the Our Lady of Mercy Medical Center Annex and Bronx Boulevard. On the other side of Bronx Boulevard is an automobile radiator repair shop and residences.

Table 1 summarizes the current adjacent properties and their owners.

TABLE 1
 Current Adjacent Properties and Their Owners
 SGT Joseph E. Muller U.S. Army Reserve Center, Bronx, New York

Name/Type of Property	Address	Distance and Direction from Property	Remarks
Hess Gas Station	610 Nereid Ave. Bronx, NY	Approx. 285 feet east-southeast	Groundwater contamination (including BTEX and MTBE). Listed in the following databases: LTANKS, HIST LTANKS, RCRA-SQG, NY SPILLS, HIST NY SPILLS, UST, and HIST UST.
Our Lady of Mercy Medical Center Annex	4401 Bronx Blvd. Bronx, NY	Approx. 128 feet east-southeast	One 5,000-gallon UST. No violations found (last test performed in 2005).
St. Anthony Complex, including school, convent, and church	4520 Matilda Ave. 4500 Matilda Ave. 4505 Richardson Ave. Bronx, NY 01234	Between 1,122 and 1,170 feet east-northeast	Was listed in HIST LUST and UST databases. Confirmed release in groundwater. Tank case closed by NYSDEC in 1995. Located upgradient of USAR Center.

BTEX – benzene, toluene, ethylbenzene, xylenes
 HIST – historical
 MTBE – methyl tertiary butyl ether
 RCRA – Resource Conservation and Recovery Act
 SQG – small quantity generator

4.2 Findings

The EDR database search results were reviewed for any evidence that adjacent properties may have past or present environmental issues that may affect the USAR Center.

The St. Anthony School, located at 4520 Matilda Avenue, has a UST containing either No. 1, No. 2, or No. 4 fuel oil; the EDR report did not specify the type of fuel. This tank is unregulated because the capacity is less than 1,101 gallons.

The St. Anthony Convent is located at 4500 Matilda Avenue, 0.2 mile east-northeast of the Property. This site was listed in the historical UST database. According to EDR, the 2,500-gallon tank contains No. 2 fuel oil for heating, and it is monitored. There have been no leaks or spills associated with this tank. Additionally, this site was not listed in the New York State Department of Environmental Conservation (NYSDEC) Environmental Site Remediation Database. This site is located topographically upgradient from the Property.

The St. Anthony Church is located at 4505 Richardson Avenue, 1,167 feet east of the Property. This site was listed as having a leaking underground storage tank (LUST) onsite. Apparently, a leak had occurred in the tank, and an unspecified amount of No. 2 fuel oil was released into groundwater. EDR reported that NYSDEC closed the case in 1995. This site is located topographically upgradient from the Property.

The Hess Gas Station, located at 610 Nereid Avenue (285 feet east-southeast of the Property) has been listed in the following databases: LTANKS, HIST LTANKS, RCRA-SQG, NY SPILLS, HIST NY SPILLS, UST, and HIST UST. According to the EDR report and to the NYSDEC project manager, benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tertiary butyl ether (MTBE) groundwater contamination occurs at this site. Groundwater flow direction is northwest, toward the USAR Center property. Six groundwater monitoring wells have been installed across Bronx Boulevard, west and offsite of the Hess Gas Station (immediately southeast of the Property). These wells exhibit significant contamination. An offsite well was installed northwest of the corner of Bronx Boulevard and Nereid Avenue (across Nereid Avenue from the Property). This well exhibited lower levels of xylene contamination, although at concentrations exceeding cleanup standards. A Stipulation Agreement between Hess and NYSDEC was effective February 23, 2006. A remedial action plan was approved by NYSDEC in December 2006, which calls for enhanced bioremediation using in situ oxygen curtain (iSOC®) technology. This remediation is expected to begin early summer 2007.

The maximum extent of groundwater contamination from the Hess Gas Station has not yet been delineated, and groundwater flow direction is toward the Property; therefore, it is possible that contaminants in groundwater could migrate to the Property. During a windshield survey performed on September 6, 2006, several groundwater monitoring wells were observed at the Hess Gas Station (Photograph 3, Appendix B).

Land use at adjacent properties does not appear to have changed significantly over the years, based on a review of available aerial photographs. The Property was already developed and established on the first available aerial photograph from 1954. There was virtually no change between the 1954 and 1994 aerial photographs.

5 Review of Regulatory Information

An essential component of an ECP is the review of records and databases containing information on the Property and adjacent properties. The review includes reasonably obtainable federal, state, and local government records, and is intended to identify a release or likely release of any hazardous substance or any petroleum product, which is likely to cause or contribute to a release or threatened release of any hazardous substance or any petroleum product to the Property.

The majority of the regulatory information for this ECP was obtained from EDR on July 28, 2006. EDR provides a regulatory database summary that consolidates standard federal, state, local, and tribal environmental record sources based on ASTM-recommended minimum search distances from the Property.

All findings reported in Sections 5.1, 5.2, and 5.3 are from the EDR report unless otherwise noted. A copy of the complete EDR report is included in Appendix E.

5.1 Federal Environmental Records

5.1.1 Federal National Priorities List Sites within 1 Mile

USEPA maintains a record of the nation's worst uncontrolled or abandoned hazardous waste sites, known as the National Priorities List (NPL). Sites on the NPL undergo long-term remedial action under CERCLA. The USAR Center is not an NPL site, nor were any such sites located within 1 mile of the Property.

5.1.2 Federal Comprehensive Environmental Response, Compensation and Liability Act Information Systems Sites within 0.5 Mile

The CERCLA Information System (CERCLIS) contains data on potentially hazardous waste sites that have been reported to USEPA by state, municipalities, private companies, and private persons, pursuant to Section 103 of CERCLA. CERCLIS contains sites that either are proposed to be or are on the NPL and sites that are in the screening and assessment phase for possible inclusion on the NPL.

The USAR Center is not a CERCLIS site, and there are no CERCLIS sites located within 0.5 mile of the USAR Center.

5.1.3 Resource Conservation and Recovery Act Corrective Action Sites within 1 Mile

Resource Conservation and Recovery Act (RCRA) corrective action sites (CORRACTS) represent facilities that have generated or managed hazardous wastes and require corrective action. The USAR Center is not a CORRACTS, nor were any such sites identified within 1 mile of the USAR Center.

5.1.4 RCRA Treatment, Storage, and/or Disposal Sites within 0.5 Mile

RCRA defines and regulates sites that generate, transport, treat, store, and dispose (TSD) of hazardous wastes. The RCRA Information System (RCRIS) includes selective information on these sites. The USAR Center is not an RCRIS TSD site, and there are no such sites located within 0.5 mile of the USAR Center.

5.1.5 Federal RCRA Small and Large Quantity Generators List within 0.25 Mile

Conditionally exempt small quantity generators are defined as facilities generating less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. RCRA small quantity generators are defined as facilities generating between 100 and 1,000 kg of hazardous waste per month. A facility generating more than 1,000 kg of hazardous waste or over 1 kg of acutely hazardous waste per month is defined as a large quantity generator.

The USAR Center is listed as an RCRA-registered small quantity generator. No RCRA violations are associated with the USAR Center.

Eleven adjacent property owners are RCRA-registered small quantity generators (SQGs). Of the 11 RCRA SQG sites, only four are located in an assumed upgradient or crossgradient direction from the Property. The Amerada Hess Station, located at 610 Nereid Avenue, is situated 285 feet east-southeast of the Property; however, it is considered crossgradient. The NY Board of Education Public School 16, located at 4550 Carpenter Avenue is situated 1,225 feet northeast of the Property and is topographically upgradient of the Property. The Impact Body Repair Shop also is upgradient and is located at 4454 Bronx Boulevard, 427 feet northeast of the Property. The Avant Modes Inc. is situated 1,229 feet north-northeast of the Property (upgradient) at 4510 Bullard Avenue. All four of these sites have no associated violations.

Two large quantity generators are located within 0.25 mile of the USAR Center. Bronx River Hyundai (USEPA ID NYD000697821) is located 564 feet south-southwest of the Property. No violations exist with this facility. The New York City Transit Line 2, 238th Street Station (USEPA ID NYR000110510), located on the corner of 238th Street and White Plains Road, is situated 1,201 feet east-southeast of the Property. There are no violations associated with this facility.

5.1.6 Federal Emergency Response Notification System List

The Federal Emergency Response Notification System (ERNS) List maintains information on reported releases of oil and hazardous substances. The USAR Center is not on this notification list.

5.2 State and Local Environmental Records

Most of the information presented in this subsection was obtained from the EDR report. Additional information also was obtained from online database searches of the State of New York's Web site (<http://www.dec.state.ny.us/website/site/programs.html>). Occasionally, state and local agency personnel were interviewed via telephone to answer questions about any database issues.

5.2.1 State Lists of Hazardous Waste Sites within 1 Mile

The USAR Center is not on the state list of hazardous waste sites.

One site, the SIGNO Trading International LT, was listed on the state list of hazardous waste sites. This site is located at 200-208 South 14th Avenue in Mount Vernon on the Bronx County border. It is situated 4,124 feet east-northeast and is topographically upgradient from the Property. The site was a structure containing a large quantity of toxic, flammable, and hazardous substances stored in compressed gas cylinders, 55-gallon drums, 50-pound bags, numerous 5-gallon containers, boxes, jars, and other containers. The types of chemicals include flammable liquids and solids, poisonous liquids and solids, oxidizers, strong reducing agents, peroxide forming materials (shock-sensitive explosive), and corrosives. In June 1983, USEPA undertook an emergency response after a spill of approximately 30 gallons of ethylene dibromide entered a storm drain on West 3rd Street. Sampling of drums has been done. All wastes in the abandoned warehouse have been removed. The shock-sensitive wastes were detonated at West Point and Hickok Park in Sullivan County, and the remaining wastes were shipped to Thermal Kem. There are no reported releases to the environment. Remediation is complete, and no further action is required.

5.2.2 State-Registered Landfills or Solid Waste Disposal Sites within 0.5 Mile

The USAR Center does not have a solid waste landfill, incinerator, or transfer station within the Property boundaries. No adjacent properties within 0.5 mile of the USAR Center have a solid waste landfill, incinerator, or transfer station.

5.2.3 State-Registered Leaking UST Sites within 0.5 Mile

Within 0.5 mile of the USAR Center, 34 LUST sites in various stages of closure were identified in the EDR report. Out of the 34 LUST sites, eight were considered upgradient or crossgradient from the Property. Table 2 summarizes their information relative to the USAR Center and provides the status of their corrective action. The other 26 sites were either downgradient or across the Bronx River.

The Hess Gas Station had a major release into groundwater and soil. Section 4.2 provides a summary including testing and remedial actions for this site. St. Anthony's Church has had a known release of No. 2 fuel oil into groundwater, according to EDR, and the tank failed an integrity test. EDR reported that the tank was to be retested after repair, and the LTANKS case was closed, as per NYSDEC. Therefore, this site is not expected to pose an environmental threat to the USAR Center.

TABLE 2
 Leaking Underground Storage Tank Sites
SGT Joseph E. Muller U.S. Army Reserve Center, Bronx, New York

Company/Site	Address	Distance and Direction from Property	Regulatory Status	Elevation Relative to Property
Hess Gas Station	610 Nereid Ave. Bronx, NY	Approx. 285 feet east-southeast	Confirmed contaminated groundwater. Unknown quantity of gasoline entered soil and groundwater. Remedial efforts are in progress.	Higher
Mystic Transporters.	660 Nereid Ave. Bronx, NY	Approx. 781 feet east-southeast	20 to 25 gallons of No. 6 fuel oil leaked into soil only. Cleanup efforts completed in 1988. NFA.	Higher
St. Anthony's Church	4505 Richardson Ave. Bronx, NY	Approx. 1,167 feet east	EDR reported No. 2 fuel oil in groundwater, quantity unknown. EDR also states that NYSDEC closed this case in 1995.	Higher
Private Residence	674 East 239th St. Bronx, NY	Approx. 1,213 feet east	1 gallon leaked from tank containing No. 2 fuel oil in soil. Cleaned up and repaired. NFA issued.	Higher
Sharon 7th Day Church	4421 White Plains Rd. Bronx, NY	Approx. 1,220 feet east-southeast	No. 2 fuel oil leaked into basement and into soil. Amount unknown. Soil cleaned up and issued NFA.	Higher
Petro Ramono	4563 White Plains Rd. Bronx, NY	Approx. 1,750 feet east-northeast	Contained No. 2 fuel oil. Tank test failed in 1989. Owner closed system and installed new tank. NFA.	Higher
Bond's Parkway Service Station	1776 Nereid Ave. Bronx, NY	Approx. 2,067 feet east-southeast	Unknown quantity of gasoline released into soil only, no groundwater contamination. NYSDEC closed this case in August 1993.	Higher
Private Residence	4719 Matilda Ave. Bronx, NY	Approx. 2,414 feet northeast	1 gallon of No. 2 fuel oil released into soil. Resident cleaned up and repaired tank. NFA.	Higher

NFA – no further action

5.2.4 State-Registered UST Sites within 0.5 Mile

Based on a review of the EDR report and the state of New York's UST database, 12 UST sites were identified within 0.5 mile of the USAR Center. Out of the 12, seven sites were located upgradient or crossgradient from the Property. Table 3 lists these seven sites along with the tanks' status. The Property itself was not listed in the state UST database.

The Hess Gas Station has had documented releases into groundwater and soil from one or more of its 26 USTs. EDR did not specify which USTs were leaking. Section 4.2 provides a summary including testing and remedial actions for this site. Due to the groundwater flow direction, documented extensive groundwater contamination, lack of groundwater plume delineation, and close proximity of this site to the Property, contaminated groundwater could be migrating to the Property.

Based on the condition of the USTs present at the properties listed in Table 3, with the exception of the Hess Gas Station described above, none of the other properties are considered to present an environmental risk to the USAR Center.

5.2.5 State Spills Incidents

The USAR Center is not listed on the New York state petroleum spill list.

5.2.6 Records of Contaminated Public Wells

The City of New York Department of Environmental Protection (New York City Water Board) does not own or operate any municipal water supply wells within 0.5 mile of the USAR Center.

5.2.7 Voluntary Remediation Program Sites within 0.5 Mile

The USAR Center is not listed in New York's Brownfield Program (the successor to the Voluntary Cleanup Program). No sites located within 0.5 mile of the USAR Center are listed as being in the Brownfield Program.

5.2.8 State-Registered Bulk Fertilizer and Pesticide Storage Facilities within 0.25 Mile

The USAR Center is not registered with the state as a bulk fertilizer and pesticide storage facility. Additionally, no adjacent properties within 0.25 mile were registered as one of these facilities.

TABLE 3
 Underground Storage Tank Sites
Near SGT Joseph E. Muller USAR Center, Bronx, New York

Company/Site	Address	Distance and Direction from Property	Tank Status	Closure Status	Elevation Relative to Property
Our Lady of Mercy Medical Center Annex	4401 Bronx Blvd. Bronx, NY	Approx. 128 feet east-southeast	One 5,000-gallon containing either No. 1, 2, or 4 fuel oil (did not specify). No violations found; last test date in 2005.	Active, registration expired in 2005.	Higher
Hess Gas Station	610 Nereid Ave. Bronx, NY	Approx. 285 feet east-southeast	26 USTs (five 4,000-gallon unleaded gasoline, eight 550-gallon unleaded gasoline, four 550-gallon leaded gasoline, three 550-gallon unknown contents). Confirmed contaminated groundwater. Large amounts of gasoline entered soil and groundwater. Remedial efforts are in progress.	According to EDR, all are active.	Higher
Bronx River Hyundai	4352 Bronx Blvd. Bronx, NY	Approx. 564 feet south southwest	Unregulated tank (< 1,101 gallons). Contents not listed.	Active, registration expiration date in 2008.	Higher
City Line Volkswagon	4353 Bronx Blvd. Bronx, NY	Approx. 565 feet south-southwest	Twelve 550-gallon tanks (contents not listed). One 1,000-gallon waste oil and one 1,000-gallon heating oil USTs.	All were removed. NFA. EDR does not list any new USTs (if any).	Higher
Matilda Avenue Realty Corp	4389 Matilda Ave. Bronx, NY	Approx. 635 feet southeast	2,000-gallon UST containing No. 1, 2, or 4 fuel oil (did not specify).	Active, registration expiration date in 2011.	Higher
St. Anthony School	4520 Matilda Ave. Bronx, NY	Approx. 1,122 feet east-northeast	Unregulated tank (< 1,101 gallons). Contents not listed.	Active.	Higher
St. Anthony Church	4505 Richardson Ave. Bronx, NY	Approx. 1,170 feet east	Unregulated tank (< 1,101 gallons). Contents not listed.	Active.	Higher

NFA - no further action
 UST - underground storage tank

5.3 Unmapped Sites

Some sites within the databases EDR searches have the same zip code as the USAR Center, but no street address. These sites, known as unmapped or orphan sites, cannot be mapped from the EDR results alone. Additional efforts described herein were made to locate these sites and assess their environmental importance to the USAR Center.

Using the mapping utility provided at google.com, the locations of the orphan sites were identified and mapped. One of the sites, St. Anthony Convent, is located within the corresponding ASTM search radius distance.

The St. Anthony Convent, which is a separate structure from the St. Anthony's Church, is located at 4500 Matilda Avenue, 0.2 mile east-northeast of the Property. This site was listed in the historical UST database. According to EDR, the 2,500-gallon tank contains No. 2 fuel oil for heating, and it is monitored. There have been no leaks or spills associated with this tank. Additionally, this site was not listed in the NYSDEC Environmental Site Remediation Database. This site is located topographically upgradient from the Property.

5.4 Summary of Properties Evaluated to Determine Risk to the Property

To summarize Subsections 5.1 through 5.3, two separate properties, near or adjacent to the USAR Center, were evaluated as potential risk properties to the Property. These adjacent properties evaluated were identified as a result of information obtained during area reconnaissance, interviews, and regulatory database searches, and are summarized in Table 4.

Based on an evaluation of available site information and details concerning the properties listed in Table 4, one of the facilities evaluated exhibit significant environmental conditions that have the probability of adversely affecting the environmental conditions at another site.

TABLE 4
 Properties Evaluated for Potential Environmental Risks
SGT Joseph E. Muller USAR Center, Bronx, New York

Company/Site	Database	Elevation Relative to Property?	Potential Impact on the Property?	Comments
Hess Gas Station	LTANKS, HIST LTANKS, RCRA-SQG, NY SPILLS, HIST NY SPILLS, UST, HIST UST	Higher	Yes	Known groundwater contamination. Remedial Action Plan is being prepared. Even though located downgradient, the close proximity to the Property could lead to potential contaminant migration on the Property.
St. Anthony Complex, including school, convent, and church	HIST LUST, LUST, UST	Higher	No	EDR stated known fuel oil was released into groundwater and that NYSDEC closed the HIST LUST in 1995.

HIST – historic
 LUST – leaking underground storage tank
 NY – New York
 RCRA – Resource Conservation and Recovery Act
 SQG – small quantity generator
 UST – underground storage tank

6 Site Investigation and Review of Hazards

Findings documented in the following subsections are based on the September 6, 2006, site reconnaissance, a review of available site records, and information obtained from USAR personnel.

6.1 USTs/ASTs

Available records do not indicate any USTs currently or formerly located at this facility. One 7,500-gallon AST containing No. 2 fuel oil was located in the basement of the main building, and it was removed in 2003 as discussed in Section 3.4.

6.2 Inventory of Chemicals/Hazardous Substances

Records pertaining to hazardous substances and petroleum products were reviewed in addition to interviews and the site reconnaissance to develop the inventory for this Property.

Available records indicate that hazardous materials and/or POLs have been stored in small quantities at this facility. A 1994 SPCC Plan (CH2M HILL, 1994) indicated that materials were stored onsite in either the janitorial closet or the OMS area located on the first floor. These materials include numerous cleaning supplies, antifreeze, adhesives, 2-propanol, dielectric fluid, acids, lubricating oils, paints and enamels, and gasoline.

A flammable materials cabinet inside the OMS on the first floor was observed during the site reconnaissance. No inventory was available. The cabinet contained 2 quarts of motor oil, 2 quarts of lubricating oil, 1 gallon of antifreeze, and four empty fuel canisters. This facility uses a licensed commercial company for pesticide management on an as-needed basis.

During the site reconnaissance, there was no evidence that hazardous substances above reportable quantities were stored for 1 year or more, released, or disposed at the Property.

6.3 Waste Disposal Sites

Available records and interviews did not indicate the practice of onsite waste disposal other than through managed storage and offsite disposal, or through the sewer or septic systems. Hazardous, nonhazardous, and universal wastes that are generated at the facility are disposed of via a licensed contractor retained by the 77th RRC ARIM Environmental Division. No waste disposal sites were observed during the site reconnaissance, nor were any signs of past onsite waste disposal (such as stressed vegetation or suspicious depressions in the landscape) observed.

6.4 OWS, Pits, Sumps, Drywells, and Catch Basins

Available records, interviews, and site observations did not indicate the existence or past existence of any pits, sumps, or drywells. The only catch basins on the Property are those described in Section 2.4.1 relating to stormwater runoff.

Drains from the OMS connect to a structure located in the basement of the main building. The structure is either a sanitary sewer cleanout access (according to the 77th RRC's reading of as-built drawings) or a small OWS, which is periodically cleaned out (CH2M HILL, 1994). According to 77th RRC personnel, the as-built drawings for the main building do not indicate an OWS in the basement. This structure is connected to the city's sanitary sewer.

The wash rack, located in the MEP/POV parking area, is associated with a dedicated OWS. Rinse water drains into the OWS, which ultimately discharges to the municipal sanitary sewer. The date of installation of this OWS is unknown. According to 77th RRC personnel, an inspection of the wash rack and OWS completed by the 77th RRC and USGS on June 1, 1998, indicated that the OWS is a fiberglass UST with baffles, with an approximately 8,000-gallon capacity. At the date of the inspection, washing activities had ceased, and the drain was overgrown with weeds.

6.5 Asbestos-containing Material

A 1997 survey evaluation of ACM at this facility (ANL, 1997) found that the previously identified ACM suspected to be located in the main building had been removed with the exception of the breaching on the boiler. The boiler breaching material had been repaired and was found to be in good condition; however, sample results indicated that the breaching material was friable and contained 5 percent chrysotile. This report did not specify whether the breaching material was encapsulated or not.

Another survey evaluation of ACM at this facility (EEG, 2004) recognized four areas with suspected ACM. Eight samples were collected and analyzed. Asbestos was not found in any of the sampled areas. Out of the eight samples taken, none was of the friable boiler breaching material previously mentioned.

6.6 PCB-containing Equipment

According to a 1994 SPCC Plan, visual observations made during the site reconnaissance, and 77th RRC personnel interviews, there are no transformers located on the Property.

6.7 Lead-based Paint

The building on the Property was constructed before 1978 and therefore is presumed to contain LBP. At the time of the site reconnaissance, the building was in the process of being repainted. There were no available records indicating an LBP survey was performed.

6.8 Radon

According to 77th RRC personnel, a radon survey of the facility was performed July 17-20, 1998. The results indicated radon levels between 0.2 and 0.8 picoCuries per liter (pCi/L) requiring no additional mitigation. In addition, the USEPA map of radon zones for Bronx County, New York, confirms that the county lies within the low priority zone, Zone 3, which has a predicted average indoor screening level under USEPA's residential action level of 4 pCi/L. The EDR report provides radon test results for the 10470 zip code area. The results concluded that the basements in the area had an average radon activity level of 1.110 pCi/L, while first floor living areas had an average level of 0.670 pCi/L.

6.9 Munitions and Explosives of Concern

Based on a review of available records, the site reconnaissance, and interviews with USAR Center personnel, there are no indications that munitions and explosives of concern (MEC) are or were present at the Property. There are no firing ranges on the Property, and there is no evidence that a firing range occurred on the Property historically.

6.10 Radioactive Materials

Based on the September 6, 2006, site reconnaissance and interviews with USAR Center personnel, radioactive materials were present in equipment used on the Property. Meters used to monitor NBC hazards were stored in the main building. These meters apparently contain small quantities of radioactive material in sealed containers and are not regulated.

7 Review of Special Resources

7.1 Land Use

New York City Department of City Planning has designated this Property and surrounding properties as M1-1, Light Manufacturing, paired with R-5, Lower Density Residency District. The site is located in a mixed-used area that combines commercial, industrial, and residential land uses.

7.2 Coastal Zone Management

The New York State Department of State's Division of Coastal Resources is the lead agency for the New York Coastal Management Program. This Property is not included in the coastal zone management plan, nor is it in a coastal zone.

7.3 Wetlands

According to the U.S. Fish and Wildlife Service (USFWS) National Wetlands Inventory map, no jurisdictional wetland areas are identified on the Property or on adjacent properties.

During the September 6, 2006, site reconnaissance, no conditions were present that suggested the presence of wetlands on the Property (that is, areas with standing water or wetland vegetation). Based on State Soil Geographic Database (STATSGO) data, the soils present at the Property are from the Urban Land Series, which are classified as a loam and do not meet the requirements for a hydric soil (that is, wetland indicator soils) (EDR, 2006).

7.4 100-year Floodplain

According to EDR's radius report map (Appendix E), the USAR Center is not located in a 100-year floodplain. Facility personnel were not aware of the facility ever being flooded.

7.5 Natural Resources

No natural resources surveys or mapping have been conducted on the Property. The developed nature of the area, the length of time this area has been developed, the small acreage involved, and the results of the site reconnaissance indicate that it is unlikely any threatened or endangered plant or animal species, or any habitat critical to their survival, would occur at this location.

7.6 Cultural Resources

A Section 110 cultural resources survey report for the Property was prepared in November 2006. It states, "The Sergeant Joseph E. Muller United States Army Reserve Center was

originally a United States Navy Industrial Reserve Aircraft Plant that was transferred to the Army on October 31, 1959. The building was renovated in 1960 for the use as a 1,400-man Army Reserve Center. In 1991, the windows were replaced and the building was re-clad in stucco. The building was originally constructed in conjunction with the neighboring building and both buildings were owned by Farrand Optical. The Sergeant Joseph E. Muller United States Army Reserve Center is not associated with a pattern of events or specific trend that made a significant contribution to the development of the community, State, or nation. Therefore, the property is not eligible for the National Register of Historic Places [NRHP] under Criterion A. Although named for a prominent military leader, Sergeant Joseph E. Muller personally has no known association with the Reserve Center. Therefore, the property is not eligible under Criterion B. The Sergeant Joseph E. Muller United States Army Reserve Center does not significantly represent the design of Army Reserve Centers constructed in the mid twentieth century. In addition, major alterations, including the replacement of the original windows and the stucco cladding, made to the building compromise the integrity of the buildings' design, workmanship, and materials. Thus, the property is not eligible under Criterion C. The property was not evaluated under Criterion D. Therefore, it has been determined that the Sergeant Joseph E. Muller United States Army Reserve Center is not eligible for listing in the National Register of Historic Places under Criteria A, B, and C" (Sec. 110 Building Inventory Form, Tracerics, Inc., Nov. 2006).

7.7 Other Special Resources

Based on a review of available current and historical documents, no additional special resources were identified on the Property or the immediate surrounding area.

8 Conclusions

The following information was obtained after conducting an environmental record search, including records for adjacent properties, reviewing available historical information, conducting interviews with knowledgeable parties connected with the Property or with state and local agencies, and conducting a reconnaissance of the Property and adjacent properties.

8.1 Review of Findings

Hazardous Substances. Hazardous substances pursuant to CERCLA Section 101(14) (42 United States Code 9601 (14)) were used and stored at the Property in amounts necessary to support unit-level vehicle and building maintenance activities. There is no evidence that hazardous substances above reportable quantities were stored for 1 year or more, released or disposed at the Property.

USTs/ASTs. Available records do not indicate any USTs currently or formerly located at this facility. One 7,500-gallon AST containing No. 2 fuel oil was located at this Property and was removed in 2003 in order to convert to natural gas. Maintenance records, removal reports, etc., were not available for this ECP report, however, 77th RRC personnel indicated that the tank was inspected monthly.

Non-UST/AST Petroleum Storage. Limited quantities of non-UST/AST petroleum storage were observed on the Property during the site reconnaissance on September 6, 2006. At that time, the OMS contained a flammable materials cabinet that contained de minimis amounts of motor oil, lubricant, and antifreeze. Historically, non-UST/AST petroleum products were stored on the Property. In 1994, materials included numerous cleaning supplies, antifreeze, adhesives, 2-propanol, dielectric fluid, acids, lubricating oils, paints and enamels, and gasoline.

Pits, Sumps, Drywells, and Catch Basins. There was a wash rack and OWS historically used at the Property. The OWS was reportedly cleaned out periodically; however, there were no OWS maintenance records or closure documentation available for review.

Polychlorinated Biphenyls (PCBs). No transformers are located on the Property.

ACM. A 1997 survey evaluation of ACM at this facility (ANL, 1997) found that the previously identified ACM suspected to be located in the main building had already been removed, with the exception of the breeching on the boiler. The boiler breeching material had been repaired and was found to be in good condition. Sample results indicated, however, that this breeching material was friable and contained 5 percent chrysotile. This report did not indicate whether this material was encapsulated.

Another survey evaluation of ACM at this facility (EEG, 2004) recognized four distinct areas with suspected ACM. Eight samples were collected and analyzed. Asbestos was not found

in any of the four areas. The samples taken did not include the breaching material previously mentioned.

LBP. No LBP surveys have been conducted at the Property. The building on the Property was constructed before 1978 and, therefore, is presumed to contain LBP. At the time of the site reconnaissance, the facility was in the process of being repainted.

Radiological Materials. Based on the September 6, 2006, site reconnaissance and interviews with USAR Center personnel, radioactive materials are present in equipment used on the Property. Meters used to monitor NBC hazards were stored in the main building. These meters contain small quantities of radioactive material in sealed containers and are not regulated.

Radon. According to 77th RRC personnel, a radon survey of the facility was performed July 17-20, 1998. The results indicated radon levels between 0.2 and 0.8 pCi/L requiring no additional mitigation. USEPA Region 2 and USGS have evaluated the radon potential in New York. According to the USEPA radon map, Bronx County has a predicted average screening level of below 2 pCi/L. USEPA has recommended 4 pCi/L as an action level for radon abatement.

MEC. Available records do not indicate any MEC currently or formerly located at this Property. No evidence of MEC was observed during the site reconnaissance. Additionally, available records and interviews with 77th RRC personnel indicated that there was no firing range associated with this facility.

Surrounding Properties. Potential environmental sites of concern, located within the standard ASTM search radius distance from the Property, were evaluated through database review and site reconnaissance. Only one of the adjacent properties evaluated exhibited environmental conditions that had or have the potential to adversely affect environmental conditions at the USAR Center. The Hess Gas Station had a release of BTEX and MTBE into soil and groundwater. Contaminated groundwater is migrating toward the Property, and the groundwater plume has not yet been delineated. This site is still under investigation by NYSDEC.

Wetlands and Floodplain. According to the USFWS National Wetlands Inventory maps, EDR report, and visual observations, no wetlands are associated with this USAR Center or with any adjacent properties. The Property is not located within a 100-year floodplain or within a coastal zone.

Threatened and Endangered Species. No natural resources surveys or mapping have been performed for the Property. The developed nature of the area surrounding the facility, the length of time this area has been developed, the small acreage involved, and the results of the site reconnaissance indicate that it is unlikely any threatened or endangered plant or animal species, or any habitat critical to their survival, would occur at this location.

Archaeological and Historical Resources. A Section 110 cultural resources survey report for the Property was prepared in November 2006. According to the survey, it has been determined that the USAR Center is not eligible for listing in the NRHP under Criteria A, B, and C.

8.2 Environmental Condition of Property

Findings of this ECP report were based on reasonably available environmental information; interviews with site, state, and local personnel; review of previous environmental studies; and federal and state database and file information related to the storage, release, treatment, and/or disposal of hazardous substances or petroleum products. Results also were based on visual observations of the Property and adjacent properties.

In accordance with DoD policy defining the classifications (see Sherri Goodman memorandum dated October 21, 1996), the Property has been classified into one of seven property types. Based on the results of this ECP study, the property has been assigned an overall DoD Environmental Condition Type 7. The property type is based on the following major finding:

- The adjacent property, the Hess Gas Station, has a release of BTEX and MTBE into groundwater that is migrating toward and may have impacted the Property. This groundwater plume has not yet been fully delineated.

9 References

Persons Contacted

- Frank Gilner, 77th RRC, Regional Manager Area 4, 347-219-9687, September 6, 2006
- Clarine Price, 77th RRC, Facility Manager, 718-325-7457, September 6, 2006
- Ravi Ajodah, 77th RRC (J.M. Waller Associates, Contractor), Environmental Scientist, 718-352-5155, April 2007
- Sarah Carlson, NYSDEC, Project Manager, 718-482-4898, May 2007

Resources Consulted

- U.S. Geologic Survey (USGS) topographic maps provided by Environmental Data Resources (EDR) 1947, 1956, 1966, 1966-1979, and 1995 7.5-Minute Topographic Map, Mount Vernon, New York Quad
- New York City Department of Planning,
http://www.nyc.gov/html/dcp/html/zone/bx_zonedex.shtml
- USEPA Map of Radon Zones, <http://www.epa.gov/radon/zonemap.html>
- New York Coastal Zone Management,
<http://coastalmanagement.noaa.gov/mystate/ny.html>
- U.S. Fish and Wildlife Service (USFWS) Wetlands Inventory Map,
<http://wetlandsfws.er.usgs.gov/wtlnds/launch.html>
- New York State Department of Environmental Conservation's Environmental Site Remediation Database Search,
<http://www.dec.state.ny.us/cfm/x/extapps/derfoil/index.cfm?pageid=3>

Works Cited

Argonne National Laboratory (ANL). 1997. Asbestos Assessment and Abatement Prioritization Program Report. September.

CH2M HILL. 1994. Spill Prevention Control and Countermeasure Plan, Muller USARC Bronx, New York. May.

Environmental Enterprise Group, Inc. (EEG). 2004. Asbestos Inspection Report U.S. Army Reserve Center Bronx, New York (NY006). December.

Merguerian, Charles. 2006. Structural Implications of Walloomsac and Hartland Rocks Displayed by Borings in Southern Manhattan. April.

Tracerics, Inc. 2006. Sec. 110 Building Inventory Form. November.

U.S. Fish and Wildlife Service (USFWS). 1997. Significant Habitats and Habitat Complexes of the New York Bight Watershed. November.

Appendix A
Figures








FIGURE 1
Site Location Map
Sgt. Joseph E. Muller USAR Center
Phase I ECP Report

SGT Joseph E. Muller USAR Center
General Site Layout Plan
Phase I ECP Report

FIGURE 2

- LEGEND
- POV Privately Owned Vehicle
 - MEP Military Equipment Parking
 - OWS Oil Water Separator
 - Approximate Property Boundary
 - Fence/line
 - Railroad






N ^ EDR INQUIRY# 1725083.10 TARGET QUAD: MOUNTVERNON YEAR: 1947 Series: 7.5' Scale: 1:25,000



SOURCE: USGS 7.5' Quad: Mount Vernon

FIGURE 3
 1947 USGS 7.5-Minute Topographic Map,
 Mount Vernon, New York
 SGT Joseph E. Muller USAR Center
 Phase I ECP Report




N ^ EDR INQUIRY# 1725083.10 TARGET QUAD: MOUNTVERNON YEAR: 1956 Series: 7.5' Scale: 1:24,000



SOURCE: USGS 7.5' Quad: Mount Vernon

FIGURE 4
 1956 USGS 7.5-Minute Topographic Map,
 Mount Vernon, New York
 SGT Joseph E. Muller USAR Center
 Phase I ECP Report




Produced by the United States Geological Survey
 N ^ EDR INQUIRY# 1725083.10 TARGET QUAD: MOUNTVERNON YEAR: 1995 Series: 7.5' Scale: 1:24,000

FIGURE 5
 1995 USGS 7.5-Minute Topographic Map,
 Mount Vernon, New York
 SGT Joseph E. Muller USAR Center
 Phase I ECP Report




SOURCE: USGS 7.5' Quad: Mount Vernon



SOURCE: Environmental Data Resources, Inc.

FIGURE 6
1954 Aerial Photograph
SGT Joseph E. Muller USAR Center
Phase I ECP Report



SOURCE: Environmental Data Resources, Inc.

FIGURE 7
1994 Aerial Photograph
SGT Joseph E. Muller USAR Center
Phase I ECP Report

Appendix B
Site Reconnaissance
Photographs

APPENDIX B

Site Reconnaissance Photographs



1. *Main Reserve Building Joseph E. Muller Army Reserve Center – Bronx, NY (NY006)*



2. *Washrack and dedicated Oil water separator, located in MEP/POV parking area, northeast corner of Property.*



3. Monitoring wells observed at Hess Gas Station.

Appendix C
Property Acquisition Documents

Project: United States Army Reserve
Center, Bronx, New York
Tract 100

LIBER 2370 PAGE 119

INDENTURE made this 8th day of January in the year One
Thousand Nine Hundred and Sixty.

BETWEEN HAROLD JACOB, residing at 3530 Decatur Avenue, City
and State of New York, County of Bronx, hereinafter referred to as
the GRANTOR, and the UNITED STATES OF AMERICA, Washington, D. C.,
hereinafter referred to as the GOVERNMENT.

WITNESSETH that the GRANTOR for and in consideration of the
sum of Fifteen Thousand (\$15,000.00) Dollars lawful money of the
United States, the receipt and sufficiency of which is hereby ac-
knowledged, hereby grants and releases in fee simple absolute unto
the GOVERNMENT and its assigns forever,

All that tract or parcel of land situate in the Borough of
Bronx, County of Bronx, State of New York, and more particularly
described as follows:

Beginning at a point on the northwesterly side of Bronx
Boulevard, 358.37 feet northeasterly along the same from its
intersection with the northeasterly side of East 238th Street
(Neroid Avenue). Running thence northwesterly along the lands
of Farrand Optical Company 140.32 feet, thence northeasterly along
lands of Lot #25, Block 5066, 80.0 feet, thence southeasterly and
parallel to the established subdivision lines, through lands of
Jacobs 140.32 feet, to northwesterly side of said Bronx Boulevard;
thence southwesterly along the same 80.0 feet to the point or place
of beginning.

Containing 0.26 acres of land more or less.

Being part of the same premises conveyed to GRANTOR, by deed
dated December 1, 1955 and recorded December 17, 1955 in Liber 2160
of Deeds, Page 233.

Said premises are conveyed subject to existing easements for
public roads and highways, for public utilities, railroads and pipelines.

TOGETHER with all the appurtenances and all the estate and rights
of the GRANTOR in and to said premises.

TO HAVE AND TO HOLD the premises herein granted unto the
GOVERNMENT and its assigns forever.

AND said GRANTOR does covenant as follows:

LIBER 2370 PAGE 120

FIRST: That said GRANTOR is seized of the premises in fee simple, and has good right to convey the same;

SECOND: That said GOVERNMENT shall quietly enjoy the said premises;

THIRD: That said premises are free from encumbrances, except as aforesaid;

FOURTH: That the GRANTOR will execute or procure any further necessary assurance of the title to said premises;

FIFTH: That said GRANTOR will forever warrant the title to the said premises;

SIXTH: That said GRANTOR will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of any and all improvements made or commenced upon the said premises, and will apply the same first to the payment of the cost of such improvements before using any part of the total of the same for any other purpose.

AND the GRANTOR does hereby remise, release and quitclaim to the GOVERNMENT and its assigns all the right, title or interest which the GRANTOR may have in the banks, beds and waters of any streams opposite to or fronting on said land and any alleys, ways, streets, strips, gores or railroad rights of way abutting or adjoining said land and in any means of ingress or egress appurtenant thereto.

IN WITNESS WHEREOF, the GRANTOR has hereunto affixed his hand and seal the day and year first above written.

Witness:
Julius A. Fishman

Harold Jacob
HAROLD JACOB

STATE OF NEW YORK }
COUNTY OF BRONX } SS:

On this *8th* day of January 1960 before me personally came HAROLD JACOB to me known to be the person described in and who executed the foregoing instrument and acknowledged that he executed the same.

Leon Ellner
Notary Public

LEON ELLNER
Notary Public, State of New York
No. 44,1107366
Qualified in Rockland County
Term Expires March 30, 1961



1960 JAN 8 AM 10 43

LOT	EXAMINED	TICKER
LOCATION	VERIFIED	
BOOK	ALPHABETICAL	COMPARED

OFFICE OF CITY REGISTER
 Bronx County
 RECORDED IN DEEDS
 Witness my hand and official seal
 City Register
James O'Neil

RETURN RFI # 108

8.00

C 161 JAN 8 60

A —
 HAROLD JACOB
 to
 UNITED STATES OF AMERICA

JAN--8-60
 DEED
 NOT TAXABLE

*Property located in
 Section 17, Block 5215
 AD*

Record and Return To:
 U. S. Army Engineer District 4, New York
 Corps of Engineers
 111 East 16th Street
 New York 3, New York
 Attention: Real Estate Division

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

----- x
UNITED STATES OF AMERICA,

Petitioner-Plaintiff,

- versus -

CIVIL NO. 20-219

0.568 of an Acre of Land in the
Borough of Bronx, City and State
of New York, and Farrand Optical
Company, Davis & Lawrence Co., The
City of New York,

Defendants.
----- x

JUDGMENT ON THE DECLARATION OF TAKING

This cause coming on at this term of Court upon the application of the petitioner, the United States of America, to enter a judgment on the Declaration of Taking filed in the above entitled cause on the 30th day of March, 1943, and upon consideration thereof and of the Petition in Condemnation filed herein, said Declaration of Taking, the statutes in such cases made and provided, and it appearing to the satisfaction of the Court;

FIRST: That a Petition in Condemnation was filed at the request of the Secretary of the Navy, the authority empowered by law to acquire an estate in the property described in said Petition and also under authority of the Attorney General of the United States;

SECOND: That pursuant to the prayer contained in said Petition, an order granting to the Petitioner-Plaintiff the exclusive use and occupancy of the premises described in the Petition in Condemnation and Declaration of Taking was filed herein on the 11th day of January, 1943;

THIRD: That said Petition in Condemnation and Declaration of Taking state the authority under which and the public use for which

said property was taken; that the Secretary of the Navy is the person duly authorized and empowered by law to acquire an estate in the property described in said Petition, for naval purposes, and the Attorney General of the United States is the person authorized by law to direct the institution of such condemnation proceedings;

FOURTH: That a proper description of the property sought to be taken sufficient for identification thereof is set out in said Declaration of Taking;

FIFTH: That said Declaration of Taking contains a statement of the estate or interest in said property taken for said public use;

SIXTH: That a statement is contained in said Declaration of Taking of a sum of money estimated by said acquiring authority to be just compensation for said estate in the amount of Twelve Thousand and 00/100 (\$12,000.00) Dollars, and that said sum was deposited in the Registry of this Court for the use of the persons entitled thereto upon and at the time of the filing of said Declaration of Taking;

SEVENTH: That a statement is contained in said Declaration of Taking that, in the opinion of the Secretary of the Navy, the amount of the ultimate award of compensation for the taking of said estate will be within the limits proscribed by Congress as to the price to be paid therefor; it is, therefore,

ORDERED, ADJUDGED and DECREED that title to the use and occupancy of all that land, shown on a map attached to the Declaration of Taking hereinbefore referred to, and more particularly described as follows:

Beginning at a point, formed by the intersection of the northerly side of Moreid Avenue and the easterly side of Bullard Avenue as shown on Section 29 of the Final Map of the City of New York, filed June 10, 1909; thence

running northerly along the said easterly side of Bullard Avenue 264.32 feet; thence running easterly and at right angles to the said easterly side of Bullard Avenue 94.90 feet; thence running southerly parallel with the said easterly side of Bullard Avenue 257.45 feet to the northerly side of Meroid Avenue; thence running westerly along the northerly side of Meroid Avenue 85.52 feet to an angle in said Avenue; thence with an interior angle of 179° 58' 39" continuing along the northerly side of said Avenue 11.63 feet to the point of beginning.

Containing 0.568 acres, more or less, as delineated on that certain survey plat entitled "Surveyed as in Possession, September 24, 1942", prepared by Douglas Knox and Stephen L. Garvin Inc., City Surveyors.

vested in the United States of America upon the filing of said Declaration of Taking and the depositing in the Registry of this Court of the said sum of Twelve Thousand and 00/100 (\$12,000.00) Dollars, as hereinabove recited, and said lands are deemed to have been condemned and taken for the use of the United States of America and the right to just compensation for the property taken, upon the filing of the Declaration of Taking vested in the persons entitled thereto, and the amount of compensation shall be ascertained and awarded in this proceeding and established by judgment herein pursuant to law; and it is further

ORDERED, ADJUDGED and DECREED that notice of the entry of the within judgment shall be served personally upon the various and respective defendants, or, where any of said defendants are represented by counsel, by mailing said notice to such counsel at their last known addresses.

Dated: ^{New York} ~~Brooklyn~~, New York,
April 1st, 1943.

Bluchert
United States District Judge

No. Civ. No. 20-219
UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

UNITED STATES OF AMERICA,
Petitioner-Plaintiff,

-versus-

0.568 of an Acre of Land in the
Borough of Bronx, City and State
of New York and Federal Optical
Company, Davis & Lawrence Co., The
City of New York,

Defendants.

**JUDGMENT ON THE DECLARATION
OF TAKING**

HARRY F. DOLAN
Special Assistant to the Attorney
General of the United States
Attorney for Petitioner-Plaintiff
Office & Post Office Address
305 Washington Street
Brooklyn, New York.

IN THE
UNITED STATES DISTRICT COURT
FOR THE SOUTHERN DISTRICT OF NEW YORK

UNITED STATES OF AMERICA,
Plaintiff,)

vs.)

0.07 ACRES OF LAND, MORE OR)
LESS, SITUATE IN THE)
BOROUGH OF BRONX, COUNTY OF)
BRONX, STATE OF NEW YORK,)
AND FARRAND OPTICAL CO., INC.)
ET AL)
Defendants)

DECLARATION
OF
TAKING

CIVIL NO. 60 Civil 7
filed 1/5/60

TO THE HONORABLE,
THE UNITED STATES DISTRICT COURT:

I, Walter M. Brooker, Secretary of
the Army of the United States, do hereby declare that:

1. (a) The land hereinafter described is taken under and in accordance with the Act of Congress approved February 26, 1931 (46 Stat. 1421, 40 U.S.C. 258a), and acts supplementary thereto and amendatory thereof, and under the further authority of the Act of Congress approved August 1, 1888 (25 Stat. 357, 40 U.S.C. 257); the Act of Congress approved August 10, 1956 (Public Law 1028 - 84th Congress, 2d Session; 10 U.S.C. 2233, 2663), which authorizes the acquisition of land for military purposes; the Acts of Congress approved August 9, 1955 (Public Law 302, 84th Congress) and August 3, 1956 (Public Law 968, 84th Congress), which acts authorize acquisition of the land, and the Act of Congress approved July 2, 1956 (Public Law 639, 84th Congress), which act made funds available for such purposes.

(b) The public uses for which said land is taken are as follows: The said land is necessary adequately to provide for the establishment of additional facilities for the use of the Department of the Army and for other military uses incident thereto. The said land has been selected by me for acquisition by the United States for use in connection with

the establishment of an Army Reserve Center in County of Bronx, State of New York, and for such other uses as may be authorized by Congress or by Executive Order.

2. A general description of the land being taken is set forth in Schedule "A" attached hereto and made a part hereof, and is a description of the same land described in the complaint in the above entitled cause.

3. The estate taken for said public uses is a perpetual and assignable easement and right of way to locate, construct, operate, maintain, and repair a roadway, in, upon, over and across the land described in Schedule "A", together with the right to trim, cut, fell and remove therefrom all trees, underbrush, obstructions, and any other vegetation, structures, or obstacles within the limits of the right of way; subject, however, to existing easements for public roads and highways, public utilities, railroads and pipelines; reserving, however, to the landowner, its successors and assigns the right to use the surface of said land as access to its adjoining land.

4. A plan showing the land taken is annexed hereto as Schedule "B" and made a part hereof.

5. The sum estimated by me as just compensation for said land, with all buildings and improvements thereon and all appurtenances thereto and including any and all interests hereby taken in said land, is set forth in Schedule "A" herein, which sum I cause to be deposited herewith in the registry of the said court for the use and benefit of the persons entitled thereto. I am of the opinion that the ultimate award for said land probably will be within any limits prescribed by law on the price to be paid therefor.

IN WITNESS WHEREOF, the United States of America, by its Secretary of the Army, therunto authorized, has caused this declaration to be signed in its name by said Walter M. Brock, Secretary of the Army, this 21st day of Dec, A.D. 1957, in the City of Washington, District of Columbia.

Walter M. Brock
Secretary of the Army

SCHEDULE "A"

The land which is the subject matter of this declaration of taking and this condemnation aggregates 0.07 acres of land, more or less, situate in the Borough of Bronx, County of Bronx, State of New York. A description of the land taken, together with the name and address of the purported owner thereof, and a statement of the sum estimated to be just compensation therefor, are as follows:

Tract 101E

All that tract or parcel of land situate in the Borough of Bronx, County of Bronx, State of New York, being a strip of land 30 feet in width, the center line of which is more particularly located as follows:

Beginning at a point on the boundary line between lands of the United States of America on the southwest and lands of Farrand Optical Co., on the northeast, said point being 42 feet more or less southeasterly, along said boundary, from its intersection with the southeasterly side of Bullard Avenue. Running thence northeasterly, through lands of Farrand Optical Co., on a line parallel to the southeasterly side of Bullard Avenue, 50.0 feet; thence continuing northeasterly, still through lands of the same, 58.0 feet more or less to a point on the southwesterly boundary of lands of H. Jacobs. Said last mentioned point being 17.0 feet more or less southeasterly, along said southwesterly boundary, from the most westerly corner of said lands of H. Jacobs.

Containing 0.07 acres of land, more or less.

NAME OF PURPORTED OWNER: Farrand Optical Co., Inc.
ADDRESS OF PURPORTED OWNER: Bronx Boulevard and East 238th Street
Bronx, New York
ESTIMATED JUST COMPENSATION: \$5,000.00

The gross sum estimated by the acquiring authority to be just compensation for the estate hereby taken, inclusive of all rights set forth in the declaration of taking is Five Thousand (\$5,000.00) Dollars.

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

*U.S. District Court
filed
April 14, 1960
S.D.N.Y.*

----- X
UNITED STATES OF AMERICA,

Petitioner-Plaintiff,

No. 60 Civil 7

- versus -

JUDGMENT

0.07 acres of land, more or less, situate
in the Borough and County of Bronx, City
and State of New York, and Farrand Optical
Co., Inc., et al.,

Defendants.

----- X

Upon the annexed stipulation between Petitioner-Plaintiff,
UNITED STATES OF AMERICA, and FARRAND OPTICAL CO., INC., defendant-
owner of Tract 101E in the above entitled proceeding, it is hereby

ORDERED, ADJUDGED and DECREED:

1. That the sum of \$6,000., inclusive of interest,
is hereby fixed and determined to be the just compensation which
should be paid by petitioner-plaintiff, United States of America,
for the taking of a perpetual and assignable easement and right-of-
way as to said Tract 101E, as described in the Complaint in Condemna-
tion and Declaration of Taking filed herein on January 5, 1960.

2. That petitioner-plaintiff shall cause to be deposited
in the Registry of the Court the sum of \$1,000., representing the
deficiency on account of just compensation herein fixed and determined,
and which deficiency, when deposited, together with the sum of \$5,000.,
now on deposit in the Registry of the Court, shall complete the just
compensation herein fixed and determined, and may be withdrawn pursuant
to the Rules of Court.

Dated: New York, N.Y.

April 14th 1960.

cck

Suo C. Knox
United States District Judge

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

----- X

UNITED STATES OF AMERICA,

Petitioner-Plaintiff,

No. 60 Civil 7

- versus -

STIPULATION

0.07 acres of land, more or less, situate
in the Borough and County of Bronx, City and
State of New York, and Farrand Optical Co.,
Inc., et al.,

Defendants.

----- X

IT IS HEREBY STIPULATED and AGREED by and between
Petitioner-Plaintiff, UNITED STATES OF AMERICA, and FARRAND OPTICAL
CO., INC., defendant-owner of Tract 101E in the above entitled pro-
ceeding, as follows:

1. That the sum of \$6,000., inclusive of interest,
represents the just compensation which should be paid by petitioner-
plaintiff, United States of America, for the taking of a perpetual
and assignable easement and right-of-way as to said Tract 101E,
as described in the Complaint in Condemnation and Declaration of
Taking filed herein on January 5, 1960.

2. That petitioner-plaintiff shall cause to be
deposited in the Registry of the Court the sum of \$1,000., representing
the deficiency on account of just compensation herein stipulated and
agreed upon, and which deficiency, when deposited, together with the
sum of \$5,000., now on deposit in the Registry of the Court, shall
complete the just compensation herein agreed upon, and may be with-
drawn pursuant to the Rules of Court.

Dated: April 8 1960.

UNITED STATES OF AMERICA,

By HARRY T. DOLAN
Special Assistant to Attorney General

FARRAND OPTICAL CO., INC.

(corporate seal)

By C. L. Farrand
President

STATE OF NEW YORK)
) SS.:
COUNTY OF NEW YORK)

On the 8th day of April, 1960, before me personally
came C. L. FARRAND to me known, who being by me duly
sworn, did depose and say; that he resides at 133 Pondfield Road
Bronxville, N.Y. ; that he is the President of FARRAND
OPTICAL CO., INC., the corporation described in and which executed
the foregoing stipulation; that he knows the seal of said corporation;
that the seal affixed to said instrument is such corporate seal; that
it was so affixed by order of the Board of Directors of said corpora-
tion; that he signed his name thereto by like order.

(seal)

~~Charles E. Vannieu~~
Notary Public, State of New York
No. 03-4226700
Qualified in Bronx County
Commission Expires March 30, 1961

Appendix D
**Previous Environmental
Site Assessment Reports**

Appendix D redacted.

Appendix E
**Regulatory Database
Search Reports**



INQUIRY #: 1725083.11

YEAR: 1989

| = 833'







INQUIRY #: 1725083.11


YEAR: 1994

| = 833'












595 630 000 FEET (EAST) 596 597 BRONX & PELHAM PKWY. 1.3 MI. 50' BRONX WHITESTONE BRIDGE 5 MI.









EDR® Environmental
Data Resources Inc

The EDR Radius Map with GeoCheck®

**SGT Joseph E. Muller USARC, NY
555 EAST 238TH ST
BRONX, NY 10470**

Inquiry Number: 01725083.8r

July 28, 2006

The Standard in Environmental Risk Management Information

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	6
Orphan Summary	212
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-8
Physical Setting Source Map Findings	A-9
Physical Setting Source Records Searched	A-39

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

555 EAST 238TH ST
BRONX, NY 10470

COORDINATES

Latitude (North): 40.900000 - 40° 53' 60.0"
Longitude (West): 73.858200 - 73° 51' 29.5"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 596175.6
UTM Y (Meters): 4528072.0
Elevation: 121 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 40073-H7 MOUNT VERNON, NY
Most Recent Revision: 1995

West Map: 40073-H8 YONKERS, NJ
Most Recent Revision: 1995

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following government records. For more information on this property see page 6 of the attached EDR Radius Map report:

<u>Site</u>	<u>Database(s)</u>	<u>EPA ID</u>
MULLER USARC 555 E 238TH ST BRONX, NY 10470	RCRA-SQG FINDS AST NY MANIFEST HIST AST	NY6210422246

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

FEDERAL RECORDS

NPL..... National Priority List

EXECUTIVE SUMMARY

Proposed NPL	Proposed National Priority List Sites
Delisted NPL	National Priority List Deletions
NPL RECOVERY	Federal Superfund Liens
CERCLIS	Comprehensive Environmental Response, Compensation, and Liability Information System
CERC-NFRAP	CERCLIS No Further Remedial Action Planned
CORRACTS	Corrective Action Report
RCRA-TSDF	Resource Conservation and Recovery Act Information
ERNS	Emergency Response Notification System
HMIRS	Hazardous Materials Information Reporting System
US ENG CONTROLS	Engineering Controls Sites List
US INST CONTROL	Sites with Institutional Controls
DOD	Department of Defense Sites
FUDS	Formerly Used Defense Sites
US BROWNFIELDS	A Listing of Brownfields Sites
CONSENT	Superfund (CERCLA) Consent Decrees
ROD	Records Of Decision
UMTRA	Uranium Mill Tailings Sites
ODI	Open Dump Inventory
TRIS	Toxic Chemical Release Inventory System
TSCA	Toxic Substances Control Act
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
SSTS	Section 7 Tracking Systems
ICIS	Integrated Compliance Information System
PADS	PCB Activity Database System
MLTS	Material Licensing Tracking System
MINES	Mines Master Index File
RAATS	RCRA Administrative Action Tracking System

STATE AND LOCAL RECORDS

HSWDS	Hazardous Substance Waste Disposal Site Inventory
SWF/LF	Facility Register
SWRCY	Registered Recycling Facility List
SWTIRE	Registered Waste Tire Storage & Facility List
CBS UST	Chemical Bulk Storage Database
MOSF UST	Major Oil Storage Facilities Database
CBS AST	Chemical Bulk Storage Database
MOSF AST	Major Oil Storage Facilities Database
ENG CONTROLS	Registry of Engineering Controls
INST CONTROL	Registry of Institutional Controls
VCP	Voluntary Cleanup Agreements
BROWNFIELDS	Brownfields Site List
SPDES	State Pollutant Discharge Elimination System
AIRS	Air Emissions Data

TRIBAL RECORDS

INDIAN RESERV	Indian Reservations
----------------------	---------------------

EDR PROPRIETARY RECORDS

Manufactured Gas Plants	EDR Proprietary Manufactured Gas Plants
--------------------------------	---

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

EXECUTIVE SUMMARY

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

FEDERAL RECORDS

RCRAInfo: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-LQG list, as provided by EDR, and dated 03/09/2006 has revealed that there are 2 RCRA-LQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>BRONX RIVER HYUNDAI</i>	<i>4353 BRONX BLVD</i>	<i>0 - 1/8 SSW</i>	<i>D22</i>	<i>79</i>
<i>MTA NYCT - 238TH STREET STATIO</i>	<i>238TH ST & WHITE PLAINS</i>	<i>1/8 - 1/4 ESE</i>	<i>48</i>	<i>127</i>

RCRAInfo: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-SQG list, as provided by EDR, and dated 03/09/2006 has revealed that there are 11 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>AMERADA HESS STATION 32273</i>	<i>610 NEREID AVE</i>	<i>0 - 1/8 ESE</i>	<i>B9</i>	<i>59</i>
<i>AVOXE CORP</i>	<i>4353 BRONX BLVD</i>	<i>0 - 1/8 SSW</i>	<i>D24</i>	<i>100</i>
<i>PRO CLEAN CLEANER INC</i>	<i>686B NEREID AVE</i>	<i>1/8 - 1/4 ESE</i>	<i>39</i>	<i>115</i>
<i>HAMPTON CLEANERS</i>	<i>4377 WHITE PLAINS RD</i>	<i>1/8 - 1/4 SE</i>	<i>K50</i>	<i>129</i>
<i>NYC BD OF ED - PUBLIC SCHOOL 1</i>	<i>4550 CARPENTER AVE</i>	<i>1/8 - 1/4 NE</i>	<i>M55</i>	<i>134</i>
<i>TIDY CLEANERS</i>	<i>4353 WHITE PLAINS RD</i>	<i>1/8 - 1/4 SE</i>	<i>P63</i>	<i>143</i>

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
IMPACT BODY REPAIR-AUTOBODY	4454 BRONX BLVD	0 - 1/8 NE	15	72
EMPIRE METAL BOX CO INC	4338 BULLARD AVE	0 - 1/8 SW	E26	102
CITYLINE CADILLAC	4327 BRONX BLVD	1/8 - 1/4 SSW	G32	107
DART TOWING INC	4320 BRONX BLVD	1/8 - 1/4 SSW	G34	108
AVANT MODES INC	4510 BULLARD AVE	1/8 - 1/4 NNE	56	135

STATE AND LOCAL RECORDS

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, and dated 05/25/2006 has revealed that there is 1 SHWS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
SIGNO TRADING INTERNATIONAL LT	200-208 SOUTH 14TH AVEN	1/2 - 1 ENE	89	207

DEL SHWS: A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

A review of the DEL SHWS list, as provided by EDR, and dated 05/25/2006 has revealed that there is 1 DEL SHWS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
SIGNO TRADING INTERNATIONAL LT	200-208 SOUTH 14TH AVEN	1/2 - 1 ENE	89	207

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 06/06/2006 has revealed that there are 34 LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HESS Date Closed: / /	610 NERIED AVE	0 - 1/8 ESE	B10	60
HESS OIL Date Closed: 12/29/03 Date Closed: 05/13/05	610 NEREID AV	0 - 1/8 ESE	B11	63
CITY LINE VOLKSWAGEN Date Closed: 01/06/05	4353 BRONX BLVD.	0 - 1/8 SSW	D23	81
660 NERIED AV/MYSTIC TRAN Date Closed: 06/30/88	660 NERIED AVE	1/8 - 1/4 ESE	F29	104
RESIDENTS Date Closed: 12/12/03	11 BRONX RIVER ROAD	1/8 - 1/4 WNW	H36	111

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
4505 RICHARDSON AVENUE / Date Closed: 03/03/03	4505 RICHARDSON AVENUE	1/8 - 1/4 E	I44	121
674 EAST 239TH STREET Date Closed: 04/07/95	674 EAST 239TH STREET	1/8 - 1/4 E	I49	127
4421 WHITE PLAINS RD Date Closed: 09/17/03	4421 WHITE PLAINS RD	1/8 - 1/4 ESE	L52	130
SHARON 7 DAY CHURCH Date Closed: 03/23/04	4423 WHITE PLAINS RD	1/8 - 1/4 ESE	L53	132
APT COMPLEX Date Closed: 12/20/02	4385 VIREO AVE	1/4 - 1/2 WNW	65	145
PBS SITE Date Closed: 10/20/05	1033 MCLEAN AVE	1/4 - 1/2 WNW	66	147
APARTMENT BUILDING Date Closed: / /	4359 FURMAN AVE	1/4 - 1/2 SE	67	148
MCALLISTER HOME Date Closed: 08/28/05	8 NEW AVE	1/4 - 1/2 NNW	68	150
PETRO RAMONO Date Closed: 11/05/93	4563 WHITE PLAINS ROAD	1/4 - 1/2 ENE	71	155
730 W. 236 STREET Date Closed: 08/01/94	730 W. 236TH STREET	1/4 - 1/2 SSE	72	157
730 EAST 236TH ST/BX Date Closed: 10/16/97	730 EAST 236TH STREET	1/4 - 1/2 SSE	74	173
1776 NEREID AVE Date Closed: 08/03/93	1776 NEREID AVE	1/4 - 1/2 ESE	75	175
ST BARNABAS CHURCH Date Closed: 09/09/05	409 EAST 241ST ST	1/4 - 1/2 WNW	S79	187
4381 MARTHA AV Date Closed: 02/19/03	4381 MARTHA AV	1/4 - 1/2 WNW	S80	189
667 EAST 233RD ST Date Closed: 02/18/03	667 EAST 233RD ST	1/4 - 1/2 S	81	191
4307 BARNES AVENUE Date Closed: 02/23/93	4307 BARNES AV	1/4 - 1/2 SE	83	196
HARUN RES Date Closed: 10/17/95	4719 MATILVA AVE	1/4 - 1/2 NE	84	198
324 EAST 236TH ST Date Closed: 09/30/94	324 EAST 236TH ST	1/4 - 1/2 WSW	85	200
Not reported Date Closed: 10/10/03	638 E. 232RD ST	1/4 - 1/2 S	86	203
BASEMENT-MINOR SPILL Date Closed: 07/11/05	303 EAST 238TH ST	1/4 - 1/2 W	87	204
33 HART AVENUE Date Closed: 12/12/03	33 HART AVENUE	1/4 - 1/2 N	88	205
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
APARTMENT BLDG. Date Closed: 07/30/92	77 BRONX RIVER RD.	1/8 - 1/4 NNW	O60	139

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
BRONX RIVER RD ATI Date Closed: 10/29/03	109-113 BRONX RIVER RD	1/4 - 1/2 N	Q69	151
DELTA GAS Date Closed: 05/14/04	109-13 BRONX RIVER ROAD	1/4 - 1/2 N	Q70	153
MAIN ST. GAS INC. Date Closed: 06/09/04	4220 BRONX BLVD.	1/4 - 1/2 SSW	73	159
SHELL STATION Date Closed: 09/04/01	143 BRONX RIVER RD	1/4 - 1/2 N	R76	177
SHELL OIL CORP Date Closed: 04/22/88	143 BRONX RIVER RD	1/4 - 1/2 N	R77	179
SHELL Date Closed: 03/11/05	143 BRONX RIVER ROAD	1/4 - 1/2 N	R78	184
OLD GETTY STATION Date Closed: 05/08/06	159 BRONX RIVER ROAD	1/4 - 1/2 N	82	194

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 23 HIST LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HESS	610 NERIED AVE	0 - 1/8 ESE	B10	60
HESS OIL	610 NEREID AV	0 - 1/8 ESE	B11	63
CITY LINE VOLKSWAGEN	4353 BRONX BLVD.	0 - 1/8 SSW	D23	81
660 NERIED AV/MYSTIC TRAN	660 NERIED AVE	1/8 - 1/4 ESE	F29	104
4505 RICHARDSON AVENUE /	4505 RICHARDSON AVENUE	1/8 - 1/4 E	I44	121
674 EAST 239TH STREET	674 EAST 239TH STREET	1/8 - 1/4 E	I49	127
PETRO RAMONO	4563 WHITE PLAINS ROAD	1/4 - 1/2 ENE	71	155
730 W. 236 STREET	730 W. 236TH STREET	1/4 - 1/2 SSE	72	157
730 EAST 236TH ST/BX	730 EAST 236TH STREET	1/4 - 1/2 SSE	74	173
1776 NEREID AVE	1776 NEREID AVE	1/4 - 1/2 ESE	75	175
ST BARNABAS CHURCH	409 EAST 241ST ST	1/4 - 1/2 WNW	S79	187
4381 MARTHA AV	4381 MARTHA AV	1/4 - 1/2 WNW	S80	189
667 EAST 233RD ST	667 EAST 233RD ST	1/4 - 1/2 S	81	191
4307 BARNES AVENUE	4307 BARNES AV	1/4 - 1/2 SE	83	196
HARUN RES	4719 MATILVA AVE	1/4 - 1/2 NE	84	198
324 EAST 236TH ST	324 EAST 236TH ST	1/4 - 1/2 WSW	85	200

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
APARTMENT BLDG.	77 BRONX RIVER RD.	1/8 - 1/4 NNW	O60	139
BRONX RIVER RD ATI	109-113 BRONX RIVER RD	1/4 - 1/2 N	Q69	151
MAIN ST. GAS INC.	4220 BRONX BLVD.	1/4 - 1/2 SSW	73	159
SHELL STATION	143 BRONX RIVER RD	1/4 - 1/2 N	R76	177
SHELL OIL CORP	143 BRONX RIVER RD	1/4 - 1/2 N	R77	179
SHELL	143 BRONX RIVER ROAD	1/4 - 1/2 N	R78	184
OLD GETTY STATION	159 BRONX RIVER ROAD	1/4 - 1/2 N	82	194

EXECUTIVE SUMMARY

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 05/24/2006 has revealed that there are 12 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
OUR LADY OF MERCY MEDICAL CENT	4401 BRONX BOULEVARD	0 - 1/8 ESE	A2	9
HESS STATION #32273	610 NEREID AVENUE	0 - 1/8 ESE	B6	16
BRONX RIVER HYUNDAI	4352 BRONX BOULEVARD	0 - 1/8 SSW	D21	79
CITY LINE VOLKSWAGEN	4353 BRONX BLVD.	0 - 1/8 SSW	D23	81
4389 MATILDA AVENUE	4389 MATILDA AVENUE	0 - 1/8 SE	25	100
TRIPLE A ROOFING	4336 BRONX BOULEVARD	1/8 - 1/4 SSW	28	103
11 BRONX RIVER ROAD OWNERS INC	11 BRONX RIVER ROAD	1/8 - 1/4 WNW	H35	110
ST ANTHONY SCHOOL	4520 MATILDA AVE	1/8 - 1/4 ENE	42	119
ST ANTHONY CHURCH	4505 RICHARDSON AVE	1/8 - 1/4 E	145	124
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
4327-4331 BRONX BLVD	4327 BRONX BLVD	1/8 - 1/4 SSW	G31	106
4301 BRONX BOULEVARD (VACANT L	4301 BRONX BOULEVARD	1/8 - 1/4 SSW	N58	138
77 BRONX RIVER ROAD OWNERS, IN	77 BRONX RIVER ROAD	1/8 - 1/4 NNW	O61	141

HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 6 HIST UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
OUR LADY OF MERCY MEDICAL CENT	4401 BRONX BOULEVARD	0 - 1/8 ESE	A2	9
HESS STATION #32273	610 NEREID AVENUE	0 - 1/8 ESE	B6	16
CITY LINE VOLKSWAGEN	4353 BRONX BLVD.	0 - 1/8 SSW	D23	81
4389 MATILDA AVENUE	4389 MATILDA AVENUE	0 - 1/8 SE	25	100
ST ANTHONY SCHOOL	4520 MATILDA AVE	1/8 - 1/4 ENE	42	119
ST ANTHONY CHURCH	4505 RICHARDSON AVE	1/8 - 1/4 E	145	124

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 05/24/2006 has revealed that there are 18 AST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NEREID AVENUE ASSOCIATES	4377 BRONX BLVD	0 - 1/8 S	C13	69
BRONX AUTO SERVICE	4360 BRONX BOULEVARD	0 - 1/8 SSW	D17	73
4447 CARPENTER AVE	4447 CARPENTER AVE	0 - 1/8 ENE	18	74
632 NEREID AVENUE	632 NEREID AVENUE	0 - 1/8 ESE	19	75
WAKEFIELD ARMS	660 NEREID AVE	1/8 - 1/4 ESE	F30	106
ST ANTHONY CONVENT	4500 MATILDA AVE	1/8 - 1/4 ENE	33	108
EASTSIDE PROPERTIES, LLC	4354 RICHARDSON AVENUE	1/8 - 1/4 SSE	38	114
PUBLIC SCHOOL 16 - BRONX (X106	4550 CARPENTER AVE.	1/8 - 1/4 NE	M54	134

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
4305 CARPENTER AVENUE	4305 CARPENTER AVENUE	1/8 - 1/4 S	62	143
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
BULLARD AUTO REPAIR, INC. 4345 WEBSTER AVE	4360 BULLARD AVENUE 4345 WEBSTER AVE	0 - 1/8 SW 1/8 - 1/4 W	16 37	73 113
4315 WEBSTER OWNERS INC	4315 WEBSTER AVENUE	1/8 - 1/4 WSW	40	116
43 BRONX RIVER ROAD OWNERS, IN	43 BRONX RIVER ROAD	1/8 - 1/4 NW	43	120
61 BRONX RIVER ROAD OWNERS, IN	61 BRONX RIVER ROAD	1/8 - 1/4 NNW	46	125
4295 WEBSTER AVE TENANTS CORP 545 W 236TH ST	4295 WEBSTER AVENUE 545 E 236TH ST	1/8 - 1/4 WSW 1/8 - 1/4 WSW	J47 J57	126 136
BRONX RIVER LUBE	4300 BRONX BLVD.	1/8 - 1/4 SSW	N59	138
77 BRONX RIVER ROAD OWNERS, IN	77 BRONX RIVER ROAD	1/8 - 1/4 NNW	O61	141

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 05/02/2006 has revealed that there are 13 NY MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
AMERADA HESS STATION 32273	610 NEREID AVE	0 - 1/8 ESE	B9	59
BRONX RIVER HYUNDAI	4353 BRONX BLVD	0 - 1/8 SSW	D22	79
PRO CLEAN CLEANER INC	686B NEREID AVE	1/8 - 1/4 ESE	39	115
HAMPTON CLEANERS	4377 WHITE PLAINS RD	1/8 - 1/4 SE	K50	129
NYC BD OF ED - PUBLIC SCHOOL 1	4550 CARPENTER AVE	1/8 - 1/4 NE	M55	134
TIDY CLEANERS	4353 WHITE PLAINS RD	1/8 - 1/4 SE	P63	143
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
IMPACT BODY REPAIR-AUTOBODY	4454 BRONX BLVD	0 - 1/8 NE	15	72
EMPIRE METAL BOX CO INC	4338 BULLARD AVE	0 - 1/8 SW	E26	102
ABATEMENT INTERNATIONAL/ADVATE	4332 BULLARD AVENUE	1/8 - 1/4 SW	E27	103
CITYLINE CADILLAC	4327 BRONX BLVD	1/8 - 1/4 SSW	G32	107
DART TOWING INC	4320 BRONX BLVD	1/8 - 1/4 SSW	G34	108
NYCDEP	4543 BRONX BLVD	1/8 - 1/4 NE	41	117
AVANT MODES INC	4510 BULLARD AVE	1/8 - 1/4 NNE	56	135

SPILLS: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 06/06/2006 has revealed that there are 8 NY Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HESS FACILITY #32273 Date Closed: 12/29/03	610 NEREID AV	0 - 1/8 ESE	B3	10
HESS #32273 Date Closed: 01/08/04	610 NERIED AVENUE	0 - 1/8 ESE	B4	12
HESS GAS STATION Date Closed: 12/29/03	610 NERIED AV	0 - 1/8 ESE	B5	14

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
STATION # 32273 Date Closed: 05/13/05	610 NERIED AVE	0 - 1/8 ESE	B7	55
HESS GAS STA 32273 Date Closed: 08/15/96	610 NERIED AV	0 - 1/8 ESE	B8	57
610 NERIED AV/BX/HESS S/S Date Closed: 02/04/98	610 NERIED AVENUE	0 - 1/8 ESE	B12	67
Not reported Date Closed: 11/24/03	4375 BRONX AVE	0 - 1/8 S	C14	70
237 ST. & BRONX BLVD. Date Closed: 04/30/98	237 ST / BRONX BLVD	0 - 1/8 SSW	D20	77

HIST SPILLS: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 7 NY Hist Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HESS #32273	610 NERIED AVENUE	0 - 1/8 ESE	B4	12
HESS GAS STATION	610 NERIED AV	0 - 1/8 ESE	B5	14
STATION # 32273	610 NERIED AVE	0 - 1/8 ESE	B7	55
HESS GAS STA 32273	610 NERIED AV	0 - 1/8 ESE	B8	57
610 NERIED AV/BX/HESS S/S	610 NERIED AVENUE	0 - 1/8 ESE	B12	67
Not reported	4375 BRONX AVE	0 - 1/8 S	C14	70
237 ST. & BRONX BLVD.	237 ST / BRONX BLVD	0 - 1/8 SSW	D20	77

DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the DRYCLEANERS list, as provided by EDR, and dated 06/15/2004 has revealed that there are 2 DRYCLEANERS sites within approximately 0.25 miles of the target property.


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HAMPTON CLEANERS	4377 WHITE PLAINS ROAD	1/8 - 1/4 SE	K51	130
TIDY/PARADISE/COUPLE CLEANERS	4353 WHITE PLAINS RD.	1/8 - 1/4 SE	P64	145

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
CON ED - E 226TH ST & GUN HILL RD	RCRA-SQG, NY MANIFEST
MTA NYCT - 238TH STREET STATION	RCRA-SQG, FINDS, NY MANIFEST
NYCDOT 241 STREET BRIDGE	FINDS, RCRA-LQG, NY MANIFEST
CONSOLIDATED EDISON	NY MANIFEST
CON ED MH 27319	RCRA-SQG, NY MANIFEST
NYC DEP	RCRA-SQG, NY MANIFEST
CONSOLIDATED EDISON CO OF NY	CT MANIFEST
CONSOLIDATED EDISON	NY MANIFEST
PRO CLEAN	DRYCLEANERS
USA RECYCLING INC.	SWF/LF
E. 228 REALTY, LLC	AST
529 E. 235TH ST. LLC	AST
NYCDOT BRIDGE BIN 1067150	RCRA-SQG
JOSEPH RESIDENCE	NY Spills
E 233RD ST ACROSS FROM	NY Spills, NY Hist Spills
BRONX RIVER	NY Spills
MANHOLE 28991	NY Spills, NY Hist Spills
HUNTS POINT DRAWBRIDGE	NY Spills, NY Hist Spills
BRONX BLVD	NY Spills
EXIT 7B ON RTE 95	NY Spills, NY Hist Spills
GETTY GAS STATION	NY Spills, NY Hist Spills
NEREID AV / 237TH STREET	NY Spills
IFO TASK FORCE	NY Spills
ST ANTHONY CONVENT	HIST UST
WAKEFIELD ARMS	HIST UST

OVERVIEW MAP - 01725083.8r



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Landfill Sites
- Dept. Defense Sites

- Indian Reservations BIA
- County Boundary
- Power transmission lines
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: SGT Joseph E. Muller USARC, NY
 ADDRESS: 555 EAST 238TH ST
 BRONX NY 10470
 LAT/LONG: 40.9000 / 73.8582


CLIENT: CH2M Hill
 CONTACT: Mary Beth Jacques
 INQUIRY #: 01725083.8r
 DATE: July 28, 2006

DETAIL MAP - 01725083.8r



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Landfill Sites
- Dept. Defense Sites

- Indian Reservations BIA
- County Boundary
- Power transmission lines
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: SGT Joseph E. Muller USARC, NY
 ADDRESS: 555 EAST 238TH ST
 BRONX NY 10470
 LAT/LONG: 40.9000 / 73.8582

CLIENT: CH2M Hill
 CONTACT: Mary Beth Jacques
 INQUIRY #: 01725083.8r
 DATE: July 28, 2006

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL RECORDS</u>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL		1.000	0	0	0	0	NR	0
Delisted NPL		1.000	0	0	0	0	NR	0
NPL RECOVERY		TP	NR	NR	NR	NR	NR	0
CERCLIS		0.500	0	0	0	NR	NR	0
CERC-NFRAP		0.500	0	0	0	NR	NR	0
CORRACTS		1.000	0	0	0	0	NR	0
RCRA TSD		0.500	0	0	0	NR	NR	0
RCRA Lg. Quan. Gen.		0.250	1	1	NR	NR	NR	2
RCRA Sm. Quan. Gen.	X	0.250	4	7	NR	NR	NR	11
ERNS		TP	NR	NR	NR	NR	NR	0
HMIRS		TP	NR	NR	NR	NR	NR	0
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
UMTRA		0.500	0	0	0	NR	NR	0
ODI		0.500	0	0	0	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
FINDS	X	TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
<u>STATE AND LOCAL RECORDS</u>								
HSWDS		0.500	0	0	0	NR	NR	0
State Haz. Waste		1.000	0	0	0	1	NR	1
DEL SHWS		1.000	0	0	0	1	NR	1
State Landfill		0.500	0	0	0	NR	NR	0
SWRCY		0.500	0	0	0	NR	NR	0
SWTIRE		0.500	0	0	0	NR	NR	0
LTANKS		0.500	3	7	24	NR	NR	34
HIST LTANKS		0.500	3	4	16	NR	NR	23
UST		0.250	5	7	NR	NR	NR	12
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
HIST UST		0.250	4	2	NR	NR	NR	6
AST	X	0.250	5	13	NR	NR	NR	18
CBS AST		0.250	0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
HIST AST	X	TP	NR	NR	NR	NR	NR	0
MOSF AST		0.500	0	0	0	NR	NR	0
MANIFEST	X	0.250	4	9	NR	NR	NR	13
NY Spills		0.125	8	NR	NR	NR	NR	8
NY Hist Spills		0.125	7	NR	NR	NR	NR	7
ENG CONTROLS		0.500	0	0	0	NR	NR	0
INST CONTROL		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
DRYCLEANERS		0.250	0	2	NR	NR	NR	2
BROWNFIELDS		0.500	0	0	0	NR	NR	0
SPDES		TP	NR	NR	NR	NR	NR	0
AIRS		TP	NR	NR	NR	NR	NR	0
<u>TRIBAL RECORDS</u>								
INDIAN RESERV		1.000	0	0	0	0	NR	0
<u>EDR PROPRIETARY RECORDS</u>								
Manufactured Gas Plants		1.000	0	0	0	0	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

A1 **MULLER USARC**
Target **555 E 238TH ST**
Property **BRONX, NY 10470**

RCRA-SQG **1000872128**
FINDS **NY6210422246**
AST
NY MANIFEST
HIST AST

Actual:
122 ft.

Site 1 of 2 in cluster A

RCRAInfo:
 Owner: UNITED STATES GOVERNMENT
 (212) 555-1212
 EPA ID: NY6210422246
 Contact: ANDREW RUPPERT
 (718) 630-4563
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NJA4097312
 Manifest Status: Not reported
 Trans1 State ID: NJD080631369
 Trans2 State ID: Not reported
 Generator Ship Date: 08/23/2002
 Trans1 Recv Date: 08/23/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08/23/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY6210422246
 Trans1 EPA ID: NJD980536593
 Trans2 EPA ID: Not reported
 TSDF ID: NJDEP5016
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00750
 Units: P - Pounds
 Number of Containers: 001
 Container Type: CF - Fiber or plastic boxes, cartons
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00125
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MULLER USARC (Continued)

1000872128

Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00005
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Facility Type: Generator
EPA ID: NY6210422246
Facility Name: PR JOSEPH E MULLER USAR CENTER
Facility Address: 555 EAST 238TH ST
Facility City: BRONX
Facility Zip 4: Not reported
Country: Not reported
County: BRONX
Mailing Name: PR JOSEPH E MULLER USAR CENTER
Mailing Contact: Not reported
Mailing Address: C/O 77TH REG SUP COM
Mailing City: FORT TOTTEN
Mailing State: NY
Mailing Zip: 11359
Mailing Zip4: Not reported
Mailing Country: Not reported
Mailing Phone: 718-630-4563

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

HIST AST PBS:
PBS Number: 2-600896
Tank Location: ABOVEGROUND
Tank ID: 1
Tank Status: 1
Install Date: Not reported
Capacity (Gal): 7500
Product Stored: 3
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 10
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 10
Tank Containment: 10
Leak Detection: 00
Overfill Protection: 00
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MULLER USARC (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

1000872128

SPDES Number: Not reported
Latitude: Not reported
Longitude: Not reported
SWIS Code: 6001
Operator: WALTER S,ITH
Facility Phone: (718) 325-4884
Facility Addr2: 555 EAST 238TH STREET
Facility Type: OTHER
Emergency: TONY KLOSS
Emergency Tel: (718) 352-2072
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 77TH REGIONAL SUPPORT COMMAND
Owner Address: AFRC-CNY-EN BUILDING 200
Owner City,St,Zip: FORT TOTTEN, NY 11359-1016
Federal ID: Not reported
Owner Tel: (718) 352-5624
Owner Type: Federal Government
Owner Subtype: Not reported
Mailing Contact: ENVIRONMENTAL DIVISION
Mailing Name: 77TH REGIONAL SUPPORT COMMAND
Mailing Address: AFRC-CNY-EN
Mailing Address 2: BUILDING 200
Mailing City,St,Zip: FORT TOTTEN, NY 11359-1016
Mailing Telephone: (718) 352-2072
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 01/05/1999
Expiration: 09/25/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 7500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City Code: 01
Region: 2

NY AST PBS:
Facility ID: 2-600896
Program Type: PBS
Facility Addr2: 555 EAST 238TH STREET
Locality: BRONX
SWIS Code: 0301
DEC Region: 2
Registered: 1
Expiration Date: 09/25/07
Site Status: Active

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

MULLER USARC (Continued)

EDR ID Number
 EPA ID Number

Database(s)

Site Type: Other
 Above Ground Tanks: Yes
 Under Ground Tanks: No

1000872128

**A2
 ESE
 < 1/8
 128 ft.**

**OUR LADY OF MERCY MEDICAL CENTER
 4401 BRONX BOULEVARD
 NEW YORK CITY, NY 10466**

**UST U003031029
 HIST UST N/A**

Site 2 of 2 in cluster A

**Relative:
 Higher**

**Actual:
 127 ft.**

NY HIST UST PBS:
 PBS Number: 2-602515
 SPDES Number: Not reported
 Emergency Contact: MICHAEL J. ROHAN
 Emergency Telephone: (718) 920-9685
 Operator: RUDOLPH SZARKA
 Operator Telephone: (718) 920-9689
 Owner Name: OUR LADY OF MERCY MEDICAL CENTER
 Owner Address: 600 EAST 233RD STREET
 Owner City,St,Zip: BRONX, NY 10466
 Owner Telephone: (212) 920-9590
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: OUR LADY OF MERCY MEDICAL CENTER
 Mailing Address: 600 EAST 233RD STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10466
 Mailing Contact: MICHAEL J. ROHAN
 Mailing Telephone: (718) 920-9685
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 004
 Tank Location: UNDERGROUND
 Install Date: 19601201
 Capacity (gals): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Aboveground/Underground Combination
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: 05/15/2000
 Next Test Date: 05/15/2005
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: 21
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

OUR LADY OF MERCY MEDICAL CENTER (Continued)

EDR ID Number
 EPA ID Number

Database(s)

U003031029

SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 01/05/2001
 Expiration Date: 10/24/2000
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

NY UST PBS:
 Facility ID: 2-602515
 Program Type: PBS
 Facility Addr2: FARRAND BUILDING
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 10/24/05
 Site Status: Active
 Site Type: Other
 Above Ground Tanks: No
 Under Ground Tanks: Yes

**B3
 ESE
 < 1/8
 285 ft.**

**HESS FACILITY #32273
 610 NEREID AV
 BRONX, NY**

**NY Spills S106001410
 N/A**

**Relative:
 Higher**

Site 1 of 10 in cluster B

**Actual:
 137 ft.**

SPILLS:
 DER Facility ID : 240182
 Site ID : 296805
 Spill Number: 0111244
 Investigator: WXSUN
 Spill Date: 02/26/02
 Facility Address 2: Not reported
 Facility Type: ER
 Referred To : Not reported
 Remediation Phase : 0
 Program Number : 0111244
 Spill Cause: EQUIPMENT FAILURE
 Water Affected: Not reported

CID : 17
 Region of Spill: 2
 SWIS: 0301
 Reported to Dept: 02/26/02

DEC Region : 2

Spill Source: GASOLINE STATION

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS FACILITY #32273 (Continued)

S106001410

Contact Name: DAVID LEE Facility Tele: (518) 436-6585
Spill Notifier: RESPONSIBLE PARTY
Spiller: DAVID LEE
Spiller Company: HESS FACILITY #32273
Spiller Address: 610 NEREID AV
BRONX, ZZ
Spiller County: 001
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/29/03

Cleanup Ceased: / /
Last Inspection: / / Cleanup Meets Std:False
Recommended Penalty: Penalty Not Recommended
UST Trust: True
Spill Record Last Update: 12/29/03
Date Spill Entered In Computer Data File: 02/26/02

Material

Material ID: 528833
Site ID: 296805
Operable Unit: 01
Operable Unit ID: 848313
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: G
Recovered: 0.00
Resource Affected - Soil: Yes
Resource Affected - Air: No
Resource Affected - Indoor Air: No
Resource Affected - Groundwater: No
Resource Affected - Surface Water: No
Resource Affected - Drinking Wtr: No
Resource Affected - Sewer: No
Resource Affected - Impervious Surface: No
Resource Affected - Subway: No
Resource Affected - Utility: No
Resource Affected - Impervious Surface: No
Oxygenate: False

DEC Remarks: Start CallerRemark - 0111244 diesel line failed - spilling product END
CallerRemark - 0111244

Remark: Start DECRemark - 0111244 Prior to Sept, 2004 data translation this
spill Lead DEC Field was "SUN" 12/29/2003 Reassigned from Sangesland
to Sun. (Also refer to Spill # 88-03474, 95-14267, 96-05214 and
01-01986 for this site). 12/29/2003 THi
s spill is closed. To be investigated and remediated under Spill #
01-01986. END DECRemark - 0111244

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

B4
ESE
< 1/8
285 ft.

HESS #32273
610 NERIED AVENUE
BRONX, NY

NY Spills 1001755230
NY Hist Spills N/A

Site 2 of 10 in cluster B

Relative:
Higher

SPILLS:

Actual:
137 ft.

DER Facility ID : 211259
 Site ID : 258019
 Spill Number: 9502974
 Investigator: WXSUN
 Spill Date: 06/08/95
 Facility Address 2: Not reported
 Facility Type: ER
 Referred To : Not reported
 Remediation Phase : 0
 Program Number : 9502974
 Spill Cause: EQUIPMENT FAILURE
 Water Affected: Not reported
 Contact Name: Not reported
 Spill Notifier: RESPONSIBLE PARTY
 Spiller: Not reported
 Spiller Company : HESS
 Spiller Address: NY
 Spiller County : 999
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

CID : 17
 Region of Spill: 2
 SWIS: 0301
 Reported to Dept: 06/08/95

DEC Region : 2

Spill Source: GASOLINE STATION
 Facility Tele: Not reported

Spill Closed Dt: 01/08/04

Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Std: False

Recommended Penalty: Penalty Not Recommended

UST Trust: True

Spill Record Last Update: 01/08/04

Date Spill Entered In Computer Data File: 06/19/95

Material

Material ID : 368027
 Site ID : 258019
 Operable Unit : 01
 Operable Unit ID : 1014193
 Material Code : 0009
 Material Name : Gasoline
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : -1.00
 Units : G

Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False

DEC Remarks : Start CallerRemark - 9502974 FOUND UNDER DISPENSERS SOIL CONTAMINATION

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS #32273 (Continued)

1001755230

Remark: END CallerRemark - 9502974
Start DECRemark - 9502974 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SUN" 1/8/2004 Reassigned from Sigona to Sun. Also refer to Spill #88-03474, 95-14267, 95-05214, 01-11244 and 01-01986 for this site. 1/8/2004 This spill is closed. To be investigated and remediated under Spill # 01-01986. END DECRemark - 9502974

HIST SPILLS:

Spill Number:	9502974	Region of Spill:	2
Investigator:	SIGONA	SWIS:	60
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spill Date:	06/08/1995 15:00	Reported to Dept:	06/08/95 15:24
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Gas Station
Facility Contact:	Not reported	Facility Tele:	Not reported
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	HESS		
Spiller Address:	Not reported		
DEC Remarks :	Not reported		
Remark:	FOUND UNDER DISPENSERS SOIL CONTAMINATION		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		

Material:

Material Class Type:	1
Quantity Spilled:	-1
Units:	Gallons
Unknown Qty Spilled:	-1
Quantity Recovered:	0
Unknown Qty Recovered:	False
Material:	GASOLINE
Class Type:	Petroleum
Chem Abstract Service Number:	GASOLINE
Last Date:	09/29/1994
Num Times Material Entry In File:	21329

Spill Closed Dt:	/ /	
Cleanup Ceased:	/ /	
Last Inspection:	/ /	Cleanup Meets Std:False
Recommended Penalty:	Penalty Not Recommended	
Spiller Cleanup Dt:	/ /	Enforcement Date: / /
Invstgn Complete:	/ /	UST Involvement: True
Spill Record Last Update:	/ /	
Is Updated:	False	
Corrective Action Plan Submitted:	/ /	
Date Spill Entered In Computer Data File:	06/19/95	
Date Region Sent Summary to Central Office:	/ /	

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

B5
ESE
 < 1/8
 285 ft.

HESS GAS STATION
610 NERIED AV
BRONX, NY

NY Spills **S102239035**
NY Hist Spills **N/A**

Site 3 of 10 in cluster B

Relative:
Higher

SPILLS:

Actual:
137 ft.

DER Facility ID : 240182
 Site ID : 110460
 Spill Number: 9514267
 Investigator: WXSUN
 Spill Date: 02/08/96
 Facility Address 2: Not reported
 Facility Type: ER
 Referred To : Not reported
 Remediation Phase : 0
 Program Number : 9514267
 Spill Cause: UNKNOWN
 Water Affected: Not reported
 Contact Name: NICK SICCARANZA / HARRY O
 Spill Notifier: FIRE DEPARTMENT
 Spiller: HARRY OTT - FDNY
 Spiller Company : HESS GAS STATION
 Spiller Address: 610 NERIED AV
 BRONX, NY
 Spiller County : 001
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

CID : 17
 Region of Spill: 2
 SWIS: 0301
 Reported to Dept: 02/08/96

DEC Region : 2

Spill Source: GASOLINE STATION
 Facility Tele: (718) 694-2460 Ext. 2462

Spill Closed Dt: 12/29/03

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Std: False

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Record Last Update: 07/19/05

Date Spill Entered In Computer Data File: 02/08/96

Material

Material ID : 354397
 Site ID : 110460
 Operable Unit : 01
 Operable Unit ID : 1028810
 Material Code : 0009
 Material Name : Gasoline
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 0.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS GAS STATION (Continued)

S102239035

DEC Remarks : Start CallerRemark - 9514267 AN UNKNOWN AMOUNT OF GASOLINE HAS SPILLED IN THE AREA OF THE GAS STATION - IT IS A LARGE AMOUNT AND MAY BE HEADED FOR THE BRONX RIVER / IT IS ALSO POOLING AGAINST HOUSE FOUNDATIONS IN THE AREA - FIRE DEPARTMENT STATED IT IS A MAJOR FACILITY / 5 4,000 GAL DOUBLE WALL FIBERGLASS TANKS WITH SUBMERSIBLE PUMPS/WITH DOUBLE WALLED PIPING / THERE ARE MECHANICAL AND ELECTRICAL ALARMS ON THE PIPES AND TANKS AND THE TANKS HAVE BEEN TESTED RECENTLY / 40 TO 80 PERCENT OF THE L.E.
L. IN THE BELOW GRADE AREAS AND IN THE SUBMERSABLE PUMP PITS - SEWERS IN THE AREA ARE BEING CHECKED AT THIS TIME AND THE HAZ-MAT UNIT HAS BEEN CALLED END CallerRemark - 9514267

Remark: Start DECRemark - 9514267 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SUN" 12/10/2003 Reassigned from Mulqueen to Sun. (Also refer to Spill # 96-05214, 88-03474, and 01-01986 for this site). 12/29/2003 This spill is closed. To be investigated and remediated under Spill # 01-01986. END DECRemark - 9514267

HIST SPILLS:

Spill Number:	9514267	Region of Spill:	2
Investigator:	MULQUEEN	SWIS:	60
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spill Date:	02/08/1996 14:00	Reported to Dept:	02/08/96 14:39
Spill Cause:	Unknown	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Gas Station
Facility Contact:	HARRY OTT - FDNY	Facility Tele:	(718) 694-2462
Spill Notifier:	Fire Department	PBS Number:	Not reported
Spiller Contact:	NICK SICCARANZA / HARRY O	Spiller Phone:	(718) 694-2460 Ext. 2462
Spiller:	HESS GAS STATION		
Spiller Address:	610 NERIED AV BRONX, NY		

DEC Remarks : Not reported
Remark: AN UNKNOWN AMOUNT OF GASOLINE HAS SPILLED IN THE AREA OF THE GAS STATION - IT IS A LARGE AMOUNT AND MAY BE HEADED FOR THE BRONX RIVER / IT IS ALSO POOLING AGAINST HOUSE FOUNDATIONS IN THE AREA - FIRE DEPARTMENT STATED IT IS A MAJOR FACILITY / 5 4,000 GAL DOUBLE WALL FIBERGLASS TANKS WITH SUBMERSIBLE PUMPS/WITH DOUBLE WALLED PIPING / THERE ARE MECHANICAL AND ELECTRICAL ALARMS ON THE PIPES AND TANKS AND THE TANKS HAVE BEEN TESTED RECENTLY / 40 TO 80 PERCENT OF THE L.E.L. IN THE BELOW GRADE AREAS AND IN THE SUBMERSABLE PUMP PITS - SEWERS IN THE AREA ARE BEING CHECKED AT THIS TIME AND THE HAZ-MAT UNIT HAS BEEN CALLED

Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS GAS STATION (Continued)

S102239035

Num Times Material Entry In File: 21329
 Spill Closed Dt: / /
 Cleanup Ceased: / /
 Last Inspection: / / Cleanup Meets Std:False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt/ / Enforcement Date: / /
 Invstgn Complete:/ / UST Involvement: False
 Spill Record Last Update: 02/21/96
 Is Updated: False
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 02/08/96
 Date Region Sent Summary to Central Office: / /

**B6
 ESE
 < 1/8
 285 ft.**

**HESS STATION #32273
 610 NEREID AVENUE
 NEW YORK CITY, NY 10470**

**UST U001838949
 HIST UST N/A**

Site 4 of 10 in cluster B

**Relative:
 Higher**

NY HIST UST PBS:

**Actual:
 137 ft.**

PBS Number: 2-338648
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORPORATION
 Emergency Telephone: (732) 750-6000
 Operator: SITE MANAGER
 Operator Telephone: (718) 655-8162
 Owner Name: AMERADA HESS CORPORATION.
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6000
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 610 NEREID AVENUE
 Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Install Date: 19830801
 Capacity (gals): 4000
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Submersible
 Date Tested: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 002
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19830201

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HESS STATION #32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

U001838949

Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HESS STATION #32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

U001838949

Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 003
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HESS STATION #32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

U001838949

Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 004
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 005
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 006
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HESS STATION #32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

U001838949

Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City, St, Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 007
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Region: 2

PBS Number: 2-338648
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORPORATION
 Emergency Telephone: (732) 750-6000
 Operator: SITE MANAGER
 Operator Telephone: (718) 655-8162
 Owner Name: AMERADA HESS CORPORATION.
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6000
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
 Tank Id: 008
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Install Date: 19680101
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 009
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 010
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 011
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 012
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 013
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HESS STATION #32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

U001838949

Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 014
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel
Tank Internal: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Tank External:	Not reported
Pipe Location:	Not reported
Pipe Type:	Not reported
Pipe Internal:	Not reported
Pipe External:	Not reported
Second Containment:	Diking
Leak Detection:	None
Overfill Prot:	Product Level Gauge
Dispenser:	Gravity
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	Minor Data Missing
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False
Updated:	False
Lat/long:	Not reported
Lat/long:	Not reported
SWIS ID:	6001
Old PBS Number:	Not reported
Facility Type:	RETAIL GASOLINE SALES
Inspected Date:	Not reported
Inspector:	Not reported
Inspection Result:	Not reported
Federal ID:	Not reported
Certification Flag:	False
Certification Date:	08/31/2000
Expiration Date:	07/28/2003
Renew Flag:	False
Renewal Date:	Not reported
Total Capacity:	20000
FAMT:	True
Facility Screen:	No Missing Data
Owner Screen:	No Missing Data
Tank Screen:	No Missing Data
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	60
Town or City:	01
Region:	2
PBS Number:	2-338648
SPDES Number:	Not reported
Emergency Contact:	AMERADA HESS CORPORATION
Emergency Telephone:	(732) 750-6000
Operator:	SITE MANAGER
Operator Telephone:	(718) 655-8162
Owner Name:	AMERADA HESS CORPORATION.
Owner Address:	1 HESS PLAZA
Owner City,St,Zip:	WOODBIDGE, NJ 07095
Owner Telephone:	(732) 750-6000
Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported
Mailing Name:	AMERADA HESS CORP
Mailing Address:	1 HESS PLAZA
Mailing Address 2:	Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6000
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 610 NEREID AVENUE
 Tank Id: 015
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Install Date: 19680101
 Capacity (gals): 550
 Product Stored: LEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 08/31/2000
 Expiration Date: 07/28/2003
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-338648

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 016
Tank Location: UNDERGROUND
Install Date: 19680101
Capacity (gals): 550
Product Stored: LEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Renewal Date:	Not reported
Total Capacity:	20000
FAMT:	True
Facility Screen:	No Missing Data
Owner Screen:	No Missing Data
Tank Screen:	No Missing Data
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	60
Town or City:	01
Region:	2
PBS Number:	2-338648
SPDES Number:	Not reported
Emergency Contact:	AMERADA HESS CORPORATION
Emergency Telephone:	(732) 750-6000
Operator:	SITE MANAGER
Operator Telephone:	(718) 655-8162
Owner Name:	AMERADA HESS CORPORATION.
Owner Address:	1 HESS PLAZA
Owner City,St,Zip:	WOODBIDGE, NJ 07095
Owner Telephone:	(732) 750-6000
Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported
Mailing Name:	AMERADA HESS CORP
Mailing Address:	1 HESS PLAZA
Mailing Address 2:	Not reported
Mailing City,St,Zip:	WOODBIDGE, NJ 07095
Mailing Contact:	JANICE FLAHERTY
Mailing Telephone:	(732) 750-6000
Owner Mark:	First Owner
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2:	610 NEREID AVENUE
Tank Id:	017
Tank Location:	UNDERGROUND
Install Date:	19680101
Capacity (gals):	550
Product Stored:	LEADED GASOLINE
Tank Type:	Steel/carbon steel
Tank Internal:	Not reported
Tank External:	Not reported
Pipe Location:	Not reported
Pipe Type:	Not reported
Pipe Internal:	Not reported
Pipe External:	Not reported
Second Containment:	Diking
Leak Detection:	None
Overfill Prot:	Product Level Gauge
Dispenser:	Gravity
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	Minor Data Missing
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 018
Tank Location: UNDERGROUND
Install Date: 19680101
Capacity (gals): 550
Product Stored: LEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HESS STATION #32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

U001838949

Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 019
Tank Location: UNDERGROUND
Install Date: 19680101
Capacity (gals): 550
Product Stored: LEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 020
Tank Location: UNDERGROUND
Install Date: 19680101
Capacity (gals): 550
Product Stored: LEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Total Capacity:	20000
FAMT:	True
Facility Screen:	No Missing Data
Owner Screen:	No Missing Data
Tank Screen:	No Missing Data
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	60
Town or City:	01
Region:	2
PBS Number:	2-338648
SPDES Number:	Not reported
Emergency Contact:	AMERADA HESS CORPORATION
Emergency Telephone:	(732) 750-6000
Operator:	SITE MANAGER
Operator Telephone:	(718) 655-8162
Owner Name:	AMERADA HESS CORPORATION.
Owner Address:	1 HESS PLAZA
Owner City,St,Zip:	WOODBIDGE, NJ 07095
Owner Telephone:	(732) 750-6000
Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported
Mailing Name:	AMERADA HESS CORP
Mailing Address:	1 HESS PLAZA
Mailing Address 2:	Not reported
Mailing City,St,Zip:	WOODBIDGE, NJ 07095
Mailing Contact:	JANICE FLAHERTY
Mailing Telephone:	(732) 750-6000
Owner Mark:	First Owner
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2:	610 NEREID AVENUE
Tank Id:	021
Tank Location:	UNDERGROUND
Install Date:	19680101
Capacity (gals):	550
Product Stored:	LEADED GASOLINE
Tank Type:	Steel/carbon steel
Tank Internal:	Not reported
Tank External:	Not reported
Pipe Location:	Not reported
Pipe Type:	GALVANIZED STEEL
Pipe Internal:	Not reported
Pipe External:	Not reported
Second Containment:	Diking
Leak Detection:	None
Overfill Prot:	Product Level Gauge
Dispenser:	Submersible
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	Minor Data Missing
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False
Updated:	False

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 022
Tank Location: UNDERGROUND
Install Date: 19680101
Capacity (gals): 550
Product Stored: LEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 08/31/2000
 Expiration Date: 07/28/2003
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-338648
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORPORATION
 Emergency Telephone: (732) 750-6000
 Operator: SITE MANAGER
 Operator Telephone: (718) 655-8162
 Owner Name: AMERADA HESS CORPORATION.
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Mailing Telephone: (732) 750-6000
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 610 NEREID AVENUE
 Tank Id: 023
 Tank Location: UNDERGROUND
 Install Date: 19680101
 Capacity (gals): 550
 Product Stored: LEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 08/31/2000
 Expiration Date: 07/28/2003
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2
 PBS Number: 2-338648
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORPORATION

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 024
Tank Location: UNDERGROUND
Install Date: 19680101
Capacity (gals): 550
Product Stored: LEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HESS STATION #32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

U001838949

FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 025
Tank Location: UNDERGROUND
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HESS STATION #32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

U001838949

Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 026
Tank Location: UNDERGROUND
Install Date: 19680101
Capacity (gals): 550
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 001
Tank Location: UNDERGROUND
Install Date: 19890701
Capacity (gals): 4000
Product Stored: DIESEL
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None
Pipe External: None
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: Automatic Shut-Off, Catch Basin
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 002
Tank Location: UNDERGROUND
Install Date: 19890701
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None
Pipe External: None
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: Automatic Shut-Off, Catch Basin
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HESS STATION #32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

U001838949

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 003
Tank Location: UNDERGROUND
Install Date: 19890701
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None
Pipe External: None
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: Automatic Shut-Off, Catch Basin
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-338648
SPDES Number: Not reported
Emergency Contact: AMERADA HESS CORPORATION
Emergency Telephone: (732) 750-6000
Operator: SITE MANAGER
Operator Telephone: (718) 655-8162
Owner Name: AMERADA HESS CORPORATION.
Owner Address: 1 HESS PLAZA
Owner City,St,Zip: WOODBRIDGE, NJ 07095
Owner Telephone: (732) 750-6000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: AMERADA HESS CORP
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 610 NEREID AVENUE
Tank Id: 004
Tank Location: UNDERGROUND
Install Date: 19890701
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Pipe External:	None
Second Containment:	Vault (w/access)
Leak Detection:	Electronic
Overfill Prot:	Automatic Shut-Off, Catch Basin
Dispenser:	Submersible
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	No Missing Data
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False
Updated:	True
Lat/long:	Not reported
Lat/long:	Not reported
SWIS ID:	6001
Old PBS Number:	Not reported
Facility Type:	RETAIL GASOLINE SALES
Inspected Date:	Not reported
Inspector:	Not reported
Inspection Result:	Not reported
Federal ID:	Not reported
Certification Flag:	False
Certification Date:	08/31/2000
Expiration Date:	07/28/2003
Renew Flag:	False
Renewal Date:	Not reported
Total Capacity:	20000
FAMT:	True
Facility Screen:	No Missing Data
Owner Screen:	No Missing Data
Tank Screen:	No Missing Data
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	60
Town or City:	01
Region:	2
PBS Number:	2-338648
SPDES Number:	Not reported
Emergency Contact:	AMERADA HESS CORPORATION
Emergency Telephone:	(732) 750-6000
Operator:	SITE MANAGER
Operator Telephone:	(718) 655-8162
Owner Name:	AMERADA HESS CORPORATION.
Owner Address:	1 HESS PLAZA
Owner City,St,Zip:	WOODBIDGE, NJ 07095
Owner Telephone:	(732) 750-6000
Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported
Mailing Name:	AMERADA HESS CORP
Mailing Address:	1 HESS PLAZA
Mailing Address 2:	Not reported
Mailing City,St,Zip:	WOODBIDGE, NJ 07095
Mailing Contact:	JANICE FLAHERTY
Mailing Telephone:	(732) 750-6000
Owner Mark:	First Owner

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS STATION #32273 (Continued)

U001838949

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 610 NEREID AVENUE
Tank Id: 005
Tank Location: UNDERGROUND
Install Date: 19890701
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None
Pipe External: None
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: Automatic Shut-Off, Catch Basin
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2000
Expiration Date: 07/28/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

NY UST PBS:
Facility ID: 2-338648
Program Type: PBS
Facility Addr2: 610 NEREID AVENUE
Locality: BRONX

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HESS STATION #32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001838949

SWIS Code: 0301
DEC Region: 2
Registered: 1
Expiration Date: 07/28/08
Site Status: Active
Site Type: Retail Gasoline Sales
Above Ground Tanks: No
Under Ground Tanks: Yes

**B7
ESE
< 1/8
285 ft.**

**STATION # 32273
610 NERIED AVE
BRONX, NY**

**NY Spills S102240515
NY Hist Spills N/A**

Site 5 of 10 in cluster B

**Relative:
Higher**

SPILLS:

**Actual:
137 ft.**

DER Facility ID : 235963
Site ID : 291411
Spill Number: 9605215
Investigator: WXSUN
Spill Date: 07/23/96
Facility Address 2: Not reported
Facility Type: ER
Referred To : Not reported
Remediation Phase : 0
Program Number : 9605215
Spill Cause: HUMAN ERROR
Water Affected: Not reported
Contact Name: TOM WHITACKER
Spill Notifier: RESPONSIBLE PARTY
Spiller: TOM WHITACKER
Spiller Company : HESS
Spiller Address: 610 NERIED AVE
BRONX, NY
Spiller County : 001
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

CID : 17
Region of Spill: 2
SWIS: 0301
Reported to Dept: 07/23/96
DEC Region : 2
Spill Source: GASOLINE STATION
Facility Tele: (908) 750-6000

Spill Closed Dt: 05/13/05

Cleanup Ceased: / /
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Record Last Update: 05/13/05
Date Spill Entered In Computer Data File: 07/23/96
Cleanup Meets Std: False

Material

Material ID : 347967
Site ID : 291411
Operable Unit : 01
Operable Unit ID : 1032736
Material Code : 0009
Material Name : Gasoline
Case No. : Not reported
Material FA : Petroleum
Quantity : 60.00
Units : G
Recovered : 0.00
Resource Affected - Soil : No
Resource Affected - Air : No

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

STATION # 32273 (Continued)

S102240515

Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : Yes
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False
 DEC Remarks : Start CallerRemark - 9605215 tanker making delivery opened wrong valve and spilled product - fd on scene - cleanup in progress END
 CallerRemark - 9605215
 Remark: Start DECRemark - 9605215 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SUN" 04/09/04 TRANSFERRED FROM MULQUEEN TO SUN. ROMMEL 05/13/05-Sun-This Spill is closed and referred to open spill #0101986 at same location.(Sun)
 END DECRemark - 9605215

HIST SPILLS:

Spill Number:	9605215	Region of Spill:	2
Investigator:	MULQUEEN	SWIS:	60
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spill Date:	07/23/1996 01:00	Reported to Dept:	07/23/96 02:12
Spill Cause:	Human Error	Resource Affected:	In Sewer
Water Affected:	Not reported	Spill Source:	Gas Station
Facility Contact:	TOM WHITACKER	Facility Tele:	(908) 750-6000
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spiller Contact:	TOM WHITACKER	Spiller Phone:	(908) 750-6000
Spiller:	32273		
Spiller Address:	610 NERIED AVE BRONX, NY		
DEC Remarks :	Not reported		
Remark:	tanker making delivery opened wrong valve and spilled product - fd on scene - cleanup in progress		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		

Material:

Material Class Type: 1
 Quantity Spilled: 60
 Units: Gallons
 Unknown Qty Spilled: 60
 Quantity Recovered: 0
 Unknown Qty Recovered: True
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 Spill Closed Dt: / /
 Cleanup Ceased: / /
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt/ /
 Invstgn Complete:/ /

Cleanup Meets Std:False
 Enforcement Date: / /
 UST Involvement: False

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

STATION # 32273 (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102240515

Spill Record Last Update: 09/19/96
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/23/96
Date Region Sent Summary to Central Office: / /

B8
ESE
< 1/8
285 ft.

HESS GAS STA 32273
610 NERIED AV
BRONX, NY

NY Spills S102240514
NY Hist Spills N/A

Site 6 of 10 in cluster B

Relative:
Higher

SPILLS:

Actual:
137 ft.

DER Facility ID : 240182
Site ID : 110461
Spill Number: 9605214
Investigator: MMMULQUE
Spill Date: 07/23/96
Facility Address 2: Not reported
Facility Type: ER
Referred To : Not reported
Remediation Phase : 0
Program Number : 9605214
Spill Cause: EQUIPMENT FAILURE
Water Affected: Not reported
Contact Name: Not reported
Spill Notifier: OTHER
Spiller: Not reported
Spiller Company : HESS GAS STA 32273
Spiller Address: 610 NERIED AV
BRONX, ZZ
Spiller County : 001
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

CID : 17
Region of Spill: 2
SWIS: 0301
Reported to Dept: 07/23/96

DEC Region : 2

Spill Source: GASOLINE STATION
Facility Tele: Not reported

Spill Closed Dt: 08/15/96

Cleanup Ceased: / /
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: True
Cleanup Meets Std: False

Spill Record Last Update: 07/19/05
Date Spill Entered In Computer Data File: 07/23/96

Material

Material ID : 347966
Site ID : 110461
Operable Unit : 01
Operable Unit ID : 1036141
Material Code : 0009
Material Name : Gasoline
Case No. : Not reported
Material FA : Petroleum
Quantity : 40.00
Units : G
Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS GAS STA 32273 (Continued)

S102240514

Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

DEC Remarks : Start CallerRemark - 9605214 caller reports as driver was attempting to fill underground tank the stick line cap blew off spilling product - driver was injured no clean up but crew is on the way END CallerRemark - 9605214

Remark: Start DECRemark - 9605214 Prior to Sept, 2004 data translation this spill Lead DEC Field was "MULQUEEN" 8-15-96:CLOSED REFER TO SPILL 96-05215. END DECRemark - 9605214

HIST SPILLS:

Spill Number:	9605214	Region of Spill:	2
Investigator:	MULQUEEN	SWIS:	60
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spill Date:	07/23/1996 00:53	Reported to Dept:	07/23/96 01:08
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Gas Station
Facility Contact:	Not reported	Facility Tele:	Not reported
Spill Notifier:	Other	PBS Number:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	HESS GAS STA 32273		
Spiller Address:	610 NERIED AV BRONX		

DEC Remarks : 8-15-96:CLOSED REFER TO SPILL 96-05215.
Remark: caller reports as driver was attempting to fill underground tank the stick line cap blew off spilling product - driver was injured no clean up but crew is on the way
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Material:

Material Class Type: 1
Quantity Spilled: 40
Units: Gallons
Unknown Qty Spilled: 40
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Spill Closed Dt: 08/15/96
Cleanup Ceased: / /
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt/ /
Invstgn Complete:/ /
Spill Record Last Update: 09/19/96
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/23/96
Cleanup Meets Std:False
Enforcement Date: / /
UST Involvement: False

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

HESS GAS STA 32273 (Continued)

EDR ID Number
 EPA ID Number

Database(s)

Date Region Sent Summary to Central Office: / /

S102240514

**B9
 ESE
 < 1/8
 285 ft.**

**AMERADA HESS STATION 32273
 610 NEREID AVE
 BRONX, NY 10470**

**RCRA-SQG 1004570581
 NY MANIFEST NYD982727497**

Site 7 of 10 in cluster B

**Relative:
 Higher**

RCRAInfo:
 Owner: AMERADA HESS CORP
 (732) 750-6000
 EPA ID: NYD982727497
 Contact: TOM WHITTAKER
 (732) 750-6225

**Actual:
 137 ft.**

Classification: Conditionally Exempt Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST:

Document ID: NJA1535551
 Manifest Status: C
 Trans1 State ID: NJDEPES06
 Trans2 State ID: Not reported
 Generator Ship Date: 930323
 Trans1 Recv Date: 930323
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 930325
 Part A Recv Date: Not reported
 Part B Recv Date: 930414
 Generator EPA ID: NYD982727497
 Trans1 EPA ID: PAD014146179
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00200
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 93
 Facility Type: Generator
 EPA ID: NYD982727497
 Facility Name: AMERADA HESS CORP #32273
 Facility Address: 610 NEREID AVE
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: AMERANDA HESS CORP
 Mailing Contact: Not reported
 Mailing Address: 1 HESS PLAZA
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip: 07095
 Mailing Zip4: Not reported
 Mailing Country: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

AMERADA HESS STATION 32273 (Continued)

1004570581

Mailing Phone: 908-750-6000

[Click this hyperlink](#) while viewing on your computer to access
 1 additional NY MANIFEST: record(s) in the EDR Site Report.

**B10
 ESE
 < 1/8
 285 ft.**

**HESS
 610 NERIED AVE
 BRONX, NY**

**LTANKS S105054928
 HIST LTANKS N/A**

Site 8 of 10 in cluster B

**Relative:
 Higher**

LTANKS:

**Actual:
 137 ft.**

Spill Number: 0101986	Region of Spill: 2
Facility ID: 0101986	DER Facility ID: 240182
Site ID: 291410	CID: 17
Spill Date: 05/21/01	Reported to Dept: 05/21/01
Referred To: RAP DUE 6/23/06	DEC Region: 2
Water Affected: Not reported	Spill Source: GASOLINE STATION
Spill Cause: TANK TEST FAILURE	
Facility Address 2: Not reported	Facility Tele: Not reported
Investigator: skanders	SWIS: 0301
Spiller Contact: JIM HOWARD	Spiller Phone: (732) 750-6220
Spiller: SAME	
Spiller Company: HESS	
Spiller Address: ZZ	
Spiller County: 001	

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /

Spill Notifier: TANK TESTER
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: True
 Spill Record Last Update: 04/24/06
 Date Spill Entered In Computer Data File: 05/21/01
 Remediation Phase: 2
 Program Number: 0101986

Material

Material ID :	537677	
Site ID :	291410	
Operable Unit :	01	
Operable Unit ID :	840793	
Material Code :	0009	
Material Name :	Gasoline	
Case No. :	Not reported	
Material FA :	Petroleum	
Quantity :	0.00	
Units :	G	
Recovered :		0.00
Resource Affected - Soil :		Yes
Resource Affected - Air :		No
Resource Affected - Indoor Air :		No
Resource Affected - Groundwater :		No
Resource Affected - Surface Water :		No
Resource Affected - Drinking Wtr :		No
Resource Affected - Sewer :		No

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS (Continued)

S105054928

Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : 883
Site ID : 291410
Tank Number : 1
Tank Size : 4000
Test Method : 20
Leak Rate : 0.00
Gross Fail : Not reported
Modified By : Spills
Last Modified : 10/01/04
Test Method : USTest 2000/P/LL plus USTest 2000/U

DEC Remarks : Start CallerRemark - 0101986 leak on man way...no release of product...man way will be repaired. END CallerRemark - 0101986
Remark: Start DECRemark - 0101986 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SUN" 12/10/2003 Reassigned from Sangesland to Sun. (Also refer to Spill # 88-03474, 95-14267 and 96-05214 for this site.) 05/23/05-File Update by Sun- On 05/05/05, the Department held a project review meeting with Hess's Project Manager (Mike Matri) and his consultant (EnviroTrac). Per Mike Matri, EnviroTrac is currently evaluating possible drilling locations north and west of off-site monitoring well MW-6 to further delineate benzene, toluene, ethylbenzene, xylenes (BTEX) and MTBE in groundwater. Hess will propose drilling locations once permits are obtained from NYCDOT. Joe Sun indicated that due to high concentrations of BTEX (24,360 ppb max at MW-1) and MTBE (1,200 ppb max at MW-2) based on 01/28/05 sampling data, a Stipulation Agreement is required for this site. (Sun)
09/30/05-File Update by Sun: As discussed during a May 2005 meeting between DEC, Hess, and EnviroTrac, Hess will install delineation monitoring wells to the north and west of MW-6. Hess will proceed with the well installation once permits are obtained from the New York State Department of Transportation. Based on Update Report for the period of February 2005 through May 2005 and samples taken on 04/25/05, no free phase product was detected in any well. The BTEX (max) and MTBE (max) concentrations are 28,856 ppb and 5,300 ppb, respectively. A Stipulation Agreement will be mailed to Hess. (Sun)
10/20/2005: Project reassigned from Sun to Andersen. 10/25/05: Stipulation mailed to Hess, cc to consultant. (Andersen) 12/5/05: Reviewed quarterly monitoring report dated 11/29/05. Eight wells sampled on October 6, 2005. Max BTEX 14,518 (MW2), max MTBE 4,100 (MW6). Waiting for DOT permit to complete delineation.
1/10/06: Received email from Thomas Bosshard: The off-site delineation at the referenced site has been scheduled for Wednesday and Thursday, January 18 and 19, 2006. Proposed off-site well locations are depicted in the attached site plan. The necessary permits have been obtained from the New York City Department of Transportation (NYCDOT). The monitoring wells will be incorporated into the site's quarterly groundwater sampling schedule; the first quarter 2006 sampling event is scheduled for January and will be conducted following the installation of the off-site wells. 1/13/06: The off-site delineation has been rescheduled for

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS (Continued)

S105054928

Thursday and Friday, January 19 and 20. 1/26/06: 1/25/06 meeting with Quantum, NYSDEC, and ET. Off site delineation has been started. SVE/ET is not feasible for this site. Dual phase treatment will be investigated. 3/1/06: Signed stipulation agreement, effective date February 23, 2006. ISR due April 24, 2006. 4/24/06: Received and approved the update report/investigation summary report dated 4/21/06. Four off-site monitoring wells installed in January 2006. Soil samples collected from the four off-site wells and three additional locations in which refusal was encountered were all found to be clean. Maximum BTEX and MTBE concentrations were found in the new MW 9, BTEX 55,470 ppb and MTBE 16,200 ppb. Depth to water 12-38 ft. RAP due June 23, 2006. END DECRemark - 0101986

HIST LTANKS:

Spill Number: 0101986
Spill Date: 05/21/2001 16:00
Water Affected: Not reported
Resource Affectd: On Land
Spill Cause: Tank Test Failure
Facility Contact: SAME
Investigator: SANGESLAND
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: JIM HOWARD
Spiller: SAME
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Spill Notifier: Tank Tester
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 05/22/01
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/21/01
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: 1
Test Method: USTest 2000
Capacity of Failed Tank: 4000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons

Region of Spill: 2
Reported to Dept: 05/21/01 16:33
Spill Source: Gas Station
Facility Tele: () -
SWIS: 60
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (732) 750-6220

PBS Number: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS (Continued)

S105054928

Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 DEC Remarks: Not reported
 Spill Cause: leak on man way...no release of product...man way will be repaired.

**B11
 ESE
 < 1/8
 287 ft.**

**HESS OIL
 610 NEREID AV
 NYC, NY**

**LTANKS 1000375942
 HIST LTANKS N/A**

Site 9 of 10 in cluster B

**Relative:
 Higher
 Actual:
 137 ft.**

LTANKS:

Spill Number: 8803474	Region of Spill: 2
Facility ID: 8803474	DER Facility ID: 240182
Site ID: 296806	CID: 17
Spill Date: 07/21/88	Reported to Dept: 07/21/88
Referred To: Not reported	DEC Region: 2
Water Affected: Not reported	Spill Source: GASOLINE STATION
Spill Cause: TANK TEST FAILURE	
Facility Address 2: Not reported	Facility Tele: (212) 655-8162
Investigator: WXSUN	SWIS: 0301
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: Not reported	
Spiller Company: SAME	
Spiller Address: ZZ	
Spiller County: 001	
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	

Spill Closed Dt: 12/29/03

Spill Notifier: POLICE DEPARTMENT
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: True
 Spill Record Last Update: 07/19/05
 Date Spill Entered In Computer Data File: 07/22/88
 Remediation Phase: 0
 Program Number: 8803474
Material
 Material ID : 459025
 Site ID : 296806
 Operable Unit : 01
 Operable Unit ID : 918638
 Material Code : 0009
 Material Name : Gasoline
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : -1.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : No
 Resource Affected - Air : No

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HESS OIL (Continued)

1000375942

Resource Affected - Indoor Air : No
Resource Affected - Groundwater : Yes
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : 8887
Site ID : 296806
Tank Number : Not reported
Tank Size : 0
Test Method : 00
Leak Rate : 0.00
Gross Fail : Not reported
Modified By : Spills
Last Modified : 10/01/04
Test Method : Unknown

DEC Remarks : Start CallerRemark - 8803474 6-550 GAL TANK SYSTEM, FAILED PETRO-TITE, L R = -15 GAL/15 MIN. WILL SHUT DOWN. END CallerRemark - 8803474

Remark: Start DECRemark - 8803474 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SUN" 12/10/2003 Reassigned from Sullivan to Sun. (Also refer to spill #96-05214, #95-14267, 01-01986 for this site). 12/29/2003 This spill is closed.
To be investigated and remediated under Spill #01-01986. END DECRemark - 8803474

Spill Number: 8803517 Region of Spill: 2
Facility ID: 8803517 DER Facility ID: 240182
Site ID: 296807 CID: 17
Spill Date: 07/22/88 Reported to Dept: 07/22/88
Referred To: Not reported DEC Region: 2
Water Affected: Not reported Spill Source: GASOLINE STATION
Spill Cause: TANK TEST FAILURE
Facility Address 2: Not reported Facility Tele: (212) 655-8166
Investigator: WXSUN SWIS: 0301
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: Not reported

Spiller Company: HESS
Spiller Address: ZZ
Spiller County: 001
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 05/13/05

Spill Notifier: TANK TESTER
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
UST Trust: True
Spill Record Last Update: 07/19/05
Date Spill Entered In Computer Data File: 07/25/88
Remediation Phase: 0
Program Number: 8803517

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

HESS OIL (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000375942

Material
 Material ID : 459069
 Site ID : 296807
 Operable Unit : 01
 Operable Unit ID : 918673
 Material Code : 0009
 Material Name : Gasoline
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 0.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : No
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : Yes
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False

Tank Test
 Spill Tank Test : 8895
 Site ID : 296807
 Tank Number : Not reported
 Tank Size : 0
 Test Method : 00
 Leak Rate : 0.00
 Gross Fail : Not reported
 Modified By : Spills
 Last Modified : 10/01/04
 Test Method : Unknown

DEC Remarks : Start CallerRemark - 8803517 L R = -0.926 GPH. 8 4 -550 GAL TANK SYSTEM, SYPHON TOGETHER, INIT SYSPETRO. EX & I & R. END CallerRemark - 8803517

Remark: Start DECRemark - 8803517 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SUN" 03/26/04 Transferred from Battista to Sun. 05/13/2005-Sun-This Spill is closed and referred to open spill #0101986 at same location.(Sun) END D
 ECRRemark - 8803517

HIST LTANKS:

Spill Number:	8803474	Region of Spill:	2
Spill Date:	07/21/1988 14:30	Reported to Dept:	07/21/88 15:48
Water Affected:	Not reported	Spill Source:	Gas Station
Resource Affectd:	Groundwater		
Spill Cause:	Tank Test Failure		
Facility Contact:	Not reported	Facility Tele:	(212) 655-8162
Investigator:	SULLIVAN	SWIS:	60
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	SAME		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

610 NERIED AV/BX/HESS S/S (Continued)

S102146161

Spiller: Not reported
Spiller Company : HESS
Spiller Address: 1 HESS PLAZA
WOODBURY, NJ 07095
Spiller County : 001
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 02/04/98

Cleanup Ceased: 01/29/91

Last Inspection: / /

Cleanup Meets Std: True

Recommended Penalty: Penalty Not Recommended

UST Trust: True

Spill Record Last Update: 02/10/98

Date Spill Entered In Computer Data File: 02/08/91

Material

Material ID : 427958

Site ID : 258018

Operable Unit : 01

Operable Unit ID : 951468

Material Code : 0009

Material Name : Gasoline

Case No. : Not reported

Material FA : Petroleum

Quantity : -1.00

Units : L

Recovered : 0.00

Resource Affected - Soil : Yes

Resource Affected - Air : No

Resource Affected - Indoor Air : No

Resource Affected - Groundwater : No

Resource Affected - Surface Water : No

Resource Affected - Drinking Wtr : No

Resource Affected - Sewer : No

Resource Affected - Impervious Surface : No

Resource Affected - Subway : No

Resource Affected - Utility : No

Resource Affected - Impervious Surface : No

Oxygenate : False

DEC Remarks : Start CallerRemark - 9011412 DISPENSER LEAKING INSIDE AT A SUBSTANTIAL RATE, REPAIR MADE & SOME SOIL TO BE CHECKED BY EMS ENVIRON FOR DISPOSAL, LEAK WAS FROM A SOLENOID VALVE FOR POSSIBLY 2-3 DAYS. END CallerRemark - 9011412

Remark: Start DECRemark - 9011412 Prior to Sept, 2004 data translation this spill Lead DEC Field was "TANG" 01/29/91: HESS WILL TAKE SAMPLES FROM SOIL BORINGS AROUND THE DISPENSER, REPORT TO BE SUBMITTED WITHIN 30 DAYS TO NYSDEC. END DECRemark - 9011412

HIST SPILLS:

Spill Number: 9011412

Investigator: TANG

Caller Name: Not reported

Caller Phone: Not reported

Notifier Name: Not reported

Notifier Phone: Not reported

Spill Date: 01/29/1991 15:43

Spill Cause: Equipment Failure

Water Affected: Not reported

Region of Spill: 2

SWIS: 60

Caller Agency: Not reported

Caller Extension: Not reported

Notifier Agency: Not reported

Notifier Extension: Not reported

Reported to Dept: 01/29/91 16:15

Resource Affected: On Land

Spill Source: Gas Station

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

610 NERIED AV/BX/HESS S/S (Continued)

S102146161

Facility Contact: Not reported Facility Tele: (201) 750-6828
 Spill Notifier: Responsible Party PBS Number: Not reported
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: HESS
 Spiller Address: 1 HESS PLAZA
 WOODBRIDGE, NJ 07095
 DEC Remarks : 01/29/91: HESS WILL TAKE SAMPLES FROM SOIL BORINGS AROUND THE DISPENSER,
 REPORT TO BE SUBMITTED WITHIN 30 DAYS TO NYSDEC.
 Remark: DISPENSER LEAKING INSIDE AT A SUBSTANTIAL RATE, REPAIR MADE SOME
 SOIL TO BE CHECKED BY EMS ENVIRON FOR DISPOSAL, LEAK WAS FROM A
 SOLENOID VALVE FOR POSSIBLY 2-3 DAYS.
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Material:
 Material Class Type: 1
 Quantity Spilled: -1
 Units: Pounds
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 Spill Closed Dt: 02/04/98
 Cleanup Ceased: 01/29/91
 Last Inspection: / / Cleanup Meets Std: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / / Enforcement Date: / /
 Invstgn Complete: / / UST Involvement: True
 Spill Record Last Update: 02/10/98
 Is Updated: False
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 02/08/91
 Date Region Sent Summary to Central Office: / /

C13
 South
 < 1/8
 306 ft.

NEREID AVENUE ASSOCIATES
4377 BRONX BLVD
NEW YORK CITY, NY 10466

AST A100157676
N/A

Site 1 of 2 in cluster C

Relative:
Higher

NY AST PBS:
 Facility ID: 2-604311
 Program Type: PBS
 Facility Addr2: Not reported
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 11/29/09
 Site Status: Active
 Site Type: Apartment Building
 Above Ground Tanks: Yes
 Under Ground Tanks: No

Actual:
128 ft.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

C14
South
< 1/8
328 ft.

4375 BRONX AVE
BRONX, NY

NY Spills S104648853
NY Hist Spills N/A

Site 2 of 2 in cluster C

Relative:
Higher

SPILLS:

Actual:
127 ft.

DER Facility ID : 73234
 Site ID : 78723
 Spill Number: 9900490
 Investigator: RWAUSTIN
 Spill Date: 04/14/99
 Facility Address 2: Not reported
 Facility Type: ER
 Referred To : Not reported
 Remediation Phase : 0
 Program Number : 9900490
 Spill Cause: DELIBERATE
 Water Affected: Not reported
 Contact Name: UNK
 Spill Notifier: CITIZEN
 Spiller: Not reported
 Spiller Company : SAME
 Spiller Address: NY
 Spiller County : 001
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

CID : 17
 Region of Spill: 2
 SWIS: 0301
 Reported to Dept: 04/14/99

DEC Region : 2

Spill Source: PASSENGER VEHICLE
 Facility Tele: (000) 000-0000

Spill Closed Dt: 11/24/03

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Std: False

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Record Last Update: 11/24/03

Date Spill Entered In Computer Data File: 04/14/99

Material

Material ID : 307621
 Site ID : 78723
 Operable Unit : 01
 Operable Unit ID : 1075260
 Material Code : 0015A
 Material Name : MOTOR OIL
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 0.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False

DEC Remarks : Start CallerRemark - 9900490 CALLER STATES THAT OWNER IS RUNNING A

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

(Continued)

S104648853

Remark: GARAGE FROM BACK YARD AND IS SPILLING OIL END CallerRemark - 9900490
Start DECRemark - 9900490 Prior to Sept, 2004 data translation this
spill Lead DEC Field was "AUSTIN" 11/24/03 - ANON COMPLAINT ABOUT
HOUSEKEEPING - CLOSED - ORIG. ASSIGNED TO MULQUEEN - END END DECRemark -
9900490

HIST SPILLS:

Spill Number:	9900490	Region of Spill:	2
Investigator:	MULQUEEN	SWIS:	60
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spill Date:	04/14/1999 10:40	Reported to Dept:	04/14/99 10:45
Spill Cause:	Deliberate	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Passenger Vehicle
Facility Contact:	Not reported	Facility Tele:	() -
Spill Notifier:	Citizen	PBS Number:	Not reported
Spiller Contact:	UNK	Spiller Phone:	(000) 000-0000
Spiller:	SAME		
Spiller Address:	Not reported		
DEC Remarks :	Not reported		
Remark:	CALLER STATES THAT OWNER IS RUNNING A GARAGE FROM BACK YARD AND IS SPILLING OIL		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		

Material:

Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	MOTOR OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	MOTOR OIL		
Last Date:	07/28/1994		
Num Times Material Entry In File:	508		
Spill Closed Dt:	/ /		
Cleanup Ceased:	/ /		
Last Inspection:	/ /	Cleanup Meets Std:	False
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Dt/ /		Enforcement Date:	/ /
Invstgn Complete:/ /		UST Involvement:	False
Spill Record Last Update:	04/23/99		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered In Computer Data File:	04/14/99		
Date Region Sent Summary to Central Office:	/ /		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s)
 EDR ID Number
 EPA ID Number

15	IMPACT BODY REPAIR-AUTOBODY	RCRA-SQG	1000145044
NE	4454 BRONX BLVD	FINDS	NYD982534752
< 1/8	BRONX, NY 10470	NY MANIFEST	
427 ft.		NJ MANIFEST	

Relative: RCRAInfo:
Lower Owner: VICTOR BORSELLA, JACK MANGALHAES
 (212) 555-1212

Actual: EPA ID: NYD982534752
116 ft. Contact: VICTOR BORSELLA
 (718) 994-8691

Classification: Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NJA4059388
 Manifest Status: Not reported
 Trans1 State ID: NJD002454544
 Trans2 State ID: Not reported
 Generator Ship Date: 05/06/2003
 Trans1 Recv Date: 05/06/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/06/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD982534752
 Trans1 EPA ID: NJD002454544
 Trans2 EPA ID: Not reported
 TSDF ID: 2809
 Waste Code: F003 - UNKNOWN
 Quantity: 00150
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYD982534752
 Facility Name: IMPACT BODY REPAIR INCORPORATED
 Facility Address: 4454 BRONX BOULEVARD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: IMPACT BODY REPAIR INCORPORATED
 Mailing Contact: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

IMPACT BODY REPAIR-AUTOBODY (Continued)

1000145044

Mailing Address: 4454 BRONX BOULEVARD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10470
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 212-994-8691

[Click this hyperlink](#) while viewing on your computer to access
 19 additional NY MANIFEST: record(s) in the EDR Site Report.

NJ MANIFEST:

Manifest Code: NJA5037345
 EPA ID: NYD982534752
 Date Shipped: 20040223
 TSDf EPA ID: NJD002454544
 TSDf Received Date: 040227
 Transporter EPA ID: NYD064748304
 Transporter Received Date: 040223
 Waste Code: F003
 Quantity Shipped: 1350.00000
 Unit of Measure: P
 Method Code: T04

**16
 SW
 < 1/8
 489 ft.**

**BULLARD AUTO REPAIR, INC.
 4360 BULLARD AVENUE
 NEW YORK CITY, NY 10466**

**AST A100139002
 N/A**

**Relative:
 Lower**

NY AST PBS:
 Facility ID: 2-603892
 Program Type: PBS
 Facility Addr2: Not reported
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 01/19/04
 Site Status: Waste Oil Storer
 Site Type: Other
 Above Ground Tanks: Yes
 Under Ground Tanks: No

**Actual:
 104 ft.**

**D17
 SSW
 < 1/8
 490 ft.**

**BRONX AUTO SERVICE
 4360 BRONX BOULEVARD
 NEW YORK CITY, NY 10466**

**AST A100129168
 N/A**

**Relative:
 Higher**

Site 1 of 6 in cluster D

NY AST PBS:
 Facility ID: 2-603877
 Program Type: PBS
 Facility Addr2: 4360 BRONX BLVD
 Locality: BRONX
 SWIS Code: 0301

**Actual:
 124 ft.**

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

BRONX AUTO SERVICE (Continued)

A100129168

DEC Region: 2
 Registered: 1
 Expiration Date: 12/31/08
 Site Status: Waste Oil Storer
 Site Type: Missing Code in Old Data - Must be fixed
 Above Ground Tanks: Yes
 Under Ground Tanks: No

18
ENE
< 1/8
508 ft.

4447 CARPENTER AVE
4447 CARPENTER AVE
BRONX, NY 10470

AST U003384260
HIST AST N/A

Relative:
Higher

HIST AST PBS:
 PBS Number: 2-089796
 Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 1500
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 3
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: BENITO MIRABILE
 Facility Phone: (212) 994-9532
 Facility Addr2: 4447 CARPENTER AVE
 Facility Type: APARTMENT BUILDING
 Emergency: MARY MONTELONE
 Emergency Tel: (212) 994-9889
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: BENITO MIRABILE
 Owner Address: 4447 CARPENTER AVE
 Owner City,St,Zip: BRONX, NY 10470
 Federal ID: Not reported
 Owner Tel: (212) 994-9532

Actual:
141 ft.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

4447 CARPENTER AVE (Continued)

U003384260

Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: BENITO MIRABILE
 Mailing Address: 4447 CARPENTER AVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10470
 Mailing Telephone: (212) 994-9532
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 02/18/1997
 Expiration: 03/24/2002
 Renew Flag: False
 Renew Date: 20011113
 Total Capacity: 1500
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

NY AST PBS:
 Facility ID: 2-089796
 Program Type: PBS
 Facility Addr2: 4447 CARPENTER AVE
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 05/13/09
 Site Status: Active
 Site Type: Apartment Building
 Above Ground Tanks: Yes
 Under Ground Tanks: No

**19
 ESE
 < 1/8
 513 ft.**

**632 NEREID AVENUE
 632 NEREID AVENUE
 BRONX, NY 10470**

**AST U003395305
 HIST AST N/A**

**Relative:
 Higher
 Actual:
 149 ft.**

HIST AST PBS:
 PBS Number: 2-482439
 Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 1500
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

632 NEREID AVENUE (Continued)

U003395305

Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: Not reported
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: SAME AS ABOVE
 Facility Phone: (914) 966-0561
 Facility Addr2: 632 NEREID AVENUE
 Facility Type: APARTMENT BUILDING
 Emergency: MR. ROMANO
 Emergency Tel: (914) 966-0561
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 632 NEREID AVENUE REALTY CORP.
 Owner Address: POST OFFICE BOX 875
 Owner City,St,Zip: YONKERS, NY 10704
 Federal ID: Not reported
 Owner Tel: (914) 966-0561
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: 632 NEREID AVENUE REALTY CORP.
 Mailing Address: POST OFFICE BOX 875
 Mailing Address 2: Not reported
 Mailing City,St,Zip: YONKERS, NY 10704
 Mailing Telephone: (914) 966-0561
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 10/06/2000
 Expiration: 10/23/2005
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 1500
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

632 NEREID AVENUE (Continued)

U003395305

CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

NY AST PBS:
 Facility ID: 2-482439
 Program Type: PBS
 Facility Addr2: 632 NEREID AVENUE
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 10/23/10
 Site Status: Active
 Site Type: Apartment Building
 Above Ground Tanks: Yes
 Under Ground Tanks: No

D20
SSW
 < 1/8
 537 ft.

237 ST. & BRONX BLVD.
237 ST / BRONX BLVD
BRONX, NEW YORK, NY

NY Spills S102148197
NY Hist Spills N/A

Site 2 of 6 in cluster D

Relative:
Higher

SPILLS:

Actual:
124 ft.

DER Facility ID : 256636
 Site ID : 318376
 Spill Number: 9401536
 Investigator: KSTANG
 Spill Date: 05/02/94
 Facility Address 2: Not reported
 Facility Type: ER
 Referred To : Not reported
 Remediation Phase : 0
 Program Number : 9401536
 Spill Cause: DELIBERATE
 Water Affected: Not reported
 Contact Name: Not reported
 Spill Notifier: OTHER
 Spiller: Not reported
 Spiller Company : Not reported
 Spiller Address: ***Update***, ZZ
 Spiller County : 001
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

CID : Not reported
 Region of Spill: 2
 SWIS: 0301
 Reported to Dept: 05/02/94

DEC Region : 2

Spill Source: GASOLINE STATION
 Facility Tele: Not reported

Spill Closed Dt: 04/30/98

Cleanup Ceased: / /
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 05/14/98
 Date Spill Entered In Computer Data File: 05/03/94
 Material

Material ID : 385289
 Site ID : 318376

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

237 ST. & BRONX BLVD. (Continued)

S102148197

Operable Unit : 01
Operable Unit ID : 995244
Material Code : 0066A
Material Name : UNKNOWN PETROLEUM
Case No. : Not reported
Material FA : Petroleum
Quantity : 8.00
Units : G
Recovered : 0.00
Resource Affected - Soil : No
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : Yes
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

DEC Remarks : Start CallerRemark - 9401536 U.S.C.G TRYING TO GET F.D. TO INVEST. END
CallerRemark - 9401536

Remark: Start DECRemark - 9401536 Prior to Sept, 2004 data translation this spill Lead DEC Field was "TANG" 10/10/95: This is additional information about material spilled from the translation of the old spill file: HYD OIL & MOTOR OIL. END DECRemark - 9401536

HIST SPILLS:

Spill Number:	9401536	Region of Spill:	2
Investigator:	TANG	SWIS:	60
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spill Date:	04/30/1994 15:30	Reported to Dept:	05/02/94 15:34
Spill Cause:	Deliberate	Resource Affected:	In Sewer
Water Affected:	Not reported	Spill Source:	Gas Station
Facility Contact:	Not reported	Facility Tele:	Not reported
Spill Notifier:	Other	PBS Number:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	Not reported		
Spiller Address:	Not reported		

DEC Remarks : 10/10/95: This is additional information about material spilled from the translation of the old spill file: HYD OIL MOTOR OIL.

Remark: U.S.C.G TRYING TO GET F.D. TO INVEST.

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Material:

Material Class Type: 1
Quantity Spilled: 8
Units: Gallons
Unknown Qty Spilled: 8
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: Petroleum

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

237 ST. & BRONX BLVD. (Continued)

S102148197

Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414
Spill Closed Dt: 04/30/98
Cleanup Ceased: / /
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Investg Complete: / /
Spill Record Last Update: 05/14/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/03/94
Date Region Sent Summary to Central Office: / /
Cleanup Meets Std: False
Enforcement Date: / /
UST Involvement: False

D21
SSW
< 1/8
564 ft.

BRONX RIVER HYUNDAI
4352 BRONX BOULEVARD
NEW YORK CITY, NY 10466

UST U004046217
N/A

Site 3 of 6 in cluster D

Relative:
Higher

NY UST PBS:
Facility ID: 2-608164
Program Type: PBS
Facility Addr2: Not reported
Locality: BRONX
SWIS Code: 0301
DEC Region: 2
Registered: 1
Expiration Date: 01/07/08
Site Status: Unregulated (<1101 gallons)
Site Type: Other
Above Ground Tanks: No
Under Ground Tanks: No

Actual:
124 ft.

D22
SSW
< 1/8
564 ft.

BRONX RIVER HYUNDAI
4353 BRONX BLVD
BRONX, NY 10466

FINDS 1000208142
RCRA-LQG NYD000697821
NY MANIFEST

Site 4 of 6 in cluster D

Relative:
Higher

RCRAInfo:
Owner: SUN OIL COMPANY OF PENNSYLVANIA
(212) 555-1212
EPA ID: NYD000697821
Contact: Not reported
Classification: Large Quantity Generator
TSD Activities: Not reported

Actual:
124 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BRONX RIVER HYUNDAI (Continued)

1000208142

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NJA5249391
Manifest Status: Not reported
Trans1 State ID: NJR000029967
Trans2 State ID: Not reported
Generator Ship Date: 05/10/2005
Trans1 Recv Date: 05/10/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/10/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000697821
Trans1 EPA ID: 50181
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 14700
Units: P - Pounds
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: Not reported
Facility Type: Generator
EPA ID: NYD000697821
Facility Name: BRONX RIVER HYUNDAI
Facility Address: 4353 BRONX BLVD / 237TH ST
Facility City: BRONX
Facility Zip 4: Not reported
Country: USA
County: NEW YORK
Mailing Name: BRONX RIVER HYUNDAI
Mailing Contact: N/S
Mailing Address: 4353 BRONX BLVD
Mailing City: BRONX
Mailing State: NY
Mailing Zip: 10466
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 973-389-8001

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST: detail in the EDR Site Report.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D23 CITY LINE VOLKSWAGEN
SSW 4353 BRONX BLVD.
 < 1/8 NEW YORK CITY, NY 10466
 565 ft.

UST U003740217
LTANKS N/A
HIST UST
HIST LTANKS

Relative:
Higher

Site 5 of 6 in cluster D

Actual:
123 ft.

LTANKS:

Spill Number:	9912327	Region of Spill:	2
Facility ID:	9912327	DER Facility ID:	140321
Site ID:	166541	CID:	17
Spill Date:	01/27/00	Reported to Dept:	01/27/00
Referred To:	Not reported	DEC Region:	2
Water Affected:	Not reported	Spill Source:	COMMERCIAL/INDUSTRIAL
Spill Cause:	TANK FAILURE		
Facility Address 2:	Not reported	Facility Tele:	(516) 454-6100
Investigator:	KMFOLEY	SWIS:	0301
Spiller Contact:	BILL RYAN	Spiller Phone:	(516) 454-6100
Spiller:	BILL RYAN		
Spiller Company:	CITY LINE VOLKSWAGEN		
Spiller Address:	4353 BRONX BLVD BRONX, NY 10466		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		

Spill Closed Dt: 01/06/05

Spill Notifier: OTHER
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: True
 Spill Record Last Update: 01/06/05
 Date Spill Entered In Computer Data File: 01/27/00
 Remediation Phase: 0
 Program Number: 9912327

Material

Material ID :	294213	
Site ID :	166541	
Operable Unit :	01	
Operable Unit ID :	1091024	
Material Code :	0009	
Material Name :	Gasoline	
Case No. :	Not reported	
Material FA :	Petroleum	
Quantity :	0.00	
Units :	G	
Recovered :		0.00
Resource Affected - Soil :		Yes
Resource Affected - Air :		No
Resource Affected - Indoor Air :		No
Resource Affected - Groundwater :		No
Resource Affected - Surface Water :		No
Resource Affected - Drinking Wtr :		No
Resource Affected - Sewer :		No
Resource Affected - Impervious Surface :		No
Resource Affected - Subway :		No
Resource Affected - Utility :		No
Resource Affected - Impervious Surface :		No
Oxygenate :		False

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Material ID : 578204
Site ID : 166541
Operable Unit : 01
Operable Unit ID : 1091024
Material Code : 0022
Material Name : Waste Oil/Used Oil (Not Fuel)
Case No. : Not reported
Material FA : Petroleum
Quantity : 0.00
Units : G

Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 9912327 DURING TANK REMOVAL SOIL CONTAMINATION FOUND - 12 550 UST ON SITE END CallerRemark - 9912327

Remark: Start DECRemark - 9912327 3/10/00 Received UST closure report prepared by American Environmental Assessment Corp. Documents removal of twelve 550gal gasoline tanks and piping. VOCs were detected by PID from 1150ppm to >10000ppm. Soil samples collected from 4 sidewalls all returned with very high concentrations of BTEX and MTBE. 3/15/00 Tipple sent letter to Cityline Volkswagon requiring a subsurface investigation. Report due 6/30/00. 6/6/00 Received letter from Kenneth Robinson, atty f or Cityline VW. American Environmental Assessment will prepare investigation plan. Will not be implemented until 6/25/00. Requested that report deadline be pushed to 9/30/00. 6/8/00 Beatrix Packmohr, American Environmental (631-454-6100(Office) ,(516-524-6390(cell)) beginning to work to get a remediation package together. 7/7/00 Subsurface Investigation Work Plan submitted by American Environmental. 3/20/01 Copy of spill report faxed to Jennifer Parisi Roux Assoc, representing the lawyer who's representing a previous owner. 11/16/01 TRANSFERRED FROM ROMMEL TO TIPPLE. BIO-REM LEVATO HIRED BY CURRENT OWNER GARY SIMONS TO DO CLEANUP. 10/7/02 JOE PASSERELLI IS POTENTIALLY PURCHASING THE PROPERTY CLEANUP BEING TAKEN OVER BY RM

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

J ENVIRONIMICS 201-818-4927. 10/8/02 Sent PBS forms to fix errors from Amer. Env. and add waste oil and heating oil tanks. 8/8/03 TIPPLE RECIEVED REMEDIAL ACTION REPORT, REVIEWED, REPORT MISSING PROPER PBS REG, SCALED SITE PLAN, GROUNDWATER SAMPLING. LETTER TO CONSULTANT IN PROGRESS. 12/10/03 mt/// Transferred from Tipple to Rommel 3/16/04 Reassigned from Rommel to K Foley. File review (KMF, 1/5/05): The site was a retail gasoline service station. Currently used to store new and used automobiles. There is a residence to the east, an automobile dealership to the west, a service station to the north and an auto body shop to the south. Groundwater flow is generally to the west towards the Bronx River. 8/5/03 UST Remedial Action Report received (RMJ Environomics, 7/21/03). Report documents the removal and closure of two 1000gal heating and waste oil tanks and piping, conducted 1/6/03. It also included the original closure report prepared by American Environmental Assessment which identified gross soil contamination. Soil samples from the gasoline tank excavation were collected for VOC analysis by 8260. Soil samples from the waste oil and heating oil tank areas were collected for analysis by 8260&8270. The former gasoline tank locations were investigated by Geoprobe on 8/22/02. Boring B-1 was extended to 24'bgs to assess groundwater conditions, but none was encountered. Salomone Brothers excavated the tanks on 5/8/03. 128 tons of soil was removed. On 8/22/02, five soil borings were advanced to assess the limits of excavation for cleanup of the former gasoline tanks and identified soil contamination in B-3. On 5/8/03, the former gas tank excavation was re-excavated and extended to remediate residual contamination. Six soil samples were collected and were below cleanup objectives. On 1/6/03, the heating oil and waste oil tanks were removed and ten post-ex samples were collected. Soil results from the heating oil tank area were below cleanup objectives and there were some exceedances for SVOCs in the waste oil tank area. Also on 5/8/03, a small amount of soil was removed from the waste oil area which exhibited higher levels of SVOCs, and three post-ex samples collected. Three borings were advanced on 6/16/03 due to the failure of the sampler to specify BNs on the chain of custody. Soil results from the gasoline excavation were below cleanup objectives after excavation. 2/26/04 Received Supplemental Remedial Action Report which includes groundwater investigation(as requested in DEC 8/8/03 letter.) One groundwater sample was collected from WP-1 from within the gasoline tank excavation. Only toluene was detected (8260 analysis)but below the method detection limit. Groundwater at 55'bgs. 1/6/05 Issued letter requiring immediate update to PBS. Existing PBS does not show tanks as closed-removed and does not include waste oil and heating oil UST. 1/6/05 Based upon soil results, it does not appear that a source for GW contamination exists in the vadose zone. Groundwater sample from gas UST area returned below GWQS. NFA issued. END DECRemark - 9912327

HIST LTANKS:

Spill Number:	9912327	Region of Spill:	2
Spill Date:	01/27/2000 12:00	Reported to Dept:	01/27/00 14:20
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Resource Affectd:	On Land		
Spill Cause:	Tank Failure		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Facility Contact: BILL RYAN
Investigator: ROMMEL
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: BILL RYAN
Spiller: CITY LINE VOLKSWAGEN
Spiller Address: 4353 BRONX BLVD
BRONX, NY 10466

Facility Tele: (516) 454-6100
SWIS: 60
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 454-6100

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /

Spill Notifier: Other

PBS Number: 2-604575

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Standard: False

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: / /

Enforcement Date: / /

Investigation Complete: / /

UST Involvement: True

Spill Record Last Update: 11/16/01

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 01/27/00

Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported

Tank Number: Not reported

Test Method: Not reported

Capacity of Failed Tank: Not reported

Leak Rate Failed Tank: Not reported

Gross Leak Rate: Not reported

Material:

Material Class Type: 1

Quantity Spilled: 0

Units: Gallons

Unknown Qty Spilled: No

Quantity Recovered: 0

Unknown Qty Recovered: False

Material: GASOLINE

Class Type: Petroleum

Chem Abstract Service Number: GASOLINE

Last Date: 09/29/1994

Num Times Material Entry In File: 21329

DEC Remarks: copy of spill report faxed to Jennifer Parisi Roux Assoc, representing t
he lawyer who s representing a previous owner 03/20/01 11/16/01 TRANSFE
RRED FROM ROMMEL TO TIPPLE BIO-REM LEVATO HIRED BY CURRENT OWNER GARY S
IMONS TO DO CLEANUP

Spill Cause: DURING TANK REMOVAL SOIL CONTAMINATION FOUND - 12 550 UST ON SITE

NY HIST UST PBS:

PBS Number: 2-604575

SPDES Number: Not reported

Emergency Contact: RAYMOND BASSO

Emergency Telephone: (718) 324-8700

Operator: BILL PRAGER

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Operator Telephone: (718) 324-8700
Owner Name: HHM ASSOCIATES
Owner Address: 1006 N. SOUTH LAKE DRIVE
Owner City,St,Zip: HOLLYWOOD, FL 33019
Owner Telephone: (954) 922-0687
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: CITY LINE VOLKSWAGEN
Mailing Address: 4353 BRONX BLVD
Mailing Address 2: Not reported
Mailing City,St,Zip: BONX, NY 10466
Mailing Contact: Not reported
Mailing Telephone: (718) 324-8700
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: Not reported
Tank Id: 01
Tank Location: UNDERGROUND
Install Date: 20000101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Other
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: 8
Leak Detection: None
Overfill Prot: None
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/21/2000
Expiration Date: 06/14/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 6600
FAMT: True
Facility Screen: No Missing Data

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-604575
 SPDES Number: Not reported
 Emergency Contact: RAYMOND BASSO
 Emergency Telephone: (718) 324-8700
 Operator: BILL PRAGER
 Operator Telephone: (718) 324-8700
 Owner Name: HHM ASSOCIATES
 Owner Address: 1006 N. SOUTH LAKE DRIVE
 Owner City,St,Zip: HOLLYWOOD, FL 33019
 Owner Telephone: (954) 922-0687
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: CITY LINE VOLKSWAGEN
 Mailing Address: 4353 BRONX BLVD
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BONX, NY 10466
 Mailing Contact: Not reported
 Mailing Telephone: (718) 324-8700
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 02
 Tank Location: UNDERGROUND
 Install Date: 20000101
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Other
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

CITY LINE VOLKSWAGEN (Continued)

EDR ID Number
 EPA ID Number

Database(s)

U003740217

<p>Old PBS Number: Not reported Facility Type: RETAIL GASOLINE SALES Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 06/21/2000 Expiration Date: 06/14/2005 Renew Flag: False Renewal Date: Not reported Total Capacity: 6600 FAMT: True Facility Screen: No Missing Data Owner Screen: Minor Data Missing Tank Screen: Minor Data Missing Dead Letter: False CBS Number: Not reported Town or City: NEW YORK CITY County Code: 60 Town or City: 01 Region: 2</p> <p>PBS Number: 2-604575 SPDES Number: Not reported Emergency Contact: RAYMOND BASSO Emergency Telephone: (718) 324-8700 Operator: BILL PRAGER Operator Telephone: (718) 324-8700 Owner Name: HHM ASSOCIATES Owner Address: 1006 N. SOUTH LAKE DRIVE Owner City,St,Zip: HOLLYWOOD, FL 33019 Owner Telephone: (954) 922-0687 Owner Type: Corporate/Commercial Owner Subtype: Not reported Mailing Name: CITY LINE VOLKSWAGEN Mailing Address: 4353 BRONX BLVD Mailing Address 2: Not reported Mailing City,St,Zip: BONX, NY 10466 Mailing Contact: Not reported Mailing Telephone: (718) 324-8700 Owner Mark: First Owner Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.</p> <p>Facility Addr2: Not reported Tank Id: 03 Tank Location: UNDERGROUND Install Date: 20000101 Capacity (gals): 550 Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel Tank Internal: None Tank External: Other Pipe Location: Underground Pipe Type: STEEL/IRON Pipe Internal: None Pipe External: None</p>	<p>Site</p>
---	-------------

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CITY LINE VOLKSWAGEN (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003740217

Second Containment: Diking
Leak Detection: None
Overfill Prot: None
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/21/2000
Expiration Date: 06/14/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 6600
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-604575
SPDES Number: Not reported
Emergency Contact: RAYMOND BASSO
Emergency Telephone: (718) 324-8700
Operator: BILL PRAGER
Operator Telephone: (718) 324-8700
Owner Name: HHM ASSOCIATES
Owner Address: 1006 N. SOUTH LAKE DRIVE
Owner City,St,Zip: HOLLYWOOD, FL 33019
Owner Telephone: (954) 922-0687
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: CITY LINE VOLKSWAGEN
Mailing Address: 4353 BRONX BLVD
Mailing Address 2: Not reported
Mailing City,St,Zip: BONX, NY 10466
Mailing Contact: Not reported
Mailing Telephone: (718) 324-8700
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: Not reported
Tank Id: 04
Tank Location: UNDERGROUND
Install Date: 20000101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Other
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: None
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/21/2000
Expiration Date: 06/14/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 6600
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-604575
SPDES Number: Not reported
Emergency Contact: RAYMOND BASSO
Emergency Telephone: (718) 324-8700
Operator: BILL PRAGER
Operator Telephone: (718) 324-8700

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Owner Name: HHM ASSOCIATES
Owner Address: 1006 N. SOUTH LAKE DRIVE
Owner City,St,Zip: HOLLYWOOD, FL 33019
Owner Telephone: (954) 922-0687
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: CITY LINE VOLKSWAGEN
Mailing Address: 4353 BRONX BLVD
Mailing Address 2: Not reported
Mailing City,St,Zip: BONX, NY 10466
Mailing Contact: Not reported
Mailing Telephone: (718) 324-8700
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: Not reported
Tank Id: 05
Tank Location: UNDERGROUND
Install Date: 20000101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Other
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: None
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/21/2000
Expiration Date: 06/14/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 6600
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CITY LINE VOLKSWAGEN (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003740217

Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-604575
SPDES Number: Not reported
Emergency Contact: RAYMOND BASSO
Emergency Telephone: (718) 324-8700
Operator: BILL PRAGER
Operator Telephone: (718) 324-8700
Owner Name: HHM ASSOCIATES
Owner Address: 1006 N. SOUTH LAKE DRIVE
Owner City,St,Zip: HOLLYWOOD, FL 33019
Owner Telephone: (954) 922-0687
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: CITY LINE VOLKSWAGEN
Mailing Address: 4353 BRONX BLVD
Mailing Address 2: Not reported
Mailing City,St,Zip: BONX, NY 10466
Mailing Contact: Not reported
Mailing Telephone: (718) 324-8700
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
Tank Id: 06
Tank Location: UNDERGROUND
Install Date: 20000101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Other
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: None
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CITY LINE VOLKSWAGEN (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003740217

Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/21/2000
Expiration Date: 06/14/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 6600
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-604575
SPDES Number: Not reported
Emergency Contact: RAYMOND BASSO
Emergency Telephone: (718) 324-8700
Operator: BILL PRAGER
Operator Telephone: (718) 324-8700
Owner Name: HHM ASSOCIATES
Owner Address: 1006 N. SOUTH LAKE DRIVE
Owner City,St,Zip: HOLLYWOOD, FL 33019
Owner Telephone: (954) 922-0687
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: CITY LINE VOLKSWAGEN
Mailing Address: 4353 BRONX BLVD
Mailing Address 2: Not reported
Mailing City,St,Zip: BONX, NY 10466
Mailing Contact: Not reported
Mailing Telephone: (718) 324-8700
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
Tank Id: 07
Tank Location: UNDERGROUND
Install Date: 20000101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Other
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Leak Detection:	None
Overfill Prot:	None
Dispenser:	Not reported
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	Minor Data Missing
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False
Updated:	True
Lat/long:	Not reported
Lat/long:	Not reported
SWIS ID:	6001
Old PBS Number:	Not reported
Facility Type:	RETAIL GASOLINE SALES
Inspected Date:	Not reported
Inspector:	Not reported
Inspection Result:	Not reported
Federal ID:	Not reported
Certification Flag:	False
Certification Date:	06/21/2000
Expiration Date:	06/14/2005
Renew Flag:	False
Renewal Date:	Not reported
Total Capacity:	6600
FAMT:	True
Facility Screen:	No Missing Data
Owner Screen:	Minor Data Missing
Tank Screen:	Minor Data Missing
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	60
Town or City:	01
Region:	2
PBS Number:	2-604575
SPDES Number:	Not reported
Emergency Contact:	RAYMOND BASSO
Emergency Telephone:	(718) 324-8700
Operator:	BILL PRAGER
Operator Telephone:	(718) 324-8700
Owner Name:	HHM ASSOCIATES
Owner Address:	1006 N. SOUTH LAKE DRIVE
Owner City,St,Zip:	HOLLYWOOD, FL 33019
Owner Telephone:	(954) 922-0687
Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported
Mailing Name:	CITY LINE VOLKSWAGEN
Mailing Address:	4353 BRONX BLVD
Mailing Address 2:	Not reported
Mailing City,St,Zip:	BONX, NY 10466
Mailing Contact:	Not reported
Mailing Telephone:	(718) 324-8700
Owner Mark:	First Owner
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Facility Addr2: Not reported
 Tank Id: 08
 Tank Location: UNDERGROUND
 Install Date: 20000101
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Other
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 06/21/2000
 Expiration Date: 06/14/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 6600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-604575
 SPDES Number: Not reported
 Emergency Contact: RAYMOND BASSO
 Emergency Telephone: (718) 324-8700
 Operator: BILL PRAGER
 Operator Telephone: (718) 324-8700
 Owner Name: HHM ASSOCIATES

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Owner Address: 1006 N. SOUTH LAKE DRIVE
Owner City,St,Zip: HOLLYWOOD, FL 33019
Owner Telephone: (954) 922-0687
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: CITY LINE VOLKSWAGEN
Mailing Address: 4353 BRONX BLVD
Mailing Address 2: Not reported
Mailing City,St,Zip: BONX, NY 10466
Mailing Contact: Not reported
Mailing Telephone: (718) 324-8700
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
Tank Id: 09
Tank Location: UNDERGROUND
Install Date: 20000101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Other
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: None
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/21/2000
Expiration Date: 06/14/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 6600
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

CITY LINE VOLKSWAGEN (Continued)

EDR ID Number
 EPA ID Number

Database(s)

U003740217

<p>Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 06/21/2000 Expiration Date: 06/14/2005 Renew Flag: False Renewal Date: Not reported Total Capacity: 6600 FAMT: True Facility Screen: No Missing Data Owner Screen: Minor Data Missing Tank Screen: Minor Data Missing Dead Letter: False CBS Number: Not reported Town or City: NEW YORK CITY County Code: 60 Town or City: 01 Region: 2</p> <p>PBS Number: 2-604575 SPDES Number: Not reported Emergency Contact: RAYMOND BASSO Emergency Telephone: (718) 324-8700 Operator: BILL PRAGER Operator Telephone: (718) 324-8700 Owner Name: HHM ASSOCIATES Owner Address: 1006 N. SOUTH LAKE DRIVE Owner City,St,Zip: HOLLYWOOD, FL 33019 Owner Telephone: (954) 922-0687 Owner Type: Corporate/Commercial Owner Subtype: Not reported Mailing Name: CITY LINE VOLKSWAGEN Mailing Address: 4353 BRONX BLVD Mailing Address 2: Not reported Mailing City,St,Zip: BONX, NY 10466 Mailing Contact: Not reported Mailing Telephone: (718) 324-8700 Owner Mark: First Owner Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.</p> <p>Facility Addr2: Not reported Tank Id: 11 Tank Location: UNDERGROUND Install Date: 20000101 Capacity (gals): 550 Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel Tank Internal: None Tank External: Other Pipe Location: Underground Pipe Type: STEEL/IRON Pipe Internal: None Pipe External: None Second Containment: Diking Leak Detection: None</p>	<p>Site</p>
---	-------------

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Overfill Prot: None
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 06/21/2000
 Expiration Date: 06/14/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 6600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-604575
 SPDES Number: Not reported
 Emergency Contact: RAYMOND BASSO
 Emergency Telephone: (718) 324-8700
 Operator: BILL PRAGER
 Operator Telephone: (718) 324-8700
 Owner Name: HHM ASSOCIATES
 Owner Address: 1006 N. SOUTH LAKE DRIVE
 Owner City,St,Zip: HOLLYWOOD, FL 33019
 Owner Telephone: (954) 922-0687
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: CITY LINE VOLKSWAGEN
 Mailing Address: 4353 BRONX BLVD
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BONX, NY 10466
 Mailing Contact: Not reported
 Mailing Telephone: (718) 324-8700
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EPA ID Number
EDR ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Tank Id: 12
Tank Location: UNDERGROUND
Install Date: 20000101
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Other
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: None
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/21/2000
Expiration Date: 06/14/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 6600
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

NY UST PBS:

Facility ID: 2-604575
Program Type: PBS
Facility Addr2: Not reported
Locality: BRONX
SWIS Code: 0301
DEC Region: 2
Registered: 1

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

CITY LINE VOLKSWAGEN (Continued)

U003740217

Expiration Date: 06/14/05
 Site Status: Active
 Site Type: Retail Gasoline Sales
 Above Ground Tanks: No
 Under Ground Tanks: Yes

D24
SSW
< 1/8
565 ft.

AVOXE CORP
4353 BRONX BLVD
BRONX, NY 10466

RCRA-SQG 1000439220
FINDS NYD011910353

Site 6 of 6 in cluster D

Relative:
Higher

RCRAInfo:
 Owner: AVOXE CORPORATION
 (212) 555-1212
 EPA ID: NYD011910353
 Contact: Not reported
 Classification: Small Quantity Generator
 TSD Activities: Not reported
 Violation Status: No violations found

Actual:
123 ft.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

25
SE
< 1/8
635 ft.

4389 MATILDA AVENUE
4389 MATILDA AVENUE
NEW YORK CITY, NY 10466

UST U003764864
HIST UST N/A

Relative:
Higher

NY HIST UST PBS:
 PBS Number: 2-605403
 SPDES Number: Not reported
 Emergency Contact: EARL NELSON
 Emergency Telephone: (917) 429-1525
 Operator: EARL NELSON
 Operator Telephone: (212) 650-0200
 Owner Name: 4389 MATILDA AVENUE REALTY CORP.
 Owner Address: 427 EAST 74TH STREET
 Owner City,St,Zip: NEW YORK, NY 10021
 Owner Telephone: (212) 650-0200
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 4389 MATILDA AVENUE REALTY CORP.
 Mailing Address: 427 EAST 74TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10021
 Mailing Contact: JOSEPH TAORMINA
 Mailing Telephone: (212) 650-0200
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Actual:
157 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

4389 MATILDA AVENUE (Continued)

U003764864

Facility Addr2: Not reported
Tank Id: 001
Tank Location: UNDERGROUND
Install Date: Not reported
Capacity (gals): 2000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Float Vent Valve
Dispenser: Suction
Date Tested: Not reported
Next Test Date: 12/27/1987
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 03/16/2001
Expiration Date: 03/14/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

NY UST PBS:
Facility ID: 2-605403
Program Type: PBS
Facility Addr2: Not reported
Locality: BRONX
SWIS Code: 0301
DEC Region: 2

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

4389 MATILDA AVENUE (Continued)

EDR ID Number
 EPA ID Number

U003764864

Registered: 1
 Expiration Date: 03/14/11
 Site Status: Active
 Site Type: Apartment Building
 Above Ground Tanks: No
 Under Ground Tanks: Yes

**E26
 SW
 < 1/8
 654 ft.**

**EMPIRE METAL BOX CO INC
 4338 BULLARD AVE
 BRONX, NY 10466**

**RCRA-SQG 1000994210
 FINDS NYD001269208
 NY MANIFEST**

Site 1 of 2 in cluster E

**Relative:
 Lower**

RCRAInfo:
 Owner: Not reported
 EPA ID: NYD001269208
 Contact: Not reported
 Classification: Small Quantity Generator
 TSDF Activities: Not reported

**Actual:
 93 ft.**

Violation Status: Violations exist

Regulation Violated: Not reported
 Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
 Date Violation Determined: 08/03/1988
 Actual Date Achieved Compliance: 09/22/1988
 Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 08/18/1988
 Penalty Type: Not reported

There are 1 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19880922

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NJA9635805
 Manifest Status: K
 Trans1 State ID: NJSWAS300
 Trans2 State ID: Not reported
 Generator Ship Date: 890518
 Trans1 Recv Date: 890518
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890518
 Part A Recv Date: 890623
 Part B Recv Date: 890607
 Generator EPA ID: NYD001269208
 Trans1 EPA ID: NJD991291105
 Trans2 EPA ID: Not reported
 TSDF ID: NJD991291105

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EMPIRE METAL BOX CO INC (Continued)

1000994210

Waste Code: F005 - UNKNOWN
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 89
 Facility Type: Generator
 EPA ID: NYD001269208
 Facility Name: EMPIRE METAL BOX COMPANY INC
 Facility Address: 68 MESEROLE ST
 Facility City: BROOKLYN
 Facility Zip 4: Not reported
 Country: Not reported
 County: KINGS
 Mailing Name: EMPIRE METAL BOX COMPANY INC
 Mailing Contact: Not reported
 Mailing Address: 68 MESEROLE STREET
 Mailing City: BROOKLYN
 Mailing State: NY
 Mailing Zip: 11206
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 718-388-3750

[Click this hyperlink](#) while viewing on your computer to access
 13 additional NY MANIFEST: record(s) in the EDR Site Report.

**E27
 SW
 1/8-1/4
 699 ft.**

**ABATEMENT INTERNATIONAL/ADVATEX ASSOC IN
 4332 BULLARD AVENUE
 BRONX, NY 10466**

**NY MANIFEST 1009227012
 N/A**

**Relative:
 Lower**

Site 2 of 2 in cluster E

NY MANIFEST:
 No Manifest Records Available

**Actual:
 88 ft.**

**28
 SSW
 1/8-1/4
 780 ft.**

**TRIPLE A ROOFING
 4336 BRONX BOULEVARD
 NEW YORK CITY, NY 10466**

**UST U004048595
 N/A**

**Relative:
 Higher**

NY UST PBS:
 Facility ID: 2-609661
 Program Type: PBS
 Facility Addr2: Not reported
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 07/28/09
 Site Status: Unregulated (<1101 gallons)
 Site Type: Other
 Above Ground Tanks: No
 Under Ground Tanks: No

**Actual:
 122 ft.**

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

F29 **660 NERIED AV/MYSTIC TRAN**
ESE **660 NERIED AVE**
1/8-1/4 **NEW YORK CITY, NY**
781 ft.

LTANKS **S102671263**
HIST LTANKS **N/A**

Site 1 of 2 in cluster F

Relative:
Higher

LTANKS:

Actual:
158 ft.

Spill Number:	8800463	Region of Spill:	2
Facility ID:	8800463	DER Facility ID:	155524
Site ID:	185993	CID:	Not reported
Spill Date:	04/14/88	Reported to Dept:	04/14/88
Referred To:	Not reported	DEC Region:	2
Water Affected:	Not reported	Spill Source:	TANK TRUCK
Spill Cause:	TANK OVERFILL		
Facility Address 2:	Not reported	Facility Tele:	(718) 932-9075
Investigator:	SULLIVAN	SWIS:	0301
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	Not reported		
Spiller Company:	MYSTIC TRANSPORTERS		
Spiller Address:	ASTORIA, NY		
Spiller County:	001		
Spill Class:	Not reported		
Spill Closed Dt:	06/30/88		
Spill Notifier:	RESPONSIBLE PARTY		
Cleanup Ceased:	06/30/88		
Last Inspection:	/ /		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
UST Trust:	False		
Spill Record Last Update:	01/06/89		
Date Spill Entered In Computer Data File:	04/21/88		
Remediation Phase:	0		
Program Number:	8800463		
Material			
Material ID :	459647		
Site ID :	185993		
Operable Unit :	01		
Operable Unit ID :	917346		
Material Code :	0003		
Material Name :	#6 Fuel Oil		
Case No. :	Not reported		
Material FA :	Petroleum		
Quantity :	200.00		
Units :	G		
Recovered :		0.00	
Resource Affected - Soil :		Yes	
Resource Affected - Air :		No	
Resource Affected - Indoor Air :		No	
Resource Affected - Groundwater :		No	
Resource Affected - Surface Water :		No	
Resource Affected - Drinking Wtr :		No	
Resource Affected - Sewer :		No	
Resource Affected - Impervious Surface :		No	
Resource Affected - Subway :		No	
Resource Affected - Utility :		No	
Resource Affected - Impervious Surface :		No	
Oxygenate :		False	
Tank Test			
Spill Tank Test :	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

660 NERIED AV/MYSTIC TRAN (Continued)

S102671263

Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported
DEC Remarks : Start CallerRemark - 8800463 20-25 GALLONS OF FUEL OIL CAME OUT VENT
PIPE ON LAWN, REST CONTAINED IN TANK ROOM IN BASEMENT, PETRO TANK
CLEANERS TO DO CLEAN UP. END CallerRemark - 8800463
Remark: Not reported

HIST LTANKS:

Spill Number: 8800463 Region of Spill: 2
Spill Date: 04/14/1988 12:20 Reported to Dept: 04/14/88 12:34
Water Affected: Not reported Spill Source: Tank Truck
Resource Affectd: On Land
Spill Cause: Tank Overfill
Facility Contact: Not reported Facility Tele: (718) 932-9075
Investigator: SULLIVAN SWIS: 60
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: MYSTIC TRANSPORTERS
Spiller Address: ASTORIA, NY
Spill Class: Not reported
Spill Closed Dt: 06/30/88
Spill Notifier: Responsible Party PBS Number: Not reported
Cleanup Ceased: 06/30/88
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 01/06/89
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/21/88
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 200
Units: Gallons
Unknown Qty Spilled: 200
Quantity Recovered: 0

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

660 NERIED AV/MYSTIC TRAN (Continued)

S102671263

Unknown Qty Recovered: False
Material: #6 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #6 FUEL OIL
Last Date: 07/28/1994
Num Times Material Entry In File: 2190
DEC Remarks: Not reported
Spill Cause: 20-25 GALLONS OF FUEL OIL CAME OUT VENT PIPE ON LAWN, REST CONTAINED IN TANK ROOM IN BASEMENT, PETRO TANK CLEANERS TO DO CLEAN UP.

**F30
ESE
1/8-1/4
787 ft.**

**WAKEFIELD ARMS
660 NEREID AVE
NEW YORK CITY, NY 10470**

**AST A100296597
N/A**

Site 2 of 2 in cluster F

**Relative:
Higher**

NY AST PBS:
Facility ID: 2-195626
Program Type: PBS
Facility Addr2: 660 NEREID AVE
Locality: BRONX
SWIS Code: 0301
DEC Region: 2
Registered: 1
Expiration Date: 10/02/07
Site Status: Active
Site Type: Apartment Building
Above Ground Tanks: Yes
Under Ground Tanks: No

**Actual:
158 ft.**

**G31
SSW
1/8-1/4
915 ft.**

**4327-4331 BRONX BLVD
4327 BRONX BLVD
NEW YORK CITY, NY 10466**

**UST U004045556
N/A**

Site 1 of 3 in cluster G

**Relative:
Lower**

NY UST PBS:
Facility ID: 2-601947
Program Type: PBS
Facility Addr2: 4327-4337 BRONX BLVD
Locality: BRONX
SWIS Code: 0301
DEC Region: 2
Registered: 1
Expiration Date: 06/18/09
Site Status: Unregulated (<1101 gallons)
Site Type: Other Wholesale/Retail Sales
Above Ground Tanks: No
Under Ground Tanks: No

**Actual:
116 ft.**

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

G32 CITYLINE CADILLAC
SSW 4327 BRONX BLVD
1/8-1/4 BRONX, NY 10466
915 ft.

RCRA-SQG 1001818225
FINDS NYR000077396
NY MANIFEST

Site 2 of 3 in cluster G

Relative:
Lower

RCRAInfo:

Owner: JOE PASSARELLI
 (718) 324-9394

EPA ID: NYR000077396

Contact: FRED RICCI
 (718) 324-9394

Classification: Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

Actual:
116 ft.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NYC6129573
 Manifest Status: Not reported
 Trans1 State ID: ILD984908202
 Trans2 State ID: SCR000074591
 Generator Ship Date: 05/04/2000
 Trans1 Recv Date: 05/04/2000
 Trans2 Recv Date: 05/09/2000
 TSD Site Recv Date: 05/11/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000077396
 Trans1 EPA ID: NYD000708198
 Trans2 EPA ID: Not reported
 TSDF ID: NYAT8305
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00017
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 01.00
 Waste Code: D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP
 Quantity: 00005
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 00
 Facility Type: Generator
 EPA ID: NYR000077396
 Facility Name: CITY LINE CADILLAC-OLDSMOBILE
 Facility Address: 4327 BRONX BLVD

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

CITYLINE CADILLAC (Continued)

1001818225

Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: CITY LINE CADILLAC-OLDSMOBILE
 Mailing Contact: FRED-MANAGER
 Mailing Address: 4327 BRONX BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10466
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-324-9394

[Click this hyperlink](#) while viewing on your computer to access
 14 additional NY MANIFEST: record(s) in the EDR Site Report.

33
ENE
1/8-1/4
969 ft.

ST ANTHONY CONVENT
4500 MATILDA AVE
NEW YORK CITY, NY 10470

AST A100296106
N/A

Relative:
Higher

NY AST PBS:
 Facility ID: 2-196134
 Program Type: PBS
 Facility Addr2: 4500 MATILDA AVE
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 02/03/08
 Site Status: Active
 Site Type: Other
 Above Ground Tanks: Yes
 Under Ground Tanks: No

Actual:
163 ft.

G34
SSW
1/8-1/4
997 ft.

DART TOWING INC
4320 BRONX BLVD
BRONX, NY 10466

RCRA-SQG 1004760024
FINDS NYR000029884
NY MANIFEST
CT MANIFEST

Relative:
Lower

Site 3 of 3 in cluster G

RCRAInfo:
 Owner: DART TOWING INC
 (718) 994-4284
 EPA ID: NYR000029884
 Contact: RICHARD MARTUCCI
 (718) 994-4284
 Classification: Conditionally Exempt Small Quantity Generator
 TSD Activities: Not reported

Actual:
114 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DART TOWING INC (Continued)

EDR ID Number
EPA ID Number

Database(s)

1004760024

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: MAM1497520
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 09/24/2001
Trans1 Recv Date: 09/24/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/27/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000029884
Trans1 EPA ID: MAD053452637
Trans2 EPA ID: Not reported
TSD ID: P298709IL
Waste Code: F003 - UNKNOWN
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Facility Type: Generator
EPA ID: NYR000029884
Facility Name: DART TOWING INC
Facility Address: 4320 BRONX BLVD
Facility City: BRONX
Facility Zip 4: Not reported
Country: Not reported
County: BRONX
Mailing Name: DART TOWING INC
Mailing Contact: RICHARD MARTUCCI
Mailing Address: 4320 BRONX BLVD
Mailing City: BRONX
Mailing State: NY
Mailing Zip: 10466
Mailing Zip4: Not reported
Mailing Country: Not reported
Mailing Phone: 718-994-4284

[Click this hyperlink](#) while viewing on your computer to access 6 additional NY MANIFEST: record(s) in the EDR Site Report.

CT MANIFEST:

Year: 2004
Manifest ID: ctf1051086

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

DART TOWING INC (Continued)

1004760024

TSDf EPA ID: CTD021816889
 TSDf Name: UNITED OIL RECOVERY, INC.
 TSDf Address: 14 WEST MAIN STREET
 TSDf City,St,Zip: MERIDEN, CT 06451
 TSDf Country: USA
 TSDf Telephone: (203)238-6745
 Transport Date: 09/09/04
 Transporter EPA ID: NJD080631369
 Transporter Name: ONYX ENVIRONMENTAL SERVICES, L.L.C.
 Transporter Country: USA
 Transporter Phone: (973)691-7321
 Trans 2 Date: / /
 Trans 2 EPA ID: Not reported
 Trans 2 Name: Not reported
 Trans 2 Address: Not reported
 Trans 2 City,St,Zip: CT
 Trans 2 Country: USA
 Trans 2 Phone: Not reported
 Generator EPA ID: nyr000029884
 Generator Phone: 7189944284
 Generator Address: 4320 BRONX BLVD
 Generator City,State,Zip: BRONX, NY 10466
 Generator Country: USA
 Special Handling: Not reported
 Discrepancies: Not reported
 Date Shipped: 09/09/04
 Date Received: 09/15/04
 Last modified date: 03/21/05
 Last modified by: JEB
 Comments: Not reported

[Click this hyperlink](#) while viewing on your computer to access
 1 additional CT MANIFEST: record(s) in the EDR Site Report.

**H35
 WNW
 1/8-1/4
 1017 ft.**

**11 BRONX RIVER ROAD OWNERS INC
 11 BRONX RIVER ROAD
 YONKERS, NY 10704**

**UST U003988510
 N/A**

Site 1 of 2 in cluster H

**Relative:
 Higher**

**Actual:
 124 ft.**

NY UST WESTCHESTER COUNTY:
 PBS Number : 3-075205
 Tank Number : 1
 Tank Status : In Service
 Capacity : 7500
 Install Date : 12/01/1955
 Pipe Location : Not reported
 Pipe Type : Steel/Iron
 Secondary Containment : None
 Product : Nos. 1, 2 or 4 Fuel Oil
 Tank Location : Underground
 Pipe Internal Protection : None
 Pipe External Protection : None
 Tank Type : Steel/Carbon Steel
 Tank Internal Protection : None
 Tank External Protection : None
 Date Last Tested : Not reported
 Next Test Date : Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

RESIDENTS (Continued)

S105999838

Spiller County: 001
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/12/03

Spill Notifier: TANK TESTER
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Record Last Update: 12/12/03
Date Spill Entered In Computer Data File: 09/10/03
Remediation Phase: 0
Program Number: 0306168

Material

Material ID : 503408
Site ID : 85863
Operable Unit : 01
Operable Unit ID : 874734
Material Code : 0002
Material Name : #4 Fuel Oil
Case No. : Not reported
Material FA : Petroleum
Quantity : 0.00
Units : G
Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : 3225
Site ID : 85863
Tank Number : 1
Tank Size : 0
Test Method : 03
Leak Rate : 0.00
Gross Fail : Not reported
Modified By : Spills
Last Modified : 10/01/04
Test Method : Horner EZ Check I or II

DEC Remarks : Start CallerRemark - 0306168 tankfailed the test END CallerRemark - 0306168

Remark: Start DECRemark - 0306168 Prior to Sept, 2004 data translation this spill Lead DEC Field was "O'DEE" 12/12/03 TANK PASSED RETEST. CLOSED BY DANIELLE JACKSON OF WCHD. END DECRemark - 0306168

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

37
West
1/8-1/4
1028 ft.

4345 WEBSTER AVE
4345 WEBSTER AVE
BRONX, NY 10470

AST **U003395521**
HIST AST **N/A**

Relative:
Lower

HIST AST PBS:

Actual:
111 ft.

PBS Number: 2-600042
 Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 1
 Install Date: 19550501
 Capacity (Gal): 5000
 Product Stored: 4
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: MIGUEL PEREZ
 Facility Phone: (718) 231-9374
 Facility Addr2: 4345 WEBSTER AVE
 Facility Type: APARTMENT BUILDING
 Emergency: MIGUEL PEREZ
 Emergency Tel: (718) 231-9374
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: WEBMAC ASSOCIATES, LLC
 Owner Address: 720 TUCKAHOE ROAD
 Owner City,St,Zip: YONKERS, NY 10710
 Federal ID: Not reported
 Owner Tel: (914) 779-1555
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: WEBMAC ASSOCIATES
 Mailing Address: 720 TUCKAHOE ROAD
 Mailing Address 2: Not reported
 Mailing City,St,Zip: YONKERS, NY 10710
 Mailing Telephone: (914) 779-1555
 Owner Mark: First Owner

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

4345 WEBSTER AVE (Continued)

U003395521

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 03/02/2001
 Expiration: 04/02/2006
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

NY AST PBS:
 Facility ID: 2-600042
 Program Type: PBS
 Facility Addr2: 4345 WEBSTER AVE
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 04/02/11
 Site Status: Active
 Site Type: Apartment Building
 Above Ground Tanks: Yes
 Under Ground Tanks: No

**38
 SSE
 1/8-1/4
 1035 ft.**

**EASTSIDE PROPERTIES, LLC
 4354 RICHARDSON AVENUE
 NEW YORK CITY, NY 10466**

**AST A100293866
 N/A**

**Relative:
 Higher**

NY AST PBS:
 Facility ID: 2-608156
 Program Type: PBS
 Facility Addr2: Not reported
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 12/30/07
 Site Status: Active
 Site Type: Apartment Building
 Above Ground Tanks: Yes
 Under Ground Tanks: No

**Actual:
 171 ft.**

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

39
ESE
1/8-1/4
1060 ft.

PRO CLEAN CLEANER INC
686B NEREID AVE
BRONX, NY 10470

RCRA-SQG
FINDS
NY MANIFEST

1004758758
NYD987020906

Relative:
Higher

RCRAInfo:

Owner: LARRY MINDICK
 (212) 652-8051

Actual:
158 ft.

EPA ID: NYD987020906

Contact: LARRY MINDICK
 (718) 652-8051

Classification: Conditionally Exempt Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NYC2176751
 Manifest Status: C
 Trans1 State ID: AY9381NY
 Trans2 State ID: Not reported
 Generator Ship Date: 930303
 Trans1 Recv Date: 930303
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 930303
 Part A Recv Date: 930401
 Part B Recv Date: 930311
 Generator EPA ID: NYD987020906
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NYD980785760
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00070
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 93
 Facility Type: Generator
 EPA ID: NYD987020906
 Facility Name: PRO CLEAN CLNRS
 Facility Address: 6868 HERELD AVE
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: PRO CLEAN CLNRS
 Mailing Contact: Not reported
 Mailing Address: 6868 HERELD AVE BX
 Mailing City: BRONX

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PRO CLEAN CLEANER INC (Continued)

1004758758

Mailing State: NY
 Mailing Zip: 10470
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 212-652-8052

[Click this hyperlink](#) while viewing on your computer to access
 4 additional NY MANIFEST: record(s) in the EDR Site Report.

40
WSW
1/8-1/4
1110 ft.

4315 WEBSTER OWNERS INC
4315 WEBSTER AVENUE
BRONX, NY 10470

AST U003386635
HIST AST N/A

Relative:
Lower

HIST AST PBS:
 PBS Number: 2-249122
 Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: ANKER MGMT CORP
 Facility Phone: (718) 994-2398
 Facility Addr2: 4315 WEBSTER AVENUE
 Facility Type: APARTMENT BUILDING
 Emergency: ANKER MGMT CORP
 Emergency Tel: (914) 773-1100
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 4315 WEBSTER OWNERS INC
 Owner Address: 4315 WEBSTER AVENUE
 Owner City,St,Zip: BRONX, NY 10470
 Federal ID: Not reported

Actual:
102 ft.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

4315 WEBSTER OWNERS INC (Continued)

U003386635

Owner Tel: (718) 994-2398
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: 4315 WEBSTER OWNERS INC C/O ANKER MGMT. CORP.
 Mailing Address: 50 BROADWAY
 Mailing Address 2: Not reported
 Mailing City,St,Zip: HAWTHORNE, NY 10532
 Mailing Telephone: (914) 773-1100
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 08/07/1997
 Expiration: 07/07/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

NY AST PBS:
 Facility ID: 2-249122
 Program Type: PBS
 Facility Addr2: 4315 WEBSTER AVENUE
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 07/07/07
 Site Status: Active
 Site Type: Apartment Building
 Above Ground Tanks: Yes
 Under Ground Tanks: No

**41
 NE
 1/8-1/4
 1112 ft.**

**NYCDEP
 4543 BRONX BLVD
 BRONX, NY 10466**

**NY MANIFEST 1009235589
 N/A**

**Relative:
 Lower**

NY MANIFEST:
 Document ID: NJA2784828
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 06/23/1998
 Trans1 Recv Date: 06/23/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/24/1998

**Actual:
 115 ft.**

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NYCDEP (Continued)

1009235589

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP003660529
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSDf ID: S5811
Waste Code: U002 - ACETONE
Quantity: 00020
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D003 - NON-LISTED REACTIVE WASTES
Quantity: 00040
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: U188 - PHENOL
Quantity: 00003
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00020
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 98
Facility Type: Generator
EPA ID: NYP003660529
Facility Name: NYCDEP
Facility Address: 4543 BRONX BLVD
Facility City: BRONX
Facility Zip 4: Not reported
Country: Not reported
County: BRONX
Mailing Name: NEW YORK CITY DOPT OF ENVIRON PROTECTION
Mailing Contact: WAI MAN WONG
Mailing Address: 96-05 HOARCE HARDING EXP
Mailing City: FLUSHING
Mailing State: NY
Mailing Zip: 11368
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-595-4784

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST: detail in the EDR Site Report.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

42
ENE
1/8-1/4
1122 ft.

ST ANTHONY SCHOOL
4520 MATILDA AVE
NEW YORK CITY, NY 10470

UST **1000548796**
HIST UST **N/A**

Relative:
Higher

NY HIST UST PBS:

Actual:
165 ft.

PBS Number: 2-161063
 SPDES Number: Not reported
 Emergency Contact: CASTLE PETROLEUM INC
 Emergency Telephone: (212) 823-8800
 Operator: JOHN LAURO
 Operator Telephone: (212) 324-8787
 Owner Name: ARCHDIOCESE OF NEW YORK
 Owner Address: 1011 FIRST AVE
 Owner City,St,Zip: NY, NY 10022
 Owner Telephone: (212) 371-1000
 Owner Type: Not reported
 Owner Subtype: Not reported
 Mailing Name: ARCHDIOCESE OF NEW YORK
 Mailing Address: 1011 FIRST AVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NY, NY 10022
 Mailing Contact: Not reported
 Mailing Telephone: (212) 371-1000
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: 4520 MATILDA AVE
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19531201
 Capacity (gals): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

ST ANTHONY SCHOOL (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000548796

Federal ID: Not reported
 Certification Flag: False
 Certification Date: 07/28/1988
 Expiration Date: 07/28/1993
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

NY UST PBS:

Facility ID: 2-161063
 Program Type: PBS
 Facility Addr2: 4520 MATILDA AVE
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 07/28/93
 Site Status: Unregulated (<1101 gallons)
 Site Type: Missing Code in Old Data - Must be fixed
 Above Ground Tanks: No
 Under Ground Tanks: No

**43
 NW
 1/8-1/4
 1122 ft.**

**43 BRONX RIVER ROAD OWNERS, INC
 43 BRONX RIVER ROAD
 YONKERS, NY 10704**

**AST A100204145
 N/A**

**Relative:
 Lower**

AST Westchester County:

PBS Number : 3-078026
 Tank Number : 1
 Tank Status : In Service
 Capacity : 5000
 Install Date : 12/01/1981
 Pipe Location : Aboveground
 Pipe Type : Steel/Iron
 Secondary Containment : Vault
 Product : Nos 5 or 6 Fuel Oil
 Tank Location : Aboveground
 Pipe Internal Protection : None
 Pipe External Protection : Wrapped(Piping)
 Tank Type : Steel/Carbon Steel
 Tank Internal Protection : None
 Tank External Protection : Painted/Asphalt Coating
 Date Last Tested : Not reported
 Next Test Date : Not reported
 Date Tank Was Closed : Not reported
 Category : Not reported

**Actual:
 104 ft.**

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

43 BRONX RIVER ROAD OWNERS, INC (Continued)

A100204145

Leak Detection : None
 Overfill Protection : Product Level Gauge
 Dispenser Method : Gravity
 Secondary Facility Address : Not reported
 Swiscode : 5518
 Operator : William Viera
 Phone : (914) 592-5522
 In-service Capacity : 5000
 Site Status : Active PBS; >1100 gal. PBS, regardless if subpart 360-14 tanks exists or not
 Certification Date : Not reported
 Expire Date : Not reported
 Cbs Number : Not reported
 Spdes Number : Not reported
 Latitude : Not reported
 Longitude : Not reported
 Site Type : Not reported
 Number Of Active Tanks : 1
 Old Pbs Number : Not reported
 Last Inspected : 01/20/2004
 Emergency Name : William Viera
 Emergency Phone : (914) 776-1816
 Owner Name : 43 Bronx River Road Owners Inc, c/o Prime Loc
 Owner Address : 733 Yonkers Avenue, Suite 500
 Yonkers, NY 10704
 Owner Phone : (914) 963-7400
 Owner Type : CORPORATE/COMMERCIAL
 Mail Company : Prime Locations, Inc.
 Attention : Annette Chisolm
 Mail Address : 733 Yonkers Avenue
 Secondary Mail Address : Suite 500
 Yonkers, NY 10704
 Mail Phone : (914) 963-7400
 Capacity / Install Date : 5000 INSTALL DATE 12/01/1981
 Date Last Tested / Next Test : NEXT TEST DATE
 Date Tank Closed / Category : CATEGORY

**I44
 East
 1/8-1/4
 1167 ft.**

**4505 RICHARDSON AVENUE /
 4505 RICHARDSON AVENUE
 NEW YORK CITY, NY**

**LTANKS S100144729
 HIST LTANKS N/A**

Site 1 of 3 in cluster I

**Relative:
 Higher**

LTANKS:

**Actual:
 170 ft.**

Spill Number: 8702848	Region of Spill: 2
Facility ID: 8702848	DER Facility ID: 167934
Site ID: 201834	CID: Not reported
Spill Date: 07/09/87	Reported to Dept: 07/09/87
Referred To: Not reported	DEC Region: 2
Water Affected: Not reported	Spill Source: INSTITUTIONAL, EDUCATIONAL, GOV., OTHER
Spill Cause: TANK TEST FAILURE	
Facility Address 2: Not reported	Facility Tele: (212) 324-8787
Investigator: ADMIN. CLOSED	SWIS: 0301
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: Not reported	
Spiller Company: ST. ANTHONY'S CHURCH	
Spiller Address: 4505 RICHARDSON AVENUE BRONX, NEW YORK., ZZ	
Spiller County: 001	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

4505 RICHARDSON AVENUE / (Continued)

S100144729

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 03/03/03

Spill Notifier: TANK TESTER

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Standard: False

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Record Last Update: 03/19/03

Date Spill Entered In Computer Data File: 07/27/87

Remediation Phase: 0

Program Number: 8702848

Material

Material ID : 469106

Site ID : 201834

Operable Unit : 01

Operable Unit ID : 906993

Material Code : 0001

Material Name : #2 Fuel Oil

Case No. : Not reported

Material FA : Petroleum

Quantity : 0.00

Units : G

Recovered : 0.00

Resource Affected - Soil : No

Resource Affected - Air : No

Resource Affected - Indoor Air : No

Resource Affected - Groundwater : Yes

Resource Affected - Surface Water : No

Resource Affected - Drinking Wtr : No

Resource Affected - Sewer : No

Resource Affected - Impervious Surface : No

Resource Affected - Subway : No

Resource Affected - Utility : No

Resource Affected - Impervious Surface : No

Oxygenate : False

Tank Test

Spill Tank Test : 5663

Site ID : 201834

Tank Number : Not reported

Tank Size : 0

Test Method : 00

Leak Rate : 0.00

Gross Fail : Not reported

Modified By : Spills

Last Modified : 10/01/04

Test Method : Unknown

DEC Remarks : Start CallerRemark - 8702848 WILL RE-TEST AFTER REPAIRS. CLOSED DUE TO ANY RECENT INFO-DOESN NOT MEET ANY CLEAN UP REQUIREMENTS. END CallerRemark - 8702848

Remark: Start DECRemark - 8702848 Prior to Sept, 2004 data translation this spill Lead DEC Field was "ADMIN.CLOSED" 10/10/95: This Is Additional Information About Material Spilled From The Translation Of The Old Spill File: -.0572 / .5 Hr. 03/03/2003; Closed Due To The Nature / Extent Of The Spill Report. END DECRemark - 8702848

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

4505 RICHARDSON AVENUE / (Continued)

S100144729

HIST LTANKS:

Spill Number: 8702848 Region of Spill: 2
Spill Date: 07/09/1987 17:30 Reported to Dept: 07/09/87 17:40
Water Affected: Not reported Spill Source: Other Non Commercial/Industrial
Resource Affectd: Groundwater
Spill Cause: Tank Test Failure
Facility Contact: Not reported Facility Tele: (212) 324-8787
Investigator: BATTISTA SWIS: 60
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: ST. ANTHONY'S CHURCH
Spiller Address: 4505 RICHARDSON AVENUE
BRONX, NEW YORK.

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Spill Notifier: Tank Tester PBS Number: 2-251097
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 11/24/92
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/27/87
Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: -.0572 /.5 HR.

Spill Cause: WILL RE-TEST AFTER REPAIRS.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

I45
East
1/8-1/4
1170 ft.

ST ANTHONY CHURCH
4505 RICHARDSON AVE
NEW YORK CITY, NY 10470

UST **U000399127**
HIST UST **N/A**

Site 2 of 3 in cluster I

Relative:
Higher

NY HIST UST PBS:

Actual:
170 ft.

PBS Number: 2-251097
 SPDES Number: Not reported
 Emergency Contact: CASTLE FUEL INC
 Emergency Telephone: (212) 823-8800
 Operator: JOHN LAURO
 Operator Telephone: (212) 324-8787
 Owner Name: ARCHDIOCESE OF NEW YORK
 Owner Address: 1011 FIRST AVENUE
 Owner City,St,Zip: NEW YORK, NY 10022
 Owner Telephone: (212) 371-1000
 Owner Type: Not reported
 Owner Subtype: Not reported
 Mailing Name: ARCHDIOCESE OF NEW YORK
 Mailing Address: 1011 FIRST AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10022
 Mailing Contact: Not reported
 Mailing Telephone: (212) 371-1000
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: 4505 RICHARDSON AVE
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19751201
 Capacity (gals): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

ST ANTHONY CHURCH (Continued)

U000399127

Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/03/1988
 Expiration Date: 02/03/1993
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

NY UST PBS:

Facility ID: 2-251097
 Program Type: PBS
 Facility Addr2: 4505 RICHARDSON AVE
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 02/03/93
 Site Status: Unregulated (<1101 gallons)
 Site Type: Missing Code in Old Data - Must be fixed
 Above Ground Tanks: No
 Under Ground Tanks: No

**46
 NNW
 1/8-1/4
 1182 ft.**

**61 BRONX RIVER ROAD OWNERS, INC.
 61 BRONX RIVER ROAD
 YONKERS, NY 10704**

**AST A100204154
 N/A**

**Relative:
 Lower**

AST Westchester County:
 PBS Number : 3-075183
 Tank Number : 1
 Tank Status : In Service
 Capacity : 5000
 Install Date : 12/01/1983
 Pipe Location : Not reported
 Pipe Type : Steel/Iron
 Secondary Containment : Vault
 Product : Nos. 1, 2 or 4 Fuel Oil
 Tank Location : Aboveground
 Pipe Internal Protection : None
 Pipe External Protection : None
 Tank Type : Steel/Carbon Steel
 Tank Internal Protection : Other
 Tank External Protection : Jacketed
 Date Last Tested : Not reported
 Next Test Date : Not reported
 Date Tank Was Closed : Not reported

**Actual:
 95 ft.**

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

48
ESE
1/8-1/4
1201 ft.

MTA NYCT - 238TH STREET STATION 2-LINE
238TH ST & WHITE PLAINS RD
BRONX, NY 10466

FINDS **1006810379**
RCRA-LQG **NYR000110510**

Relative:
Higher

RCRAInfo:

Owner: MTA NEW YORK CITY TRANSIT
 (646) 252-3500

Actual:
158 ft.

EPA ID: NYR000110510

Contact: WILLIAM JEHL
 (646) 252-3500

Classification: Large Quantity Generator
 TSD Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

149
East
1/8-1/4
1213 ft.

674 EAST 239TH STREET
674 EAST 239TH STREET
BRONX, NY

LTANKS **S102149108**
HIST LTANKS **N/A**

Site 3 of 3 in cluster I

Relative:
Higher

LTANKS:

Spill Number: 9500278	Region of Spill: 2
Facility ID: 9500278	DER Facility ID: 94615
Site ID: 107577	CID: 17
Spill Date: 04/07/95	Reported to Dept: 04/07/95
Referred To: Not reported	DEC Region: 2
Water Affected: Not reported	Spill Source: PRIVATE DWELLING
Spill Cause: TANK OVERFILL	
Facility Address 2: Not reported	Facility Tele: (718) 974-7665
Investigator: UNASSIGNED	SWIS: 0301
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: Not reported	
Spiller Company: SAME	
Spiller Address: ZZ	
Spiller County: 001	

Spill Cause: TANK OVERFILL

Facility Address 2: Not reported

Investigator: UNASSIGNED

Spiller Contact: Not reported

Spiller: Not reported

Spiller Company: SAME

Spiller Address: ZZ

Spiller County: 001

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 04/07/95

Spill Notifier: RESPONSIBLE PARTY

Cleanup Ceased: 04/07/95

Last Inspection: / /

Cleanup Meets Standard: True

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Record Last Update: 05/08/95

Date Spill Entered In Computer Data File: 05/04/95

Remediation Phase: 0

Program Number: 9500278

Material

Material ID : 368885

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

674 EAST 239TH STREET (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S102149108

Site ID : 107577
 Operable Unit : 01
 Operable Unit ID : 1014382
 Material Code : 0001
 Material Name : #2 Fuel Oil
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 1.00
 Units : G
 Recovered : 1.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False

Tank Test

Spill Tank Test : Not reported
 Site ID : Not reported
 Tank Number : Not reported
 Tank Size : Not reported
 Test Method : Not reported
 Leak Rate : Not reported
 Gross Fail : Not reported
 Modified By : Not reported
 Last Modified : Not reported
 Test Method : Not reported

DEC Remarks : Start CallerRemark - 9500278 TANK OVERFILL. END CallerRemark - 9500278
 Remark: Start DECRemark - 9500278 Prior to Sept, 2004 data translation this spill Lead DEC Field was " " END DECRemark - 9500278

HIST LTANKS:

Spill Number:	9500278	Region of Spill:	2
Spill Date:	04/07/1995 10:20	Reported to Dept:	04/07/95 10:44
Water Affected:	Not reported	Spill Source:	Private Dwelling
Resource Affectd:	On Land		
Spill Cause:	Tank Overfill		
Facility Contact:	Not reported	Facility Tele:	(718) 974-7665
Investigator:	Not reported	SWIS:	60
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	SAME		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	04/07/95		
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Cleanup Ceased:	04/07/95		
Last Inspection:	/ /		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

674 EAST 239TH STREET (Continued)

S102149108

Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 05/08/95
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/04/95
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 1
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: TANK OVERFILL.

K50
SE
1/8-1/4
1214 ft.

HAMPTON CLEANERS
4377 WHITE PLAINS RD
BRONX, NY 10466

RCRA-SQG 1004761005
NY MANIFEST NYR000069609

Site 1 of 2 in cluster K

Relative:
Higher

RCRAInfo:
Owner: SGE REALTY CORP
(718) 413-1858
EPA ID: NYR000069609
Contact: SIGFREDO DELGADO
(718) 324-9372

Actual:
164 ft.

Classification: Conditionally Exempt Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

NY MANIFEST:
Document ID: NYC6070397
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCR000074591
Generator Ship Date: 02/25/2000
Trans1 Recv Date: 02/25/2000
Trans2 Recv Date: 03/01/2000

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

4421 WHITE PLAINS RD (Continued)

S105999833

Referred To:	Not reported	DEC Region:	2
Water Affected:	Not reported	Spill Source:	COMMERCIAL/INDUSTRIAL
Spill Cause:	TANK OVERFILL		
Facility Address 2:	Not reported	Facility Tele:	Not reported
Investigator:	MXTIPPLE	SWIS:	0301
Spiller Contact:	PASTOR UNK LAST NAME	Spiller Phone:	Not reported
Spiller:	Not reported		
Spiller Company:	7TH DAY CHURCH		
Spiller Address:	ZZ		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		

Spill Closed Dt: 09/17/03

Spill Notifier: CITIZEN
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 09/26/03
 Date Spill Entered In Computer Data File: 09/09/03
 Remediation Phase: 0
 Program Number: 0306118

Material

Material ID : 503355
 Site ID : 262041
 Operable Unit : 01
 Operable Unit ID : 874684
 Material Code : 0066A
 Material Name : UNKNOWN PETROLEUM
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 0.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False

Tank Test

Spill Tank Test : Not reported
 Site ID : Not reported
 Tank Number : Not reported
 Tank Size : Not reported
 Test Method : Not reported
 Leak Rate : Not reported
 Gross Fail : Not reported
 Modified By : Not reported
 Last Modified : Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

4421 WHITE PLAINS RD (Continued)

S105999833

Test Method : Not reported
 DEC Remarks : Start CallerRemark - 0306118 caller states the church next to him smells like oil may have a oil spill says it is a church and the front door is always open caller req dec to call him END CallerRemark - 0306118
 Remark: Start DECRemark - 0306118 Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIPPLE" Tipple responded to site this # closed//refer to spill #03-05990 END DECRemark - 0306118

**L53
 ESE
 1/8-1/4
 1223 ft.**

**SHARON 7 DAY CHURCH
 4423 WHITE PLAINS RD
 BRONX, NY**

**LTANKS S105999814
 N/A**

Site 2 of 2 in cluster L

**Relative:
 Higher**

LTANKS:

**Actual:
 157 ft.**

Spill Number:	0305990	Region of Spill:	2
Facility ID:	0305990	DER Facility ID:	186464
Site ID:	225905	CID:	17
Spill Date:	09/05/03	Reported to Dept:	09/05/03
Referred To:	Not reported	DEC Region:	2
Water Affected:	Not reported	Spill Source:	COMMERCIAL/INDUSTRIAL
Spill Cause:	TANK OVERFILL		
Facility Address 2:	Not reported	Facility Tele:	(917) 669-1093
Investigator:	MXTIPPLE	SWIS:	0301
Spiller Contact:	KEITH BARTLEY	Spiller Phone:	(917) 669-1093
Spiller:	KEITH BARTLEY		
Spiller Company:	SHARON 7 DAY CHURCH		
Spiller Address:	4423 WHITE PLAINS RD BRONX, NY 10470		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		

Spill Closed Dt: 03/23/04

Spill Notifier: OTHER
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 03/23/04
 Date Spill Entered In Computer Data File: 09/05/03
 Remediation Phase: 0
 Program Number: 0305990
 Material
 Material ID : 503223
 Site ID : 225905
 Operable Unit : 01
 Operable Unit ID : 872566
 Material Code : 0001
 Material Name : #2 Fuel Oil
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 0.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SHARON 7 DAY CHURCH (Continued)

S105999814

Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 0305990 CALLER STATES THAT HE GOT A CALL FROM A NEIGHBOR AT THE ABOVE ADDRESS FOR AN ODOR OF OIL - CALLER STATES THAT IT APPEARS TO BE COMING FROM THE UNDERGROUND TANK AT THE CHURCH - CALLER DOES NOT HAVE ANY FURTHER INFO AT THIS TIME END CallerRemark - 0305990

Remark: Start DECRemark - 0305990 Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIPPLE" Sangesland spoke with Keith Bartley of KB Installations. Mr. Bartley spoke with Pastor Ralph Williams (718-325-9291). He told the pastor that the tank needs a tank test (buried 1080 tank). Depending on the results of this test, there may be more investigation required. Pastor Williams knows he needs to do a tank test. 9/9/2003 New spill report (0306118) was made by owner of 4419 White Plains Rd. (Mr. Evan Rogers 718-994-1640) He says there is oil coming through the basement wall from the church next door. He had his own boiler company check all of his lines and tank and he said his stuff is fine and not in that area. Smell in his building is terrible and his tenants are complaining. When you go to the church, there is always someone there, the caretaker lives there and so does the pastor. 9/16/03 tipple's second site visit, basement access revealed oil staining on the stone foundation wall as well as olfactory evidence of 2 oil entering 4419 white plains rd. basement. tipple revisited the church basement and there was no olfactory, only the remains(two bags) of contaminated sand used to clean up the release on the church basement floor. I spoke with Peter Lendre the church handyman who restated that they were going to get the tank/system repaired and tested. Tipple sent a letter requiring repair/cleanup on 9/17 9/26/03 Dave from A-1 Tank(516-695-6303 cell) conducted a system test for the UST which failed, and was reported directly to Tipple/project mgr. from the site. Dave stated there were two sets of lines from the tank. Combined combustion has been called in to uncover the tank and isolate it for a retest. Based on the findings the next actions will be determined. 3/23/2004 TIPPLE Updating//Tradewinds completed remedial efforts/dig, dispose. monitoring for 6 months revealed no further instances of contamination. no further action necessary/// END DECRemark - 0305990

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

M54 **PUBLIC SCHOOL 16 - BRONX (X106)**
NE **4550 CARPENTER AVE.**
1/8-1/4 **NEW YORK CITY, NY 10470**
1225 ft.

AST **A100166712**
 N/A

Site 1 of 2 in cluster M

Relative:
Higher

NY AST PBS:
 Facility ID: 2-604582
 Program Type: PBS
 Facility Addr2: Not reported
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 06/15/10
 Site Status: Active
 Site Type: School
 Above Ground Tanks: Yes
 Under Ground Tanks: No

Actual:
141 ft.

M55 **NYC BD OF ED - PUBLIC SCHOOL 16 BRONX**
NE **4550 CARPENTER AVE**
1/8-1/4 **BRONX, NY 10470**
1225 ft.

RCRA-SQG **1004759434**
FINDS **NYR000010629**
NY MANIFEST

Site 2 of 2 in cluster M

Relative:
Higher

RCRAInfo:
 Owner: NYC BOARD OF EDUCATION
 (718) 349-5600
 EPA ID: NYR000010629
 Contact: ROBERT GUASTA
 (718) 349-5590
 Classification: Conditionally Exempt Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

Actual:
141 ft.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NJA2182110
 Manifest Status: K
 Trans1 State ID: 50082
 Trans2 State ID: S6993
 Generator Ship Date: 950812
 Trans1 Recv Date: 950812
 Trans2 Recv Date: 951012
 TSD Site Recv Date: 951012
 Part A Recv Date: Not reported
 Part B Recv Date: 951024
 Generator EPA ID: NYR000010629
 Trans1 EPA ID: NY0000551218
 Trans2 EPA ID: NJD980772768
 TSDF ID: NJD991291105

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

NYC BD OF ED - PUBLIC SCHOOL 16 BRONX (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1004759434

Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 95
 Facility Type: Generator
 EPA ID: NYR000010629
 Facility Name: NYC BOARD OF EDUCATION
 Facility Address: 4550 CARPENTER AVE
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: NYC BOARD OF EDUCATION
 Mailing Contact: JACK BRUCCULERI
 Mailing Address: 28-11 QUEENS PLAZA NORTH
 Mailing City: LONG ISLAND CITY
 Mailing State: NY
 Mailing Zip: 11101
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 718-361-6094

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST: detail in the EDR Site Report.

**56
 NNE
 1/8-1/4
 1229 ft.**

**AVANT MODES INC
 4510 BULLARD AVE
 BRONX, NY 10470**

**RCRA-SQG 1004758715
 FINDS NYD987018827
 NY MANIFEST**

**Relative:
 Lower**

RCRAInfo:
 Owner: 4510 BULLARD ASSOC INC
 (914) 273-8080
 EPA ID: NYD987018827
 Contact: HENRY LEVY
 (718) 515-3737

**Actual:
 102 ft.**

Classification: Conditionally Exempt Small Quantity Generator
 TSD Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NYB4092948
 Manifest Status: C
 Trans1 State ID: XU82TV
 Trans2 State ID: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

AVANT MODES INC (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1004758715

Generator Ship Date: 921112
 Trans1 Recv Date: 921112
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921113
 Part A Recv Date: 921201
 Part B Recv Date: 921202
 Generator EPA ID: NYD987018827
 Trans1 EPA ID: PAD982661381
 Trans2 EPA ID: Not reported
 TSDF ID: NYD000691949
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00180
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 92
 Facility Type: Generator
 EPA ID: NYD987018827
 Facility Name: AVANT MODES
 Facility Address: GIRAFFE DESIGNS 45-10 BULLARD
 Facility City: STREET BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: AVANT MODES
 Mailing Contact: HENRY LEVY
 Mailing Address: 45-10 BULLARD ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10470
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 212-515-3737

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST: detail in the EDR Site Report.

J57 545 W 236TH ST
WSW 545 E 236TH ST
1/8-1/4 RIVERDALE, NY 10463
1242 ft.

AST U003388461
HIST AST N/A

Site 2 of 2 in cluster J

Relative: HIST AST PBS:
Lower PBS Number: 2-276774
Actual: Tank Location: ABOVEGROUND
95 ft. Tank ID: 001
 Tank Status: 1
 Install Date: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

545 W 236TH ST (Continued)

U003388461

Capacity (Gal): 5000
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: VICTOR SANTANA
 Facility Phone: (212) 269-1900
 Facility Addr2: 545 E 236TH ST
 Facility Type: APARTMENT BUILDING
 Emergency: VICTOR SANTANA
 Emergency Tel: (212) 269-1900
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: LANCASTER REALTY CO
 Owner Address: 17 BATTERY PLACE-SUITE 2900
 Owner City,St,Zip: NEW YORK, NY 10463
 Federal ID: Not reported
 Owner Tel: (212) 269-1900
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Contact: RONALD E. KATZ
 Mailing Name: LANCASTER REALTY CO
 Mailing Address: 17 BATTERY PLACE-SUITE 2900
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10004
 Mailing Telephone: (212) 259-1900
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 01/16/1998
 Expiration: 07/10/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

545 W 236TH ST (Continued)

EDR ID Number
 EPA ID Number

Database(s)

U003388461

Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

NY AST PBS:

Facility ID: 2-276774
 Program Type: PBS
 Facility Addr2: Not reported
 Locality: RIVERDALE
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 07/10/07
 Site Status: Active
 Site Type: Apartment Building
 Above Ground Tanks: Yes
 Under Ground Tanks: No

N58 4301 BRONX BOULEVARD (VACANT LOT)
SSW 4301 BRONX BOULEVARD
1/8-1/4 NEW YORK CITY, NY 10466
1270 ft.

UST U004045555
N/A

Site 1 of 2 in cluster N

Relative:
Lower

NY UST PBS:
 Facility ID: 2-609578
 Program Type: PBS
 Facility Addr2: Not reported
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 06/02/09
 Site Status: Unregulated (<1101 gallons)
 Site Type: Other
 Above Ground Tanks: No
 Under Ground Tanks: No

Actual:
105 ft.

N59 BRONX RIVER LUBE
SSW 4300 BRONX BLVD.
1/8-1/4 NEW YORK CITY, NY 10466
1270 ft.

AST A100169051
N/A

Site 2 of 2 in cluster N

Relative:
Lower

NY AST PBS:
 Facility ID: 2-604661
 Program Type: PBS
 Facility Addr2: Not reported
 Locality: BRONX
 SWIS Code: 0301

Actual:
105 ft.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

BRONX RIVER LUBE (Continued)

EDR ID Number
 EPA ID Number

Database(s)

DEC Region: 2
 Registered: 1
 Expiration Date: 05/17/09
 Site Status: Active
 Site Type: Other Wholesale/Retail Sales
 Above Ground Tanks: Yes
 Under Ground Tanks: No

A100169051

**O60
 NNW
 1/8-1/4
 1276 ft.**

**APARTMENT BLDG.
 77 BRONX RIVER RD.
 YONKERS, NY**

**LTANKS S100140620
 HIST LTANKS N/A**

Site 1 of 2 in cluster O

**Relative:
 Lower**

**Actual:
 88 ft.**

LTANKS:

Spill Number: 8906167	Region of Spill: 3
Facility ID: 8906167	DER Facility ID: 161432
Site ID: 193618	CID: 18
Spill Date: 09/22/89	Reported to Dept: 09/22/89
Referred To: Not reported	DEC Region: 3
Water Affected: Not reported	Spill Source: COMMERCIAL/INDUSTRIAL
Spill Cause: TANK TEST FAILURE	
Facility Address 2: Not reported	Facility Tele: Not reported
Investigator: wxwadsw	SWIS: 6018
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: Not reported	
Spiller Company: Not reported	
Spiller Address: ***Update***, ZZ	
Spiller County: 001	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	

Spill Closed Dt: 07/30/92

Spill Notifier: TANK TESTER
 Cleanup Ceased: 06/18/53
 Last Inspection: / /
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 03/31/05
 Date Spill Entered In Computer Data File: 10/03/89
 Remediation Phase: 0
 Program Number: 8906167
Material
 Material ID : 446561
 Site ID : 193618
 Operable Unit : 01
 Operable Unit ID : 931280
 Material Code : 0001
 Material Name : #2 Fuel Oil
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 0.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : No
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : Yes

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

APARTMENT BLDG. (Continued)

EDR ID Number
 EPA ID Number

Database(s)

Site

S100140620

Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False

Tank Test

Spill Tank Test : 10639
 Site ID : 193618
 Tank Number : Not reported
 Tank Size : 0
 Test Method : 00
 Leak Rate : 0.00
 Gross Fail : Not reported
 Modified By : Spills
 Last Modified : 10/01/04
 Test Method : Unknown

DEC Remarks : Start CallerRemark - 8906167 5K, PETRO TITE, 1.30, TO EXCAVATE, ISOLATE & RETEST. END CallerRemark - 8906167

Remark: Start DECRemark - 8906167 Prior to Sept, 2004 data translation this spill Lead DEC Field was "W. WADSWORTH" END DECRemark - 8906167

HIST LTANKS:

Spill Number:	8906167	Region of Spill:	3
Spill Date:	09/21/1989 19:00	Reported to Dept:	09/22/89 08:09
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Resource Affectd:	Groundwater		
Spill Cause:	Tank Test Failure		
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	W. WADSWORTH	SWIS:	55
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	Not reported		

Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 07/30/92
 Spill Notifier: Tank Tester
 Cleanup Ceased: 06/18/53
 Last Inspection: / /
 PBS Number: 3-075191

Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: / /
 Enforcement Date: / /
 Investigation Complete: / /
 UST Involvement: False
 Spill Record Last Update: 08/24/92
 Is Updated: False

Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 10/03/89
 Date Region Sent Summary to Central Office: / /
 Tank Test:

PBS Number: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

APARTMENT BLDG. (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S100140620

Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: Not reported
 Spill Cause: 5K, PETRO TITE, 1.30, TO EXCAVATE, ISOLATE RETEST.

**O61
 NNW
 1/8-1/4
 1277 ft.**

**77 BRONX RIVER ROAD OWNERS, INC.
 77 BRONX RIVER ROAD
 YONKERS, NY 10704**

**UST U003968065
 AST N/A**

Site 2 of 2 in cluster O

**Relative:
 Lower**

NY UST WESTCHESTER COUNTY:

**Actual:
 88 ft.**

PBS Number : 3-075191
 Tank Number : 1
 Tank Status : Closed-Removed
 Capacity : 5000
 Install Date : 12/01/1954
 Pipe Location : Not reported
 Pipe Type : Steel/Iron
 Secondary Containment : None
 Product : Nos. 1, 2 or 4 Fuel Oil
 Tank Location : Underground
 Pipe Internal Protection : None
 Pipe External Protection : None
 Tank Type : Steel/Carbon Steel
 Tank Internal Protection : None
 Tank External Protection : None
 Date Last Tested : Not reported
 Next Test Date : Not reported
 Date Tank Was Closed : 5/1/1991
 Category : A
 Leak Detection : None
 Overfill Protection : Product Level Gauge
 Dispenser Method : Suction
 Secondary Facility Address : Not reported
 Swiscode : 5518
 Operator : Ramon Santiago
 Phone : (914)237-9038
 In-service Capacity : 3000
 Site Status : Active PBS; >1100 gal. PBS, regardless if subpart 360-14 tanks exists or not
 Certification Date : Not reported
 Expire Date : Not reported
 Cbs Number : Not reported
 Spdes Number : Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

77 BRONX RIVER ROAD OWNERS, INC. (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003968065

Latitude : Not reported
Longitude : Not reported
Site Type : Not reported
Number Of Active Tanks : 1
Old Pbs Number : Not reported
Last Inspected : 01/07/2004
Emergency Name : Donna Hentschel
Emergency Phone : (914) 779-4575
Owner Name : 77 Bronx River Road Owners, Inc.
Owner Address : 77 Bronx River Road
Yonkers, NY 10704
Owner Phone : Not reported
Owner Type : CORPORATE/COMMERCIAL
Mail Company : Brooke Properties
Attention : 77 Bronx River Road Owners
Mail Address : 60 Morrow Avenue
Secondary Mail Address : Not reported
Scarsdale, NY 10583
Mail Phone : (914) 779-4575
Capacity / Install Date : 5000 INSTALL DATE 12/01/1954
Date Last Tested / Next Test : NEXT TEST DATE
Date Tank Closed / Category : 5/1/1991 CATEGORY A

AST Westchester County:

PBS Number : 3-075191
Tank Number : 1
Tank Status : In Service
Capacity : 3000
Install Date : 05/01/1991
Pipe Location : Aboveground on saddles, legs, stilts, rack or cradle
Pipe Type : Steel/Iron
Secondary Containment : None
Product : Unleaded Gasoline
Tank Location : Aboveground
Pipe Internal Protection : Epoxy Liner
Pipe External Protection : Other
Tank Type : Steel/Carbon Steel
Tank Internal Protection : Other
Tank External Protection : None
Date Last Tested : Not reported
Next Test Date : Not reported
Date Tank Was Closed : Not reported
Category : Not reported
Leak Detection : Other
Overfill Protection : High Level Alarm
Dispenser Method : Gravity
Secondary Facility Address : Not reported
Swiscode : 5518
Operator : Ramon Santiago
Phone : (914)237-9038
In-service Capacity : 3000
Site Status : Active PBS; >1100 gal. PBS, regardless if subpart 360-14 tanks exists or not
Certification Date : Not reported
Expire Date : Not reported
Cbs Number : Not reported
Spdes Number : Not reported
Latitude : Not reported
Longitude : Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

77 BRONX RIVER ROAD OWNERS, INC. (Continued)

U003968065

Site Type : Not reported
 Number Of Active Tanks : 1
 Old Pbs Number : Not reported
 Last Inspected : 01/07/2004
 Emergency Name : Donna Hentschel
 Emergency Phone : (914) 779-4575
 Owner Name : 77 Bronx River Road Owners, Inc.
 Owner Address : 77 Bronx River Road
 Yonkers, NY 10704
 Owner Phone : Not reported
 Owner Type : CORPORATE/COMMERCIAL
 Mail Company : Brooke Properties
 Attention : 77 Bronx River Road Owners
 Mail Address : 60 Morrow Avenue
 Secondary Mail Address : Not reported
 Scarsdale, NY 10583
 Mail Phone : (914) 779-4575
 Capacity / Install Date : 3000 INSTALL DATE 05/01/1991
 Date Last Tested / Next Test : NEXT TEST DATE
 Date Tank Closed / Category : CATEGORY

62
South
1/8-1/4
1281 ft.

4305 CARPENTER AVENUE
4305 CARPENTER AVENUE
NEW YORK CITY, NY 10466

AST A100175589
N/A

Relative:
Higher

NY AST PBS:
 Facility ID: 2-605317
 Program Type: PBS
 Facility Addr2: Not reported
 Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 02/28/11
 Site Status: Active
 Site Type: Apartment Building
 Above Ground Tanks: Yes
 Under Ground Tanks: No

Actual:
122 ft.

P63
SE
1/8-1/4
1303 ft.

TIDY CLEANERS
4353 WHITE PLAINS RD
BRONX, NY 10466

RCRA-SQG 1000439744
FINDS NYD057794042
NY MANIFEST

Site 1 of 2 in cluster P

Relative:
Higher

Actual:
169 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

TIDY CLEANERS (Continued)

1000439744

RCRAInfo:
Owner: YOUNG NAM CHA
(718) 961-5072
EPA ID: NYD057794042
Contact: Not reported
Classification: Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NYC6113316
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCR000074591
Generator Ship Date: 01/27/2000
Trans1 Recv Date: 01/27/2000
Trans2 Recv Date: 02/02/2000
TSD Site Recv Date: 02/04/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD057794042
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: JE4550NY
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Facility Type: Generator
EPA ID: NYD057794042
Facility Name: TIDY CLEANERS
Facility Address: 4353 WHITE PLAINS ROAD
Facility City: BRONX

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

APT COMPLEX (Continued)

S105995573

Remediation Phase: 0
Program Number: 0200240
Material
Material ID : 525237
Site ID : 94023
Operable Unit : 01
Operable Unit ID : 851246
Material Code : 0003
Material Name : #6 Fuel Oil
Case No. : Not reported
Material FA : Petroleum
Quantity : 0.00
Units : G
Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False
Tank Test
Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 0200240 leaking tank. in the process of being cleaned END CallerRemark - 0200240
Remark: Start DECRemark - 0200240 Prior to Sept, 2004 data translation this spill Lead DEC Field was "DEMEO" 4/24/2002 TJD Leaking 5,000 UST (registered as AST, belly of tank in dirt). No concrete in tank vault, tank installed directly on soil. Tank removed week of 4/15/02. Eastmond Tank Cleaners performing cleanup and tank replacement. Free product observed in tank grave during inspection 4/23. Letter sent 4/24/02 requiring (3) wells to be installed as an initial subsurface investigation. 12/26/02 TJD Closure report, dated 11/20/02 reviewed. All concentrations below TAGM. Spill closed 8/23/05-Vought-NFA letter sent to Mr. William Schur. END DECRemark - 0200240

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

66
WNW
1/4-1/2
1529 ft.

PBS SITE
1033 MCLEAN AVE
YONKERS, NY

LTANKS **S106737446**
N/A

Relative:
Higher

LTANKS:

Actual:
141 ft.

Spill Number:	0409741	Region of Spill:	3
Facility ID:	0409741	DER Facility ID:	269768
Site ID:	334545	CID:	18
Spill Date:	12/01/04	Reported to Dept:	12/01/04
Referred To:	WCDOH	DEC Region:	3
Water Affected:	Not reported	Spill Source:	INSTITUTIONAL, EDUCATIONAL, GOV., OTHER
Spill Cause:	TANK TEST FAILURE		
Facility Address 2:	Not reported	Facility Tele:	(718) 324-1478
Investigator:	WCHD	SWIS:	6018
Spiller Contact:	MR.BRUCE PETTY	Spiller Phone:	(718) 324-1478
Spiller:	MR.BRUCE PETTY		
Spiller Company:	Not reported		
Spiller Address:	1033 MCLEAN AVE		
	YONKERS, NY		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response.		
	Willing Responsible Party. Corrective action taken.		

Spill Closed Dt: 10/20/05

Spill Notifier: OTHER
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 10/20/05
 Date Spill Entered In Computer Data File: 12/01/04
 Remediation Phase: 0
 Program Number: 0409741
 Material
 Material ID : 576765
 Site ID : 334545
 Operable Unit : 01
 Operable Unit ID : 1096675
 Material Code : 0001
 Material Name : #2 Fuel Oil
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 0.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False
 Tank Test

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PBS SITE (Continued)

S106737446

Spill Tank Test : 37013
 Site ID : 334545
 Tank Number : Not reported
 Tank Size : 2000
 Test Method : 03
 Leak Rate : 0.00
 Gross Fail : 0
 Modified By : Watchdog
 Last Modified : 12/06/04
 Test Method : Horner EZ Check I or II
 DEC Remarks : Start CallerRemark - 0409741 PBS No: 3-800855 END CallerRemark - 0409741
 Remark: Start DECRemark - 0409741 October 20, 2005: TANK PASSED A RETEST AFTER PIPING WAS REPAIRED. SPILL FILE CLOSED BY DANIELLE JACKSON OF THE WESTCHESTER COUNTY HEALTH DEPT. NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod END DECRemark - 0409741

**67
 SE
 1/4-1/2
 1530 ft.**

**APARTMENT BUILDING
 4359 FURMAN AVE
 BRONX, NY**

**LTANKS S107658792
 N/A**

**Relative:
 Higher
 Actual:
 166 ft.**

LTANKS:
 Spill Number: 0514405 Region of Spill: 2
 Facility ID: 0514405 DER Facility ID: 311320
 Site ID: 361120 CID: 17
 Spill Date: 03/16/06 Reported to Dept: 03/16/06
 Referred To: Not reported DEC Region: 2
 Water Affected: Not reported Spill Source: PRIVATE DWELLING
 Spill Cause: TANK TEST FAILURE
 Facility Address 2: Not reported Facility Tele: (718) 994-8744
 Investigator: HRPATEL SWIS: 0301
 Spiller Contact: ALLAN SCHOMFELD Spiller Phone: (718) 994-8744
 Spiller: ALLAN SCHOMFELD
 Spiller Company: APARTMENT BUILDING
 Spiller Address: 4359 FURMAN AVE
 BRONX, NY
 Spiller County: 001
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
 Spill Notifier: TANK TESTER
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 06/05/06
 Date Spill Entered In Computer Data File: 03/16/06
 Remediation Phase: 1
 Program Number: 0514405
Material
 Material ID : 2108728
 Site ID : 361120
 Operable Unit : 01
 Operable Unit ID : 1118210
 Material Code : 0001
 Material Name : #2 Fuel Oil
 Case No. : Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S107658792

Material FA : Petroleum
Quantity : 0.00
Units : G
Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 0514405 PBS No: 2-284564 EZ THREE LOCATOR PLUS. END
CallerRemark - 0514405

Remark: Start DECRemark - 0514405 03/17/06-Hiralkumar Patel. Spoke with Mr. Abraham, who did tank test. they did test on regular basis. tank system lost vacuum at the rate of 0.03 inch of vacuum in 5 minutes. UST is of 1500 gal capacity. Abraham didn't do isolation test so he doesn't know about which part is leaking. Called Mr. Allen, but no body replied and no room for recording a voice mail. Spoke with Operator at Allen's office and left message for Allen. From Reverse Phone Directory, address for Allen's number: TMMA Management 303 E 238th St Bronx, NY 10470-1806 (718) 994-8744 03/20/06-Hiralkumar Patel. Called Allen's office and nobody replied. no room for voice mail recording. Tried again Allen's office and left message for Allen. n. Allen will be in office tomorrow afternoon. 03/24/06-Hiralkumar Patel. Tried Allen's number, nobody replied, no space for voicemail recording. TTF letter sent out to Allen. Letter sent at two different addresses at TMMA Management & at 4359 Furman Ave. 04/04/06-Hiralkumar Patel. Letter sent out to Allen at 4359 Furman Ave address came back. 04/21/06-Hiralkumar Patel. Left message for Allen. received call from Allen's office and person told me that environmental company did testing and they will get results in first week of May. and then they will forward it to the department. 05/11/06-Hiralkumar Patel. Left message for Allen. 06/05/06-Hiralkumar Patel. Called Allen's office and nobody replied. no room for voice mail recording. **call after May 8, if don't get report.** END DECRemark - 0514405

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

68
NNW
1/4-1/2
1548 ft.

MCALLISTER HOME
8 NEW AVE
YONKERS, NY

LTANKS **S106972199**
N/A

Relative:
Higher

LTANKS:

Actual:
127 ft.

Spill Number:	0504268	Region of Spill:	3
Facility ID:	0504268	DER Facility ID:	295605
Site ID:	349149	CID:	18
Spill Date:	07/11/05	Reported to Dept:	07/11/05
Referred To:	Not reported	DEC Region:	3
Water Affected:	Not reported	Spill Source:	PRIVATE DWELLING
Spill Cause:	TANK TEST FAILURE		
Facility Address 2:	Not reported	Facility Tele:	(646) 327-7604
Investigator:	JBODee	SWIS:	6018
Spiller Contact:	MIKE MCALLISTER	Spiller Phone:	(646) 327-7604
Spiller:	MIKE MCALLISTER		
Spiller Company:	MCALLISTER HOME		
Spiller Address:	8 NEW AVE		
	YONKERS, NY		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response.		
	Willing Responsible Party. Corrective action taken.		

Spill Closed Dt: 08/28/05

Spill Notifier: TANK TESTER
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 08/28/05
 Date Spill Entered In Computer Data File: 07/13/05
 Remediation Phase: 0
 Program Number: 0504268

Material

Material ID :	2096098	
Site ID :	349149	
Operable Unit :	01	
Operable Unit ID :	1106780	
Material Code :	0001	
Material Name :	#2 Fuel Oil	
Case No. :	Not reported	
Material FA :	Petroleum	
Quantity :	0.00	
Units :	G	
Recovered :		0.00
Resource Affected - Soil :		No
Resource Affected - Air :		No
Resource Affected - Indoor Air :		No
Resource Affected - Groundwater :		Yes
Resource Affected - Surface Water :		No
Resource Affected - Drinking Wtr :		No
Resource Affected - Sewer :		No
Resource Affected - Impervious Surface :		No
Resource Affected - Subway :		No
Resource Affected - Utility :		No
Resource Affected - Impervious Surface :		No
Oxygenate :		False
Tank Test		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MCALLISTER HOME (Continued)

S106972199

Spill Tank Test : 1102693
 Site ID : 349149
 Tank Number : 1
 Tank Size : 275
 Test Method : 03
 Leak Rate : 0.00
 Gross Fail : 0
 Modified By : Watchdog
 Last Modified : 07/13/05
 Test Method : Horner EZ Check I or II
 DEC Remarks : Not reported
 Remark: Start DECRemark - 0504268 August 28, 2005: TANK PASSED A RETEST AFTER PIPING WAS REPAIRED. BASED UPON INFORMATION PROVIDED TO DEC, NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod END DECRemark - 0504268

Q69
 North
 1/4-1/2
 1711 ft.

BRONX RIVER RD ATI
109-113 BRONX RIVER RD
YONKERS, NY

LTANKS U003646458
HIST LTANKS N/A

Site 1 of 2 in cluster Q

Relative:
Lower

Actual:
80 ft.

LTANKS:

Spill Number: 0104682	Region of Spill: 3
Facility ID: 0104682	DER Facility ID: 111212
Site ID: 128959	CID: 211
Spill Date: 08/01/01	Reported to Dept: 08/01/01
Referred To: Westchester Cnty Health Dept	DEC Region: 3
Water Affected: Not reported	Spill Source: GASOLINE STATION
Spill Cause: TANK FAILURE	
Facility Address 2: Not reported	Facility Tele: Not reported
Investigator: WCHD	SWIS: 6018
Spiller Contact: ANTHONY TARRICONE	Spiller Phone: Not reported
Spiller: ANTHONY TARRICONE	
Spiller Company: BRONX RIVER RD ATI	
Spiller Address: 109-113 BRONX RIVER RD	
YONKERS, NY	
Spiller County: 001	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.	
Willing Responsible Party. Corrective action taken.	

Spill Closed Dt: 10/29/03

Spill Notifier: OTHER
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 UST Trust: True
 Spill Record Last Update: 10/29/03
 Date Spill Entered In Computer Data File: 08/01/01
 Remediation Phase: 0
 Program Number: 0104682
 Material
 Material ID : 533163
 Site ID : 128959
 Operable Unit : 01
 Operable Unit ID : 841435
 Material Code : 0009
 Material Name : Gasoline
 Case No. : Not reported
 Material FA : Petroleum

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

BRONX RIVER RD ATI (Continued)

U003646458

Quantity : 0.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False

Tank Test

Spill Tank Test : Not reported
 Site ID : Not reported
 Tank Number : Not reported
 Tank Size : Not reported
 Test Method : Not reported
 Leak Rate : Not reported
 Gross Fail : Not reported
 Modified By : Not reported
 Last Modified : Not reported
 Test Method : Not reported

DEC Remarks : Start CallerRemark - 0104682 GROUNDWATER ALSO AFFECTED - CALLER
 INSTALLING BORING AROUND SITE AND DISCOVERED CONTAMINATION PBS #
 3-172081 END CallerRemark - 0104682

Remark: Start DECRemark - 0104682 Prior to Sept, 2004 data translation this
 spill Lead DEC Field was "WCHD - MCDONALD" 08/01/2001 NOTIFIED B.
 MCDONALD @ WCDOH. WCDOH TO SEND LETTER TO REQUEST REPORT SUBMITTAL.
 08/25/03 ALSO SPILL 01-04257. 10/29/03
 CLOSED BY B MCDONALD OF WCHD - TANK PASSED A RETEST END DECRemark -
 0104682

HIST LTANKS:

Spill Number:	0104682	Region of Spill:	3
Spill Date:	08/01/2001 09:00	Reported to Dept:	08/01/01 09:22
Water Affected:	Not reported	Spill Source:	Gas Station
Resource Affectd:	On Land		
Spill Cause:	Tank Failure		
Facility Contact:	ANTHONY TARRICONE	Facility Tele:	Not reported
Investigator:	WCDOH	SWIS:	55
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	ANTHONY TARRICONE	Spiller Phone:	Not reported
Spiller:	BRONX RIVER RD ATI		
Spiller Address:	109-113 BRONX RIVER RD YONKERS, NY		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	/ /		
Spill Notifier:	Other	PBS Number:	Not reported
Cleanup Ceased:	/ /		
Last Inspection:	/ /		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

BRONX RIVER RD ATI (Continued)

U003646458

Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: / /
 Enforcement Date: / /
 Investigation Complete: / /
 UST Involvement: True
 Spill Record Last Update: 08/06/01
 Is Updated: True
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 08/01/01
 Date Region Sent Summary to Central Office: / /

Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329

DEC Remarks: 08/01/2001 NOTIFIED B. MCDONALD @ WCDOH. WCDOH TO SEND LETTER TO REQUE
 ST REPORT SUBMITTAL.

Spill Cause: GROUNDWATER ALSO AFFECTED - CALLER INSTALLING BORING AROUND SITE AND DIS
 COVERED CONTAMINATION PBS 3-172081

Q70
 North
 1/4-1/2
 1711 ft.

DELTA GAS
109-13 BRONX RIVER ROAD
YONKERS, NY

LTANKS S106385842
N/A

Site 2 of 2 in cluster Q

Relative:
Lower

Actual:
80 ft.

LTANKS:

Spill Number:	0400392	Region of Spill:	3
Facility ID:	0400392	DER Facility ID:	79364
Site ID:	86515	CID:	444
Spill Date:	04/13/04	Reported to Dept:	04/13/04
Referred To:	Westchester Cnty Health Dept	DEC Region:	3
Water Affected:	Not reported	Spill Source:	GASOLINE STATION
Spill Cause:	TANK TEST FAILURE	Facility Tele:	(631) 831-5554
Facility Address 2:	Not reported	SWIS:	6018
Investigator:	WCHD	Spiller Phone:	(631) 831-5554
Spiller Contact:	YAYA BAYAT		
Spiller:	YAYA BAYAT		
Spiller Company:	DELTA GAS		
Spiller Address:	109-13 BRONX RIVER ROAD		
	YONKERS, NY		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DELTA GAS (Continued)

S106385842

Spill Closed Dt: 05/14/04
Spill Notifier: TANK TESTER
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Record Last Update: 05/14/04
Date Spill Entered In Computer Data File: 04/13/04
Remediation Phase: 0
Program Number: 0400392
Material
Material ID : 491649
Site ID : 86515
Operable Unit : 01
Operable Unit ID : 882555
Material Code : 0022
Material Name : Waste Oil/Used Oil (Not Fuel)
Case No. : Not reported
Material FA : Petroleum
Quantity : 0.00
Units : G
Recovered : 0.00
Resource Affected - Soil : No
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : Yes
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False
Tank Test
Spill Tank Test : 3709
Site ID : 86515
Tank Number : 007
Tank Size : 550
Test Method : 00
Leak Rate : 0.00
Gross Fail : Not reported
Modified By : Spills
Last Modified : 10/01/04
Test Method : Unknown

Spill Tank Test : 3710
Site ID : 86515
Tank Number : 007
Tank Size : 550
Test Method : 03
Leak Rate : 0.00
Gross Fail : Not reported
Modified By : Spills
Last Modified : 10/01/04
Test Method : Horner EZ Check I or II

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

DELTA GAS (Continued)

S106385842

DEC Remarks : Start CallerRemark - 0400392 RECOMMEND: COULD NOT FIND VENT PIPE: NOT IN USE: END CallerRemark - 0400392
 Remark: Start DECRemark - 0400392 Prior to Sept, 2004 data translation this spill Lead DEC Field was "WCHD-JACKSON" 05/14/04 TANK PASSED RETEST AFTER REPAIRS WERE MADE. SPILL FILE CLOSED BY DANIELLE JACKSON OF THE WESTCHESTER COUNTY HEALTH DEPARTMENT. jbo E
 ND DECRemark - 0400392

**71
 ENE
 1/4-1/2
 1750 ft.**

**PETRO RAMONO
 4563 WHITE PLAINS ROAD
 BRONX, NY**

**LTANKS S102659876
 HIST LTANKS N/A**

**Relative:
 Higher
 Actual:
 162 ft.**

LTANKS:

Spill Number:	8905357	Region of Spill:	2
Facility ID:	8905357	DER Facility ID:	184582
Site ID:	223239	CID:	17
Spill Date:	08/30/89	Reported to Dept:	08/30/89
Referred To:	Not reported	DEC Region:	2
Water Affected:	Not reported	Spill Source:	COMMERCIAL/INDUSTRIAL
Spill Cause:	TANK TEST FAILURE		
Facility Address 2:	Not reported	Facility Tele:	(212) 231-2900
Investigator:	BATTISTA	SWIS:	0301
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	Not reported		
Spiller Company:	SAME		
Spiller Address:	ZZ		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		

Spill Closed Dt: 11/05/93
 Spill Notifier: TANK TESTER
 Cleanup Ceased: 11/05/93
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 02/15/94
 Date Spill Entered In Computer Data File: 09/01/89
 Remediation Phase: 0
 Program Number: 8905357
 Material
 Material ID : 567849
 Site ID : 223239
 Operable Unit : 01
 Operable Unit ID : 930570
 Material Code : 0001
 Material Name : #2 Fuel Oil
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : -1.00
 Units : Not reported
 Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PETRO RAMONO (Continued)

S102659876

Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False
Tank Test
Spill Tank Test : 10505
Site ID : 223239
Tank Number : Not reported
Tank Size : 0
Test Method : 00
Leak Rate : 0.00
Gross Fail : Not reported
Modified By : Spills
Last Modified : 10/01/04
Test Method : Unknown
DEC Remarks : Start CallerRemark - 8905357 1,500 GAL TANK FAILED PETRO, L R = -0.354
GPH. WILL DISCUSS POSSIBLE OPTIONS W/OWNER. END CallerRemark - 8905357
Remark: Not reported

HIST LTANKS:

Spill Number: 8905357
Spill Date: 08/30/1989 15:30
Water Affected: Not reported
Resource Affectd: On Land
Spill Cause: Tank Test Failure
Facility Contact: Not reported
Investigator: BATTISTA
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SAME
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/05/93
Spill Notifier: Tank Tester
Cleanup Ceased: 11/05/93
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 02/15/94
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/01/89
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0

Region of Spill: 2
Reported to Dept: 08/30/89 16:04
Spill Source: Other Commercial/Industrial
Facility Tele: (212) 231-2900
SWIS: 60
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

PBS Number: 2-322121

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PETRO RAMONO (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S102659876

Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: -1
 Units: Not reported
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: 11/05/93: CLOSED OUT SYSTEM AND EASTMOND INSTALLED A NEW TANK 11/89.
 Spill Cause: 1,500 GAL TANK FAILED PETRO, L R = -0.354 GPH. WILL DISCUSS POSSIBLE OP
 TIONS W/OWNER.

72
SSE
 1/4-1/2
 1804 ft.

730 W. 236 STREET
730 W. 236TH STREET
BRONX, NY

LTANKS **S102672561**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
181 ft.

Spill Number:	9405918	Region of Spill:	2
Facility ID:	9405918	DER Facility ID:	220552
Site ID:	270919	CID:	17
Spill Date:	08/01/94	Reported to Dept:	08/01/94
Referred To:	Not reported	DEC Region:	2
Water Affected:	Not reported	Spill Source:	INSTITUTIONAL, EDUCATIONAL, GOV., OTHER
Spill Cause:	TANK OVERFILL	Facility Tele:	Not reported
Facility Address 2:	Not reported	SWIS:	0301
Investigator:	SMMARTIN	Spiller Phone:	Not reported
Spiller Contact:	Not reported		
Spiller:	Not reported		
Spiller Company:	APT BLDG		
Spiller Address:	730 W. 236TH STREET BRONX, NEW YORK, ZZ		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	08/01/94		
Spill Notifier:	OTHER		
Cleanup Ceased:	08/01/94		
Last Inspection:	/ /		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
UST Trust:	False		
Spill Record Last Update:	09/30/04		
Date Spill Entered In Computer Data File:	10/17/94		
Remediation Phase:	0		
Program Number:	9405918		
Material			
Material ID :	382487		
Site ID :	270919		
Operable Unit :	01		
Operable Unit ID :	1000203		
Material Code :	0003		
Material Name :	#6 Fuel Oil		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

730 W. 236 STREET (Continued)

S102672561

Case No. : Not reported
Material FA : Petroleum
Quantity : 15.00
Units : G
Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 9405918 CLEANED UP W/ SPEEDY DRY END CallerRemark - 9405918

Remark: Start DECRemark - 9405918 Prior to Sept, 2004 data translation this spill Lead DEC Field was "MARTINKAT" END DECRemark - 9405918

HIST LTANKS:

Spill Number: 9405918
Spill Date: 07/29/1994 17:00
Water Affected: Not reported
Resource Affectd: On Land
Spill Cause: Tank Overfill
Facility Contact: Not reported
Investigator: MARTINKAT
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: APT BLDG
Spiller Address: 730 W. 236TH STREET
BRONX, NEW YORK
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/01/94
Spill Notifier: Other
Cleanup Ceased: 08/01/94
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Region of Spill: 2
Reported to Dept: 08/01/94 11:47
Spill Source: Other Non Commercial/Industrial
Facility Tele: Not reported
SWIS: 60
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

730 W. 236 STREET (Continued)

S102672561

Enforcement Date: //
 Investigation Complete: //
 UST Involvement: False
 Spill Record Last Update: //
 Is Updated: False
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 10/17/94
 Date Region Sent Summary to Central Office: //
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 15
 Units: Gallons
 Unknown Qty Spilled: 15
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #6 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #6 FUEL OIL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 2190
 DEC Remarks: Not reported
 Spill Cause: CLEANED UP W/ SPEEDY DRY

**73
 SSW
 1/4-1/2
 1851 ft.**

**MAIN ST. GAS INC.
 4220 BRONX BLVD.
 NEW YORK CITY, NY 10466**

**UST U003740151
 LTANKS N/A
 HIST UST
 HIST LTANKS**

**Relative:
 Lower**

LTANKS:

**Actual:
 92 ft.**

Spill Number:	0030025	Region of Spill:	2
Facility ID:	0030025	DER Facility ID:	180123
Site ID:	217705	CID:	17
Spill Date:	10/24/00	Reported to Dept:	10/24/00
Referred To:	Not reported	DEC Region:	2
Water Affected:	Not reported	Spill Source:	NON MAJOR FACILITY > 1,100 GAL
Spill Cause:	TANK FAILURE	Facility Tele:	(516) 485-0000
Facility Address 2:	Not reported	SWIS:	0301
Investigator:	WXSUN	Spiller Phone:	Not reported
Spiller Contact:	Not reported		
Spiller:	THIS INFO FROM PBS RECORD		
Spiller Company:	CRAIG BARIE		
Spiller Address:	95 MADISON AVE HEMPSTEAD, NY 11550		
Spiller County:	001		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	06/09/04		
Spill Notifier:	MISSING CODE IN OLD DATA - MUST BE FIXED		
Cleanup Ceased:	//		
Last Inspection:	//		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

UST Trust: True
Spill Record Last Update: 01/27/06
Date Spill Entered In Computer Data File: 10/24/00
Remediation Phase: 0
Program Number: 0030025
Material
Material ID : 552830
Site ID : 217705
Operable Unit : 01
Operable Unit ID : 835559
Material Code : 0009
Material Name : Gasoline
Case No. : Not reported
Material FA : Petroleum
Quantity : 0.00
Units : G

Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 0030025 DURING REMOVAL OF SIX 550 GAL. TANKS, CONTAMINATED SOIL FOUND. END CallerRemark - 0030025

Remark: Start DECRemark - 0030025 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SUN" 10/24/2000 - Martinkat (PBS Dept) received a UST Closure Report for six 550 gal gasoline tanks removed to make space for the installation of two 4,000 gal tanks. PBS #2-604391 Transferred to Sangesland Report by Yellowstone Industries (Yel 98-0015138) (95 Madison Ave, Hempstead, NY - no Phone number provided.) During the tank excavation, the report states that Yellowstone personnel took 5 soil samples in accordance with SPOTS 14. There was evidence of stained soils, a product sheen on the standing groundwater and petroleum vapors in the area. Yellowstone states the groundwater in the area is 40 feet. Samples were tested for BTEX & MTBE by EPA Method 8020 Receipt attached to report shows that several truck loads of gasoline contaminated soil was manifested to Carteret Biocycle Corp in Middlesex, NJ (732-541-8909) on

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

Jan 7 & 11, 2000. Receipts are shown for gasoline contaminated soil: 31.08 tons + 31.42 tons + 38.20 tons + 31.48 tons + 32.15 tons + 32.75 tons + 39.02 tons + 31.80 tons + 35.80 tons + 35.52 tons + 38.10 tons + 36.17 tons + 35.00 tons + 33.88 tons
Only Soil samples taken from the stockpile were included in the report. No indication was made of the 5 endpoint samples discussed in the report. This spill is still open. Since no proper endpoint samples were ever provided, the NYSDEC will need BOTH soil borings from the area around the "endpoints". Also since the same tank pit area was used to install the new tanks, TWO groundwater wells will need to be installed, one on each side of the tank pit area. Owner also needs to identify the status of any waste oil tanks and fuel oil tanks which may exist on the property. 7/8/2002 Sangesland sent a letter to Craig Barie 95 Madison Ave. Hempstead, ny 11550. Letter requests Mr. Barie to submit info related to the delineation/remediation of the contaminated soil left behind AFTER the removal and replacement of the old tanks in January 2000. Deadline on a response from Mr. Barie is August 15, 2002. 7/15/2003 Yellowstone Industries submitted a work plan to make 4 boreholes around the former tank field. No mention was made of the DEC requirement for monitoring wells. Sangesland sent an e-mail to Mr. Alletto at Yellowstone requesting one groundwater well with sampling. 12/2/2003 Transferred from Sangesland to Rommel 6/2/04-V
Spill transferred from Rommel to Sun as per Rommel.
06/08/04-File Update by Sun: -Request of No Further Action from Todd McIndoo of Yellowstone Industries, Inc to DEC, with an attachment of sampling report from Zebra Environmental, dated April 26, 2004. Yellowstone subcontractor Zebra Environmental on 4/16/04 attempted to execute four (4) boreholes at the sidewalls of the former underground gasoline storage tank area. Two of the soil bore holes (SB01 & SB04) were not completed because refusal was encountered. The soil samples that were collected at soil boring locations SB02 and SB03 were collected at four-foot intervals between four and sixteen feet bgs. Refusal on the two completed bore holes was met at about 15-16 feet bgs. No groundwater was encountered, upon belief bedrock was encountered. Based on the Underground Petroleum Storage Tank Closure Report dated January 2000, the depth to groundwater in the area is approximately 40 feet bgs. Analytical results showed that total BTEX concentrations on SB02 & SB03 were not detected (ND) at the reporting limit. MTBE concentrations for SB02 and SB03 were 700 ug/l and 24 ug/l, respectively. Based on the boring logs, the soil encountered between the depth of four feet bgs and sixteen feet bgs, the top of bedrock and the termination depth of the soil borings, consisted of approximately six feet of fill material, underneath by yellowish orange to light brown medium sand with gravel and fragment of bedrock. Underlying this sand unit is layer of silt and silty-sand. Bedrock was encountered at an approximate depth of sixteen feet bgs. PID values for the screen soils were below 5 ppm. Since the depth of groundwater is 40 feet bgs and is not within 5 feet of the bottom of the excavation, a groundwater sample is not recommended per SPOTS Memo #14. Based on the analytical results of the soil samples, this spill is closed. END DECRemark - 0030025

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

Emergency Contact: CRAIG BARIE
Emergency Telephone: (516) 485-0000
Operator: CRAIG BARIE
Operator Telephone: (516) 485-0000
Owner Name: 4220 BRONX BLVD LAND CORP
Owner Address: 95 MADISON AVE
Owner City,St,Zip: HEMPSTEAD, NY 11550
Owner Telephone: (516) 485-0000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: 4220 BRONX BLVD LAND CORP
Mailing Address: 95 MADISON AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: HEMPSTEAD, NY 11550
Mailing Contact: Not reported
Mailing Telephone: (516) 485-0000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: Not reported
Tank Id: 001
Tank Location: UNDERGROUND
Install Date: 20000101
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: Fiberglass Liner (FRP)
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)
Pipe External: Fiberglass
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: Float Vent Valve
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/05/2001
Expiration Date: 01/06/2005
Renew Flag: False
Renewal Date: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

MAIN ST. GAS INC. (Continued)

EDR ID Number
 EPA ID Number

Database(s)

U003740151

Total Capacity:	8000
FAMT:	True
Facility Screen:	No Missing Data
Owner Screen:	Minor Data Missing
Tank Screen:	No Missing Data
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	60
Town or City:	01
Region:	2
PBS Number:	2-604391
SPDES Number:	Not reported
Emergency Contact:	CRAIG BARIE
Emergency Telephone:	(516) 485-0000
Operator:	CRAIG BARIE
Operator Telephone:	(516) 485-0000
Owner Name:	4220 BRONX BLVD LAND CORP
Owner Address:	95 MADISON AVE
Owner City,St,Zip:	HEMPSTEAD, NY 11550
Owner Telephone:	(516) 485-0000
Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported
Mailing Name:	4220 BRONX BLVD LAND CORP
Mailing Address:	95 MADISON AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	HEMPSTEAD, NY 11550
Mailing Contact:	Not reported
Mailing Telephone:	(516) 485-0000
Owner Mark:	First Owner
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2:	Not reported
Tank Id:	002
Tank Location:	UNDERGROUND
Install Date:	20000101
Capacity (gals):	4000
Product Stored:	UNLEADED GASOLINE
Tank Type:	Fiberglass reinforced plastic [FRP]
Tank Internal:	Fiberglass Liner (FRP)
Tank External:	Fiberglass
Pipe Location:	Underground
Pipe Type:	STAINLESS STEEL ALLOY
Pipe Internal:	Fiberglass Liner (FRP)
Pipe External:	Fiberglass
Second Containment:	Vault (w/access)
Leak Detection:	Electronic
Overfill Prot:	Float Vent Valve
Dispenser:	Submersible
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	No Missing Data
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False
Updated:	True

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/05/2001
Expiration Date: 01/06/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 8000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-604391
SPDES Number: Not reported
Emergency Contact: CRAIG BARIE
Emergency Telephone: (516) 485-0000
Operator: CRAIG BARIE
Operator Telephone: (516) 485-0000
Owner Name: 4220 BRONX BLVD LAND CORP
Owner Address: 95 MADISON AVE
Owner City,St,Zip: HEMPSTEAD, NY 11550
Owner Telephone: (516) 485-0000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: 4220 BRONX BLVD LAND CORP
Mailing Address: 95 MADISON AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: HEMPSTEAD, NY 11550
Mailing Contact: Not reported
Mailing Telephone: (516) 485-0000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
Tank Id: 004
Tank Location: UNDERGROUND
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 01/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 01/05/2001
 Expiration Date: 01/06/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 8000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-604391
 SPDES Number: Not reported
 Emergency Contact: CRAIG BARIE
 Emergency Telephone: (516) 485-0000
 Operator: CRAIG BARIE
 Operator Telephone: (516) 485-0000
 Owner Name: 4220 BRONX BLVD LAND CORP
 Owner Address: 95 MADISON AVE
 Owner City,St,Zip: HEMPSTEAD, NY 11550
 Owner Telephone: (516) 485-0000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 4220 BRONX BLVD LAND CORP
 Mailing Address: 95 MADISON AVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: HEMPSTEAD, NY 11550
 Mailing Contact: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

Mailing Telephone: (516) 485-0000
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 005
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 01/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 01/05/2001
 Expiration Date: 01/06/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 8000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2
 PBS Number: 2-604391
 SPDES Number: Not reported
 Emergency Contact: CRAIG BARIE

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

Emergency Telephone: (516) 485-0000
Operator: CRAIG BARIE
Operator Telephone: (516) 485-0000
Owner Name: 4220 BRONX BLVD LAND CORP
Owner Address: 95 MADISON AVE
Owner City,St,Zip: HEMPSTEAD, NY 11550
Owner Telephone: (516) 485-0000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: 4220 BRONX BLVD LAND CORP
Mailing Address: 95 MADISON AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: HEMPSTEAD, NY 11550
Mailing Contact: Not reported
Mailing Telephone: (516) 485-0000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: Not reported
Tank Id: 006
Tank Location: UNDERGROUND
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 01/01/2000
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/05/2001
Expiration Date: 01/06/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 8000

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MAIN ST. GAS INC. (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003740151

FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-604391
SPDES Number: Not reported
Emergency Contact: CRAIG BARIE
Emergency Telephone: (516) 485-0000
Operator: CRAIG BARIE
Operator Telephone: (516) 485-0000
Owner Name: 4220 BRONX BLVD LAND CORP
Owner Address: 95 MADISON AVE
Owner City,St,Zip: HEMPSTEAD, NY 11550
Owner Telephone: (516) 485-0000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: 4220 BRONX BLVD LAND CORP
Mailing Address: 95 MADISON AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: HEMPSTEAD, NY 11550
Mailing Contact: Not reported
Mailing Telephone: (516) 485-0000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
Tank Id: 007
Tank Location: UNDERGROUND
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 01/01/2000
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

Lat/long:	Not reported
SWIS ID:	6001
Old PBS Number:	Not reported
Facility Type:	RETAIL GASOLINE SALES
Inspected Date:	Not reported
Inspector:	Not reported
Inspection Result:	Not reported
Federal ID:	Not reported
Certification Flag:	False
Certification Date:	01/05/2001
Expiration Date:	01/06/2005
Renew Flag:	False
Renewal Date:	Not reported
Total Capacity:	8000
FAMT:	True
Facility Screen:	No Missing Data
Owner Screen:	Minor Data Missing
Tank Screen:	No Missing Data
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	60
Town or City:	01
Region:	2
PBS Number:	2-604391
SPDES Number:	Not reported
Emergency Contact:	CRAIG BARIE
Emergency Telephone:	(516) 485-0000
Operator:	CRAIG BARIE
Operator Telephone:	(516) 485-0000
Owner Name:	4220 BRONX BLVD LAND CORP
Owner Address:	95 MADISON AVE
Owner City,St,Zip:	HEMPSTEAD, NY 11550
Owner Telephone:	(516) 485-0000
Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported
Mailing Name:	4220 BRONX BLVD LAND CORP
Mailing Address:	95 MADISON AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	HEMPSTEAD, NY 11550
Mailing Contact:	Not reported
Mailing Telephone:	(516) 485-0000
Owner Mark:	First Owner
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2:	Not reported
Tank Id:	008
Tank Location:	UNDERGROUND
Install Date:	Not reported
Capacity (gals):	550
Product Stored:	UNLEADED GASOLINE
Tank Type:	Steel/carbon steel
Tank Internal:	Not reported
Tank External:	Not reported
Pipe Location:	Not reported
Pipe Type:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 01/01/2000
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported
Lat/long: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/05/2001
Expiration Date: 01/06/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 8000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 60
Town or City: 01
Region: 2

PBS Number: 2-604391
SPDES Number: Not reported
Emergency Contact: CRAIG BARIE
Emergency Telephone: (516) 485-0000
Operator: CRAIG BARIE
Operator Telephone: (516) 485-0000
Owner Name: 4220 BRONX BLVD LAND CORP
Owner Address: 95 MADISON AVE
Owner City,St,Zip: HEMPSTEAD, NY 11550
Owner Telephone: (516) 485-0000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: 4220 BRONX BLVD LAND CORP
Mailing Address: 95 MADISON AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: HEMPSTEAD, NY 11550
Mailing Contact: Not reported
Mailing Telephone: (516) 485-0000

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 009
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 01/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 01/05/2001
 Expiration Date: 01/06/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 8000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

NY UST PBS:
 Facility ID: 2-604391
 Program Type: PBS
 Facility Addr2: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MAIN ST. GAS INC. (Continued)

U003740151

Locality: BRONX
 SWIS Code: 0301
 DEC Region: 2
 Registered: 1
 Expiration Date: 01/06/10
 Site Status: Active
 Site Type: Retail Gasoline Sales
 Above Ground Tanks: No
 Under Ground Tanks: Yes

**74
 SSE
 1/4-1/2
 1946 ft.**

**730 EAST 236TH ST/BX
 730 EAST 236TH STREET
 NEW YORK CITY, NY**

**LTANKS S100146704
 HIST LTANKS N/A**

**Relative:
 Higher
 Actual:
 187 ft.**

LTANKS:
 Spill Number: 9010940 Region of Spill: 2
 Facility ID: 9010940 DER Facility ID: 190967
 Site ID: 231718 CID: Not reported
 Spill Date: 01/14/91 Reported to Dept: 01/14/91
 Referred To: Not reported DEC Region: 2
 Water Affected: Not reported Spill Source: COMMERCIAL/INDUSTRIAL
 Spill Cause: TANK FAILURE
 Facility Address 2: Not reported Facility Tele: (212) 601-6500
 Investigator: FINGER SWIS: 0301
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: Not reported
 Spiller Company: SEDGWICK MGNT
 Spiller Address: ZZ
 Spiller County: 001
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/16/97
 Spill Notifier: OTHER
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 10/17/97
 Date Spill Entered In Computer Data File: 01/28/91
 Remediation Phase: 0
 Program Number: 9010940
Material
 Material ID : 431044
 Site ID : 231718
 Operable Unit : 01
 Operable Unit ID : 948019
 Material Code : 0001
 Material Name : #2 Fuel Oil
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 30.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

730 EAST 236TH ST/BX (Continued)

S100146704

Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 9010940 5K TANK, SPILL CONTAINED IN VAULT ROOM. END
CallerRemark - 9010940

Remark: Not reported

HIST LTANKS:

Spill Number: 9010940 Region of Spill: 2
Spill Date: 01/14/1991 13:00 Reported to Dept: 01/14/91 14:44
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Resource Affectd: On Land
Spill Cause: Tank Failure
Facility Contact: Not reported Facility Tele: (212) 601-6500
Investigator: FINGER SWIS: 60
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: SEDGWICK MGNT
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/16/97

Spill Notifier: Other PBS Number: Not reported

Cleanup Ceased: / /

Last Inspection: / /

Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 10/17/97

Is Updated: False

Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 01/28/91

Date Region Sent Summary to Central Office: / /

Tank Test:

PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

730 EAST 236TH ST/BX (Continued)

S100146704

Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 30
Units: Gallons
Unknown Qty Spilled: 30
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: 5K TANK, SPILL CONTAINED IN VAULT ROOM.

75
ESE
1/4-1/2
2067 ft.

1776 NEREID AVE
1776 NEREID AVE
BRONX, NY

LTANKS S102672178
HIST LTANKS N/A

Relative:
Higher
Actual:
147 ft.

LTANKS:

Spill Number: 9303021
Facility ID: 9303021
Site ID: 244747
Spill Date: 06/07/93
Referred To: Not reported
Water Affected: Not reported
Spill Cause: TANK OVERFILL
Facility Address 2: Not reported
Investigator: SULLIVAN
Spiller Contact: Not reported
Spiller: Not reported
Spiller Company: BOND'S PARKWAY SVC STA.
Spiller Address: ZZ
Spiller County: 001
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Region of Spill: 2
DER Facility ID: 201040
CID: 17
Reported to Dept: 06/07/93
DEC Region: 2
Spill Source: GASOLINE STATION
Facility Tele: (718) 324-4000
SWIS: 0301
Spiller Phone: Not reported

Spill Closed Dt: 08/03/93

Spill Notifier: OTHER
Cleanup Ceased: 08/03/93
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
UST Trust: True
Spill Record Last Update: 08/03/93
Date Spill Entered In Computer Data File: 06/09/93
Remediation Phase: 0
Program Number: 9303021
Material
Material ID : 400118
Site ID : 244747
Operable Unit : 01
Operable Unit ID : 981263
Material Code : 0009

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

1776 NEREID AVE (Continued)

EDR ID Number
EPA ID Number

Database(s)

Material Name : Gasoline
Case No. : Not reported
Material FA : Petroleum
Quantity : 0.00
Units : Not reported
Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 9303021 DURING TANK PULL - CONTAM SOIL DESCOV - STOCKPILING, SAMPLE, TEST, - DISPOSE - END CallerRemark - 9303021

Remark: Not reported

HIST LTANKS:

Spill Number: 9303021
Spill Date: 06/07/1993 12:05
Water Affected: Not reported
Resource Affectd: On Land
Spill Cause: Tank Overfill
Facility Contact: Not reported
Investigator: SULLIVAN
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: BOND'S PARKWAY SVC STA.
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/03/93
Spill Notifier: Other
Cleanup Ceased: 08/03/93
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /

Region of Spill: 2
Reported to Dept: 06/07/93 12:30
Spill Source: Gas Station
Facility Tele: (718) 324-4000
SWIS: 60
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
PBS Number: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

1776 NEREID AVE (Continued)

S102672178

Investigation Complete: / /
 UST Involvement: True
 Spill Record Last Update: 08/03/93
 Is Updated: False
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 06/09/93
 Date Region Sent Summary to Central Office: / /
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Not reported
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 DEC Remarks: 08/03/93: REMOVED 12X550 TWO NEW 4K TOOK SOIL POST EXCAVATION SAMPLES N
 ON DETECT EXCAVATED SOIL RECYCLED. 10/10/95: This is additional informa
 tion about material spilled from the translation of the old spill file:
 CONTAM SOIL-STRONG O.
 Spill Cause: DURING TANK PULL - CONTAM SOIL DESCOV - STOCKPILING, SAMPLE, TEST, - DIS
 POSE -

R76
 North
 1/4-1/2
 2104 ft.

SHELL STATION
 143 BRONX RIVER RD
 YONKERS, NY

LTANKS S105135241
HIST LTANKS N/A

Site 1 of 3 in cluster R

Relative:
Lower

Actual:
84 ft.

LTANKS:
 Spill Number: 0104357 Region of Spill: 3
 Facility ID: 0104357 DER Facility ID: 112394
 Site ID: 130434 CID: 18
 Spill Date: 07/24/01 Reported to Dept: 07/24/01
 Referred To: Westchester Cnty Health Dept DEC Region: 3
 Water Affected: Not reported Spill Source: GASOLINE STATION
 Spill Cause: TANK TEST FAILURE
 Facility Address 2: Not reported Facility Tele: Not reported
 Investigator: WCHD SWIS: 6018
 Spiller Contact: JENNIFER DOLITTLE Spiller Phone: (860) 568-5651 Ext. 216
 Spiller: Not reported
 Spiller Company: SHELL
 Spiller Address: NY
 Spiller County: 999
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/04/01
 Spill Notifier: TANK TESTER
 Cleanup Ceased: / /

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SHELL STATION (Continued)

S105135241

Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
UST Trust: True
Spill Record Last Update: 04/29/02
Date Spill Entered In Computer Data File: 07/24/01
Remediation Phase: 0
Program Number: 0104357

Material
Material ID : 532853
Site ID : 130434
Operable Unit : 01
Operable Unit ID : 840986
Material Code : 0009
Material Name : Gasoline
Case No. : Not reported
Material FA : Petroleum
Quantity : 0.00
Units : G
Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test
Spill Tank Test : 1043
Site ID : 130434
Tank Number : Not reported
Tank Size : 8000
Test Method : 20
Leak Rate : 0.00
Gross Fail : Not reported
Modified By : Spills
Last Modified : 10/01/04
Test Method : USTest 2000/P/LL plus USTest 2000/U

DEC Remarks : Start CallerRemark - 0104357 shell station advised of test results. END
CallerRemark - 0104357

Remark: Start DECRemark - 0104357 Prior to Sept, 2004 data translation this spill Lead DEC Field was "WCDOH" 09/04/2001 LETTER SENT TO MOTIVA ENT. BY D. JACKSON (WCDOH); WCDOH REQUIRES NO FURTHER ACTION REGARDING THE WORK PERFORMED FOR THIS SPILL NUMBER. E
ND DECRemark - 0104357

HIST LTANKS:

Spill Number: 0104357
Spill Date: 07/24/2001 11:00
Water Affected: Not reported
Resource Affectd: On Land
Spill Cause: Tank Test Failure
Facility Contact: Not reported
Region of Spill: 3
Reported to Dept: 07/24/01 12:02
Spill Source: Gas Station
Facility Tele: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SHELL STATION (Continued)

S105135241

Investigator: WCDOH SWIS: 55
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: JENNIFER DOLITTLE Spiller Phone: (860) 568-5651 Ext. 216
Spiller: SHELL
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/17/01
Spill Notifier: Tank Tester PBS Number: 3-166626
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 08/21/01
Is Updated: True
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/24/01
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: USTest 2000
Capacity of Failed Tank: 8000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: 08/18/2001 SPILL CLOSED BY D. JACKSON WCDOH); NO FURTHER ACTION.
Spill Cause: shell station advised of test results.

R77 SHELL OIL CORP
North 143 BRONX RIVER RD
1/4-1/2 YONKERS, NY 10704
2104 ft.
Site 2 of 3 in cluster R
Relative: Lower
Actual: 84 ft.

RCRA-SQG 1000287847
FINDS NYD982797946
LTANKS
NY Spills
NY MANIFEST
HIST LTANKS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

SHELL OIL CORP (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000287847

RCRAInfo:
 Owner: SHELL OIL CORP
 (212) 555-1212
 EPA ID: NYD982797946
 Contact: Not reported
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

SPILLS:

DER Facility ID : 112394
 Site ID : 130435
 Spill Number: 0112165
 Investigator: jghardy
 Spill Date: 03/26/02
 Facility Address 2: Not reported
 Facility Type: ER
 Referred To : Not reported
 Remediation Phase : 0
 Program Number : 0112165
 Spill Cause: UNKNOWN
 Water Affected: Not reported
 Contact Name: ANDY ROMOLO
 Spill Notifier: OTHER
 Spiller: Not reported
 Spiller Company : SHELL GAS
 Spiller Address: ZZ
 Spiller County : 001
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

CID : 18
 Region of Spill: 3
 SWIS: 6018
 Reported to Dept: 03/26/02
 DEC Region : 3
 Spill Source: GASOLINE STATION
 Facility Tele: (845) 561-9890

Spill Closed Dt: 04/19/02

Cleanup Ceased: / /
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 04/30/02
 Date Spill Entered In Computer Data File: 03/26/02
 Cleanup Meets Std: True

Material
 Material ID : 526179
 Site ID : 130435
 Operable Unit : 01
 Operable Unit ID : 850965
 Material Code : 0009
 Material Name : Gasoline
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 0.00
 Units : G

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SHELL OIL CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000287847

Recovered : 0.00
Resource Affected - Soil : No
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : Yes
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

DEC Remarks : Start CallerRemark - 0112165 CALLER RECEIVED TEST RESULTS SHOWING GROUNDWATER CONTAMINATION CROS REF 89-06656 END CallerRemark - 0112165

Remark: Start DECRemark - 0112165 Prior to Sept, 2004 data translation this spill Lead DEC Field was "HARDY" 04/19/2002 REFER TO SPILL NUMBER 89-06656. JIM HARDY IS LEAD. THIS SPILL REPORTED BY CONTRACTOR SAMPLING MONITORING WELLS FROM CLEANUP OF EARLIER REPORTED SPILL. THIS SPILL NUMBER CLOSED OUT. END DECRemark - 0112165

LTANKS:

Spill Number: 8707812 Region of Spill: 3
Facility ID: 8707812 DER Facility ID: 112394
Site ID: 130436 CID: 18
Spill Date: 12/10/87 Reported to Dept: 12/10/87
Referred To: Not reported DEC Region: 3
Water Affected: Not reported Spill Source: GASOLINE STATION
Spill Cause: TANK TEST FAILURE
Facility Address 2: Not reported Facility Tele: Not reported
Investigator: jeokesso SWIS: 6018
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: Not reported
Spiller Company: SHELL 231-9545-1309
Spiller Address: ZZ
Spiller County: 001
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 04/22/88

Spill Notifier: TANK TESTER
Cleanup Ceased: 04/21/88
Last Inspection: 04/21/88
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
UST Trust: True
Spill Record Last Update: 04/22/88
Date Spill Entered In Computer Data File: 10/15/87
Remediation Phase: 0
Program Number: 8707812
Material
Material ID : 463211
Site ID : 130436
Operable Unit : 01
Operable Unit ID : 912145
Material Code : 0009
Material Name : Gasoline

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SHELL OIL CORP (Continued)

1000287847

Case No. : Not reported
Material FA : Petroleum
Quantity : 0.00
Units : Not reported
Recovered : 0.00
Resource Affected - Soil : No
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : Yes
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : 7178
Site ID : 130436
Tank Number : Not reported
Tank Size : 0
Test Method : 00
Leak Rate : 0.00
Gross Fail : Not reported
Modified By : Spills
Last Modified : 10/01/04
Test Method : Unknown

DEC Remarks : Start CallerRemark - 8707812 2 3K TANK SYSTEM, GROSS LEAK, 1 3K TANK.
N.F.A. SEE UPDATE. END CallerRemark - 8707812

Remark: Start DECRemark - 8707812 Prior to Sept, 2004 data translation this
spill Lead DEC Field was "OKESSON" 04/21/88: PASSED RETEST, RECEIVED
TIGHT TEST RESULTS. N.F.A. J.OK. END DECRemark - 8707812

HIST LTANKS:

Spill Number: 8707812 Region of Spill: 3
Spill Date: 12/10/1987 15:00 Reported to Dept: 12/10/87 16:12
Water Affected: Not reported Spill Source: Gas Station
Resource Affectd: Groundwater
Spill Cause: Tank Test Failure
Facility Contact: Not reported Facility Tele: Not reported
Investigator: OKESSON SWIS: 55
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: SHELL 231-9545-1309
Spiller Address: Not reported
Spill Class: Possible release with minimal potential for fire or hazard or Known
release with no damage. DEC Response. Willing Responsible Party.
Corrective action taken.
Spill Closed Dt: 04/22/88
Spill Notifier: Tank Tester PBS Number: Not reported
Cleanup Ceased: 04/21/88
Last Inspection: 04/21/88
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SHELL OIL CORP (Continued)

1000287847

Spiller Cleanup Date: //
Enforcement Date: //
Investigation Complete: //
UST Involvement: True
Spill Record Last Update: 04/22/88
Is Updated: False
Corrective Action Plan Submitted: //
Date Spill Entered In Computer Data File: 10/15/87
Date Region Sent Summary to Central Office: //
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: 04/21/88: PASSED RETEST, RECIVED TIGHT TEST RESULTS. N.F.A. J.OK.
Spill Cause: 2 3K TANK SYSTEM, GROSS LEAK, 1 3K TANK. N.F.A. SEE UPDATE.

NY MANIFEST:

Document ID: NYA7038531
Manifest Status: K
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 891201
Trans1 Recv Date: 891201
Trans2 Recv Date: Not reported
TSD Site Recv Date: 891201
Part A Recv Date: 900112
Part B Recv Date: 891211
Generator EPA ID: NYD982797946
Trans1 EPA ID: NYD006801245
Trans2 EPA ID: Not reported
TSDF ID: NYD082785429
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00100
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 89
Facility Type: Generator
EPA ID: NYD982797946
Facility Name: SHELL SERVICE STATION
Facility Address: 143 BRONX RIVER ROAD

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

SHELL OIL CORP (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000287847

Facility City: YONKERS
 Facility Zip 4: Not reported
 Country: Not reported
 County: WESTCHESTER
 Mailing Name: SHELL OIL COMPANY
 Mailing Contact: Not reported
 Mailing Address: ONE JERICHO PLAZA
 Mailing City: JERICHO
 Mailing State: NY
 Mailing Zip: 11753
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 516-942-4122

[Click this hyperlink](#) while viewing on your computer to access
 1 additional NY MANIFEST: record(s) in the EDR Site Report.

R78
North
1/4-1/2
2104 ft.

SHELL
143 BRONX RIVER ROAD
YONKERS, NY

LTANKS S104513690
HIST LTANKS N/A

Site 3 of 3 in cluster R

Relative:
Lower

LTANKS:

Actual:
84 ft.

Spill Number: 8906656	Region of Spill: 3
Facility ID: 8906656	DER Facility ID: 243501
Site ID: 301092	CID: 18
Spill Date: 10/05/89	Reported to Dept: 10/05/89
Referred To: Not reported	DEC Region: 3
Water Affected: Not reported	Spill Source: COMMERCIAL/INDUSTRIAL
Spill Cause: TANK FAILURE	
Facility Address 2: Not reported	Facility Tele: Not reported
Investigator: jghardy	SWIS: 6018
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: Not reported	
Spiller Company: SHELL OIL	
Spiller Address: ZZ	
Spiller County: 001	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	

Spill Closed Dt: 03/11/05

Spill Notifier: DEC
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: True
 Spill Record Last Update: 03/26/05
 Date Spill Entered In Computer Data File: 10/16/89
 Remediation Phase: 0
 Program Number: 8906656
Material
 Material ID : 447070
 Site ID : 301092
 Operable Unit : 01
 Operable Unit ID : 931639
 Material Code : 0009
 Material Name : Gasoline

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SHELL (Continued)

S104513690

Case No. : Not reported
Material FA : Petroleum
Quantity : 0.00
Units : G
Recovered : 0.00
Resource Affected - Soil : No
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : Yes
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Material ID : 2096534
Site ID : 301092
Operable Unit : 01
Operable Unit ID : 931639
Material Code : 1213A
Material Name : MTBE (METHYL-TERT-BUTYL ETHER)
Case No. : 01634044
Material FA : Hazardous Material
Quantity : 0.00
Units : Not reported
Recovered : 0.00
Resource Affected - Soil : No
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : 10745
Site ID : 301092
Tank Number : Not reported
Tank Size : 0
Test Method : 00
Leak Rate : 0.00
Gross Fail : Not reported
Modified By : Spills
Last Modified : 10/01/04
Test Method : Unknown

DEC Remarks : Start CallerRemark - 8906656 FLOATING PRODUCT FOUND ON WATER AFTER TANKS WERE REMOVED. END CallerRemark - 8906656

Remark: Start DECRemark - 8906656 Prior to Sept, 2004 data translation this spill Lead DEC Field was "HARDY" 10/06/89: PRODUCT WAS FREE FLOATING ON THE WATER IN THE TANK HOLE. THE CONTAMINATED SOIL WAS STOCKPILED ON

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

SHELL (Continued)

S104513690

PLASTIC. AN AIR STRIPPER IS BEING SET UP
 TO PROCESS THE CONTAMINATED GROUND WATER. 09/19/97 LETTER SENT;
 MUST RETURN TO QUARTERLY MONITORING; 10/21/99 LETTER SENT;
 PROVIDE STATUS & SCHEDULE FOR WORK 05/17/01 LETTER SENT TO
 GEOLOGIC SERVICES BY J. HARDY; IF HIGH INT
 ENSITY VACUUM EVENTS ARE PROPOSED AS THE REMEDIAL ACTION PLAN FOR THIS
 SITE, A DETAILED PLAN IS REQUIRED. 3/11/05 per feb 05 mon report
 groundwater levels reduced to acceptable levels--close ***ALSO SEE
 SPILL NUMBER 0112165*****
 ***** 3/15/04: Letter sent to William P. Weslek,
 Geologic Svcs. Corp. by J. Hardy. Reduce reporting to annually. END
 DECRemark - 8906656

HIST LTANKS:

Spill Number:	8906656	Region of Spill:	3
Spill Date:	10/05/1989 12:30	Reported to Dept:	10/05/89 12:50
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Resource Affectd:	Groundwater		
Spill Cause:	Tank Failure		
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	HARDY	SWIS:	55
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	SHELL OIL		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	//		
Spill Notifier:	DEC	PBS Number:	3-166626
Cleanup Ceased:	//		
Last Inspection:	//		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	//		
Enforcement Date:	//		
Investigation Complete:	//		
UST Involvement:	True		
Spill Record Last Update:	06/06/01		
Is Updated:	True		
Corrective Action Plan Submitted:	//		
Date Spill Entered In Computer Data File:	10/16/89		
Date Region Sent Summary to Central Office:	//		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	0		
Leak Rate Failed Tank:	0.00		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SHELL (Continued)

S104513690

Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: 10/06/89: PRODUCT WAS FREE FLOATING ON THE WATER IN THE TANK HOLE. THE C
ONTAMINATED SOIL WAS STOCKPILED ON PLASTIC. AN AIR STRIPPER IS BEING SET
UP TO PROCESS THE CONTAMINATED GROUND WATER. 09/19/97 LETTER SENT; MUST
RETURN TO QUARTERLY MONITORING;10/21/99 LETTER SENT; PROVIDE STATUS SCH
EDULE FOR WORK 05/17/01 LETTER SENT TO GEOLOGIC SERVICES BY J. HARDY; I
F HIGH INTENSITY VACUUM EVENTS ARE PROPOSED AS THE REMEDIAL ACTION PLAN
FOR THIS SITE, A DETAILED PLAN IS REQUIRED.
Spill Cause: FLOATING PRODUCT FOUND ON WATER AFTER TANKS WERE REMOVED.

S79
WNW
1/4-1/2
2116 ft.

ST BARNABAS CHURCH
409 EAST 241ST ST
BRONX, NY

LTANKS **S103238290**
HIST LTANKS **N/A**

Site 1 of 2 in cluster S

Relative:
Higher

Actual:
146 ft.

LTANKS:

Spill Number: 9800375
Facility ID: 9800375
Site ID: 249828
Spill Date: 04/09/98
Referred To: Not reported
Water Affected: Not reported
Spill Cause: TANK TEST FAILURE
Facility Address 2: Not reported
Investigator: SIGONA
Spiller Contact: FR TONER
Spiller: FR TONER
Spiller Company: ST BARNABAS CHURCH
Spiller Address: 409 EAST 241ST ST
BRONX, NY
Spiller County: 001
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Region of Spill: 2
DER Facility ID: 204796
CID: 17
Reported to Dept: 04/09/98
DEC Region: 2
Spill Source: COMMERCIAL/INDUSTRIAL
Facility Tele: (718) 324-1478
SWIS: 0301
Spiller Phone: (718) 324-1478

Spill Closed Dt: 09/09/05

Spill Notifier: TANK TESTER
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Record Last Update: 09/09/05
Date Spill Entered In Computer Data File: 04/09/98
Remediation Phase: 0
Program Number: 9800375
Material
Material ID : 322351
Site ID : 249828
Operable Unit : 01
Operable Unit ID : 1057725
Material Code : 0001
Material Name : #2 Fuel Oil
Case No. : Not reported
Material FA : Petroleum

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

ST BARNABAS CHURCH (Continued)

S103238290

Spill Record Last Update: 04/13/98
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/09/98
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: 1
Test Method: Horner EZ Check
Capacity of Failed Tank: 2500
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: BELIEVED TO BE A LINE AT THE TOP OF TANK

S80
WNW
1/4-1/2
2118 ft.

4381 MARTHA AV
4381 MARTHA AV
BRONX, NY

LTANKS S102960521
HIST LTANKS N/A

Site 2 of 2 in cluster S

Relative:
Higher

Actual:
146 ft.

LTANKS:

Spill Number: 9711900
Facility ID: 9711900
Site ID: 282414
Spill Date: 01/23/98
Referred To: Not reported
Water Affected: Not reported
Spill Cause: TANK OVERFILL
Facility Address 2: Not reported
Investigator: TOMASELLO
Spiller Contact: MR MULRY
Spiller: ROBERT CIRILLO
Spiller Company: WILCO ENERGY CORP
Spiller Address: 95 PLAIN AV
NEW ROCHELLE, NY 10801
Spiller County: 001
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/19/03
Spill Notifier: RESPONSIBLE PARTY
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Record Last Update: 02/19/03
Region of Spill: 2
DER Facility ID: 229269
CID: 17
Reported to Dept: 01/23/98
DEC Region: 2
Spill Source: PRIVATE DWELLING
Facility Tele: (914) 235-0195
SWIS: 0301
Spiller Phone: (718) 324-6693

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

4381 MARTHA AV (Continued)

S102960521

Date Spill Entered In Computer Data File: 01/23/98
Remediation Phase: 0
Program Number: 9711900
Material
Material ID : 326534
Site ID : 282414
Operable Unit : 01
Operable Unit ID : 1058266
Material Code : 0001
Material Name : #2 Fuel Oil
Case No. : Not reported
Material FA : Petroleum
Quantity : 2.00
Units : G
Recovered : 2.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 9711900 OVERFILL OF 1-2 GALLONS CAUSED SPILL ONTO
DIRT DRIVEWAY - COMP WENT OUT THERE YESTERDAY TO CHECK ON SPILL & THEY
HAD A MECHANIC GO CLEAN IT UP END CallerRemark - 9711900

Remark: Not reported

HIST LTANKS:

Spill Number: 9711900 Region of Spill: 2
Spill Date: 01/20/1998 12:00 Reported to Dept: 01/23/98 16:39
Water Affected: Not reported Spill Source: Private Dwelling
Resource Affectd: On Land
Spill Cause: Tank Overfill
Facility Contact: ROBERT CIRILLO Facility Tele: (914) 235-0195
Investigator: TOMASELLO SWIS: 60
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: MR MULRY Spiller Phone: (718) 324-6693
Spiller: WILCO ENERGY CORP
Spiller Address: 95 PLAIN AV

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

667 EAST 233RD ST (Continued)

S102672839

Spiller Address: NY
Spiller County: 999
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 02/18/03

Spill Notifier: FIRE DEPARTMENT
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Record Last Update: 02/18/03
Date Spill Entered In Computer Data File: 03/27/95
Remediation Phase: 0
Program Number: 9415196

Material

Material ID : 370379
Site ID : 221724
Operable Unit : 01
Operable Unit ID : 1008646
Material Code : 0001
Material Name : #2 Fuel Oil
Case No. : Not reported
Material FA : Petroleum
Quantity : 10.00
Units : G
Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test

Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 9415196 FD RESPONDING FOR CLEAN UP END CallerRemark - 9415196

Remark: Start DECRemark - 9415196 Prior to Sept, 2004 data translation this spill Lead DEC Field was "ENGELHARDT" 2/18/2003 - Closed Due To The Nature / Extent Of The Spill Report END DECRemark - 9415196

HIST LTANKS:

Spill Number: 9415196 Region of Spill: 2

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

667 EAST 233RD ST (Continued)

S102672839

Spill Date: 02/20/1995 12:10
Water Affected: Not reported
Resource Affectd: On Land
Spill Cause: Tank Overfill
Facility Contact: Not reported
Investigator: ENGELHARDT
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: UNKNOWN
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Spill Notifier: Fire Department
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/27/95
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 10
Units: Gallons
Unknown Qty Spilled: 10
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: FD RESPONDING FOR CLEAN UP

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

82
North
1/4-1/2
2298 ft.

OLD GETTY STATION
159 BRONX RIVER ROAD
YONKERS, NY

LTANKS **S105135271**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:

Actual:
78 ft.

Spill Number:	0104540	Region of Spill:	3
Facility ID:	0104540	DER Facility ID:	116773
Site ID:	136461	CID:	18
Spill Date:	07/27/01	Reported to Dept:	07/27/01
Referred To:	WESTCHESTER CNTY HEALTH D	DEC Region:	3
Water Affected:	Not reported	Spill Source:	GASOLINE STATION
Spill Cause:	TANK OVERFILL		
Facility Address 2:	Not reported	Facility Tele:	(914) 646-1869
Investigator:	jghardy	SWIS:	6018
Spiller Contact:	SCOTT HANLEY	Spiller Phone:	(914) 646-1869
Spiller:	SCOTT HANLEY		
Spiller Company:	OLD GETTY STATION AT		
Spiller Address:	159 BRONX RIVER ROAD		
	YONKERS, NY		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response.		
	Willing Responsible Party. Corrective action taken.		

Spill Closed Dt: 05/08/06

Spill Notifier: OTHER
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: True
 Spill Record Last Update: 05/08/06
 Date Spill Entered In Computer Data File: 07/27/01
 Remediation Phase: 0
 Program Number: 0104540
 Material
 Material ID : 552742
 Site ID : 136461
 Operable Unit : 01
 Operable Unit ID : 842924
 Material Code : 0009
 Material Name : Gasoline
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 0.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False
 Tank Test

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

OLD GETTY STATION (Continued)

S105135271

Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported
DEC Remarks : Start CallerRemark - 0104540 during tank removal (3- 3000 gal)
contaminated soil found END CallerRemark - 0104540
Remark: Start DECRemark - 0104540 Prior to Sept, 2004 data translation this
spill Lead DEC Field was "WCHD - HARDY" 09-17-2001 UST CLOSURE REPORT
PREPARED BY TYREE RECOMMENDED FURTHER INVESTIGATION. COPIES OF THE
REPORT SENT TO WCHD AND DEC. 08/25/
03 ALSO SPILL 02-10631. WCHD JACKSON REFERRED CASE TO JIM HARDY.
5/8/06 levels in monitoring wells reduced to acceptable--close END
DECRemark - 0104540

HIST LTANKS:

Spill Number: 0104540 Region of Spill: 3
Spill Date: 07/27/2001 13:00 Reported to Dept: 07/27/01 16:41
Water Affected: Not reported Spill Source: Gas Station
Resource Affectd: On Land
Spill Cause: Tank Overfill
Facility Contact: SCOTT HANLEY Facility Tele: (914) 646-1869
Investigator: WCDOH SWIS: 55
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: SCOTT HANLEY Spiller Phone: (914) 646-1869
Spiller: OLD GETTY STATION AT
Spiller Address: 159 BRONX RIVER ROAD
YONKERS, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Spill Notifier: Other PBS Number: Not reported
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 11/02/01
Is Updated: True
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/27/01
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

OLD GETTY STATION (Continued)

S105135271

Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 DEC Remarks: 09-17-2001 UST CLOSURE REPORT PREPARED BY TYREE RECOMMENDED FURTHER INVESTIGATION. COPIES OF THE REPORT SENT TO WCHD AND DEC.
 Spill Cause: during tank removal 3- 3000 gal) contaminated soil found

**83
 SE
 1/4-1/2
 2322 ft.**

**4307 BARNES AVENUE
 4307 BARNES AV
 NYC, NY**

**LTANKS S100145186
 HIST LTANKS N/A**

**Relative:
 Higher**

LTANKS:

**Actual:
 176 ft.**

Spill Number: 8804078	Region of Spill: 2
Facility ID: 8804078	DER Facility ID: 274676
Site ID: 79822	CID: Not reported
Spill Date: 08/09/88	Reported to Dept: 08/09/88
Referred To: Not reported	DEC Region: 2
Water Affected: Not reported	Spill Source: INSTITUTIONAL, EDUCATIONAL, GOV., OTHER
Spill Cause: TANK TEST FAILURE	
Facility Address 2: Not reported	Facility Tele: (212) 324-5340
Investigator: BATTISTA	SWIS: 0301
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: Not reported	
Spiller Company: UNK	
Spiller Address: FR WELTON(CNTCT), ZZ	
Spiller County: 001	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 02/23/93	
Spill Notifier: TANK TESTER	
Cleanup Ceased: 02/23/93	
Last Inspection: / /	
Cleanup Meets Standard: False	
Recommended Penalty: Penalty Not Recommended	
UST Trust: False	
Spill Record Last Update: 05/12/94	
Date Spill Entered In Computer Data File: 08/23/88	
Remediation Phase: 0	
Program Number: 8804078	
Material	
Material ID : 459599	
Site ID : 79822	
Operable Unit : 01	
Operable Unit ID : 921243	
Material Code : 0001	
Material Name : #2 Fuel Oil	
Case No. : Not reported	

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

4307 BARNES AVENUE (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S100145186

Material FA : Petroleum
 Quantity : -1.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : No
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : Yes
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False

Tank Test

Spill Tank Test : 8987
 Site ID : 79822
 Tank Number : Not reported
 Tank Size : 0
 Test Method : 00
 Leak Rate : 0.00
 Gross Fail : Not reported
 Modified By : Spills
 Last Modified : 10/01/04
 Test Method : Unknown

DEC Remarks : Start CallerRemark - 8804078 3K TANK, VISIBLE LEAK. LEAK WAS STOPPED.
 I & R. END CallerRemark - 8804078

Remark: Not reported

HIST LTANKS:

Spill Number: 8804078	Region of Spill: 2
Spill Date: 08/09/1988 13:00	Reported to Dept: 08/09/88 13:37
Water Affected: Not reported	Spill Source: Other Non Commercial/Industrial
Resource Affected: Groundwater	
Spill Cause: Tank Test Failure	
Facility Contact: Not reported	Facility Tele: (212) 324-5340
Investigator: BATTISTA	SWIS: 60
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: UNK	
Spiller Address: FR WELTON(CNTCT)	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 02/23/93	
Spill Notifier: Tank Tester	PBS Number: 2-271594
Cleanup Ceased: 02/23/93	
Last Inspection: / /	
Cleanup Meets Standard: False	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: / /	
Enforcement Date: / /	
Investigation Complete: / /	
UST Involvement: False	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

4307 BARNES AVENUE (Continued)

S100145186

Spill Record Last Update: 05/12/94
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/23/88
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: -1
Units: Gallons
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: 3K TANK, VISIBLE LEAK. LEAK WAS STOPPED. I R.

84
NE
1/4-1/2
2414 ft.

HARUN RES
4719 MATILVA AVE
BRONKS, NY

LTANKS S102233210
HIST LTANKS N/A

Relative:
Higher

Actual:
136 ft.

LTANKS:

Spill Number: 9508758
Facility ID: 9508758
Site ID: 161145
Spill Date: 10/17/95
Referred To: Not reported
Water Affected: Not reported
Spill Cause: TANK FAILURE
Facility Address 2: Not reported
Investigator: LUCE
Spiller Contact: Not reported
Spiller: Not reported
Spiller Company: HARUN RES
Spiller Address: 4719 MATILVA AVE
BRONKS, NY 10470
Spiller County: 001
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/17/95
Spill Notifier: OTHER
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Record Last Update: 11/08/95
Date Spill Entered In Computer Data File: 10/17/95
Region of Spill: 2
DER Facility ID: 136051
CID: 17
Reported to Dept: 10/17/95
DEC Region: 2
Spill Source: PRIVATE DWELLING
Facility Tele: (718) 325-6735
SWIS: 0301
Spiller Phone: (718) 325-6735

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

HARUN RES (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102233210

Remediation Phase: 0
Program Number: 9508758
Material
Material ID : 359718
Site ID : 161145
Operable Unit : 01
Operable Unit ID : 1023118
Material Code : 0001
Material Name : #2 Fuel Oil
Case No. : Not reported
Material FA : Petroleum
Quantity : 1.00
Units : G
Recovered : 1.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False
Tank Test
Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported
DEC Remarks : Start CallerRemark - 9508758 TANK IS PORIS TANK TO BE REPAIRED CLEAN
UP COMPLETED BY CALLER END CallerRemark - 9508758
Remark: Not reported
HIST LTANKS:
Spill Number: 9508758 Region of Spill: 2
Spill Date: 10/17/1995 13:30 Reported to Dept: 10/17/95 15:35
Water Affected: Not reported Spill Source: Private Dwelling
Resource Affectd: On Land
Spill Cause: Tank Failure
Facility Contact: Not reported Facility Tele: (718) 325-6735
Investigator: LUCE SWIS: 60
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (718) 325-6735
Spiller: HARUN RES
Spiller Address: 4719 MATILVA AVE
BRONKS, NY 10470

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HARUN RES (Continued)

S102233210

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/17/95
 Spill Notifier: Other PBS Number: Not reported
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: / /
 Enforcement Date: / /
 Investigation Complete: / /
 UST Involvement: False
 Spill Record Last Update: 11/08/95
 Is Updated: False
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 10/17/95
 Date Region Sent Summary to Central Office: / /
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 1
 Units: Gallons
 Unknown Qty Spilled: Yes
 Quantity Recovered: 1
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: 10/17/95 - 15:55 CALLED SHAW AT WHALECO - TANK IS IN THE BASEMENT NO SIG
 NIFICANT DISCHARGE - TANK TO BE REPLACED
 Spill Cause: TANK IS PORIS TANK TO BE REPAIRED CLEAN UP COMPLETED BY CALLER

85
WSW
1/4-1/2
2435 ft.

324 EAST 236TH ST
324 EAST 236TH ST
BRONX, NY

LTANKS **S102672621**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
141 ft.

Spill Number: 9408735 Region of Spill: 2
 Facility ID: 9408735 DER Facility ID: 202807
 Site ID: 247004 CID: 17
 Spill Date: 09/30/94 Reported to Dept: 09/30/94
 Referred To: Not reported DEC Region: 2
 Water Affected: Not reported Spill Source: PRIVATE DWELLING
 Spill Cause: TANK OVERFILL
 Facility Address 2: Not reported Facility Tele: Not reported
 Investigator: SMMARTIN SWIS: 0301
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: Not reported
 Spiller Company: WHALECO
 Spiller Address: ZZ

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

324 EAST 236TH ST (Continued)

S102672621

Spiller County: 001
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 09/30/94

Spill Notifier: RESPONSIBLE PARTY

Cleanup Ceased: 09/30/94

Last Inspection: / /

Cleanup Meets Standard: True

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Record Last Update: 09/30/04

Date Spill Entered In Computer Data File: 11/01/94

Remediation Phase: 0

Program Number: 9408735

Material

Material ID : 378160

Site ID : 247004

Operable Unit : 01

Operable Unit ID : 1006451

Material Code : 0001

Material Name : #2 Fuel Oil

Case No. : Not reported

Material FA : Petroleum

Quantity : 1.00

Units : G

Recovered : 0.00

Resource Affected - Soil : Yes

Resource Affected - Air : No

Resource Affected - Indoor Air : No

Resource Affected - Groundwater : No

Resource Affected - Surface Water : No

Resource Affected - Drinking Wtr : No

Resource Affected - Sewer : No

Resource Affected - Impervious Surface : No

Resource Affected - Subway : No

Resource Affected - Utility : No

Resource Affected - Impervious Surface : No

Oxygenate : False

Tank Test

Spill Tank Test : Not reported

Site ID : Not reported

Tank Number : Not reported

Tank Size : Not reported

Test Method : Not reported

Leak Rate : Not reported

Gross Fail : Not reported

Modified By : Not reported

Last Modified : Not reported

Test Method : Not reported

DEC Remarks : Start CallerRemark - 9408735 OVERFILL-TANK WAS FULL AT TIME OF
DELIVERY-SPILL ON GOUND ALL CLEANED UP. END CallerRemark
- 9408735

Remark: Start DECRemark - 9408735 Prior to Sept, 2004 data translation this
spill Lead DEC Field was "MARTINKAT" END DECRemark - 9408735

HIST LTANKS:

Spill Number: 9408735

Region of Spill: 2

Spill Date: 09/30/1994 13:00

Reported to Dept: 09/30/94 13:58

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

324 EAST 236TH ST (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102672621

Water Affected: Not reported
Resource Affectd: On Land
Spill Cause: Tank Overfill
Facility Contact: Not reported
Investigator: MARTINKAT
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: WHALECO
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/30/94
Spill Notifier: Responsible Party
Cleanup Ceased: 09/30/94
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: / /
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/01/94
Date Region Sent Summary to Central Office: / /
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: OVERFILL-TANK WAS FULL AT TIME OF DELIVERY-SPILL ON GOUND ALL CLEANED UP

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

86
South
1/4-1/2
2458 ft.

638 E. 232RD ST
BRONX, NY

LTANKS **S106000148**
N/A

Relative:
Higher

LTANKS:

Actual:
146 ft.

Spill Number:	0307264	Region of Spill:	2
Facility ID:	0307264	DER Facility ID:	249609
Site ID:	309066	CID:	322
Spill Date:	10/09/03	Reported to Dept:	10/09/03
Referred To:	Not reported	DEC Region:	2
Water Affected:	Not reported	Spill Source:	PRIVATE DWELLING
Spill Cause:	TANK FAILURE		
Facility Address 2:	Not reported	Facility Tele:	(718) 798-6986
Investigator:	JMKRIMGO	SWIS:	0301
Spiller Contact:	OLGA SANTIAGO	Spiller Phone:	(718) 798-6986
Spiller:	OLGA SANTIAGO		
Spiller Company:	Not reported		
Spiller Address:	638 E. 232RD ST		
	BRONX, NY		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response.		
	Willing Responsible Party. Corrective action taken.		

Spill Closed Dt: 10/10/03

Spill Notifier: OTHER
 Cleanup Ceased: / /
 Last Inspection: / /
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Record Last Update: 12/16/03
 Date Spill Entered In Computer Data File: 10/09/03
 Remediation Phase: 0
 Program Number: 0307264

Material

Material ID :	500817	
Site ID :	309066	
Operable Unit :	01	
Operable Unit ID :	873796	
Material Code :	0001	
Material Name :	#2 Fuel Oil	
Case No. :	Not reported	
Material FA :	Petroleum	
Quantity :	0.00	
Units :	G	
Recovered :		0.00
Resource Affected - Soil :		Yes
Resource Affected - Air :		No
Resource Affected - Indoor Air :		No
Resource Affected - Groundwater :		No
Resource Affected - Surface Water :		No
Resource Affected - Drinking Wtr :		No
Resource Affected - Sewer :		No
Resource Affected - Impervious Surface :		No
Resource Affected - Subway :		No
Resource Affected - Utility :		No
Resource Affected - Impervious Surface :		No
Oxygenate :		False

Tank Test

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

(Continued)

S106000148

Spill Tank Test : Not reported
 Site ID : Not reported
 Tank Number : Not reported
 Tank Size : Not reported
 Test Method : Not reported
 Leak Rate : Not reported
 Gross Fail : Not reported
 Modified By : Not reported
 Last Modified : Not reported
 Test Method : Not reported
 DEC Remarks : Start CallerRemark - 0307264 275 ABOVE GROUND TANK WAS LEAKING - SPILL INTO 1 1/2 FT OF SAND IN A BASEMENT - CLEAN UP WILL DONE TOMORROW END CallerRemark - 0307264
 Remark: Start DECRemark - 0307264 Prior to Sept, 2004 data translation this spill Lead DEC Field was "KRIMGOLD" 10/10/2003 Sangesland spoke with Petro service rep at the house. He says the existing 275 gal tank was corroded and there was a slow drip off the bottom of the tank. As of this afternoon, the tank was being pumped out, a temp tank was being set up and Petro was setting up a subcontractor to remove, replace and clean up the existing tank. Floor is solid cement with no cracks. The leak is contained by a large pile of sand and a total of 1 or 2 gallons is in the pile of sand. This sand will be removed and the tank replaced around Oct 14-16. Call homeowner back after 10/16 to confirm tank & cleanup was done. END DECRemark - 0307264
 4

87
 West
 1/4-1/2
 2566 ft.

BASEMENT-MINOR SPILL
303 EAST 238TH ST
BRONX, NY

LTANKS S106971879
N/A

Relative:
 Higher

Actual:
 147 ft.

LTANKS:

Spill Number:	0502109	Region of Spill:	2
Facility ID:	0502109	DER Facility ID:	292658
Site ID:	346403	CID:	17
Spill Date:	05/21/05	Reported to Dept:	05/21/05
Referred To:	Not reported	DEC Region:	2
Water Affected:	Not reported	Spill Source:	PRIVATE DWELLING
Spill Cause:	TANK OVERFILL		
Facility Address 2:	Not reported	Facility Tele:	(914) 234-0644
Investigator:	JXZHAO	SWIS:	0301
Spiller Contact:	FRANK MILITO	Spiller Phone:	(914) 234-0644
Spiller:	FRANK MILITO		
Spiller Company:	PETRO FUEL		
Spiller Address:	BRONX, NY		
Spiller County:	001		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	07/11/05		
Spill Notifier:	RESPONSIBLE PARTY		
Cleanup Ceased:	/ /		
Last Inspection:	/ /		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
UST Trust:	False		
Spill Record Last Update:	07/11/05		
Date Spill Entered In Computer Data File:	05/22/05		
Remediation Phase:	0		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

BASEMENT-MINOR SPILL (Continued)

S106971879

Program Number: 0502109
 Material
 Material ID : 584334
 Site ID : 346403
 Operable Unit : 01
 Operable Unit ID : 1104174
 Material Code : 0001
 Material Name : #2 Fuel Oil
 Case No. : Not reported
 Material FA : Petroleum
 Quantity : 5.00
 Units : G
 Recovered : 0.00
 Resource Affected - Soil : Yes
 Resource Affected - Air : No
 Resource Affected - Indoor Air : No
 Resource Affected - Groundwater : No
 Resource Affected - Surface Water : No
 Resource Affected - Drinking Wtr : No
 Resource Affected - Sewer : No
 Resource Affected - Impervious Surface : No
 Resource Affected - Subway : No
 Resource Affected - Utility : No
 Resource Affected - Impervious Surface : No
 Oxygenate : False
 Tank Test
 Spill Tank Test : Not reported
 Site ID : Not reported
 Tank Number : Not reported
 Tank Size : Not reported
 Test Method : Not reported
 Leak Rate : Not reported
 Gross Fail : Not reported
 Modified By : Not reported
 Last Modified : Not reported
 Test Method : Not reported
 DEC Remarks : Start CallerRemark - 0502109 Five gallon spill on concrete floor in
 basement due to tank overflow. Clean up is in progress. END CallerRemark
 - 0502109
 Remark: Not reported

88
North
1/4-1/2
2631 ft.

33 HART AVENUE
33 HART AVENUE
YONKERS, NY

LTANKS S106124197
N/A

Relative:
Higher

Actual:
158 ft.

LTANKS:
 Spill Number: 0307679 Region of Spill: 3
 Facility ID: 0307679 DER Facility ID: 213264
 Site ID: 261159 CID: 18
 Spill Date: 10/21/03 Reported to Dept: 10/21/03
 Referred To: Not reported DEC Region: 3
 Water Affected: Not reported Spill Source: COMMERCIAL/INDUSTRIAL
 Spill Cause: TANK FAILURE
 Facility Address 2: Not reported Facility Tele: (914) 819-8033
 Investigator: jboodee SWIS: 6018
 Spiller Contact: PAOLA CORONEL Spiller Phone: (914) 747-9741
 Spiller: ROMAN KOCICKY
 Spiller Company: 33 HART AVENUE CORP

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

33 HART AVENUE (Continued)

S106124197

Spiller Address: 33 HART AVENUE
YONKERS, NY 10704
Spiller County: 001
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/12/03
Spill Notifier: LOCAL AGENCY
Cleanup Ceased: / /
Last Inspection: 10/21/03
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Record Last Update: 12/12/03
Date Spill Entered In Computer Data File: 10/21/03
Remediation Phase: 0
Program Number: 0307679

Material
Material ID : 501204
Site ID : 261159
Operable Unit : 01
Operable Unit ID : 874075
Material Code : 0001
Material Name : #2 Fuel Oil
Case No. : Not reported
Material FA : Petroleum
Quantity : 0.00
Units : G
Recovered : 0.00
Resource Affected - Soil : Yes
Resource Affected - Air : No
Resource Affected - Indoor Air : No
Resource Affected - Groundwater : No
Resource Affected - Surface Water : No
Resource Affected - Drinking Wtr : No
Resource Affected - Sewer : No
Resource Affected - Impervious Surface : No
Resource Affected - Subway : No
Resource Affected - Utility : No
Resource Affected - Impervious Surface : No
Oxygenate : False

Tank Test
Spill Tank Test : Not reported
Site ID : Not reported
Tank Number : Not reported
Tank Size : Not reported
Test Method : Not reported
Leak Rate : Not reported
Gross Fail : Not reported
Modified By : Not reported
Last Modified : Not reported
Test Method : Not reported

DEC Remarks : Start CallerRemark - 0307679 TANK REMOVAL IN PROGRESS - CONTAMINATED
SOIL FOUND END CallerRemark - 0307679

Remark: Start DECRemark - 0307679 Prior to Sept, 2004 data translation this
spill Lead DEC Field was "O'DEE" 10/21/03 TANK WAS IMPROPERLY ABANDONED
IN PLACE APPROX TWO YEARS AGO BY RON FOSSATI, R&K CONTRACTING. TANK WAS
FILLED WITH SAND WITH OIL STILL IN T

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

33 HART AVENUE (Continued)

S106124197

HE TANK. TANK WAS NOT RESEALED AND EVENTUALLY FILLED WITH WATER PUSHING OIL OUT OF THE TOP. NO PERMITS WERE TAKEN OUT FROM YONKERS BLDG DEPT AND NO INSPECTION CONDUCTED BY YONKERS FD AS REQUIRED BY YONKERS REGULATIONS. 12/12/03 ELITE DISPOSED OF TANK AND 6.48 TONS OF CONTAMINATED SOIL. END DECRemark - 0307679

89
ENE
1/2-1
4124 ft.

SIGNO TRADING INTERNATIONAL LTD.
200-208 SOUTH 14TH AVENUE
MOUNT VERNON, NY

SHWS S105973046
DEL SHWS N/A

Relative:
Higher

SHWS:

Actual:
136 ft.

Region: 3
Classification C
 Acres: Not reported
 Program: HW
 Site Code: 56075

Site Description :

Location description: This site is located in Mt. Vernon, NY on the Bronx County border. Predominant Site Features: The site was a structure containing a large quantity of toxic, flammable and hazardous substances stored in compressed gas cylinders, 55 gallon drums, 50 pound bags, numerous 5 gallon containers, boxes, jars, and other containers. Current Use: The warehouse was abandoned at time of the remediation in 1987. Use of the property subsequent to delisting of the site in 1990 is unknown. Surrounding Uses: The site is situated in a densely populated residential and light industrial neighborhood. Historical Sources of Contamination: Storage of hazardous substances including flammable liquids and solids, poisonous liquids and solids, oxidizers, strong reducing agents, peroxide forming materials (shock sensitive explosive) and corrosives. Investigations/actions performed to date: In June of 1983, EPA undertook an emergency response after a spill of approximately 30 gallons of ethylene dibromide entered a storm drain on West 3rd Street. Sampling of drums has been done. All wastes in the abandoned warehouse have been removed. The shock sensitive wastes were detonated at with USEPA oversight at Hickok Park in Sullivan County and the remaining wastes were shipped to Thermal Kem. Current Actions: Remediation is complete, no further action is required.

Health Problems Assessment :

Environmental Problems :

Not reported
 Contaminants of Concern: Flammable liquids and solids, poisonous liquids and solids, oxidizers, strong reducing agents, peroxide forming materials (shock sensitive explosive) and corrosives. Impacted Media: No release to the environment was reported. Known SCG Exceedances: None identified Special resources Impacted/Threatened: Prior to remediation, there had been a potential for release of incompatible chemicals with possibility of environmental and health disaster. Significant Threat: The site is remediated and no significant threat is present.

HW Extra

Site Code : 56075
 HW Code : 360013
 Dump : No
 Structure : Yes
 Lagoon : No
 Landfill : No
 Pond : No
 Disp Start : 1980

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SIGNO TRADING INTERNATIONAL LTD. (Continued)

S105973046

Disp Term : 1986
Lat/Long : 00:00:00:0 / 00:00:00:0
Dell : No
Record Add : 11/18/1999 12:00:00 PM
Record Upd : 11/18/1999 12:00:00 PM
Updated By : INITIAL
Owner Operator
Site Code : 56075
HW Code : 360013
Own Op : 01
Seq no : 0000000
Sub Type : E
Name : Not reported
Company : 9 ELM AVENUE CORP.
Address : PO BOX 179 SCRUB OAK ROAD
QUOQUE, NY 11959
Country : United States of America
Site Code : 56075
HW Code : 360013
Own Op : 01
Seq no : 0000001
Sub Type : E
Name : Not reported
Company : 9 Elm Avenue Corporation
Address : PO BOX 179 SCRUB OAK ROAD
QUOQUE, NY 11959
Country : United States of America
Site Code : 56075
HW Code : 360013
Own Op : 03
Seq no : 0000000
Sub Type : NNN
Name : Not reported
Company : 9 ELM AVENUE CORP.
Address : ZZ
Country : United States of America
Site Code : 56075
HW Code : 360013
Own Op : 04
Seq no : 0000001
Sub Type : E
Name : Not reported
Company : Charles and John Colbert
Address : STORMVILLE FEDERAL PENITENTIARY
STORMVILLE, NY 12582
Country : United States of America
Material
Site Code : 56075
HW Code : 360013
Waste Name : PICRIC ACID
Waste Quan : UNKNOWN
Waste Code : Not reported
Site Code : 56075
HW Code : 360013
Waste Name : ETHYL OXIDE
Waste Quan : UNKNOWN
Waste Code : Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIGNO TRADING INTERNATIONAL LTD. (Continued)

S105973046

Site Code : 56075
HW Code : 360013
Waste Name : ETHYL ETHER
Waste Quan : UNKNOWN
Waste Code : Not reported
Site Code : 56075
HW Code : 360013
Waste Name : P - DIOXANE
Waste Quan : UNKNOWN
Waste Code : Not reported
Site Code : 56075
HW Code : 360013
Waste Name : TETRAHYDROFURAN
Waste Quan : UNKNOWN
Waste Code : Not reported
Site Code : 56075
HW Code : 360013
Waste Name : 2,4 - DINITROPHENOL
Waste Quan : UNKNOWN
Waste Code : Not reported
Site Code : 56075
HW Code : 360013
Waste Name : NITROCELLULOSE
Waste Quan : UNKNOWN
Waste Code : Not reported
Site Code : 56075
HW Code : 360013
Waste Name : ACIDS
Waste Quan : UNKNOWN
Waste Code : Not reported
Site Code : 56075
HW Code : 360013
Waste Name : BENZENE
Waste Quan : UNKNOWN
Waste Code : Not reported
Cross Ref
Site Code : 56075
HW Code : 360013
Crossref ID : NYD982181331
Type Code : 05
Xref Type : EPA Site ID
Record Add : 11/18/1999 12:00:00 PM
Record Upd : 5/10/2001 4:31:00 PM
Updated By : REGTRANS

DELETED HWS:

Site Code Id : 360013
Site Classification : D2
Region : 3
Epa Id Number : NYD982181331
Year : Not reported
NYTM X : 0
NYTM Y : 0
Site Type :
Dump : Not reported
Structure : Not reported
Lagoon : Not reported
Landfill : Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

SIGNO TRADING INTERNATIONAL LTD. (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S105973046

Treatment Pond :	Not reported	
Site Size (Acres) :	Acres	
Site Size Comment :	Not reported	
Owner During Use :	Not reported	
Period Associated With HW Start :	Not reported	
Period Associated With HW End :	Not reported	
Lat/Long Degrees :	0° 0' 0" / 0° 0' 0"	
Hazardous Waste Disposed		Quantity
-----		-----
Not Reported		Not Reported

Air Data Available :	Not reported
Surface Water Exists :	Not reported
Ground Water Available :	Not reported
Soil Data Available :	Not reported
Sediment Data Available :	Not reported
Groundwater Std Contravention :	Not reported
Drinking Water Std Contravention :	Not reported
Surface Water Std Contravention :	Not reported
Air Standard Contraventions :	Not reported
Legal Action Type :	Not reported
State Legal Action :	Not reported
Federal Legal Action :	Not reported
Enforcement Status Code :	Not reported
Remedial Action Proposed :	Not reported
Remedial Action Under Design :	Not reported
Remedial Action In Progress :	Not reported
Remedial Action Completed :	Not reported
Remedial Action Type :	In Progress
Soil Type :	Not reported
Depth To Groundwater :	Not reported
Env Problems Assessment :	Not Reported
Owner Name :	9 Elm Avenue Corporation
Owner Address :	PO Box 179 Scrub Oak Road Quoque, NY 11959
Owner Phone :	Not reported
Owner Contact :	
Operator Name :	Not reported
Operator Address :	Stormville Federal Penitentiary Stormville, NY 12582
Operator Phone :	Not reported
Operator Contact Name :	
Latitude :	0 0' 0" / 0 0' 0"
Site Type :	Structure
Owner(s) During Disposal :	9 Elm Avenue Corp.
Operator(s) During Disposal :	Charles and John Colbert
Haz Waste Disposal Period :	From: 1980 To: 1986
Analytical Data Available For :	Not reported
Applicable Std Exceeded In :	Not reported
Geotech Info: Soil/rock Type :	Not reported
Depth To Groundwater :	Not reported
Status :	Not reported
Nature Of Action :	Removal
Site Description :	This site is located in Mt. Vernon, NY on the Bronx County border. It is situated in a densely populated residential and light industrial neighborhood. The site was a structure containing a large quantity of toxic, flammable and hazardous substances stored in compressed gas

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

SIGNO TRADING INTERNATIONAL LTD. (Continued)

S105973046

cylinders, 55 gallon drums, 50 pound bags, numerous 5 gallon containers, boxes, jars, and other containers. The types of chemicals include flammable liquids and solids, poisonous liquids and solids, oxidizers, strong reducing agents, peroxide forming materials (shock sensitive explosive) and corrosives. Sampling of drums has been done. All wastes in the abandoned warehouse have been removed. The shock sensitive wastes were detonated at West Point and Hickok Park in Sullivan County and the remaining wastes were shipped to Thermal Kem. There are no reported releases to the environment.

Confirmed Hazardous Waste : Not Reported
 Environment Assessment : Potential for release of incompatible chemicals with possibility of environmental and health disaster.

Health Assessment : Not Reported
 Disposal Start Date : Not reported
 Disposal Terminated Date : Not reported
 Air Violation : Not reported
 Groundwater Violation : Not reported
 Drink Water Violation : Not reported
 Surface Water Violation : Not reported
 Legal New York State : Not reported
 Legal Federal : Not reported
 Legal State : Not reported
 Remedial Action Active : Not reported
 Remedial Action Done : Not reported
 NPL Status : Not reported
 Count Operator : Not reported
 Count Owner : Not reported
 Lat/Long Decimal : 0.00000 / 0.00000
 Co Name : Not reported
 Co Addr : Not reported
 Operator Addr : Not reported
 Operator Addr 2 : Not reported
 Operator Addr 3 : Not reported
 Operator Addr 4 : Not reported
 HWDP From : Not reported
 From To: Not reported
 Assessment Of Health : Not reported
 Environmental Assessment : Not reported
 Haz Waste Disposed / Quantity : Not reported
 Description : Not reported
 Assessment of Env Programs : Not reported
 Assessment of Health Problems : Not reported
 Site Description : Not reported

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BRONX	1007206250	CON ED - E 226TH ST & GUN HILL RD	E 226TH ST & GUN HILL RD	10466	RCRA-SQG, NY MANIFEST
BRONX	S107522030	JOSEPH RESIDENCE	952 EAST 229TH ST	10466	NY Spills
BRONX	1004762645	MTA NYCT - 238TH STREET STATION	238TH ST & ROAD LINE	10470	RCRA-SQG, FINDS, NY MANIFEST
BRONX	1001485611	NYCDOT 241 STREET BRIDGE	241ST ST BRG OVER BRONX RIVER	10466	FINDS, RCRA-LQG, NY MANIFEST
BRONX	S107668133	USA RECYCLING INC.	4817 BALDWIN STREET	10470	SWF/LF
BRONX	S104194990	E 233RD ST ACROSS FROM	BAYCHESTER AVE		NY Spills, NY Hist Spills
BRONX	1009243167	CONSOLIDATED EDISON	BROADWAY / 238TH ST		NY MANIFEST
BRONX	1007206718	CON ED MH 27319	BRONX BLVD 5 S/N/C E 222 ST	10466	RCRA-SQG, NY MANIFEST
BRONX	S106011169	BRONX RIVER	BRONX RIVER / NEREID AVE		NY Spills
BRONX	S102401869	MANHOLE 28991	BRONX BLVD EAST		NY Spills, NY Hist Spills
BRONX	S104653047	HUNTS POINT DRAWBRIDGE	BRONX RIVER RD		NY Spills, NY Hist Spills
BRONX	1007206051	NYC DEP	615 BULLARD AVE	10470	RCRA-SQG, NY MANIFEST
BRONX	S106012784	BRONX BLVD	CARPENTER AVE / BRONX BLV		NY Spills
BRONX	S104647945		EXIT 7B ON RTE 95		NY Spills, NY Hist Spills
BRONX	S103937860	GETTY GAS STATION	1413 EL GRANT HIGHWAY		NY Spills, NY Hist Spills
BRONX	1008986331	CONSOLIDATED EDISON CO OF NY	JEROME AVE / 182ND ST		CT MANIFEST
BRONX	U000416950	ST ANTHONY CONVENT	4500 MATILDA AVE	10470	HIST UST
BRONX	1009242179	CONSOLIDATED EDISON	MH27320-BRONX BLVD E 216TH ST		NY MANIFEST
BRONX	1007880977	NYCDOT BRIDGE BIN 1067150	NEREID AVE BRG OVER BRONX RIV	10470	RCRA-SQG
BRONX	S106435279	PRO CLEAN	686B NEREID AVENUE	10470	DRYCLEANERS
BRONX	U000404144	WAKEFIELD ARMS	660 NEREID AVE	10470	HIST UST
BRONX	S106014386		NEREID AV / 237TH STREET		NY Spills
BRONX	S107488594	IFO TASK FORCE	STATE 87 EXIT - I 95 HWY		NY Spills
NEW YORK CITY	A100293824	E. 228 REALTY, LLC	711 EAST 228TH STREET	10466	AST
NEW YORK CITY	A100292502	529 E. 235TH ST. LLC	529 EAST 235TH STREET	10470	AST

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

FEDERAL RECORDS

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 04/19/2006	Source: EPA
Date Data Arrived at EDR: 05/05/2006	Telephone: N/A
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 05/05/2006
Number of Days to Update: 17	Next Scheduled EDR Contact: 07/31/2006
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

Date of Government Version: 04/19/2006	Source: EPA
Date Data Arrived at EDR: 05/05/2006	Telephone: N/A
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 05/05/2006
Number of Days to Update: 17	Next Scheduled EDR Contact: 07/31/2006
	Data Release Frequency: Quarterly

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/19/2006	Source: EPA
Date Data Arrived at EDR: 05/05/2006	Telephone: N/A
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 05/05/2006
Number of Days to Update: 17	Next Scheduled EDR Contact: 07/31/2006
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NPL RECOVERY: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 05/23/2006
Number of Days to Update: 56	Next Scheduled EDR Contact: 08/21/2006
	Data Release Frequency: No Update Planned

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 02/01/2006	Source: EPA
Date Data Arrived at EDR: 03/21/2006	Telephone: 703-413-0223
Date Made Active in Reports: 04/13/2006	Last EDR Contact: 06/22/2006
Number of Days to Update: 23	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Quarterly

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 02/01/2006	Source: EPA
Date Data Arrived at EDR: 03/21/2006	Telephone: 703-413-0223
Date Made Active in Reports: 04/13/2006	Last EDR Contact: 06/23/2006
Number of Days to Update: 23	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Quarterly

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/15/2006	Source: EPA
Date Data Arrived at EDR: 03/17/2006	Telephone: 800-424-9346
Date Made Active in Reports: 04/13/2006	Last EDR Contact: 05/21/2006
Number of Days to Update: 27	Next Scheduled EDR Contact: 09/04/2006
	Data Release Frequency: Quarterly

RCRA: Resource Conservation and Recovery Act Information

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/09/2006	Source: EPA
Date Data Arrived at EDR: 04/27/2006	Telephone: 800-424-9346
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 06/28/2006
Number of Days to Update: 33	Next Scheduled EDR Contact: 08/21/2006
	Data Release Frequency: Quarterly

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2005	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 01/12/2006	Telephone: 202-260-2342
Date Made Active in Reports: 02/21/2006	Last EDR Contact: 07/25/2006
Number of Days to Update: 40	Next Scheduled EDR Contact: 10/23/2006
	Data Release Frequency: Annually

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2005	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 04/14/2006	Telephone: 202-366-4555
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 07/19/2006
Number of Days to Update: 46	Next Scheduled EDR Contact: 10/16/2006
	Data Release Frequency: Annually

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 03/21/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/27/2006	Telephone: 703-603-8905
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 07/03/2006
Number of Days to Update: 56	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 03/21/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/27/2006	Telephone: 703-603-8905
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 07/03/2006
Number of Days to Update: 56	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2004	Source: USGS
Date Data Arrived at EDR: 02/08/2005	Telephone: 703-692-8801
Date Made Active in Reports: 08/04/2005	Last EDR Contact: 05/12/2006
Number of Days to Update: 177	Next Scheduled EDR Contact: 08/07/2006
	Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/05/2005	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 01/19/2006	Telephone: 202-528-4285
Date Made Active in Reports: 02/21/2006	Last EDR Contact: 07/17/2006
Number of Days to Update: 33	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Varies

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients--States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 04/26/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/27/2006	Telephone: 202-566-2777
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 06/12/2006
Number of Days to Update: 33	Next Scheduled EDR Contact: 09/11/2006
	Data Release Frequency: Semi-Annually

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/14/2004	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 02/15/2005	Telephone: Varies
Date Made Active in Reports: 04/25/2005	Last EDR Contact: 07/24/2006
Number of Days to Update: 69	Next Scheduled EDR Contact: 10/23/2006
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 04/13/2006	Source: EPA
Date Data Arrived at EDR: 04/28/2006	Telephone: 703-416-0223
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 07/06/2006
Number of Days to Update: 32	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 11/04/2005	Source: Department of Energy
Date Data Arrived at EDR: 11/28/2005	Telephone: 505-845-0011
Date Made Active in Reports: 01/30/2006	Last EDR Contact: 06/21/2006
Number of Days to Update: 63	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 03/09/2006	Source: EPA
Date Data Arrived at EDR: 04/13/2006	Telephone: 202-564-6064
Date Made Active in Reports: 05/19/2006	Last EDR Contact: 07/06/2006
Number of Days to Update: 36	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Quarterly

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2003	Source: EPA
Date Data Arrived at EDR: 07/13/2005	Telephone: 202-566-0250
Date Made Active in Reports: 08/17/2005	Last EDR Contact: 06/22/2006
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002	Source: EPA
Date Data Arrived at EDR: 04/14/2006	Telephone: 202-260-5521
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 07/17/2006
Number of Days to Update: 46	Next Scheduled EDR Contact: 10/16/2006
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/29/2006	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/26/2006	Telephone: 202-566-1667
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 06/19/2006
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Date of Government Version: 03/31/2006	Source: EPA
Date Data Arrived at EDR: 04/26/2006	Telephone: 202-566-1667
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 06/19/2006
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Quarterly

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2004	Source: EPA
Date Data Arrived at EDR: 05/11/2006	Telephone: 202-564-4203
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 07/17/2006
Number of Days to Update: 11	Next Scheduled EDR Contact: 10/16/2006
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 02/13/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/21/2006	Telephone: 202-564-5088
Date Made Active in Reports: 05/11/2006	Last EDR Contact: 07/17/2006
Number of Days to Update: 20	Next Scheduled EDR Contact: 10/16/2006
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 12/27/2005	Source: EPA
Date Data Arrived at EDR: 02/08/2006	Telephone: 202-566-0500
Date Made Active in Reports: 02/27/2006	Last EDR Contact: 06/28/2006
Number of Days to Update: 19	Next Scheduled EDR Contact: 08/07/2006
	Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/12/2006	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 04/26/2006	Telephone: 301-415-7169
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 07/03/2006
Number of Days to Update: 34	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Quarterly

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/09/2006	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 03/29/2006	Telephone: 303-231-5959
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 06/28/2006
Number of Days to Update: 62	Next Scheduled EDR Contact: 09/25/2006
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/27/2006	Source: EPA
Date Data Arrived at EDR: 05/02/2006	Telephone: N/A
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 04/03/2006
Number of Days to Update: 28	Next Scheduled EDR Contact: 07/03/2006
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/05/2006
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/04/2006
	Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2003	Source: EPA/NTIS
Date Data Arrived at EDR: 06/17/2005	Telephone: 800-424-9346
Date Made Active in Reports: 08/04/2005	Last EDR Contact: 07/21/2006
Number of Days to Update: 48	Next Scheduled EDR Contact: 09/11/2006
	Data Release Frequency: Biennially

STATE AND LOCAL RECORDS

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 09/01/2002	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/15/2002	Telephone: 518-402-9564
Date Made Active in Reports: 10/30/2002	Last EDR Contact: 05/30/2006
Number of Days to Update: 15	Next Scheduled EDR Contact: 08/28/2006
	Data Release Frequency: No Update Planned

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/25/2006
Date Data Arrived at EDR: 06/15/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 06/15/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Annually

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 05/25/2006
Date Data Arrived at EDR: 06/15/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 06/15/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Annually

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 05/03/2006
Date Data Arrived at EDR: 05/03/2006
Date Made Active in Reports: 05/17/2006
Number of Days to Update: 14

Source: Department of Environmental Conservation
Telephone: 518-457-2051
Last EDR Contact: 05/01/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: Semi-Annually

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 05/03/2006
Date Data Arrived at EDR: 05/03/2006
Date Made Active in Reports: 05/17/2006
Number of Days to Update: 14

Source: Department of Environmental Conservation
Telephone: 518-402-8705
Last EDR Contact: 05/01/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: Semi-Annually

SWTIRE: Registered Waste Tire Storage & Facility List

Date of Government Version: 04/01/2004
Date Data Arrived at EDR: 05/19/2004
Date Made Active in Reports: 06/25/2004
Number of Days to Update: 37

Source: Department of Environmental Conservation
Telephone: 518-402-8694
Last EDR Contact: 05/19/2006
Next Scheduled EDR Contact: 08/14/2006
Data Release Frequency: Annually

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 06/06/2006
Date Data Arrived at EDR: 06/22/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 28

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/22/2006
Next Scheduled EDR Contact: 08/21/2006
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 05/24/2006
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/19/2006
Number of Days to Update: 47

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/26/2006
Next Scheduled EDR Contact: 10/23/2006
Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 10/24/2005
Next Scheduled EDR Contact: 01/23/2006
Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: Varies

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/24/2006
Next Scheduled EDR Contact: 10/23/2006
Data Release Frequency: Varies

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 05/24/2006
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/19/2006
Number of Days to Update: 47

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/26/2006
Next Scheduled EDR Contact: 10/23/2006
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/02/2006	Telephone: 518-402-9549
Date Made Active in Reports: 07/20/2006	Last EDR Contact: 07/24/2006
Number of Days to Update: 48	Next Scheduled EDR Contact: 10/23/2006
	Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002	Source: NYSDEC
Date Data Arrived at EDR: 02/20/2002	Telephone: 518-402-9549
Date Made Active in Reports: 03/22/2002	Last EDR Contact: 07/25/2005
Number of Days to Update: 30	Next Scheduled EDR Contact: 10/24/2005
	Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 05/02/2006	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 05/31/2006	Telephone: 518-402-8651
Date Made Active in Reports: 06/27/2006	Last EDR Contact: 05/31/2006
Number of Days to Update: 27	Next Scheduled EDR Contact: 08/28/2006
	Data Release Frequency: Annually

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 06/06/2006	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/22/2006	Telephone: 518-402-9549
Date Made Active in Reports: 07/20/2006	Last EDR Contact: 06/22/2006
Number of Days to Update: 28	Next Scheduled EDR Contact: 08/21/2006
	Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 07/08/2005	Telephone: 518-402-9549
Date Made Active in Reports: 07/14/2005	Last EDR Contact: 07/07/2005
Number of Days to Update: 6	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/25/2006
Date Data Arrived at EDR: 06/15/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 06/15/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 05/25/2006
Date Data Arrived at EDR: 06/15/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 06/15/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Quarterly

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 05/25/2006
Date Data Arrived at EDR: 06/15/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-9711
Last EDR Contact: 06/15/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Semi-Annually

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 06/15/2004
Date Data Arrived at EDR: 06/15/2004
Date Made Active in Reports: 07/29/2004
Number of Days to Update: 44

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 05/21/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 05/25/2006
Date Data Arrived at EDR: 06/15/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-9764
Last EDR Contact: 06/15/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Semi-Annually

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 05/11/2006
Date Data Arrived at EDR: 05/11/2006
Date Made Active in Reports: 06/27/2006
Number of Days to Update: 47

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 05/09/2006
Next Scheduled EDR Contact: 08/07/2006
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

AIRS: Air Emissions Data

Date of Government Version: 12/31/2002
Date Data Arrived at EDR: 09/13/2004
Date Made Active in Reports: 10/18/2004
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 06/05/2006
Next Scheduled EDR Contact: 08/21/2006
Data Release Frequency: Annually

TRIBAL RECORDS

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 02/08/2005
Date Made Active in Reports: 08/04/2005
Number of Days to Update: 177

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 05/12/2006
Next Scheduled EDR Contact: 08/07/2006
Data Release Frequency: Semi-Annually

EDR PROPRIETARY RECORDS

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

Date of Government Version: 03/28/2006
Date Data Arrived at EDR: 04/03/2006
Date Made Active in Reports: 04/27/2006
Number of Days to Update: 24

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 05/30/2006
Next Scheduled EDR Contact: 08/28/2006
Data Release Frequency: Quarterly

Cortland County Storage Tank Listing

Date of Government Version: 03/28/2006
Date Data Arrived at EDR: 04/03/2006
Date Made Active in Reports: 04/27/2006
Number of Days to Update: 24

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 05/30/2006
Next Scheduled EDR Contact: 08/28/2006
Data Release Frequency: Quarterly

NASSAU COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Registered Tank Database

Date of Government Version: 05/21/2003
Date Data Arrived at EDR: 05/27/2003
Date Made Active in Reports: 06/09/2003
Number of Days to Update: 13

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 05/01/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: No Update Planned

Storage Tank Database

Date of Government Version: 05/25/2004
Date Data Arrived at EDR: 06/08/2004
Date Made Active in Reports: 07/29/2004
Number of Days to Update: 51

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 06/07/2006
Next Scheduled EDR Contact: 08/07/2006
Data Release Frequency: Varies

Storage Tank Database

Date of Government Version: 05/25/2004
Date Data Arrived at EDR: 06/08/2004
Date Made Active in Reports: 07/29/2004
Number of Days to Update: 51

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 06/07/2006
Next Scheduled EDR Contact: 08/07/2006
Data Release Frequency: Varies

Registered Tank Database

Date of Government Version: 05/21/2003
Date Data Arrived at EDR: 05/27/2003
Date Made Active in Reports: 06/09/2003
Number of Days to Update: 13

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 05/01/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: No Update Planned

ROCKLAND COUNTY:

Petroleum Bulk Storage Database

Date of Government Version: 04/21/2006
Date Data Arrived at EDR: 04/24/2006
Date Made Active in Reports: 05/24/2006
Number of Days to Update: 30

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 07/03/2006
Next Scheduled EDR Contact: 10/02/2006
Data Release Frequency: Quarterly

Petroleum Bulk Storage Database

Date of Government Version: 04/21/2006
Date Data Arrived at EDR: 04/24/2006
Date Made Active in Reports: 05/22/2006
Number of Days to Update: 28

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 07/03/2006
Next Scheduled EDR Contact: 10/02/2006
Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database

Date of Government Version: 06/21/2005
Date Data Arrived at EDR: 09/19/2005
Date Made Active in Reports: 11/03/2005
Number of Days to Update: 45

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 06/02/2006
Next Scheduled EDR Contact: 08/28/2006
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Storage Tank Database

Date of Government Version: 06/21/2005
Date Data Arrived at EDR: 09/19/2005
Date Made Active in Reports: 11/03/2005
Number of Days to Update: 45

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 06/02/2006
Next Scheduled EDR Contact: 08/28/2006
Data Release Frequency: Annually

WESTCHESTER COUNTY:

Listing of Storage Tanks

Listing of aboveground storage tanks in Westchester County.

Date of Government Version: 05/05/2005
Date Data Arrived at EDR: 05/31/2005
Date Made Active in Reports: 06/30/2005
Number of Days to Update: 30

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 05/31/2006
Next Scheduled EDR Contact: 08/28/2006
Data Release Frequency: Varies

Listing of Storage Tanks

Listing of underground storage tanks in Westchester County.

Date of Government Version: 05/05/2005
Date Data Arrived at EDR: 05/31/2005
Date Made Active in Reports: 06/30/2005
Number of Days to Update: 30

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 05/31/2006
Next Scheduled EDR Contact: 08/28/2006
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 02/17/2006
Date Made Active in Reports: 04/07/2006
Number of Days to Update: 49

Source: Department of Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 06/14/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 04/24/2006
Date Made Active in Reports: 05/02/2006
Number of Days to Update: 8

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 07/05/2006
Next Scheduled EDR Contact: 10/02/2006
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 05/04/2006
Date Made Active in Reports: 06/06/2006
Number of Days to Update: 33

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/12/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 09/30/2005
Date Data Arrived at EDR: 05/09/2006
Date Made Active in Reports: 05/24/2006
Number of Days to Update: 15

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 06/19/2006
Next Scheduled EDR Contact: 09/18/2006
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 03/17/2006
Date Made Active in Reports: 05/17/2006
Number of Days to Update: 61

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 05/15/2006
Next Scheduled EDR Contact: 08/14/2006
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 03/17/2006
Date Made Active in Reports: 05/02/2006
Number of Days to Update: 46

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 07/25/2006
Next Scheduled EDR Contact: 10/09/2006
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation

Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers

Source: Department of Health

Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2006 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

SGT JOSEPH E. MULLER USARC, NY
555 EAST 238TH ST
BRONX, NY 10470

TARGET PROPERTY COORDINATES

Latitude (North): 40.90000 - 40° 54' 0.0"
Longitude (West): 73.8582 - 73° 51' 29.5"
Universal Tranverse Mercator: Zone 18
UTM X (Meters): 596175.6
UTM Y (Meters): 4528072.0
Elevation: 121 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map: 40073-H7 MOUNT VERNON, NY
Most Recent Revision: 1995

West Map: 40073-H8 YONKERS, NJ
Most Recent Revision: 1995

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General NNW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u>	<u>FEMA Flood Electronic Data</u>
BRONX, NY	Not Available

Flood Plain Panel at Target Property: Not Reported

Additional Panels in search area: 3609360010B
3609200005B

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
MOUNT VERNON	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Ordovician
Series: Lower Ordovician and Cambrian carbonate rocks
Code: OC (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinator soil types may appear within the general area of target property.

Soil Surface Textures: loam

Surficial Soil Types: loam

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: gravelly - sandy loam
unweathered bedrock
gravelly - fine sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	USGS2113093	1/4 - 1/2 Mile SSW
A2	USGS2113080	1/4 - 1/2 Mile SSW
B3	USGS2112969	1/2 - 1 Mile NW
B4	USGS2112967	1/2 - 1 Mile NW
B5	USGS2112966	1/2 - 1 Mile NW
B6	USGS2112973	1/2 - 1 Mile NW

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
7	USGS2113011	1/2 - 1 Mile NNE
8	USGS2112961	1/2 - 1 Mile NW
B9	USGS2112976	1/2 - 1 Mile NW
B10	USGS2112974	1/2 - 1 Mile NW
C11	USGS2113000	1/2 - 1 Mile NW
B12	USGS2112977	1/2 - 1 Mile NW
B13	USGS2112978	1/2 - 1 Mile NW
B14	USGS2112988	1/2 - 1 Mile NW
C15	USGS2113001	1/2 - 1 Mile NW
C16	USGS2113002	1/2 - 1 Mile NW
B17	USGS2112987	1/2 - 1 Mile NW
C18	USGS2113007	1/2 - 1 Mile NW
C19	USGS2113006	1/2 - 1 Mile NW
D20	USGS2112970	1/2 - 1 Mile NW
21	USGS2113020	1/2 - 1 Mile NNW
D22	USGS2112990	1/2 - 1 Mile NW
D23	USGS2112989	1/2 - 1 Mile NW
D24	USGS3130563	1/2 - 1 Mile NW
D25	USGS3042918	1/2 - 1 Mile NW
D26	USGS2112992	1/2 - 1 Mile NW
D27	USGS2112994	1/2 - 1 Mile NW
D28	USGS3132173	1/2 - 1 Mile NW
D29	USGS2112993	1/2 - 1 Mile NW
D30	USGS2112991	1/2 - 1 Mile NW
D31	USGS3130565	1/2 - 1 Mile NW
E32	USGS3130564	1/2 - 1 Mile NW
E33	USGS2113008	1/2 - 1 Mile NW
D34	USGS2112995	1/2 - 1 Mile NW
E35	USGS2113009	1/2 - 1 Mile NW
E36	USGS3220659	1/2 - 1 Mile NW
E37	USGS3220657	1/2 - 1 Mile NW
E38	USGS3220658	1/2 - 1 Mile NW
39	USGS2113037	1/2 - 1 Mile NNW
E40	USGS2113016	1/2 - 1 Mile NW
E41	USGS2113012	1/2 - 1 Mile NW
F42	USGS2112959	1/2 - 1 Mile ENE
F43	USGS2112960	1/2 - 1 Mile ENE
G44	USGS2113038	1/2 - 1 Mile NW
G45	USGS2113039	1/2 - 1 Mile NW
46	USGS2112821	1/2 - 1 Mile NNW

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
--------	---------	---------------------

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION


MAP ID

WELL ID

LOCATION
FROM TP

No Wells Found

PHYSICAL SETTING SOURCE MAP - 01725083.8r



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data



SITE NAME: SGT Joseph E. Muller USARC, NY
 ADDRESS: 555 EAST 238TH ST
 BRONX NY 10470
 LAT/LONG: 40.9000 / 73.8582

CLIENT: CH2M Hill
 CONTACT: Mary Beth Jacques
 INQUIRY #: 01725083.8r
 DATE: July 28, 2006

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

A1
SSW
1/4 - 1/2 Mile
Lower

FED USGS USGS2113093

Agency cd:	USGS	Site no:	405342073514001
Site name:	B 33		
Latitude:	405342		
Longitude:	0735140	Dec lat:	40.89509947
Dec lon:	-73.86069043	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	MOUNT VERNON R-25-2	Map scale:	Not Reported
Altitude:	100	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	460	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

A2
SSW
1/4 - 1/2 Mile
Lower

FED USGS USGS2113080

Agency cd:	USGS	Site no:	405339073514101
Site name:	B 34		
Latitude:	405339		
Longitude:	0735141	Dec lat:	40.89426615
Dec lon:	-73.86096822	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	MOUNT VERNON R-25-2	Map scale:	Not Reported
Altitude:	100	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	630	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**B3
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112969

Agency cd:	USGS	Site no:	405423073520401
Site name:	WE5050		
Latitude:	405423.03		
Longitude:	0735204.11	Dec lat:	40.90649648
Dec lon:	-73.8673878	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	243.39	Altitude method:	U
Altitude accuracy:	0.	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	40	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**B4
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112967

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	405422073520502
Site name:	WE5041		
Latitude:	405422.48		
Longitude:	0735205.15	Dec lat:	40.90634371
Dec lon:	-73.8676767	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	240.54	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	50.	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**B5
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112966

Agency cd:	USGS	Site no:	405422073520501
Site name:	WE5028		
Latitude:	405422.42		
Longitude:	0735205.27	Dec lat:	40.90632704
Dec lon:	-73.86771003	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	238.90	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	48.0	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
 Water quality data end date: Not Reported
 Ground water data begin date: Not Reported
 Ground water data count: Not Reported

Water quality data begin date: Not Reported
 Water quality data count: Not Reported
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**B6
 NW
 1/2 - 1 Mile
 Higher**

FED USGS USGS2112973

Agency cd:	USGS	Site no:	405424073520301
Site name:	WE5035		
Latitude:	405424.17		
Longitude:	0735203.33	Dec lat:	40.90681314
Dec lon:	-73.86717113	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	247.11	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	52.00	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**7
 NNE
 1/2 - 1 Mile
 Lower**

FED USGS USGS2113011

Agency cd:	USGS	Site no:	405429073510601
Site name:	WE 138		
Latitude:	405429		
Longitude:	0735106	Dec lat:	40.90815481
Dec lon:	-73.85124567	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	80.00	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	65.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	BULLGW-35
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1955	10.00	

**8
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112961

Agency cd:	USGS	Site no:	405420073520901
Site name:	WE 6		
Latitude:	405420		
Longitude:	0735209	Dec lat:	40.90565483
Dec lon:	-73.86874617	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	180.00	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	93.0	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	BULLGW-35
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1955	15.00	

**B9
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112976

Agency cd:	USGS	Site no:	405425073520201
Site name:	WE5048		
Latitude:	405425.38		
Longitude:	0735202.86	Dec lat:	40.90714925
Dec lon:	-73.86704057	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	253.46	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	30	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**B10
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112974

Agency cd:	USGS	Site no:	405424073520501
Site name:	WE5043		
Latitude:	405424.82		
Longitude:	0735205.19	Dec lat:	40.9069937
Dec lon:	-73.86768781	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	269.03	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	40	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**C11
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2113000

Agency cd:	USGS	Site no:	405427073520102
Site name:	WE5067		
Latitude:	405427.31	Dec lat:	40.90768535
Longitude:	0735201.71	Coor meth:	U
Dec lon:	-73.86672111	Latlong datum:	NAD27
Coor accr:	H	District:	36
Dec latlong datum:	NAD83	County:	119
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	Not Reported	Altitude method:	U
Altitude:	262.33	Altitude datum:	NGVD29
Altitude accuracy:	0.1		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

B12
NW
1/2 - 1 Mile
Higher

FED USGS USGS2112977

Agency cd:	USGS	Site no:	405425073520501
Site name:	WE5055		
Latitude:	405425.41		
Longitude:	0735205.20	Dec lat:	40.90715758
Dec lon:	-73.86769058	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	277.35	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

B13
NW
1/2 - 1 Mile
Higher

FED USGS USGS2112978

Agency cd:	USGS	Site no:	405425073520502
Site name:	WE5060		
Latitude:	405425.77		
Longitude:	0735205.57	Dec lat:	40.90725758
Dec lon:	-73.86779336	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	282.15	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**B14
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112988

Agency cd:	USGS	Site no:	405426073520502
Site name:	WE5064		
Latitude:	405426.61		
Longitude:	0735205.01	Dec lat:	40.90749091
Dec lon:	-73.8676378	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	299.00	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	70	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**C15
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2113001

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	405427073520401
Site name:	WE5039		
Latitude:	405427.09		
Longitude:	0735204.66	Dec lat:	40.90762424
Dec lon:	-73.86754058	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.29	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**C16
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2113002

Agency cd:	USGS	Site no:	405427073520402
Site name:	WE5045		
Latitude:	405427.05		
Longitude:	0735204.73	Dec lat:	40.90761313
Dec lon:	-73.86756002	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.05	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	103.	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
 Water quality data end date: Not Reported
 Ground water data begin date: Not Reported
 Ground water data count: Not Reported

Water quality data begin date: Not Reported
 Water quality data count: Not Reported
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**B17
 NW
 1/2 - 1 Mile
 Higher**

FED USGS USGS2112987

Agency cd:	USGS	Site no:	405426073520501
Site name:	WE5026		
Latitude:	405426.56		
Longitude:	0735205.73	Dec lat:	40.90747702
Dec lon:	-73.86783781	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.53	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**C18
 NW
 1/2 - 1 Mile
 Higher**

FED USGS USGS2113007

Agency cd:	USGS	Site no:	405428073520302
Site name:	WE5058		
Latitude:	405428.11		
Longitude:	0735203.55	Dec lat:	40.90790757
Dec lon:	-73.86723223	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	299.73	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**C19
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2113006

Agency cd:	USGS	Site no:	405428073520301
Site name:	WE5031		
Latitude:	405428.18		
Longitude:	0735203.52	Dec lat:	40.90792701
Dec lon:	-73.8672239	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	299.35	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

D20
NW
1/2 - 1 Mile
Higher

FED USGS USGS2112970

Agency cd:	USGS	Site no:	405423073521001
Site name:	WE5033		
Latitude:	405423.81		
Longitude:	0735210.24	Dec lat:	40.90671314
Dec lon:	-73.86909062	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	217.97	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	31.00	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

21
NNW
1/2 - 1 Mile
Higher

FED USGS USGS2113020

Agency cd:	USGS	Site no:	405432073515801
Site name:	WE5038		
Latitude:	405432.03		
Longitude:	0735158.62	Dec lat:	40.90899644
Dec lon:	-73.86586275	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.30	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**D22
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112990

Agency cd:	USGS	Site no:	405426073520702
Site name:	WE5057		
Latitude:	405426.76		
Longitude:	0735207.22	Dec lat:	40.90753258
Dec lon:	-73.86825171	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.29	Altitude method:	U
Altitude accuracy:	.10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	71.0	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**D23
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112989

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	405426073520701
Site name:	WE5032		
Latitude:	405426.76		
Longitude:	0735207.31	Dec lat:	40.90753258
Dec lon:	-73.86827671	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.26	Altitude method:	U
Altitude accuracy:	.10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	41.0	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**D24
NW
1/2 - 1 Mile
Higher**

FED USGS USGS3130563

Agency cd:	USGS	Site no:	405427073520802
Site name:	WE5072		
Latitude:	405427		
Longitude:	0735208	Dec lat:	40.90759924
Dec lon:	-73.86846838	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.16	Altitude method:	U
Altitude accuracy:	.10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	71.	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
 Water quality data end date: Not Reported
 Ground water data begin date: Not Reported
 Ground water data count: Not Reported

Water quality data begin date: Not Reported
 Water quality data count: Not Reported
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**D25
 NW
 1/2 - 1 Mile
 Higher**

FED USGS USGS3042918

Agency cd:	USGS	Site no:	405427073520801
Site name:	WE5068		
Latitude:	405427.19		
Longitude:	0735208.55	Dec lat:	40.90765202
Dec lon:	-73.86862116	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.13	Altitude method:	U
Altitude accuracy:	.10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	41.	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**D26
 NW
 1/2 - 1 Mile
 Higher**

FED USGS USGS2112992

Agency cd:	USGS	Site no:	405426073521002
Site name:	WE5024		
Latitude:	405426.33		
Longitude:	0735210.28	Dec lat:	40.90741313
Dec lon:	-73.86910173	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	299.17	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	51.0	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**D27
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112994

Agency cd:	USGS	Site no:	405426073521004
Site name:	WE5071		
Latitude:	405426.35		
Longitude:	0735210.31	Dec lat:	40.90741869
Dec lon:	-73.86911007	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	299.03	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	77	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

D28
NW
1/2 - 1 Mile
Higher

FED USGS USGS3132173

Agency cd:	USGS	Site no:	405427073521001
Site name:	WE5027		
Latitude:	405427.08		
Longitude:	0735210.37	Dec lat:	40.90762146
Dec lon:	-73.86912673	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	299.75	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	49.0	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

D29
NW
1/2 - 1 Mile
Higher

FED USGS USGS2112993

Agency cd:	USGS	Site no:	405426073521003
Site name:	WE5063		
Latitude:	405426.79		
Longitude:	0735210.72	Dec lat:	40.90754091
Dec lon:	-73.86922396	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	297.37	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	80	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**D30
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2112991

Agency cd:	USGS	Site no:	405426073521001
Site name:	WE5022		
Latitude:	405426.80		
Longitude:	0735210.72	Dec lat:	40.90754368
Dec lon:	-73.86922396	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	297.32	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	40	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**D31
NW
1/2 - 1 Mile
Higher**

FED USGS USGS3130565

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	405427073520902
Site name:	WE5066		
Latitude:	405427.53		
Longitude:	0735209.87	Dec lat:	40.90774646
Dec lon:	-73.86898784	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	298.96	Altitude method:	U
Altitude accuracy:	.10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**E32
NW
1/2 - 1 Mile
Higher**

FED USGS USGS3130564

Agency cd:	USGS	Site no:	405427073520901
Site name:	WE5042		
Latitude:	405427.62		
Longitude:	0735209.92	Dec lat:	40.90777146
Dec lon:	-73.86900173	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	299.02	Altitude method:	U
Altitude accuracy:	.10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
 Water quality data end date: Not Reported
 Ground water data begin date: Not Reported
 Ground water data count: Not Reported

Water quality data begin date: Not Reported
 Water quality data count: Not Reported
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**E33
 NW
 1/2 - 1 Mile
 Higher**

FED USGS USGS2113008

Agency cd:	USGS	Site no:	405428073520901
Site name:	WE5051		
Latitude:	405428.39		
Longitude:	0735209.82	Dec lat:	40.90798534
Dec lon:	-73.86897395	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.69	Altitude method:	U
Altitude accuracy:	.10	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	42.0	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**D34
 NW
 1/2 - 1 Mile
 Higher**

FED USGS USGS2112995

Agency cd:	USGS	Site no:	405426073521201
Site name:	WE5046		
Latitude:	405426.35		
Longitude:	0735212.30	Dec lat:	40.90741869
Dec lon:	-73.86966286	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	227.95	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	33.	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**E35
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2113009

Agency cd:	USGS	Site no:	405428073520902
Site name:	WE5062		
Latitude:	405428.43	Dec lat:	40.90799646
Longitude:	0735209.86	Coor meth:	U
Dec lon:	-73.86898506	Latlong datum:	NAD27
Coor accr:	H	District:	36
Dec latlong datum:	NAD83	County:	119
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	Not Reported	Altitude method:	U
Altitude:	300.49	Altitude datum:	NGVD29
Altitude accuracy:	.10		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	122.	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

E36
NW
1/2 - 1 Mile
Higher

FED USGS USGS3220659

Agency cd:	USGS	Site no:	405427073521103
Site name:	WE5070		
Latitude:	405427.95		
Longitude:	0735211.00	Dec lat:	40.90786312
Dec lon:	-73.86930174	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	299.67	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	105.6	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

E37
NW
1/2 - 1 Mile
Higher

FED USGS USGS3220657

Agency cd:	USGS	Site no:	405427073521101
Site name:	WE5049		
Latitude:	405427.77		
Longitude:	0735211.79	Dec lat:	40.90781312
Dec lon:	-73.86952119	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	275.43	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	60.	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**E38
NW
1/2 - 1 Mile
Higher**

FED USGS USGS3220658

Agency cd:	USGS	Site no:	405427073521102
Site name:	WE5056		
Latitude:	405427.79		
Longitude:	0735211.81	Dec lat:	40.90781868
Dec lon:	-73.86952674	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	275.32	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	27.	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**39
NNW
1/2 - 1 Mile
Higher**

FED USGS USGS2113037

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	405436073515801
Site name:	WE5023		
Latitude:	405436.83		
Longitude:	0735158.58	Dec lat:	40.91032975
Dec lon:	-73.86585163	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.20	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**E40
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2113016

Agency cd:	USGS	Site no:	405430073521101
Site name:	WE5065		
Latitude:	405430.29		
Longitude:	0735211.59	Dec lat:	40.90851311
Dec lon:	-73.86946563	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.55	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	107.	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
 Water quality data end date: Not Reported
 Ground water data begin date: Not Reported
 Ground water data count: Not Reported

Water quality data begin date: Not Reported
 Water quality data count: Not Reported
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**E41
 NW
 1/2 - 1 Mile
 Higher**

FED USGS USGS2113012

Agency cd:	USGS	Site no:	405429073521201
Site name:	WE5069		
Latitude:	405429.91		
Longitude:	0735212.68	Dec lat:	40.90840756
Dec lon:	-73.86976841	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	288.82	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	103	Hole depth:	Not Reported
Source of depth data:	owner	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**F42
 ENE
 1/2 - 1 Mile
 Higher**

FED USGS USGS2112959

Agency cd:	USGS	Site no:	405420073503701
Site name:	WE 127		
Latitude:	405420		
Longitude:	0735037	Dec lat:	40.90565487
Dec lon:	-73.8431899	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	140.00	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	152	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	BULLGW-35
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1955	11.00	

**F43
ENE
1/2 - 1 Mile
Higher**

FED USGS USGS2112960

Agency cd:	USGS	Site no:	405420073503702
Site name:	WE 128		
Latitude:	405420		
Longitude:	0735037	Dec lat:	40.90565487
Dec lon:	-73.8431899	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	140.00	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	400	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	BULLGW-35
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1955	16.00	

**G44
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2113038

Agency cd:	USGS	Site no:	405436073521701
Site name:	WE5047		
Latitude:	405436.49		
Longitude:	0735217.04	Dec lat:	40.9102353
Dec lon:	-73.87097955	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	300.00	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**G45
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2113039

Agency cd:	USGS	Site no:	405436073521702
Site name:	WE5059		
Latitude:	405436.49		
Longitude:	0735217.04	Dec lat:	40.9102353
Dec lon:	-73.87097955	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	300.00	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**46
NNW
1/2 - 1 Mile
Higher**

FED USGS USGS2112821

Agency cd:	USGS	Site no:	405445073520202
Site name:	WE5052		
Latitude:	405445.10		
Longitude:	0735202.84	Dec lat:	40.91262693
Dec lon:	-73.86703499	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	299.40	Altitude method:	U
Altitude accuracy:	0.1	Altitude datum:	NGVD29
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	FILL		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

Zip	Num Sites	< 4 Pci/L	>= 4 Pci/L	>= 20 Pci/L	Avg > 4 Pci/L	Max Pci/L
10470	2	2 (100%)	0 (0%)	0 (0%)	1.70	2.9

Federal EPA Radon Zone for BRONX County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for BRONX COUNTY, NY

Number of sites tested: 31

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.670 pCi/L	96%	4%	0%
Basement	1.110 pCi/L	42%	58%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

RADON

State Database: NY Radon

Source: Department of Health

Telephone: 518-402-7556

Radon Test Results

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2006 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

S E E M A P O F Y O N K E R S V O L U M E T W O

(21-22-23-24 VL 19)

BRONX RIVER

BARONX RIVER



5064 (5073)


5064

NYC Ferry to NYC Penn & Six Sts. No. 7A

SCALE OF FEET
0 100 200
Copyright © Landrum Map Company, Inc.

18

The Sanborn Library, LLC
 Copyright © 1977 The Sanborn Library, LLC TIM
 Year EDR Research Associate
 Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.



5074

5065

5066

5075


12

9

20 NEREID

19
(21, 22, 23, 24 VOL. 18)


SEE MAP OF FLOYONKERS V C J V E T W O





The Sanborn Library, LLC

Copyright © 1983 The Sanborn Library, LLC TIM
Year EDR Research Associate

Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.







"Linking Technology with Tradition"®

Sanborn® Map Report

Ship To: Mary Beth Jacques
CH2M Hill
1569 Stampmill Way
Lawrenceville, GA 30043

Order Date: 7/28/2006 **Completion Date:** 7/28/2006
Inquiry #: 1725083.9s
P.O. #: NA
Site Name: SGT Joseph E. Muller USARC NY

Customer Project: NA
1592163BAS 770-338-1589

Address: 555 EAST 238TH ST
City/State: BRONX, NY 10470
Cross Streets:

Based on client-supplied information, fire insurance maps for the following years were identified

- | | |
|--------------|--------------|
| 1897 - 1 Map | 1986 - 1 Map |
| 1908 - 1 Map | 1988 - 1 Map |
| 1918 - 1 Map | 1991 - 1 Map |
| 1935 - 1 Map | 1992 - 1 Map |
| 1950 - 1 Map | 1993 - 1 Map |
| 1977 - 1 Map | 1995 - 1 Map |
| 1981 - 1 Map | 1996 - 1 Map |
| 1983 - 1 Map | |

Limited Permission to Photocopy

Total Maps: 15

CH2M Hill (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

USER'S GUIDE

This User's Guide provides guidelines for accessing Sanborn Map® images and for transferring them to your Word Processor.

Reading Sanborn Maps


- Sanborn Maps document historical property use by displaying property information through words, abbreviations, and map symbols. The Sanborn Map Key provides information to help interpret the symbols and abbreviations used on Sanborn Maps. The Key is available from EDR's Web Site at: <http://www.edrnet.com/reports/samples/key.pdf>

Organization of Electronic Sanborn Image File

- Sanborn Map Report, listing years of coverage
- User's Guide
- Oldest Sanborn Map Image
- Most recent Sanborn Map Image

Navigating the Electronic Sanborn Image File

1. Open file on screen.
2. Identify TP (Target Property) on the most recent map.
3. Find TP on older printed images.
4. Using Acrobat® Reader®, zoom to 250% in order to view more clearly. (200-250% is the approximate equivalent scale of hardcopy Sanborn Maps.)
 - A. On the menu bar, click "View" and then "Zoom to..."
 - B. Or, use the magnifying tool and drag a box around the TP



Printing a Sanborn Map From the Electronic File

- EDR recommends printing images at 300 dpi (300 dpi prints faster than 600 dpi)
- To print only the TP area, cut and paste from Acrobat to your word processor application.

Acrobat Versions 6 and 7

1. Go to the menu bar
2. Click the "Select Tool"
3. Draw a box around the area selected
4. "Right click" on your mouse
5. Select "Copy Image to Clipboard"
6. Go to Word Processor such as Microsoft Word, paste and print.



Acrobat Version 5

1. Go to the menu bar
2. Click the "Graphics Select Tool"
3. Draw a box around the area selected
4. Go to "Menu"
5. Highlight "Edit"
6. Highlight "Copy"
7. Go to Word Processor such as Microsoft Word, paste and print.



Important Information about Email Delivery of Electronic Sanborn Map Images

- Images are grouped into one file, up to 2MB.
- In cases where in excess of 6-7 map years are available, the file size typically exceeds 2MB. In these cases, you will receive multiple files, labeled as "1 of 3", "2 of 3", etc. including all available map years.
- Due to file size limitations, certain ISPs, including AOL, may occasionally delay or decline to deliver files. Please contact your ISP to identify their specific file size limitations.

24

BRONX

RIVER

26

N.Y. NEW HAVEN & HARTFORD RAILROAD (N.Y. DIV.)
N.Y. CENTRAL & HUDSON RIVER R.R. (HARLEM DIV.)
N.Y. NEW HAVEN & HARTFORD RAILROAD (N.Y. DIV.) (SOUTH-BOUND SLOW TRACK)

50-200

50-300

FIRST STREET

STREET

MARIAN STREET

STREET

CATHERINE STREET

STREET

MATILDA STREET

STREET

FULTON STREET

STREET

WHITE PLAINS

21

ROAD

29

Scale of Feet

300 400 500

50.2

40.0

30.0

20.0

10.0

0.0

50-300

50-200

STREET

STREET

STREET

STREET

STREET

ROAD

50.0

50.0

50.0

50.0

50.0

50.0

50.0

55.0

50.0

50.0

40.0

30.0

20.0

10.0

0.0





















The Sanborn Library, LLC

Copyright © 1997 The Sanborn Library, LLC TIM
Year EDR Research Associate

Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.

50-300

24



28

27

26




The Sanborn Library, LLC

Copyright© 1908 The Sanborn Library, LLC TIM
Year EDR Research Associate

Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.

N.Y. City, Vol. 18
21
(23-24 Vol. D)

CITY OF YONKERS




FOURTEENTH

WEBSTER

E. 225TH ST.

E. 225TH ST.

SCALE 80 FEET TO 1 INCH




22

5064

NEREID

5032



23

(FIRST ST.) (NOT OPEN)

5035

BULLARD

5035

16

(MARIAN ST.)

5066

BRONX

(ELIZABETH ST.)

5034

(CATHARINE ST.)

19

(CARPENTER)

(22ND AVE.) ST.





The Sanborn Library, LLC

Copyright © 1918 The Sanborn Library, LLC
Year: _____ EDR Research Associate

Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.



Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.











Reproduction in whole or in part of any map of The Sanborn Library, LLC may be prohibited without prior written permission from The Sanborn Library, LLC.



1853
NY City, Vol. 11
19
(21-22-23-24 VOL. 18)
NY No. 087



S E E M A P O F Y O K E R S V O L U M E T W O













EDR® Environmental
Data Resources Inc

EDR Site Report™

**BRONX BLVD
CARPENTER AVE / BRONX BLV
BRONX, NY**

Inquiry Number:

October 12, 2006

The Standard in Environmental Risk Management Information

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

The EDR-Site Report™ is a comprehensive presentation of government filings on a facility identified in a search of over 4 million government records from more than 600 federal, state and local environmental databases. The report is divided into three sections:

Section 1: Facility Summary Page 3

Summary of facility filings including a review of the following areas: waste management, waste disposal, multi-media issues, and Superfund liability.

Section 2: Facility Detail Reports Page 4

All available detailed information from databases where sites are identified.

Section 3: Databases Searched and Update Information. Page 5

Name, source, update dates, contact phone number and description of each of the databases searched for this report.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this report "AS IS". Any analyses, estimates, ratings, or risk codes provided in this report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can produce information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SECTION 1: FACILITY SUMMARY

FACILITY	FACILITY 1 BRONX BLVD CARPENTER AVE / BRONX BLV BRONX, NY EDR ID #S106012784
AREA	
WASTE MANAGEMENT Facility generates hazardous waste (RCRA)	NO
Facility treats, stores, or disposes of hazardous waste on-site (RCRA/TSD)	NO
Facility has received Notices of Violations (RCRA/VIOL)	NO
Facility has been subject to RCRA administrative actions (RAATS)	NO
Facility has been subject to corrective actions (CORRACTS)	NO
Facility handles PCBs (PADS)	NO
Facility uses radioactive materials (MLTS)	NO
Facility manages registered aboveground storage tanks (AST)	NO
Facility manages registered underground storage tanks (UST)	NO
Facility has reported leaking underground storage tank incidents (LUST)	NO
Facility has reported emergency releases to the soil (ERNS)	NO
Facility has reported hazardous material incidents to DOT (HMIRS)	NO
WASTE DISPOSAL Facility is a Superfund Site (NPL)	NO
Facility has a known or suspect abandoned, inactive or uncontrolled hazardous waste site (CERCLIS)	NO
Facility has a reported Superfund Lien on it (LIENS)	NO
Facility is listed as a state hazardous waste site (SHWS)	NO
Facility has disposed of solid waste on-site (SWF/LF)	NO
MULTIMEDIA Facility uses toxic chemicals and has notified EPA under SARA Title III, Section 313 (TRIS)	NO
Facility produces pesticides and has notified EPA under Section 7 of FIFRA (SSTS)	NO
Facility manufactures or imports toxic chemicals on the TSCA list (TSCA)	NO
Facility has inspections under FIFRA, TSCA or EPCRA (FTTS)	NO
Facility is listed in EPA's index system (FINDS)	NO
Facility is listed in a county/local unique database (LOCAL)	YES - p4
POTENTIAL SUPERFUND LIABILITY Facility has a list of potentially responsible parties PRP	NO
TOTAL (YES)	1

SECTION 2: FACILITY DETAIL REPORTS

MULTIMEDIA

Facility is listed in a county/local unique database

DATABASE: State/County (LOCAL)

BRONX BLVD
CARPENTER AVE / BRONX BLV
BRONX, NY
EDR ID #S106012784

Database: NY SPILLS

NY Spills:

Site ID: 250957
Facility Addr2: Not reported
Facility ID: 0300093
Spill Number: 0300093
Facility Type: ER
SWIS: 0301
Region of Spill: 2
Investigator: RWAUSTIN
Referred To: Not reported
Spill Date: 04/02/03
Reported to Dept: 04/02/03
CID: 322
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Fire Department
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/21/03
Remediation Phase: 0
Date Entered In Computer: 04/02/03
Spill Record Last Update: 03/01/04
Spiller Name: TONY FEDA
Spiller Company: CASTLE OIL
Spiller Address: 290 LOCUST AVE
Spiller City,St,Zip: BRONX, NY -
Spiller Company: 001
Spiller Phone: (718) 823-8800
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
Program Number: 0300093
DER Facility ID: 205689
Site ID: 250957
Operable Unit ID: 866166
Operable Unit: 01
Material ID: 508168
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 30.00
Units: Gallons
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False
DEC Remarks: Start CallerRemark - 0300093 driver forgot to cap the tank - truck was on a grade and oil spilled out of tank, down hill and into sewer. clean up crew on the way . END CallerRemark - 0300093
Remark: Start DECRemark - 0300093 Prior to Sept, 2004 data translation this spill Lead DEC Field was "AUSTIN" CALLED LT. GENOVESE, WHO CONFIRMED THAT SPILL IS CONTAINED. DEP WAS INFORMED BY THE NYFD ABOUT OIL IN SEWER. THE SANITATION DEPT. RESPOND AND APPLIED SAND TO SPILL. CASTLE OIL CLEANED SPILL. E.R. 7/21/03 - DUE TO NATURE OF EVENT AND ABOVE NOTES, SPILL CLOSED IN DATABASE - ORIGINALLY ASSIGNED TO VOUGHT - END END DECRemark - 0300093

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

To maintain currency of the following federal, state and local databases, EDR contacts the appropriate government agency on a monthly or quarterly basis as required.

Elapsed ASTM days: Provides confirmation that this report meets or exceeds the 90-day updating requirement of the ASTM standard.

WASTE MANAGEMENT

RCRA: Resource Conservation and Recovery Act Information

Source: EPA

Telephone: 800-424-9346

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/13/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 09/28/2006
Date of Next Scheduled Update: 11/20/2006

BRS: Biennial Reporting System

Source: EPA/NTIS

Telephone: 800-424-9346

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2003
Database Release Frequency: Biennially

Date of Last EDR Contact: 10/06/2006
Date of Next Scheduled Update: 12/11/2006

RAATS: RCRA Administrative Action Tracking System

Source: EPA

Telephone: 202-564-4104

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 09/05/2006
Date of Next Scheduled Update: 12/04/2006

CORRACTS: Corrective Action Report

Source: EPA

Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/15/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 09/05/2006
Date of Next Scheduled Update: 12/04/2006

PADS: PCB Activity Database System

Source: EPA

Telephone: 202-566-0500

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/07/2006
Database Release Frequency: Annually

Date of Last EDR Contact: 08/09/2006
Date of Next Scheduled Update: 11/06/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/10/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 10/02/2006
Date of Next Scheduled Update: 01/01/2007

NY AST: Petroleum Bulk Storage

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Registered Aboveground Storage Tanks.

Date of Government Version: 06/14/2006
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 07/26/2006
Date of Next Scheduled Update: 10/23/2006

NY UST: Petroleum Bulk Storage (PBS) Database

Source: Department of Environmental Conservation
Telephone: 518-402-9549

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 06/14/2006
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 07/26/2006
Date of Next Scheduled Update: 10/23/2006

ERNS: Emergency Response Notification System

Source: National Response Center, United States Coast Guard
Telephone: 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2005
Database Release Frequency: Annually

Date of Last EDR Contact: 07/25/2006
Date of Next Scheduled Update: 10/23/2006

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation
Telephone: 202-366-4555

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 07/03/2006
Database Release Frequency: Annually

Date of Last EDR Contact: 07/19/2006
Date of Next Scheduled Update: 10/16/2006

WASTE DISPOSAL

NPL: National Priority List

Source: EPA
Telephone: Not reported

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 07/05/2006
Date Made Active at EDR: 09/12/2006
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 08/02/2006
Elapsed ASTM Days: 41
Date of Last EDR Contact: 08/02/2006

Proposed NPL: Proposed National Priority List Sites

Source: EPA
Telephone: Not reported

Date of Government Version: 07/05/2006
Date Made Active at EDR: 09/12/2006
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 08/02/2006
Elapsed ASTM Days: 41
Date of Last EDR Contact: 08/02/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

DELISTED NPL: National Priority List Deletions

Source: EPA

Telephone: Not reported

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 07/05/2006

Date Made Active at EDR: 09/12/2006

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 08/02/2006

Elapsed ASTM Days: 41

Date of Last EDR Contact: 08/02/2006

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA

Telephone: 703-603-8960

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 06/19/2006

Date Made Active at EDR: 08/23/2006

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 06/22/2006

Elapsed ASTM Days: 62

Date of Last EDR Contact: 09/21/2006

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Source: EPA

Telephone: 703-603-8960

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 07/17/2006

Database Release Frequency: Quarterly

Date of Last EDR Contact: 09/18/2006

Date of Next Scheduled Update: 12/18/2006

ROD: Records Of Decision

Source: EPA

Telephone: 703-416-0223

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 07/10/2006

Database Release Frequency: Annually

Date of Last EDR Contact: 10/02/2006

Date of Next Scheduled Update: 01/01/2007

NPL RECOVERY: Federal Superfund Liens

Source: EPA

Telephone: 202-564-4267

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991

Date Made Active at EDR: 03/30/1994

Database Release Frequency: No Update Planned

Date of Data Arrival at EDR: 02/02/1994

Elapsed ASTM Days: 56

Date of Last EDR Contact: 08/21/2006

NY SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Source: Department of Environmental Conservation

Telephone: 518-402-9622

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 05/25/2006

Database Release Frequency: Annually

Date of Last EDR Contact: 09/14/2006

Date of Next Scheduled Update: 12/11/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

NY SWF/LF: Facility Register

Source: Department of Environmental Conservation
Telephone: 518-457-2051

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 07/31/2006
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 07/31/2006
Date of Next Scheduled Update: 10/30/2006

MULTIMEDIA

TRIS: Toxic Chemical Release Inventory System

Source: EPA

Telephone: 202-566-0250

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2004
Database Release Frequency: Annually

Date of Last EDR Contact: 09/22/2006
Date of Next Scheduled Update: 12/18/2006

SSTS: Section 7 Tracking Systems

Source: EPA

Telephone: 202-564-4203

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2004
Database Release Frequency: Annually

Date of Last EDR Contact: 07/17/2006
Date of Next Scheduled Update: 10/16/2006

TSCA: Toxic Substances Control Act

Source: EPA

Telephone: 202-260-5521

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002
Database Release Frequency: N/A

Date of Last EDR Contact: 07/17/2006
Date of Next Scheduled Update: 10/16/2006

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/14/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 09/18/2006
Date of Next Scheduled Update: 12/18/2006

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA

Telephone: 202-566-1667

Date of Government Version: 07/14/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 09/18/2006
Date of Next Scheduled Update: 12/18/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

FINDS: Facility Index System/Facility Registry System

Source: EPA

Telephone: Not reported

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/21/2006

Database Release Frequency: Quarterly

Date of Last EDR Contact: 10/02/2006

Date of Next Scheduled Update: 01/01/2007

RMP: Risk Management Plans

Source: Environmental Protection Agency

Telephone: 202-564-8600

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 06/01/2006

Database Release Frequency: Varies

Date of Last EDR Contact: 08/21/2006

Date of Next Scheduled Update: 11/20/2006

STORMWATER: Storm Water General Permits

Source: Environmental Protection Agency

Telephone: 202-564-0746

A listing of all facilities with Storm Water General Permits.

Date of Government Version: 06/02/2005

Database Release Frequency: Quarterly

Date of Last EDR Contact: 10/06/2006

Date of Next Scheduled Update: 01/01/2007

US ENG CONTROLS: Engineering Controls Sites List

Source: Environmental Protection Agency

Telephone: 703-603-8905

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 03/21/2006

Database Release Frequency: Varies

Date of Last EDR Contact: 09/07/2006

Date of Next Scheduled Update: 10/02/2006

US INST CONTROL: Sites with Institutional Controls

Source: Environmental Protection Agency

Telephone: 703-603-8905

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 03/21/2006

Database Release Frequency: Varies

Date of Last EDR Contact: 09/07/2006

Date of Next Scheduled Update: 10/02/2006

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

Source: EPA Region 1

Telephone: 617-918-1313

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 06/08/2006

Database Release Frequency: Varies

Date of Last EDR Contact: 08/21/2006

Date of Next Scheduled Update: 11/20/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

NY HSWDS: Hazardous Substance Waste Disposal Site Inventory

Source: Department of Environmental Conservation
Telephone: 518-402-9564

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 09/01/2002
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 08/28/2006
Date of Next Scheduled Update: 11/27/2006

NY DEL SHWS: Delisted Registry Sites

Source: Department of Environmental Conservation
Telephone: 518-402-9622

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 05/25/2006
Database Release Frequency: Annually

Date of Last EDR Contact: 09/14/2006
Date of Next Scheduled Update: 12/11/2006

NY SWRCY: Registered Recycling Facility List

Source: Department of Environmental Conservation
Telephone: 518-402-8705

A listing of recycling facilities.

Date of Government Version: 07/31/2006
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 07/31/2006
Date of Next Scheduled Update: 10/30/2006

NY SWTIRE: Registered Waste Tire Storage & Facility List

Source: Department of Environmental Conservation
Telephone: 518-402-8694

Date of Government Version: 04/01/2004
Database Release Frequency: Annually

Date of Last EDR Contact: 08/18/2006
Date of Next Scheduled Update: 11/13/2006

NY LTANKS: Spills Information Database

Source: Department of Environmental Conservation
Telephone: 518-402-9549

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 06/06/2006
Database Release Frequency: Varies

Date of Last EDR Contact: 08/23/2006
Date of Next Scheduled Update: 11/20/2006

NY HIST LTANKS: Listing of Leaking Storage Tanks

Source: Department of Environmental Conservation
Telephone: 518-402-9549

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 07/07/2005
Date of Next Scheduled Update: Not reported

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

NY CBS UST: Chemical Bulk Storage Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 10/24/2005

Date of Next Scheduled Update: 01/23/2006

NY MOSF UST: Major Oil Storage Facilities Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002

Database Release Frequency: Varies

Date of Last EDR Contact: 07/25/2005

Date of Next Scheduled Update: 10/24/2005

NY HIST UST: Historical Petroleum Bulk Storage Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 01/01/2002

Database Release Frequency: Varies

Date of Last EDR Contact: 07/24/2006

Date of Next Scheduled Update: 10/23/2006

NY CBS AST: Chemical Bulk Storage Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 07/25/2005

Date of Next Scheduled Update: 10/24/2005

NY HIST AST: Historical Petroleum Bulk Storage Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Registered Aboveground Storage Tanks.

Date of Government Version: 01/01/2002

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 07/24/2006

Date of Next Scheduled Update: 10/23/2006

NY MOSF AST: Major Oil Storage Facilities Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 07/25/2005

Date of Next Scheduled Update: 10/24/2005

NY NY MANIFEST: Facility and Manifest Data

Source: Department of Environmental Conservation

Telephone: 518-402-8651

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 05/02/2006

Database Release Frequency: Annually

Date of Last EDR Contact: 08/30/2006

Date of Next Scheduled Update: 11/27/2006

NY SPILLS: Spills Information Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 06/06/2006

Database Release Frequency: Varies

Date of Last EDR Contact: 08/23/2006

Date of Next Scheduled Update: 11/20/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

NY HIST SPILLS: SPILLS Database

Source: Department of Environmental Conservation
Telephone: 518-402-9549

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 07/07/2005
Date of Next Scheduled Update: Not reported

NY ENG CONTROLS: Registry of Engineering Controls

Source: Department of Environmental Conservation
Telephone: 518-402-9553

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 05/25/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 09/14/2006
Date of Next Scheduled Update: 12/11/2006

NY INST CONTROL: Registry of Institutional Controls

Source: Department of Environmental Conservation
Telephone: 518-402-9553

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 05/25/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 09/14/2006
Date of Next Scheduled Update: 12/11/2006

NY VCP: Voluntary Cleanup Agreements

Source: Department of Environmental Conservation
Telephone: 518-402-9711

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 05/25/2006
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 09/14/2006
Date of Next Scheduled Update: 12/11/2006

NY DRYCLEANERS: Registered Drycleaners

Source: Department of Environmental Conservation
Telephone: 518-402-8403

A listing of all registered drycleaning facilities.

Date of Government Version: 06/15/2004
Database Release Frequency: Varies

Date of Last EDR Contact: 05/21/2004
Date of Next Scheduled Update: Not reported

NY BROWNFIELDS: Brownfields Site List

Source: Department of Environmental Conservation
Telephone: 518-402-9764

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 05/25/2006
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 09/14/2006
Date of Next Scheduled Update: 12/11/2006

NY SPDES: State Pollutant Discharge Elimination System

Source: Department of Environmental Conservation
Telephone: 518-402-8233

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 08/16/2006
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 08/08/2006
Date of Next Scheduled Update: 11/06/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

NY AIRS: Air Emissions Data

Source: Department of Environmental Conservation
Telephone: 518-402-8452

Date of Government Version: 12/31/2002
Database Release Frequency: Annually

Date of Last EDR Contact: 08/21/2006
Date of Next Scheduled Update: 11/20/2006

POTENTIAL SUPERFUND LIABILITY

PRP: Potentially Responsible Parties

Source: EPA
Telephone: 202-564-6064
A listing of verified Potentially Responsible Parties

Date of Government Version: 07/20/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 10/02/2006
Date of Next Scheduled Update: 01/01/2007



EDR® Environmental
Data Resources Inc

The EDR-City Directory
Abstract

SGT Joseph E. Muller USARC, NY
EAST 238TH ST
BRONX, NY 10470

Inquiry Number: 1725083.12

Latitude = 40.9

Longitude = 73.8582

Tuesday, August 01, 2006

**The Standard in
Environmental Risk
Management Information**

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050

Fax: 1-800-231-6802

Internet: www.edrnet.com

EDR City Directory Abstract

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening report designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.**

Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SUMMARY

- ***City Directories:***

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1927 through 2000. (These years are not necessarily inclusive.) A summary of the information obtained is provided in the text of this report.

This report compiles information by geocoding the subject properties (that is, plotting the latitude and longitude for such subject properties and obtaining data concerning properties within 1/16th of a mile of the subject properties). There is no warranty or guarantee that geocoding will report or list all properties within the specified radius of the subject properties and any such warranty or guarantee is expressly disclaimed. Accordingly, some properties within the aforementioned radius and the information concerning those properties may not be referenced in this report.

Date EDR Searched Historical Sources: August 1, 2006

Target Property:

EAST 238TH ST
BRONX, NY 10470

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Address Not Listed in Research Source	New York Telephone
1931	Address Not Listed in Research Source	Manhattan and Bronx Directory Publishing Company Residential Directory
1940	Address Not Listed in Research Source	New York Telephone
1949	Address Not Listed in Research Source	New York Telephone
1956	Address Not Listed in Research Source	New York Telephone
1961	Address Not Listed in Research Source	New York Telephone
1965	Address Not Listed in Research Source	New york Telephone Company
1971	Address Not Listed in Research Source	New York Telephone
1976	Address Not Listed in Research Source	New york Telephone Company
1983	Address Not Listed in Research Source	New York Telephone
1993	Address Not Listed in Research Source	New York Telephone
2000	Address Not Listed in Research Source	Cole Information Services

Adjoining Properties

SURROUNDING

Multiple Addresses
BRONX, NY 10470

<u>Year</u>	<u>Uses</u>	<u>Source</u>
-------------	-------------	---------------

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1949	(continued)	
	AUTOMATIC LAUNDRY SVCE CO (4386)	
	CAPELLAZZI HENRY GAS STA (4400)	
	INDEPNDNT RESEARCH SVCE CO INC (4401)	
	THOMPSON ROY E B (4401)	
	SANDOW FRANK P (4412)	
	SCHMATZ JOSEF (4414)	
	<u>**NERED AVE**</u>	New York Telephone
	MARSHBURN CHAS (607)	
	ZWICKER JOS W (609)	
1956	<u>**BRONX AVE**</u>	New York Telephone
	MILICI FRANK S (4437)	
	<u>**BRONX BLVD**</u>	New York Telephone
	CROSS PAPR PRODS CORP (4377)	
	HOFFMAN J C INC (4377)	
	BOULEVARD SVCE STA (4386)	
	WAKEFIELD BRAKE & AUTO SVCE (4386)	
	CAPELLAZZI HENRY GAS STA (4400)	
	INDEPNDNT RESEARCH SVCE CO INC (4401)	
	THOMPSON ROY E B (4401)	
	SANDOW FRANK P (4412)	
	SPARTOS ANTHONY (4412)	
	BREDA ANNA M MRS (4414)	
	SERVEDLO JOS R (4414)	
	SAL-VIO MASONS INC (4422)	
	<u>**NERED AVE**</u>	New York Telephone
	MARSHBURN CHAS (607)	
	ROLLIN PAUL CO PLMBNG & HEATING SUPLS (607)	
	SANDOW JULIUS A (607)	
	VALDEZ JOHN (607)	
	REISZ ADAM JR (609)	
	SKODACEK STEVE (609)	
	R & K AUTO LAUNDRY INC (610)	
1961	<u>**BRONX BLVD**</u>	New York Telephone
	CROSS PAPR PRODS CORP (4377)	
	A & J SVCE STA (4386)	

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1961	(continued)	
	A & J SVCE STA (4386)	
	NORMAN S SVCE CETR (4400)	
	NORMAN S SVCE COTR (4400)	
	FARRAND CONTROLS INC (4401)	
	INDEPN DNT RESEARCH SVCE CO INC (4401)	
	ANTHONY (4412)	
	MARIO (4412)	
	BREDA S HANDY LUNCH (4414)	
	KING MATTHEW J (4414)	
	DREZO MFG CORP BRONX BLVD (4422)	
	RESOL PRODS MFG CO (4422)	
	SAL-VIO MASONS INC (4422)	
	NERED AVE	New York Telephone
	CASAREALE FRANK (609)	
	PERDOCH JOS CABNT MKG (609)	
	SKODACEK STEVE (609)	
	R & R AUTO LAUNDRY INC (610)	
1965	**BRONX BLVD**	New York Telephone Company
	CROSS PAPER PRODS CORP (4377)	
	A & J SVCE STA (4386)	
	JIM BYRNE S SVCE STA INC (4400)	
	INDEPN DNT RESEARCH SVCE CO INC (4401)	
	SPARTOS ANTHONY (4412)	
	SPARTOS MARIO (4412)	
	CINELLI CARMINE A (4414)	
	MARCUCCILLI ANTHONY (4414)	
	DREZO MFG CORP (4422)	
	SAL-VIO MASONS INC (4422)	
	NERED AVE	New York Telephone Company
	PERDOCH JOS CABNT MKG (609)	
	LOSONSKY FRANK (607)	
	USIAK JOHN (607)	
	FARINA JOHN C (609)	
	MATULA PAUL (609)	
1971	**BRONX BLVD**	New York Telephone

Year Uses

Source

1971 (continued)

CIRCLE CARPT CORP (4377)
CIRCLE FLOOR CO INC (4377)
CIRCLE FLOOR CO INC (4377)
KINNEY SVCE CORP (4377)
LINCOLN PLAZA ASSOCS (4377)
MILLSTIEN ASSOCS (4377)
STAR CARPENTARY CORP NY (4377)
STAR CIRCLE WALL SYSTEM INC (4377)
WOODLAWN HGTS SVCE CENTER (4400)
FARRAND OPTICAL CO INC- (4401)
INDUCTOSYN CORP (4401)
RODAKIS JOHN P (4412)
SPARTOS ALEXANDRIA (4412)
SPARTOS MARIO (4412)
SAL VIO MASONS INC (4422)
BREDAS HANDY LUNCH (4414)

****NERED AVE****

New York Telephone

RUZICKA ROBERT (607)
WAKEFIELD HESS SVCE (610)
HERMAYER CHRISTINA MRS (607)
STEINITZ ANNA MRS (607)
USIAK JOHN (607)
PERDOCH JOS CABNT MKG (609)

1976 ****BRONX BLVD****

New york Telephone Company

CIRCLE ACOUSTICS CORP (4377)
CIRCLE CARPT CORP (4377)
CIRCLE INDUSTRIES CORP (4377)
KINNEY SVCE CORP (4377)
NATIONAL INTERIORS INC (4377)
STAR-CARPENTARY CORP N Y (4377)
STAR-CIRCLE WALL SYSTEM INC (4377)
BALFOR INDUSTRIES INC (4380)
KAGLE SURGICAL CO OFC & WAREHOUSE (4380)
FEIN MELVYN S CONSLTNT ENGR (4385)
FEIN-WACHTEL DUKLAUER & FEIN INC (4385)
WACHTEL DUKLAUER & FEIN INC (4385)

Year Uses

Source

1976 (continued)

WOODLAWN HGTS SVCE CENTER (4400)
RODAKIS JOHN P (4412)
RODAKIS JOHN P (4412)
SPARTOS ALEXANDRIA (4412)
BREDA S HANDY LUNCH (4414)
BREDA S HANDY LUNCH (4414)
D & F MASON INC (4422)
GROSS FROZEN FOOD INC (4422)
SALVIO MASON INC (4422)

****NEREID AVE****

New York Telephone Company

ATS ELECTL SVCE BX (607)
ATS ELECTRIC SVCE (607)
RUZICKA ROBERT (607)
WHITE R (607)
BRENNAN M (609)
CASTELLANO EDW A (609)
CRINO FRANK (609)
WEISSE RAYMOND R (609)
NEREID HESS STA (610)
RASSIAS ARTHUR B (610)
USIAK JOHN (607)
PERDOCH JOS CABNT MKG (609)

1983

****BRONX BLVD****

New York Telephone

KAGLE HOME HEALTH SVCES INC (4377)
KAGLE SURGICAL SUPL INC (4377)
ADLER MACHINE TOOL CORP (4380)
BALFOR INDUSTRIES INC (4380)
DUKLAUER WACHTEL DUKLALIER & FEIN INC (4385)
FEIN MELVYN S CONSLTNT ENGR (4385)
FEIN-WACHTEL DUKLAUER & FEIN INC (4385)
WOODLAWN AUTO RADIATOR (4400)
WOODLAWN HGTS SVCE CENTER (4400)
MISERICORDIA LINCOLN AFFILIATION (4401)
RODAKIS JOHN P (4412)
D & F MASON INC (4422)
SAL VIO CONSTR CORP (4422)

Year Uses

Source

1983 (continued)

SAL-VIO MASON INC (4422)

****NERED AVE****

New York Telephone

ACME ROOFING & SHEET METAL WORKS (607)

HARDY JOSEPH A (607)

MIDGETT LOUIS CONTRCTNG CO INC (607)

SNEED JESSIE M (607)

SUTTON J (607)

CACTELLANO EDW A (609)

CRINO FRANK (609)

REID SUSAN (609)

WEISSE RAYMOND R (609)

1993

****BRONX BLVD****

New York Telephone

ARBOL DEVELOPMENT CORP (4377)

ASSOCIATION FOR THE HELP OF RETARDED CHILDREN (4377)

CATAPANO ANDREW CO INC (4377)

GATEWAYS COUNSELING CENTER (4377)

NIDUS REALTY CORP (4377)

NIDUS REALTY CORP (4377)

NIEVES GERSON (4377)

BALFOR INDUSTRIES INC (4380)

BALFOR METAL STAMPING CORP (4380)

WOODLAWN AUTO RADIATOR (4400)

WOODLAWN HGTS SVCE CENTER (4400)

SUBSTANCE ABUSE MINISTRY NORTHWEST BRONX OFC (4401)

RODAKIS JOHN P (4412)

SAZADRI B (4414)

SAL-VIO MASON INC (4418)

INFORMATION SYSTEMS ESSENTIALS INC (4422)

ISE INC (4422)

D & F MASON INC (4418)

****NERED AVE****

New York Telephone

SNEED JESSIE M (607)

SUTTON J (607)

SNEAD SYLVIA (609)

STUCKEY V (609)

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1993	(continued)	
	AMERADA HESS CORP (610)	
	HARDY KATRINA (607)	
2000	<u>**NERED AVE**</u>	Cole Information Services
	THE U GVT ARMY OPT (555)	
	2F JESSIE M SNEED (607)	
	4J SULTON (607)	
	E & S & LRON WORKS (607)	
	ELIZABETH GALINDEZ (609)	
	FOFANA YAYA (609)	
	AMERADA HESS CORP (610)	
	AMERADA HESS CORP (610)	

The EDR Aerial Photo Decade Package

**SGT Joseph E. Muller USARC, NY
555 EAST 238TH ST
BRONX, NY 10470**

Inquiry Number: 1725083.11

July 28, 2006



The Standard in Environmental Risk Management Information

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDRs professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography July 28, 2006

Target Property:

555 EAST 238TH ST

BRONX, NY 10470

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
1954	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-H7/Flight Date: March 18, 1954	EDR
1966	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-H7/Flight Date: January 12, 1966	EDR
1974	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-H7/Flight Date: October 24, 1974	EDR
1989	Aerial Photograph. Scale: 1"=833'	Panel #: 2440073-H7/Flight Date: April 20, 1989	EDR
1994	Aerial Photograph. Scale: 1"=833'	Panel #: 2440073-H7/Flight Date: April 08, 1994	EDR



INQUIRY #: 1725083.11

YEAR: 1954

| = 750'





INQUIRY #: 1725083.11

YEAR: 1966

| = 750'





INQUIRY #: 1725083.11

YEAR: 1974

| = 750'

