

APPENDIX E
REGULATORY DATABASE SEARCH RESULTS



EDR® Environmental
Data Resources Inc

The EDR Radius Map with GeoCheck®

**Wichita Falls USARC
3315 9th Street
Wichita Falls, TX 76309**

Inquiry Number: 1718729.2s

July 19, 2006

The Standard in Environmental Risk Management Information

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	6
Orphan Summary	72
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-7
Physical Setting Source Map Findings	A-8
Physical Setting Source Records Searched	A-24

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

3315 9TH STREET
WICHITA FALLS, TX 76309

COORDINATES

Latitude (North): 33.903600 - 33° 54' 13.0"
Longitude (West): 98.535000 - 98° 32' 6.0"
Universal Transverse Mercator: Zone 14
UTM X (Meters): 542991.3
UTM Y (Meters): 3751370.5
Elevation: 1012 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 33098-H5 WICHITA FALLS WEST, TX
Most Recent Revision: 1972

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following government records. For more information on this property see page 6 of the attached EDR Radius Map report:

<u>Site</u>	<u>Database(s)</u>	<u>EPA ID</u>
WICHITA FALLS US ARMY RESERVE CTR 3315 9TH ST WICHITA FALLS, TX 76307	UST	N/A
WICHITA FALLS USARC 3315 9TH STREET WICHITA FALLS, TX 76309	RCRA-SQG FINDS	TXR000043703

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

FEDERAL RECORDS

NPL..... National Priority List

EXECUTIVE SUMMARY

Proposed NPL	Proposed National Priority List Sites
Delisted NPL	National Priority List Deletions
NPL RECOVERY	Federal Superfund Liens
CERCLIS	Comprehensive Environmental Response, Compensation, and Liability Information System
CERC-NFRAP	CERCLIS No Further Remedial Action Planned
CORRACTS	Corrective Action Report
RCRA-TSDF	Resource Conservation and Recovery Act Information
RCRA-LQG	Resource Conservation and Recovery Act Information
ERNS	Emergency Response Notification System
HMIRS	Hazardous Materials Information Reporting System
US ENG CONTROLS	Engineering Controls Sites List
US INST CONTROL	Sites with Institutional Controls
DOD	Department of Defense Sites
FUDS	Formerly Used Defense Sites
US BROWNFIELDS	A Listing of Brownfields Sites
CONSENT	Superfund (CERCLA) Consent Decrees
ROD	Records Of Decision
UMTRA	Uranium Mill Tailings Sites
ODI	Open Dump Inventory
TRIS	Toxic Chemical Release Inventory System
TSCA	Toxic Substances Control Act
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
SSTS	Section 7 Tracking Systems
ICIS	Integrated Compliance Information System
PADS	PCB Activity Database System
MLTS	Material Licensing Tracking System
MINES	Mines Master Index File
RAATS	RCRA Administrative Action Tracking System

STATE AND LOCAL RECORDS

SHWS	State Superfund Registry
IOP	Innocent Owner/Operator Program
SWF/LF	Permitted Solid Waste Facilities
CLI	Closed Landfill Inventory
WasteMgt	Commercial Hazardous & Solid Waste Management Facilities
LIENS	Environmental Liens Listing
DEL SHWS	Deleted Superfund Registry Sites
TX Spills	Spills Database
AUL	Sites with Controls
TX VCP	Voluntary Cleanup Program Database
DRYCLEANERS	Drycleaner Registration Database Listing
BROWNFIELDS	Brownfields Site Assessments
ENF	Notice of Violations Listing
Ind. Haz Waste	Industrial & Hazardous Waste Database
ED AQUIF	Edwards Aquifer Permits
AIRS	Current Emission Inventory Data

TRIBAL RECORDS

INDIAN RESERV	Indian Reservations
INDIAN UST	USTs on Indian Land

EDR PROPRIETARY RECORDS

Manufactured Gas Plants ...	EDR Proprietary Manufactured Gas Plants
------------------------------------	---

EXECUTIVE SUMMARY

EDR Historical Auto Stations EDR Proprietary Historic Gas Stations
EDR Historical Cleaners..... EDR Proprietary Historic Dry Cleaners

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

FEDERAL RECORDS

RCRAInfo: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-SQG list, as provided by EDR, and dated 03/09/2006 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>KEY SCIENCE AND TECHNOLOGY ASS</i>	<i>3202 SEYMOUR HWY</i>	<i>1/8 - 1/4NNE</i>	<i>C7</i>	<i>23</i>

STATE AND LOCAL RECORDS

LTANKS: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Texas Commission on Environmental Quality's Leaking Petroleum Storage Tank Database.

A review of the LTANKS list, as provided by EDR, and dated 05/04/2006 has revealed that there are 7 LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>HAYES ST CONOCO</i> Status Code: MONITORING	<i>1702 HAYES ST</i>	<i>1/4 - 1/2SE</i>	<i>15</i>	<i>68</i>

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>DAVES AUTO REPAIR</i> Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED	<i>901 BEVERLY DR</i>	<i>1/8 - 1/4E</i>	<i>3</i>	<i>8</i>

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
EAGLE MART 16 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED	3200 SEYMOUR HWY	1/8 - 1/4NNE	C10	36
PRESTON ONE STOP Status Code: FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING	3201 SEYMOUR HWY	1/8 - 1/4NNE	C11	45
EAGLE MART LC Status Code: MONITORING	414 S BEVERLY	1/4 - 1/2N	12	51
K C OIL CO Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED	3141 SEYMOUR HWY	1/4 - 1/2NE	D13	56
KOCKS NO 2 Status Code: MONITORING	3124 5TH ST	1/4 - 1/2NE	D14	64

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Texas Commission on Environmental Quality's Petroleum Storage Tank Database.

A review of the UST list, as provided by EDR, and dated 04/26/2006 has revealed that there are 7 UST sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
DAVES AUTO REPAIR	901 BEVERLY DR	1/8 - 1/4E	3	8
BEVERLY SHOPPING CENTER	3209 SEYMOUR HWY	1/8 - 1/4NNE	4	14
BILLUPS STATION 7916	530 S BEVERLY DR	1/8 - 1/4NE	B5	17
WAREHOUSE	520 BEVERLY	1/8 - 1/4NE	B6	21
EAGLE MART LC	3202 SEYMOUR HWY	1/8 - 1/4NNE	C8	23
EAGLE MART 16	3200 SEYMOUR HWY	1/8 - 1/4NNE	C10	36
PRESTON ONE STOP	3201 SEYMOUR HWY	1/8 - 1/4NNE	C11	45

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Texas Commission on Environmental Quality's Petroleum Storage Tank Database.

A review of the AST list, as provided by EDR, and dated 04/26/2006 has revealed that there is 1 AST site within approximately 0.25 miles of the target property.


<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
EAGLE MART LC	3202 SEYMOUR HWY	1/8 - 1/4NNE	C9	25

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
CHAMPION TECHNOLOGIES INC	RCRA-SQG, FINDS, FTTS
WICHITA FALLS TORNADO DEBRIS LANDFILL	CERC-NFRAP
CITY OF WICHITA FALLS TRANSFER STATION	SWF/LF
CITY OF WICHITA FALLS LANDFILL	SWF/LF
CITY OF WICHITA FALLS COMPOSTING FACILIT	SWF/LF
TPI PETROLEUM FAC 4543	LTANKS
JOLLY GROCERY	LTANKS
JC BURNHAM STATION	UST
JOLLY TRUCK STOP	AST
CONSTRUCTION AGRICULTURE	AST
CHARLES & JOE BEVERING P S	AST
DENNYS EXCAVATION	AST
JERALS BACKHOE SERVICE	AST
CASE EQUIP	RCRA-SQG, FINDS
ARCO PIPE LINE CO	RCRA-SQG, FINDS
BURGESS-MANNING INC	RCRA-SQG, FINDS, Ind. Haz Waste
US 287, 11MI S OF WICHITA FALLS	ERNS
3 MI. SE OF WICHITA ASPLANT PLANT	ERNS
WICHITA REGULAR BIRK C LEASE: 234990	ERNS
WICHITA REGULAR BIRK C LEASE: 234990	ERNS
WICHITA RIVER, FTTR ABSTRACST 264 SEC 29, APROX 0.5 MI W OF	ERNS
WICHITA FALLS H S	FINDS
7-8 MILES W OF WICHITA FALLS AT TANK BAT	TX Spills
SHEPPARD AFB, WICHITA FALLS, TEXAS	TX Spills
WICHITA FALLS COGENERATION PLANT	ENF
CRYOVAC DIVISION WICHITA FALLS	ENF
CITY OF WICHITA FALLS LANDFILL	ENF
WICHITA FALLS REFURBISHMENT P&WC AEROSPA	ENF
WICHITA FALLS CRESCENT PLAZA LP CRESCENT	ENF
WICHITA FANK MANUFACTURING WICHITA FALLS	ENF
WICHITA TANK MANUFACTURING WICHITA FALLS	ENF
CITY OF WICHITA FALLS TRANSFER STATION	ENF
WICHITA FALLS GRAIN ELEVATOR	ENF
WICHITA FALLS TERMINAL	Ind. Haz Waste
WICHITA FALLS SITE	Ind. Haz Waste
WICHITA FALLS SITE	Ind. Haz Waste
WICHITA FALLS SITE	Ind. Haz Waste

OVERVIEW MAP - 1718729.2s



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  National Priority List Sites
-  Landfill Sites
-  Dept. Defense Sites


-  Indian Reservations BIA
-  Oil & Gas pipelines
-  100-year flood zone
-  500-year flood zone

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Wichita Falls USARC
 ADDRESS: 3315 9th Street
 Wichita Falls TX 76309
 LAT/LONG: 33.9036 / 98.5350


CLIENT: ENSAFE
 CONTACT: Phil Hardy
 INQUIRY #: 1718729.2s
 DATE: July 19, 2006

DETAIL MAP - 1718729.2s



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Landfill Sites
- Dept. Defense Sites

- Indian Reservations BIA
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Wichita Falls USARC
 ADDRESS: 3315 9th Street
 Wichita Falls TX 76309
 LAT/LONG: 33.9036 / 98.5350

CLIENT: ENSAFE
 CONTACT: Phil Hardy
 INQUIRY #: 1718729.2s
 DATE: July 19, 2006

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL RECORDS</u>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL		1.000	0	0	0	0	NR	0
Delisted NPL		1.000	0	0	0	0	NR	0
NPL RECOVERY		TP	NR	NR	NR	NR	NR	0
CERCLIS		0.500	0	0	0	NR	NR	0
CERC-NFRAP		0.500	0	0	0	NR	NR	0
CORRACTS		1.000	0	0	0	0	NR	0
RCRA TSD		0.500	0	0	0	NR	NR	0
RCRA Lg. Quan. Gen.		0.250	0	0	NR	NR	NR	0
RCRA Sm. Quan. Gen.	X	0.250	0	1	NR	NR	NR	1
ERNS		TP	NR	NR	NR	NR	NR	0
HMIRS		TP	NR	NR	NR	NR	NR	0
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
UMTRA		0.500	0	0	0	NR	NR	0
ODI		0.500	0	0	0	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
FINDS	X	TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
<u>STATE AND LOCAL RECORDS</u>								
State Haz. Waste		1.000	0	0	0	0	NR	0
IOP		TP	NR	NR	NR	NR	NR	0
State Landfill		0.500	0	0	0	NR	NR	0
CLI		0.500	0	0	0	NR	NR	0
WasteMgt		TP	NR	NR	NR	NR	NR	0
LTANKS		0.500	0	3	4	NR	NR	7
UST	X	0.250	0	7	NR	NR	NR	7
AST		0.250	0	1	NR	NR	NR	1
LIENS		TP	NR	NR	NR	NR	NR	0
DEL SHWS		1.000	0	0	0	0	NR	0
TX Spills		TP	NR	NR	NR	NR	NR	0
AUL		0.500	0	0	0	NR	NR	0
TX VCP		0.500	0	0	0	NR	NR	0
DRYCLEANERS		0.250	0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
BROWNFIELDS		0.500	0	0	0	NR	NR	0
ENF	TP		NR	NR	NR	NR	NR	0
Ind. Haz Waste	TP		NR	NR	NR	NR	NR	0
ED AQUIF	TP		NR	NR	NR	NR	NR	0
AIRS	TP		NR	NR	NR	NR	NR	0
<u>TRIBAL RECORDS</u>								
INDIAN RESERV		1.000	0	0	0	0	NR	0
INDIAN UST		0.250	0	0	NR	NR	NR	0
<u>EDR PROPRIETARY RECORDS</u>								
Manufactured Gas Plants		1.000	0	0	0	0	NR	0
EDR Historical Auto Stations	TP		NR	NR	NR	NR	NR	0
EDR Historical Cleaners	TP		NR	NR	NR	NR	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

A1 **WICHITA FALLS US ARMY RESERVE CTR**
Target **3315 9TH ST**
Property **WICHITA FALLS, TX 76307**

UST **U003166254**
N/A

Site 1 of 2 in cluster A

Actual:
1012 ft.

UST:

Facility ID:	0069251	Tank Installer:	Not reported
Tank ID:	1	Installation Date:	08/31/1987
Tank Emptied:	No	Status Date:	Not reported
Capacity:	958	Unit ID:	00182382
Tank Material of Construction:	Concrete		
Pipe Material of Construction:	Concrete		
Other Materials of Construction:	Not reported		
Tank Status:	In Use		
Tank Construction & Containment:	Single Wall		
Pipe Construction & Containment:	Single Wall		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Not reported		
Compartment Other Substance:	OIL WATER SEPARATOR		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	Not reported		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	Not reported		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Factory-Built Spill Container/Bucket/Sump		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	Not reported		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	01/17/1997		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		
Contact Operator Phone:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		
Financial Assurance Self-Certification flag:	Not reported		
Technical standards Self-Certification flag:	Not reported		
UST Delivery Certificate Expiration Date:	Not reported		
Compartment letter:	Not reported		
Financial Responsibility Type:	Not reported		
Corrective Action Met Flag:	Not reported		
Third Party Met Flag:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

WICHITA FALLS US ARMY RESERVE CTR (Continued)

U003166254

Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: Not reported
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Not reported
Compartment Capacity : 0000000
Owner ID : 49607
Owner Name : US DEPARTMENT OF THE ARMY
Owner Address : 8000 CAMP ROBINSON RD AFRD-CAR-EN-E
NORTH LITTLE ROCK, AR 72118

Owner Contact Telephone : 501-771-7992
Owner Type : Federal Government
Owner Amendment Reason Code : Owner Billing Address Changed
Owner Amendment Date : 16/05/06
Owner Tax ID : Not reported
Number of Facilities reported by Owner : 0036
Mail Undeliverable : Not reported
Bankruptcy In Effect : Not reported
Of Underground Storage Tanks : 0045
Of Aboveground Storage Tanks : 0000
Operator Effective Date : Not reported
Operator Type : Federal Government
Owner Contact Name: James Wheeler
Date Registration Form Received : 21/97/01
Facility Type : None of the above, or unidentified
Name of Facility Manager : Sgt Seals
Title of Facility Manager : Not reported
Facility Manager Phone : 817-723-6421
Sign Name on Registration Form : Teddy B. Baer, Col, USAR
Title of Signer of Registration Form : Deputy Chief of Staf
Date of Signature on Registration Form : 011797
Number of USTs: 0001
Number of ASTs: 0000
Facility PO Box : Not reported
Owner PO Box : Not reported
Region Number : 03
Facility in Ozone non-attainment area : Not reported

A2 WICHITA FALLS USARC
Target 3315 9TH STREET
Property WICHITA FALLS, TX 76309

RCRA-SQG 1005418614
FINDS TXR000043703

Actual: Site 2 of 2 in cluster A
1012 ft.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

WICHITA FALLS USARC (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1005418614

RCRAInfo:
 Owner: 90TH REGIONAL SUPPORT COMMAND
 (501) 771-7992
 EPA ID: TXR000043703
 Contact: JAMES WHEELER
 (501) 771-7992
 Classification: Conditionally Exempt Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**3
 East
 1/8-1/4
 679 ft.**

**DAVES AUTO REPAIR
 901 BEVERLY DR
 WICHITA FALLS, TX 76309**

**UST U001264940
 LTANKS N/A**

**Relative:
 Lower**

LTANKS:
 Facility ID: 0031631
 Facility Location: 901 BEVERLY
 Reported Date: 12/7/1995
 Entered Date: 1/8/1996
 RPR Coordinator: DLB
 Region: 03
 Region City ID: ABILENE
 LPST Id: 110139
 Responsible Party: MCCULLOCH TOMMY
 RP Contact: TOMMY MCCULLOCH
 RP Telephone: 817/723-4531
 RP Address: 2206 GRANT
 WICHITA FALLS, TX 76309
 Priority: NO GW IMPACT, NO APPARENT THREATS OR IMPACTS TO RECEPTORS
 Status: **FINAL CONCURRENCE ISSUED, CASE CLOSED**

**Actual:
 989 ft.**

UST:

Facility ID:	0031631	Tank Installer:	Not reported
Tank ID:	2	Installation Date:	01/01/1946
Tank Emptied:	No	Status Date:	11/22/1995
Capacity:	4000	Unit ID:	00083157
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Not reported		
Compartment Other Substance:	EMPTY		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DAVES AUTO REPAIR (Continued)

U001264940

Other Tank Release Method Detection: None
Tank Release Detection Variance : No Variance
Pipe Release Detection Method: Not reported
Other Pipe Release Detection Method : None
Pipe Release Detection Variance : No Variance
Spill and Overfill Protection: Not reported
Tank Corrosion Protection: Not reported
Pipe Corrosion Protection: Not reported
Other Corrosion Protection: None
Vapor Recovery Equipment Status: Not reported
Equipment Installed Date: Not reported
Equipment Installer: Not reported
Contractor Registration Number: Not reported
Tank Registration Date: 05/09/1986
Installer License Number: Not reported
Operator Name: Not reported
Operator Telephone number: Not reported
Operator Address:
Operator Address building: Not reported
Contact Operator Name:
Contact Operator title: Not reported
Contact Operator Phone: Not reported
Self-Certification date: Not reported
Signature Name: Not reported
Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: None
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Not reported
Compartment Capacity : 0000000
Owner ID : 14912
Owner Name : MCCLULLOCH TOMMY L
Owner Address : 2206 GRANT
WICHITA FALLS, TX 76309
Owner Contact Telephone : (817) 723-4531

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

DAVES AUTO REPAIR (Continued)

U001264940

Owner Type :	Private or Corporate		
Owner Amendment Reason Code :	001		
Owner Amendment Date :	12/02/01		
Owner Tax ID :	Not reported		
Number of Facilities reported by Owner :	0001		
Mail Undeliverable :	Not reported		
Bankruptcy In Effect :	Not reported		
# Of Underground Storage Tanks :	0003		
# Of Aboveground Storage Tanks :	0000		
Operator Effective Date :	Not reported		
Operator Type :	Private or Corporate		
Owner Contact Name:			
Date Registration Form Received :	09/86/05		
Facility Type :	None of the above, or unidentified		
Name of Facility Manager :	DAVE HILL		
Title of Facility Manager :	OWNER		
Facility Manager Phone :	8173227048		
Sign Name on Registration Form :	TOMMY MCCLULLOCH		
Title of Signer of Registration Form :	OWNER		
Date of Signature on Registration Form :	050886		
Number of USTs:	0003		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	Not reported		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0031631	Tank Installer:	Not reported
Tank ID:	1	Installation Date:	01/01/1946
Tank Emptied:	No	Status Date:	11/22/1995
Capacity:	4000	Unit ID:	00083158
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Not reported		
Compartment Other Substance:	EMPTY		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/09/1986		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

DAVES AUTO REPAIR (Continued)

U001264940

Installer License Number:	Not reported
Operator Name:	Not reported
Operator Telephone number:	Not reported
Operator Address:	
Operator Address building:	Not reported
Contact Operator Name:	
Contact Operator title:	Not reported
Contact Operator Phone:	Not reported
Self-Certification date:	Not reported
Signature Name:	Not reported
Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Piping Design & Ext. Containment 3 :	Not reported
Piping Design & Ext. Containment 4 :	Not reported
Type of Piping :	Not reported
Internal Tank Lining Date :	00/00/0000
Pipe Connectors and Valves 1 :	Not reported
Pipe Connectors and Valves 2 :	Not reported
Pipe Connectors and Valves 3 :	Not reported
Other Tank Corrosion Protection Text:	None
Tank Corrosion Protection Variance :	No Variance
Pipe Corrosion Protection 3 :	Not reported
Pipe Corrosion Protection Variance :	No Variance
Stage 2 Vapor Recry Equipment Status :	Not reported
Stage 1 Equipment Installed Date :	Not reported
Tank Tested :	Not reported
Compartment Capacity :	0000000
Owner ID :	14912
Owner Name :	MCCLULLOCH TOMMY L
Owner Address :	2206 GRANT WICHITA FALLS, TX 76309
Owner Contact Telephone :	(817) 723-4531
Owner Type :	Private or Corporate
Owner Amendment Reason Code :	001
Owner Amendment Date :	12/02/01
Owner Tax ID :	Not reported
Number of Facilities reported by Owner :	0001
Mail Undeliverable :	Not reported
Bankruptcy In Effect :	Not reported
# Of Underground Storage Tanks :	0003
# Of Aboveground Storage Tanks :	0000
Operator Effective Date :	Not reported
Operator Type :	Private or Corporate
Owner Contact Name:	
Date Registration Form Received :	09/86/05
Facility Type :	None of the above, or unidentified

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

DAVES AUTO REPAIR (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001264940

Name of Facility Manager :	DAVE HILL	Tank Installer:	Not reported
Title of Facility Manager :	OWNER	Installation Date:	01/01/1946
Facility Manager Phone :	8173227048	Status Date:	11/22/1995
Sign Name on Registration Form :	TOMMY MCCLULLOCH	Unit ID:	00083159
Title of Signer of Registration Form :	OWNER		
Date of Signature on Registration Form :	050886		
Number of USTs:	0003		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	Not reported		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0031631		
Tank ID:	3		
Tank Emptied:	No		
Capacity:	3000		
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Not reported		
Compartment Other Substance:	EMPTY		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/09/1986		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		
Contact Operator Phone:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DAVES AUTO REPAIR (Continued)

U001264940

Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: None
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Not reported
Compartment Capacity : 0000000
Owner ID : 14912
Owner Name : MCCLULLOCH TOMMY L
Owner Address : 2206 GRANT
WICHITA FALLS, TX 76309
Owner Contact Telephone : (817) 723-4531
Owner Type : Private or Corporate
Owner Amendment Reason Code : 001
Owner Amendment Date : 12/02/01
Owner Tax ID : Not reported
Number of Facilities reported by Owner : 0001
Mail Undeliverable : Not reported
Bankruptcy In Effect : Not reported
Of Underground Storage Tanks : 0003
Of Aboveground Storage Tanks : 0000
Operator Effective Date : Not reported
Operator Type : Private or Corporate
Owner Contact Name:
Date Registration Form Received : 09/86/05
Facility Type : None of the above, or unidentified
Name of Facility Manager : DAVE HILL
Title of Facility Manager : OWNER
Facility Manager Phone : 8173227048
Sign Name on Registration Form : TOMMY MCCLULLOCH
Title of Signer of Registration Form : OWNER
Date of Signature on Registration Form : 050886
Number of USTs: 0003
Number of ASTs: 0000
Facility PO Box : Not reported
Owner PO Box : Not reported
Region Number : 03
Facility in Ozone non-attainment area : Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

4
NNE
1/8-1/4
959 ft.

BEVERLY SHOPPING CENTER
3209 SEYMOUR HWY
WICHITA FALLS, TX 76309

UST **U001259429**
N/A

Relative:
Lower

UST:

Actual:
977 ft.

Facility ID:	0025340	Tank Installer:	Not reported
Tank ID:	1	Installation Date:	01/01/1981
Tank Emptied:	No	Status Date:	08/01/1989
Capacity:	1000	Unit ID:	00065107
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Used Oil		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		
Contact Operator Phone:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		
Financial Assurance Self-Certification flag:	Not reported		
Technical standards Self-Certification flag:	Not reported		
UST Delivery Certificate Expiration Date:	Not reported		
Compartment letter:	Not reported		
Financial Responsibility Type:	Not reported		
Corrective Action Met Flag:	Not reported		
Third Party Met Flag:	Not reported		
Financial Assurance Beginning Date:	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

BEVERLY SHOPPING CENTER (Continued)

U001259429

Piping Design & Ext. Containment 3 :	Not reported		
Piping Design & Ext. Containment 4 :	Not reported		
Type of Piping :	Not reported		
Internal Tank Lining Date :	00/00/0000		
Pipe Connectors and Valves 1 :	Not reported		
Pipe Connectors and Valves 2 :	Not reported		
Pipe Connectors and Valves 3 :	Not reported		
Other Tank Corrosion Protection Text:	Cathodic Protection		
Tank Corrosion Protection Variance :	No Variance		
Pipe Corrosion Protection 3 :	Not reported		
Pipe Corrosion Protection Variance :	No Variance		
Stage 2 Vapor Recry Equipment Status :	Not reported		
Stage 1 Equipment Installed Date :	Not reported		
Tank Tested :	Not reported		
Compartment Capacity :	0000000		
Owner ID :	56317		
Owner Name :	LDC CLEARVIEW WICHITA FALLS LTD		
Owner Address :	2000 E LAMAR BLVD STE 150		
	ARLINGTON, TX 76006		
Owner Contact Telephone :	817-469-6545		
Owner Type :	Private or Corporate		
Owner Amendment Reason Code :	Owner Billing Address Changed		
Owner Amendment Date :	23/03/01		
Owner Tax ID :	Not reported		
Number of Facilities reported by Owner :	0001		
Mail Undeliverable :	Not reported		
Bankruptcy In Effect :	Not reported		
# Of Underground Storage Tanks :	0002		
# Of Aboveground Storage Tanks :	0000		
Operator Effective Date :	Not reported		
Operator Type :	Private or Corporate		
Owner Contact Name:	JOHN MAGGIORE		
Date Registration Form Received :	08/86/05		
Facility Type :	Retail		
Name of Facility Manager :	John Maggioro		
Title of Facility Manager :	Not reported		
Facility Manager Phone :	817-469-6545		
Sign Name on Registration Form :	GUS SATTERFIELD		
Title of Signer of Registration Form :	OWNER		
Date of Signature on Registration Form :	041586		
Number of USTs:	0002		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	Not reported		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0025340	Tank Installer:	Not reported
Tank ID:	2	Installation Date:	08/31/1987
Tank Emptied:	No	Status Date:	08/05/2000
Capacity:	600	Unit ID:	00195112
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Not reported		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Single Wall		
Pipe Construction & Containment:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BEVERLY SHOPPING CENTER (Continued)

U001259429

Other Construction & Containment: Not reported
Compartment Substance Stored: Used Oil
Compartment Other Substance: Not reported
Tank Release Detection Method: Not reported
Tank Release Method Detection II: Not reported
Tank Release Method Detection III: Not reported
Other Tank Release Method Detection: None
Tank Release Detection Variance : No Variance
Pipe Release Detection Method: Not reported
Other Pipe Release Detection Method : None
Pipe Release Detection Variance : No Variance
Spill and Overfill Protection: Not reported
Tank Corrosion Protection: Not reported
Pipe Corrosion Protection: Not reported
Other Corrosion Protection: Not reported
Vapor Recovery Equipment Status: Not reported
Equipment Installed Date: Not reported
Equipment Installer: Not reported
Contractor Registration Number: Not reported
Tank Registration Date: 09/14/2000
Installer License Number: Not reported
Operator Name: Not reported
Operator Telephone number: Not reported
Operator Address: Not reported
Operator Address building: Not reported
Contact Operator Name: Not reported
Contact Operator title: Not reported
Contact Operator Phone: Not reported
Self-Certification date: Not reported
Signature Name: Not reported
Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: None
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

BEVERLY SHOPPING CENTER (Continued)

U001259429

Compartment Capacity : 0000000
 Owner ID : 56317
 Owner Name : LDC CLEARVIEW WICHITA FALLS LTD
 Owner Address : 2000 E LAMAR BLVD STE 150
 ARLINGTON, TX 76006
 Owner Contact Telephone : 817-469-6545
 Owner Type : Private or Corporate
 Owner Amendment Reason Code : Owner Billing Address Changed
 Owner Amendment Date : 23/03/01
 Owner Tax ID : Not reported
 Number of Facilities reported by Owner : 0001
 Mail Undeliverable : Not reported
 Bankruptcy In Effect : Not reported
 # Of Underground Storage Tanks : 0002
 # Of Aboveground Storage Tanks : 0000
 Operator Effective Date : Not reported
 Operator Type : Private or Corporate
 Owner Contact Name: JOHN MAGGIORE
 Date Registration Form Received : 08/86/05
 Facility Type : Retail
 Name of Facility Manager : John Maggioro
 Title of Facility Manager : Not reported
 Facility Manager Phone : 817-469-6545
 Sign Name on Registration Form : GUS SATTERFIELD
 Title of Signer of Registration Form : OWNER
 Date of Signature on Registration Form : 041586
 Number of USTs: 0002
 Number of ASTs: 0000
 Facility PO Box : Not reported
 Owner PO Box : Not reported
 Region Number : 03
 Facility in Ozone non-attainment area : Not reported

B5 BILLUPS STATION 7916
NE 530 S BEVERLY DR
1/8-1/4 WICHITA FALLS, TX 76309
1001 ft.

UST U001237790
N/A

Site 1 of 2 in cluster B

Relative:
Lower

UST:
 Facility ID: 0000451 Tank Installer: Not reported
 Tank ID: 1 Installation Date: 01/01/1961
 Tank Emptied: No Status Date: 01/01/1985
 Capacity: 6000 Unit ID: 00001043
 Tank Material of Construction: Steel
 Pipe Material of Construction: Not reported
 Other Materials of Construction: Not reported
 Tank Status: Removed from the Ground
 Tank Construction & Containment: Not reported
 Pipe Construction & Containment: Not reported
 Other Construction & Containment: Not reported
 Compartment Substance Stored: Not reported
 Compartment Other Substance: UNKNOWN
 Tank Release Detection Method: Not reported
 Tank Release Method Detection II: Not reported
 Tank Release Method Detection III: Not reported
 Other Tank Release Method Detection: None
 Tank Release Detection Variance : No Variance
 Pipe Release Detection Method: Not reported

Actual:
968 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BILLUPS STATION 7916 (Continued)

U001237790

Other Pipe Release Detection Method : None
Pipe Release Detection Variance : No Variance
Spill and Overfill Protection: Not reported
Tank Corrosion Protection: Not reported
Pipe Corrosion Protection: Not reported
Other Corrosion Protection: None
Vapor Recovery Equipment Status: Not reported
Equipment Installed Date: Not reported
Equipment Installer: Not reported
Contractor Registration Number: Not reported
Tank Registration Date: 05/08/1986
Installer License Number: Not reported
Operator Name: Not reported
Operator Telephone number: Not reported
Operator Address:
Operator Address building: Not reported
Contact Operator Name:
Contact Operator title: Not reported
Contact Operator Phone: Not reported
Self-Certification date: Not reported
Signature Name: Not reported
Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: Not reported
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Not reported
Compartment Capacity : 0000000
Owner ID : 21589
Owner Name : CIRCLE K STORES INC
Owner Address : 495 E RINCON ST STE 150
CORONA, CA 92879
Owner Contact Telephone : 951-270-5193
Owner Type : Corporation
Owner Amendment Reason Code : 035
Owner Amendment Date : 06/05/12

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

BILLUPS STATION 7916 (Continued)

U001237790

Owner Tax ID :	17411495405		
Number of Facilities reported by Owner :	0225		
Mail Undeliverable :	Not reported		
Bankruptcy In Effect :	Not reported		
# Of Underground Storage Tanks :	0710		
# Of Aboveground Storage Tanks :	0001		
Operator Effective Date :	Not reported		
Operator Type :	Corporation		
Owner Contact Name:	RICH GOSSETT		
Date Registration Form Received :	08/86/05		
Facility Type :	None of the above, or unidentified		
Name of Facility Manager :	W. SCHWIND		
Title of Facility Manager :	V.P.		
Facility Manager Phone :	9043507724		
Sign Name on Registration Form :	W. SCHWIND		
Title of Signer of Registration Form :	V.P.		
Date of Signature on Registration Form :	030686		
Number of USTs:	0002		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	Not reported		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0000451	Tank Installer:	Not reported
Tank ID:	2	Installation Date:	01/01/1961
Tank Emptied:	No	Status Date:	01/01/1985
Capacity:	6000	Unit ID:	00001044
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Not reported		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Not reported		
Compartment Other Substance:	UNKNOWN		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BILLUPS STATION 7916 (Continued)

U001237790

Operator Address:
Operator Address building: Not reported
Contact Operator Name:
Contact Operator title: Not reported
Contact Operator Phone: Not reported
Self-Certification date: Not reported
Signature Name: Not reported
Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: Not reported
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Not reported
Compartment Capacity : 0000000
Owner ID : 21589
Owner Name : CIRCLE K STORES INC
Owner Address : 495 E RINCON ST STE 150
CORONA, CA 92879
Owner Contact Telephone : 951-270-5193
Owner Type : Corporation
Owner Amendment Reason Code : 035
Owner Amendment Date : 06/05/12
Owner Tax ID : 17411495405
Number of Facilities reported by Owner : 0225
Mail Undeliverable : Not reported
Bankruptcy In Effect : Not reported
Of Underground Storage Tanks : 0710
Of Aboveground Storage Tanks : 0001
Operator Effective Date : Not reported
Operator Type : Corporation
Owner Contact Name: RICH GOSSETT
Date Registration Form Received : 08/86/05
Facility Type : None of the above, or unidentified
Name of Facility Manager : W. SCHWIND
Title of Facility Manager : V.P.
Facility Manager Phone : 9043507724

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

BILLUPS STATION 7916 (Continued)

U001237790

Sign Name on Registration Form : W. SCHWIND
 Title of Signer of Registration Form : V.P.
 Date of Signature on Registration Form : 030686
 Number of USTs: 0002
 Number of ASTs: 0000
 Facility PO Box : Not reported
 Owner PO Box : Not reported
 Region Number : 03
 Facility in Ozone non-attainment area : Not reported

**B6
 NE
 1/8-1/4
 1086 ft.**

**WAREHOUSE
 520 BEVERLY
 WICHITA FALLS, TX 76307**

**UST U001243101
 N/A**

Site 2 of 2 in cluster B

**Relative:
 Lower**

UST:
 Facility ID: 0006634 Tank Installer: Not reported
 Tank ID: 1 Installation Date: 01/01/1981
 Tank Emptied: No Status Date: 08/30/1989
 Capacity: 10000 Unit ID: 00017102
 Tank Material of Construction: Steel
 Pipe Material of Construction: Not reported
 Other Materials of Construction: Not reported
 Tank Status: Removed from the Ground
 Tank Construction & Containment: Double Wall
 Pipe Construction & Containment: Not reported
 Other Construction & Containment: Not reported
 Compartment Substance Stored: Gasoline
 Compartment Other Substance: Not reported
 Tank Release Detection Method: Not reported
 Tank Release Method Detection II: Not reported
 Tank Release Method Detection III: Not reported
 Other Tank Release Method Detection: None
 Tank Release Detection Variance : No Variance
 Pipe Release Detection Method: Not reported
 Other Pipe Release Detection Method : None
 Pipe Release Detection Variance : No Variance
 Spill and Overfill Protection: Not reported
 Tank Corrosion Protection: Not reported
 Pipe Corrosion Protection: Not reported
 Other Corrosion Protection: None
 Vapor Recovery Equipment Status: Not reported
 Equipment Installed Date: Not reported
 Equipment Installer: Not reported
 Contractor Registration Number: Not reported
 Tank Registration Date: 05/08/1986
 Installer License Number: Not reported
 Operator Name: Not reported
 Operator Telephone number: Not reported
 Operator Address:
 Operator Address building: Not reported
 Contact Operator Name:
 Contact Operator title: Not reported
 Contact Operator Phone: Not reported
 Self-Certification date: Not reported
 Signature Name: Not reported
 Signature Title Name: Not reported
 Signature Type Text: Not reported

**Actual:
 966 ft.**

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

WAREHOUSE (Continued)

U001243101

Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Piping Design & Ext. Containment 3 :	Not reported
Piping Design & Ext. Containment 4 :	Not reported
Type of Piping :	Not reported
Internal Tank Lining Date :	00/00/0000
Pipe Connectors and Valves 1 :	Not reported
Pipe Connectors and Valves 2 :	Not reported
Pipe Connectors and Valves 3 :	Not reported
Other Tank Corrosion Protection Text:	None
Tank Corrosion Protection Variance :	No Variance
Pipe Corrosion Protection 3 :	Not reported
Pipe Corrosion Protection Variance :	No Variance
Stage 2 Vapor Recry Equipment Status :	Not reported
Stage 1 Equipment Installed Date :	Not reported
Tank Tested :	Tested
Compartment Capacity :	0000000
Owner ID :	03752
Owner Name :	COMMUNICATIONS SERVICE COMPANY
Owner Address :	1522 BEVERLY WICHITA FALLS, TX 76309
Owner Contact Telephone :	(817) 723-7155
Owner Type :	Private or Corporate
Owner Amendment Reason Code :	000
Owner Amendment Date :	Not reported
Owner Tax ID :	17513758866
Number of Facilities reported by Owner :	0001
Mail Undeliverable :	Not reported
Bankruptcy In Effect :	Not reported
# Of Underground Storage Tanks :	0001
# Of Aboveground Storage Tanks :	0000
Operator Effective Date :	Not reported
Operator Type :	Private or Corporate
Owner Contact Name:	
Date Registration Form Received :	08/86/05
Facility Type :	None of the above, or unidentified
Name of Facility Manager :	ROY BATTY, JR
Title of Facility Manager :	PARTNER
Facility Manager Phone :	8177237155
Sign Name on Registration Form :	R. PARKER, JR.
Title of Signer of Registration Form :	PARTNER
Date of Signature on Registration Form :	042186
Number of USTs:	0001
Number of ASTs:	0000
Facility PO Box :	Not reported
Owner PO Box :	Not reported
Region Number :	03
Facility in Ozone non-attainment area :	Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EAGLE MART LC (Continued)

U003839912

Contractor Registration Number:	Not reported
Tank Registration Date:	05/08/1986
Installer License Number:	Not reported
Operator Name:	Not reported
Operator Telephone number:	Not reported
Operator Address:	
Operator Address building:	Not reported
Contact Operator Name:	
Contact Operator title:	Not reported
Contact Operator Phone:	Not reported
Self-Certification date:	Not reported
Signature Name:	Not reported
Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Piping Design & Ext. Containment 3 :	Not reported
Piping Design & Ext. Containment 4 :	Not reported
Type of Piping :	Not reported
Internal Tank Lining Date :	00/00/0000
Pipe Connectors and Valves 1 :	Not reported
Pipe Connectors and Valves 2 :	Not reported
Pipe Connectors and Valves 3 :	Not reported
Other Tank Corrosion Protection Text:	Not reported
Tank Corrosion Protection Variance :	No Variance
Pipe Corrosion Protection 3 :	Not reported
Pipe Corrosion Protection Variance :	No Variance
Stage 2 Vapor Recry Equipment Status :	Not reported
Stage 1 Equipment Installed Date :	Not reported
Tank Tested :	Tested
Compartment Capacity :	0000000
Owner ID :	39798
Owner Name :	EAGLE MART LC
Owner Address :	2525 KELL BLVD STE 510 WICHITA FALLS, TX 76308
Owner Contact Telephone :	940-723-7322
Owner Type :	Private or Corporate
Owner Amendment Reason Code :	Owner Billing Address Changed
Owner Amendment Date :	15/02/01
Owner Tax ID :	Not reported
Number of Facilities reported by Owner :	0009
Mail Undeliverable :	Not reported
Bankruptcy In Effect :	Not reported
# Of Underground Storage Tanks :	0022
# Of Aboveground Storage Tanks :	0013
Operator Effective Date :	Not reported
Operator Type :	Private or Corporate
Owner Contact Name:	Mike Lockstone

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EAGLE MART LC (Continued)

U003839912

Date Registration Form Received : 08/86/05
 Facility Type : None of the above, or unidentified
 Name of Facility Manager : John Henderson
 Title of Facility Manager : PRES
 Facility Manager Phone : 817-723-0866
 Sign Name on Registration Form : T. MOORE
 Title of Signer of Registration Form : BKPR
 Date of Signature on Registration Form : 042986
 Number of USTs: 0001
 Number of ASTs: 0011
 Facility PO Box : Not reported
 Owner PO Box : Not reported
 Region Number : 03
 Facility in Ozone non-attainment area : Not reported

C9
NNE
1/8-1/4
1088 ft.

EAGLE MART LC
3202 SEYMOUR HWY
WICHITA FALLS, TX 76309

AST A100189213
N/A

Site 3 of 5 in cluster C

Relative:
Lower

AST:
 Facility ID: 0006175 Owner ID: 39798
 Tank ID: WOC
 Number of USTs: 0001 Number of ASTs: 0011

Actual:
968 ft.

Facility Type: Not reported
 Facility PO Box : Not reported
 Owner PO Box : Not reported
 Date Registration Form Received : 08/86/05
 Facility in Ozone non-attainment area : Not reported
 Name of Facility Manager : John Henderson
 Title of Facility Manager : PRES
 Facility Manager Phone : 817-723-0866
 Sign Name on Registration Form : T. MOORE
 Title of Signer of Registration Form : BKPR
 Date of Signature on Registration Form : 042986
 Capacity: 0012000 Tank Status: Temporarily Out of Use
 Unit ID: 00151035
 Owner Contact: Mike Lockstone Contact phone: 940-723-7322
 Content: Diesel Other content: Not reported
 Containment: Not reported Other Contain.: Not reported
 Material: Steel Other material: Not reported
 Owner: EAGLE MART LC
 Date Installed: 01/01/19
 Owner Address: 2525 KELL BLVD STE 510
 WICHITA FALLS, TX 76308 - 1061
 Date out of use: 08311995
 Tank registration date: 05081986
 Vapor recovery equipment status: Not reported
 Stage 2 Vapor recvry equipmnt status: Not reported
 State 2 equipment installed Date: Not reported
 State 2 equipment installed: Not reported
 Owner Name: Not reported
 Operator Phone Not reported
 Owner Address:
 Owner Type: Private or Corporate
 Operator Type: Not reported
 Contact Operator:
 Cont Oper Tele: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

EAGLE MART LC (Continued)

A100189213

Mail Undelivrrble : Not reported
Bankruptcy In Effect :Not reported
Of Facilities Reported By Owner:0009
Number Of USTs : 0022 Number Of ASTs :0013
Owner Amendment Reason : owner billing address changed
Owner Amendment Date : 011502
Owner Tax Id : Not reported
Financial Respsnblty:Not reported Corrtv Action Met: Not reported
Financial Assurance Begin: Not reported
Third Party Met: Not reported Self-Cert Date: Not reported
Signature Name:
Signature Type: Not reported Registrn Self-cert: Not reported
Cert Submit Type: Not reported
Fees Self-Cert Flag: Not reported
Financial Assurance Self-Cert: Not reported
Compartment Letter: Not reported
UST Delivery Cert Expire Date:
Region Number : 03

Facility ID: 0006175 Owner ID: 39798
Tank ID: WOC
Number of USTs: 0001 Number of ASTs: 0011
Facility Type: Not reported
Facility PO Box : Not reported
Owner PO Box : Not reported
Date Registration Form Received : 08/86/05
Facility in Ozone non-attainment area : Not reported
Name of Facility Manager : John Henderson
Title of Facility Manager : PRES
Facility Manager Phone : 817-723-0866
Sign Name on Registration Form : T. MOORE
Title of Signer of Registration Form : BKPR
Date of Signature on Registration Form : 042986
Capacity: 0012000 Tank Status: Temporarily Out of Use
Unit ID: 00151036
Owner Contact: Mike Lockstone Contact phone: 940-723-7322
Content: Gasoline Other content: Not reported
Containment: Not reported Other Contain.: Not reported
Material: Steel Other material: Not reported
Owner: EAGLE MART LC
Date Installed: 01/01/19
Owner Address: 2525 KELL BLVD STE 510
WICHITA FALLS, TX 76308 - 1061
Date out of use: 08311995
Tank registration date: 05081986
Vapor recovery equipment status: Not reported
Stage 2 Vapor recvry equipmnt status: Not reported
State 2 equipment installed Date: Not reported
State 2 equipment installed: Not reported
Owner Name: Not reported
Operator Phone Not reported
Owner Address:
Owner Type: Private or Corporate
Operator Type: Not reported
Contact Operator:
Cont Oper Tele: Not reported
Mail Undelivrrble : Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

EAGLE MART LC (Continued)

A100189213

Bankruptcy In Effect :Not reported
Of Facilities Reported By Owner:0009
Number Of USTs : 0022
Number Of ASTs :0013
Owner Amendment Reason : owner billing address changed
Owner Amendment Date : 011502
Owner Tax Id : Not reported
Financial Respsnbly:Not reported
Financial Assurance Begin: Not reported
Third Party Met: Not reported
Signature Name:
Signature Type: Not reported
Cert Submit Type: Not reported
Fees Self-Cert Flag: Not reported
Financial Assurance Self-Cert: Not reported
Compartment Letter: Not reported
UST Delivery Cert Expire Date:
Region Number : 03
Corrtv Action Met: Not reported
Self-Cert Date: Not reported
Registrn Self-cert: Not reported
Facility ID: 0006175
Tank ID: WOC
Number of USTs: 0001
Facility Type: Not reported
Facility PO Box : Not reported
Owner PO Box : Not reported
Date Registration Form Received : 08/86/05
Facility in Ozone non-attainment area : Not reported
Name of Facility Manager : John Henderson
Title of Facility Manager : PRES
Facility Manager Phone : 817-723-0866
Sign Name on Registration Form : T. MOORE
Title of Signer of Registration Form : BKPR
Date of Signature on Registration Form : 042986
Owner ID: 39798
Number of ASTs: 0011
Capacity: 0012000
Unit ID: 00151037
Owner Contact: Mike Lockstone
Content: Gasoline
Containment: Not reported
Material: Steel
Owner: EAGLE MART LC
Date Installed: 01/01/19
Owner Address: 2525 KELL BLVD STE 510
WICHITA FALLS, TX 76308 - 1061
Tank Status: Temporarily Out of Use
Contact phone: 940-723-7322
Other content: Not reported
Other Contain.: Not reported
Other material: Not reported
Date out of use: 08311995
Tank registration date: 05081986
Vapor recovery equipment status: Not reported
Stage 2 Vapor recvry equipmnt status: Not reported
State 2 equipment installed Date: Not reported
State 2 equipment installed: Not reported
Owner Name: Not reported
Operator Phone Not reported
Owner Address:
Owner Type: Private or Corporate
Operator Type: Not reported
Contact Operator:
Cont Oper Tele: Not reported
Mail Undelivrble : Not reported
Bankruptcy In Effect :Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

EAGLE MART LC (Continued)

A100189213

Of Facilities Reported By Owner: 0009
Number Of USTs : 0022
Owner Amendment Reason : owner billing address changed
Owner Amendment Date : 011502
Owner Tax Id : Not reported
Financial Responsibility: Not reported
Financial Assurance Begin: Not reported
Third Party Met: Not reported
Signature Name:
Signature Type: Not reported
Cert Submit Type: Not reported
Fees Self-Cert Flag: Not reported
Financial Assurance Self-Cert: Not reported
Compartment Letter: Not reported
UST Delivery Cert Expire Date:
Region Number : 03
Number Of ASTs :0013
Corrtv Action Met: Not reported
Self-Cert Date: Not reported
Registrn Self-cert: Not reported
Facility ID: 0006175
Tank ID: WICHITA DR
Number of USTs: 0001
Facility Type: Not reported
Facility PO Box : Not reported
Owner PO Box : Not reported
Date Registration Form Received : 08/86/05
Facility in Ozone non-attainment area : Not reported
Name of Facility Manager : John Henderson
Title of Facility Manager : PRES
Facility Manager Phone : 817-723-0866
Sign Name on Registration Form : T. MOORE
Title of Signer of Registration Form : BKPR
Date of Signature on Registration Form : 042986
Capacity: 0002000
Unit ID: 00151038
Owner Contact: Mike Lockstone
Content: Gasoline
Containment: Not reported
Material: Steel
Owner: EAGLE MART LC
Date Installed: 01/01/19
Owner Address: 2525 KELL BLVD STE 510
WICHITA FALLS, TX 76308 - 1061
Date out of use: 08311995
Tank registration date: 05081986
Vapor recovery equipment status: Not reported
Stage 2 Vapor recvry equipmnt status: Not reported
State 2 equipment installed Date: Not reported
State 2 equipment installed: Not reported
Owner Name: Not reported
Operator Phone Not reported
Owner Address:
Owner Type: Private or Corporate
Operator Type: Not reported
Contact Operator:
Cont Oper Tele: Not reported
Mail Undelivrlble : Not reported
Bankruptcy In Effect :Not reported
Of Facilities Reported By Owner:0009
Owner ID: 39798
Number of ASTs: 0011
Tank Status: Temporarily Out of Use
Contact phone: 940-723-7322
Other content: Not reported
Other Contain.: Not reported
Other material: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

EAGLE MART LC (Continued)

A100189213

Number Of USTs : 0022
Owner Amendment Reason : owner billing address changed
Owner Amendment Date : 011502
Owner Tax Id : Not reported
Financial Respsnblty:Not reported
Financial Assurance Begin: Not reported
Third Party Met: Not reported
Signature Name:
Signature Type: Not reported
Cert Submit Type: Not reported
Fees Self-Cert Flag: Not reported
Financial Assurance Self-Cert: Not reported
Compartment Letter: Not reported
UST Delivery Cert Expire Date:
Region Number : 03

Facility ID: 0006175
Tank ID: WICHATA ME
Number of USTs: 0001
Facility Type: Not reported
Facility PO Box : Not reported
Owner PO Box : Not reported
Date Registration Form Received : 08/86/05
Facility in Ozone non-attainment area : Not reported
Name of Facility Manager : John Henderson
Title of Facility Manager : PRES
Facility Manager Phone : 817-723-0866
Sign Name on Registration Form : T. MOORE
Title of Signer of Registration Form : BKPR
Date of Signature on Registration Form : 042986
Capacity: 0002000
Unit ID: 00151039
Owner Contact: Mike Lockstone
Content: Gasoline
Containment: Not reported
Material: Steel
Owner: EAGLE MART LC
Date Installed: 01/01/19
Owner Address: 2525 KELL BLVD STE 510
WICHITA FALLS, TX 76308 - 1061
Date out of use: 08311995
Tank registration date: 05081986
Vapor recovery equipment status: Not reported
Stage 2 Vapor recvry equipmnt status: Not reported
State 2 equipment installed Date: Not reported
State 2 equipment installed: Not reported
Owner Name: Not reported
Operator Phone Not reported
Owner Address:
Owner Type: Private or Corporate
Operator Type: Not reported
Contact Operator:
Cont Oper Tele: Not reported
Mail Undelivrble : Not reported
Bankruptcy In Effect :Not reported
Of Facilities Reported By Owne0009
Number Of USTs : 0022

Number Of ASTs :0013
Corrtv Action Met: Not reported
Self-Cert Date: Not reported
Registrn Self-cert: Not reported
Owner ID: 39798
Number of ASTs: 0011
Tank Status: Temporarily Out of Use
Contact phone: 940-723-7322
Other content: Not reported
Other Contain.: Not reported
Other material: Not reported
Number Of ASTs :0013

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

EAGLE MART LC (Continued)

A100189213

Owner Amendment Reason : owner billing address changed
Owner Amendment Date : 011502
Owner Tax Id : Not reported
Financial Respsbilty:Not reported Corrtv Action Met: Not reported
Financial Assurance Begin: Not reported
Third Party Met: Not reported Self-Cert Date: Not reported
Signature Name:
Signature Type: Not reported
Cert Submit Type: Not reported Registrn Self-cert: Not reported
Fees Self-Cert Flag: Not reported
Financial Assrurance Self-Cert: Not reported
Compartment Letter: Not reported
UST Delivery Cert Expire Date:
Region Number : 03

Facility ID: 0006175 Owner ID: 39798
Tank ID: WICHITA ME
Number of USTs: 0001 Number of ASTs: 0011
Facility Type: Not reported
Facility PO Box : Not reported
Owner PO Box : Not reported
Date Registration Form Received : 08/86/05
Facility in Ozone non-attainment area : Not reported
Name of Facility Manager : John Henderson
Title of Facility Manager : PRES
Facility Manager Phone : 817-723-0866
Sign Name on Registration Form : T. MOORE
Title of Signer of Registration Form : BKPR
Date of Signature on Registration Form : 042986
Capacity: 0004000 Tank Status: Temporarily Out of Use
Unit ID: 00151040
Owner Contact: Mike Lockstone Contact phone: 940-723-7322
Content: Diesel Other content: Not reported
Containment: Not reported Other Contain.: Not reported
Material: Steel Other material: Not reported
Owner: EAGLE MART LC
Date Installed: 01/01/19
Owner Address: 2525 KELL BLVD STE 510
WICHITA FALLS, TX 76308 - 1061
Date out of use: 08311995
Tank registration date: 05081986
Vapor recovery equipment status: Not reported
Stage 2 Vapor recvry equipmnt status: Not reported
State 2 equipment installed Date: Not reported
State 2 equipment installed: Not reported
Owner Name: Not reported
Operator Phone Not reported
Owner Address:
Owner Type: Private or Corporate
Operator Type: Not reported
Contact Operator:
Cont Oper Tele: Not reported
Mail Undelivrble : Not reported
Bankruptcy In Effect :Not reported
Of Facilities Reported By Owne0009
Number Of USTs : 0022 Number Of ASTs :0013
Owner Amendment Reason : owner billing address changed

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EAGLE MART LC (Continued)

EDR ID Number
EPA ID Number

Database(s)

A100189213

Owner Amendment Date : 011502
Owner Tax Id : Not reported
Financial Respsblty:Not reported
Financial Assurance Begin: Not reported
Third Party Met: Not reported
Signature Name:
Signature Type: Not reported
Cert Submit Type: Not reported
Fees Self-Cert Flag: Not reported
Financial Assrurance Self-Cert: Not reported
Compartment Letter: Not reported
UST Delivery Cert Expire Date:
Region Number : 03

Facility ID: 0006175
Tank ID: WICHITA ME
Number of USTs: 0001
Facility Type: Not reported
Facility PO Box : Not reported
Owner PO Box : Not reported
Date Registration Form Received : 08/86/05
Facility in Ozone non-attainment area : Not reported
Name of Facility Manager : John Henderson
Title of Facility Manager : PRES
Facility Manager Phone : 817-723-0866
Sign Name on Registration Form : T. MOORE
Title of Signer of Registration Form : BKPR
Date of Signature on Registration Form : 042986
Capacity: 0003000
Unit ID: 00151041
Owner Contact: Mike Lockstone
Content: Gasoline
Containment: Not reported
Material: Steel
Owner: EAGLE MART LC
Date Installed: 01/01/19
Owner Address: 2525 KELL BLVD STE 510
WICHITA FALLS, TX 76308 - 1061

Date out of use: 08311995
Tank registration date: 05081986
Vapor recovery equipment status: Not reported
Stage 2 Vapor recvry equipmnt status: Not reported
State 2 equipment installed Date: Not reported
State 2 equipment installed: Not reported
Owner Name: Not reported
Operator Phone Not reported
Owner Address:
Owner Type: Private or Corporate
Operator Type: Not reported
Contact Operator:
Cont Oper Tele: Not reported
Mail Undelivrlble : Not reported
Bankruptcy In Effect :Not reported
Of Facilities Reported By Owne:0009
Number Of USTs : 0022
Owner Amendment Reason : owner billing address changed
Owner Amendment Date : 011502

Corrtv Action Met: Not reported
Self-Cert Date: Not reported
Registrn Self-cert: Not reported
Owner ID: 39798
Number of ASTs: 0011
Tank Status: Temporarily Out of Use
Contact phone: 940-723-7322
Other content: Not reported
Other Contain.: Not reported
Other material: Not reported
Number Of ASTs :0013

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

EAGLE MART LC (Continued)

EDR ID Number
 EPA ID Number

Database(s)

A100189213

Owner Tax Id :	Not reported	Corrtv Action Met:	Not reported
Financial Respsnblty:	Not reported	Self-Cert Date:	Not reported
Financial Assurance Begin:	Not reported	Registrn Self-cert:	Not reported
Third Party Met:	Not reported		
Signature Name:			
Signature Type:	Not reported		
Cert Submit Type:	Not reported		
Fees Self-Cert Flag:	Not reported		
Financial Assurance Self-Cert:	Not reported		
Compartment Letter:	Not reported		
UST Delivery Cert Expire Date:			
Region Number :	03		
Facility ID:	0006175	Owner ID:	39798
Tank ID:	PHARRIES	Number of ASTs:	0011
Number of USTs:	0001		
Facility Type:	Not reported		
Facility PO Box :	Not reported		
Owner PO Box :	Not reported		
Date Registration Form Received :	08/86/05		
Facility in Ozone non-attainment area :	Not reported		
Name of Facility Manager :	John Henderson		
Title of Facility Manager :	PRES		
Facility Manager Phone :	817-723-0866		
Sign Name on Registration Form :	T. MOORE		
Title of Signer of Registration Form :	BKPR		
Date of Signature on Registration Form :	042986		
Capacity:	0003000	Tank Status:	Temporarily Out of Use
Unit ID:	00151043	Contact phone:	940-723-7322
Owner Contact:	Mike Lockstone	Other content:	Not reported
Content:	Diesel	Other Contain.:	Not reported
Containment:	Not reported	Other material:	Not reported
Material:	Steel		
Owner:	EAGLE MART LC		
Date Installed:	01/01/19		
Owner Address:	2525 KELL BLVD STE 510 WICHITA FALLS, TX 76308 - 1061		
Date out of use:	08311995		
Tank registration date:	05081986		
Vapor recovery equipment status:	Not reported		
Stage 2 Vapor recvry equipmnt status:	Not reported		
State 2 equipment installed Date:	Not reported		
State 2 equipment installed:	Not reported		
Owner Name:	Not reported		
Operator Phone	Not reported		
Owner Address:			
Owner Type:	Private or Corporate		
Operator Type:	Not reported		
Contact Operator:			
Cont Oper Tele:	Not reported		
Mail Undelivrlble :	Not reported		
Bankruptcy In Effect :	Not reported		
# Of Facilities Reported By Owne	0009	Number Of ASTs :	0013
Number Of USTs :	0022		
Owner Amendment Reason :	owner billing address changed		
Owner Amendment Date :	011502		
Owner Tax Id :	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

EAGLE MART LC (Continued)

A100189213

Financial Respsnbly: Not reported
Financial Assurance Begin: Not reported
Third Party Met: Not reported
Signature Name:
Signature Type: Not reported
Cert Submit Type: Not reported
Fees Self-Cert Flag: Not reported
Financial Assurance Self-Cert: Not reported
Compartment Letter: Not reported
UST Delivery Cert Expire Date:
Region Number : 03

Facility ID: 0006175
Tank ID: 1
Number of USTs: 0001
Facility Type: Not reported
Facility PO Box : Not reported
Owner PO Box : Not reported
Date Registration Form Received : 08/86/05
Facility in Ozone non-attainment area : Not reported
Name of Facility Manager : John Henderson
Title of Facility Manager : PRES
Facility Manager Phone : 817-723-0866
Sign Name on Registration Form : T. MOORE
Title of Signer of Registration Form : BKPR
Date of Signature on Registration Form : 042986

Capacity: 0012000
Unit ID: 00151044
Owner Contact: Mike Lockstone
Content: Gasoline
Containment: Not reported
Material: Steel
Owner: EAGLE MART LC
Date Installed: 06/01/19
Owner Address: 2525 KELL BLVD STE 510
WICHITA FALLS, TX 76308 - 1061

Date out of use: 10031987
Tank registration date: 05081986
Vapor recovery equipment status: Not reported
Stage 2 Vapor recvry equipmnt status: Not reported
State 2 equipment installed Date: Not reported
State 2 equipment installed: Not reported
Owner Name: Not reported
Operator Phone Not reported
Owner Address:
Owner Type: Private or Corporate
Operator Type: Not reported
Contact Operator:
Cont Oper Tele: Not reported
Mail Undelivrble : Not reported
Bankruptcy In Effect : Not reported
Of Facilities Reported By Owner: 0009
Number Of USTs : 0022
Owner Amendment Reason : owner billing address changed
Owner Amendment Date : 011502
Owner Tax Id : Not reported

Corrtv Action Met: Not reported
Self-Cert Date: Not reported
Registrn Self-cert: Not reported
Owner ID: 39798
Number of ASTs: 0011
Tank Status: Temporarily Out of Use
Contact phone: 940-723-7322
Other content: Not reported
Other Contain.: Not reported
Other material: Not reported
Number Of ASTs : 0013
Corrtv Action Met: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EAGLE MART LC (Continued)

EDR ID Number
EPA ID Number

Database(s)

A100189213

Financial Assurance Begin: Not reported
Third Party Met: Not reported
Signature Name:
Signature Type: Not reported
Cert Submit Type: Not reported
Fees Self-Cert Flag: Not reported
Financial Assurance Self-Cert: Not reported
Compartment Letter: Not reported
UST Delivery Cert Expire Date:
Region Number : 03

Self-Cert Date: Not reported
Registrn Self-cert: Not reported

Facility ID: 0006175
Tank ID: BURKETT
Number of USTs: 0001
Facility Type: Not reported
Facility PO Box : Not reported
Owner PO Box : Not reported
Date Registration Form Received : 08/86/05
Facility in Ozone non-attainment area : Not reported
Name of Facility Manager : John Henderson
Title of Facility Manager : PRES
Facility Manager Phone : 817-723-0866
Sign Name on Registration Form : T. MOORE
Title of Signer of Registration Form : BKPR
Date of Signature on Registration Form : 042986
Capacity: 0010000
Unit ID: 00151045
Owner Contact: Mike Lockstone
Content: Diesel
Containment: Not reported
Material: Steel
Owner: EAGLE MART LC
Date Installed: 01/01/19
Owner Address: 2525 KELL BLVD STE 510
WICHITA FALLS, TX 76308 - 1061

Tank Status: Temporarily Out of Use
Contact phone: 940-723-7322
Other content: Not reported
Other Contain.: Not reported
Other material: Not reported

Date out of use: 08011995
Tank registration date: 05081986
Vapor recovery equipment status: Not reported
Stage 2 Vapor recvry equipmnt status: Not reported
State 2 equipment installed Date: Not reported
State 2 equipment installed: Not reported
Owner Name: Not reported
Operator Phone Not reported
Owner Address:
Owner Type: Private or Corporate
Operator Type: Not reported
Contact Operator:
Cont Oper Tele: Not reported
Mail Undelivrrble : Not reported
Bankruptcy In Effect Not reported
Of Facilities Reported By Owne0009
Number Of USTs : 0022
Owner Amendment Reason : owner billing address changed
Owner Amendment Date : 011502
Owner Tax Id : Not reported
Financial Respsnbilty: Not reported
Financial Assurance Begin: Not reported

Owner ID: 39798
Number of ASTs: 0011
Number Of ASTs :0013
Corrtv Action Met: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

EAGLE MART LC (Continued)

A100189213

Third Party Met: Not reported
Signature Name:
Signature Type: Not reported
Cert Submit Type: Not reported
Fees Self-Cert Flag: Not reported
Financial Assurance Self-Cert: Not reported
Compartment Letter: Not reported
UST Delivery Cert Expire Date:
Region Number : 03
Self-Cert Date: Not reported
Registrn Self-cert: Not reported
Facility ID: 0006175
Tank ID: JONES
Number of USTs: 0001
Facility Type: Not reported
Facility PO Box : Not reported
Owner PO Box : Not reported
Date Registration Form Received : 08/86/05
Facility in Ozone non-attainment area : Not reported
Name of Facility Manager : John Henderson
Title of Facility Manager : PRES
Facility Manager Phone : 817-723-0866
Sign Name on Registration Form : T. MOORE
Title of Signer of Registration Form : BKPR
Date of Signature on Registration Form : 042986
Capacity: 0003000
Unit ID: 00151046
Owner Contact: Mike Lockstone
Content: Diesel
Containment: Not reported
Material: Steel
Owner: EAGLE MART LC
Date Installed: 01/01/19
Owner Address: 2525 KELL BLVD STE 510
WICHITA FALLS, TX 76308 - 1061
Tank Status: Temporarily Out of Use
Contact phone: 940-723-7322
Other content: Not reported
Other Contain.: Not reported
Other material: Not reported
Date out of use: 08311995
Tank registration date: 05081986
Vapor recovery equipment status: Not reported
Stage 2 Vapor recvry equipmnt status: Not reported
State 2 equipment installed Date: Not reported
State 2 equipment installed: Not reported
Owner Name: Not reported
Operator Phone Not reported
Owner Address:
Owner Type: Private or Corporate
Operator Type: Not reported
Contact Operator:
Cont Oper Tele: Not reported
Mail Undelivrble : Not reported
Bankruptcy In Effect :Not reported
Of Facilities Reported By Owne0009
Number Of USTs : 0022
Owner Amendment Reason : owner billing address changed
Owner Amendment Date : 011502
Owner Tax Id : Not reported
Financial Respnsbly:Not reported
Financial Assurance Begin: Not reported
Third Party Met: Not reported
Number Of ASTs :0013
Corrtv Action Met: Not reported
Self-Cert Date: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EAGLE MART LC (Continued)

A100189213

Signature Name:
 Signature Type: Not reported
 Cert Submit Type: Not reported Registrn Self-cert: Not reported
 Fees Self-Cert Flag: Not reported
 Financial Assurance Self-Cert: Not reported
 Compartment Letter: Not reported
 UST Delivery Cert Expire Date:
 Region Number : 03

C10
NNE
1/8-1/4
1132 ft.

EAGLE MART 16
3200 SEYMOUR HWY
WICHITA FALLS, TX 76301

UST U001242700
LTANKS N/A

Site 4 of 5 in cluster C

Relative:
Lower

LTANKS:

Actual:
966 ft.

Facility ID: 0006173
 Facility Location: 3200 SEYMOUR HWY
 Reported Date: Not reported
 Entered Date: 9/12/1996
 RPR Coordinator: XYZ
 Region: 03
 Region City ID: ABILENE
 LPST Id: 111577
 Responsible Party: EAGLE MART L C
 RP Contact: DAVID BOUTIN
 RP Telephone: 940/767-2577
 RP Address: 2525 KELL BLVD STE 210
 WICHITA FALLS, TX 76308
 Priority: NO GW IMPACT, NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED

UST:

Facility ID: 0006173 Tank Installer: Not reported
 Tank ID: 2 Installation Date: 01/01/1981
 Tank Emptied: No Status Date: 05/01/1991
 Capacity: 550 Unit ID: 00015830
 Tank Material of Construction: Steel
 Pipe Material of Construction: Steel
 Other Materials of Construction: Not reported
 Tank Status: Removed from the Ground
 Tank Construction & Containment: Not reported
 Pipe Construction & Containment: Not reported
 Other Construction & Containment: Not reported
 Compartment Substance Stored: Gasoline
 Compartment Other Substance: Not reported
 Tank Release Detection Method: Not reported
 Tank Release Method Detection II: Not reported
 Tank Release Method Detection III: Not reported
 Other Tank Release Method Detection: None
 Tank Release Detection Variance : No Variance
 Pipe Release Detection Method: Not reported
 Other Pipe Release Detection Method : None
 Pipe Release Detection Variance : No Variance
 Spill and Overfill Protection: Not reported
 Tank Corrosion Protection: Not reported
 Pipe Corrosion Protection: Not reported
 Other Corrosion Protection: None
 Vapor Recovery Equipment Status: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EAGLE MART 16 (Continued)

U001242700

Equipment Installed Date:	Not reported
Equipment Installer:	Not reported
Contractor Registration Number:	Not reported
Tank Registration Date:	05/08/1986
Installer License Number:	Not reported
Operator Name:	Not reported
Operator Telephone number:	Not reported
Operator Address:	
Operator Address building:	Not reported
Contact Operator Name:	
Contact Operator title:	Not reported
Contact Operator Phone:	Not reported
Self-Certification date:	Not reported
Signature Name:	Not reported
Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Piping Design & Ext. Containment 3 :	Not reported
Piping Design & Ext. Containment 4 :	Not reported
Type of Piping :	Not reported
Internal Tank Lining Date :	00/00/0000
Pipe Connectors and Valves 1 :	Not reported
Pipe Connectors and Valves 2 :	Not reported
Pipe Connectors and Valves 3 :	Not reported
Other Tank Corrosion Protection Text:	Not reported
Tank Corrosion Protection Variance :	No Variance
Pipe Corrosion Protection 3 :	Not reported
Pipe Corrosion Protection Variance :	No Variance
Stage 2 Vapor Recry Equipment Status :	Not reported
Stage 1 Equipment Installed Date :	Not reported
Tank Tested :	Tested
Compartment Capacity :	0000000
Owner ID :	49680
Owner Name :	SOUTHWEST CONVENIENCE STORES LLC
Owner Address :	415 N Grant ODESSA, TX 79760
Owner Contact Telephone :	432-580-8850
Owner Type :	Corporation
Owner Amendment Reason Code :	035
Owner Amendment Date :	06/05/10
Owner Tax ID :	17526797331
Number of Facilities reported by Owner :	0156
Mail Undeliverable :	Not reported
Bankruptcy In Effect :	Not reported
# Of Underground Storage Tanks :	0519
# Of Aboveground Storage Tanks :	0001
Operator Effective Date :	Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EAGLE MART 16 (Continued)

U001242700

Operator Type :	Corporation		
Owner Contact Name:	A W WRINKLE		
Date Registration Form Received :	08/86/05		
Facility Type :	Retail		
Name of Facility Manager :	Warren Ayres		
Title of Facility Manager :	Not reported		
Facility Manager Phone :	817-767-2577		
Sign Name on Registration Form :	T. MOORE		
Title of Signer of Registration Form :	BKPR		
Date of Signature on Registration Form :	042986		
Number of USTs:	0009		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	PO BOX 711		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0006173	Tank Installer:	Not reported
Tank ID:	1	Installation Date:	01/01/1981
Tank Emptied:	No	Status Date:	05/01/1991
Capacity:	1000	Unit ID:	00015831
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		
Contact Operator Phone:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

EAGLE MART 16 (Continued)

U001242700

Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: Not reported
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Tested
Compartment Capacity : 0000000
Owner ID : 49680
Owner Name : SOUTHWEST CONVENIENCE STORES LLC
Owner Address : 415 N Grant
ODESSA, TX 79760
Owner Contact Telephone : 432-580-8850
Owner Type : Corporation
Owner Amendment Reason Code : 035
Owner Amendment Date : 06/05/10
Owner Tax ID : 17526797331
Number of Facilities reported by Owner : 0156
Mail Undeliverable : Not reported
Bankruptcy In Effect : Not reported
Of Underground Storage Tanks : 0519
Of Aboveground Storage Tanks : 0001
Operator Effective Date : Not reported
Operator Type : Corporation
Owner Contact Name: A W WRINKLE
Date Registration Form Received : 08/86/05
Facility Type : Retail
Name of Facility Manager : Warren Ayres
Title of Facility Manager : Not reported
Facility Manager Phone : 817-767-2577
Sign Name on Registration Form : T. MOORE
Title of Signer of Registration Form : BKPR
Date of Signature on Registration Form : 042986
Number of USTs: 0009
Number of ASTs: 0000
Facility PO Box : Not reported
Owner PO Box : PO BOX 711

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EAGLE MART 16 (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

U001242700

Region Number :	03	Tank Installer:	Not reported
Facility in Ozone non-attainment area :	Not reported	Installation Date:	01/01/1961
Facility ID:	0006173	Status Date:	05/01/1991
Tank ID:	3	Unit ID:	00015832
Tank Emptied:	No		
Capacity:	4030		
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		
Contact Operator Phone:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		
Financial Assurance Self-Certification flag:	Not reported		
Technical standards Self-Certification flag:	Not reported		
UST Delivery Certificate Expiration Date:	Not reported		
Compartment letter:	Not reported		
Financial Responsibility Type:	Not reported		
Corrective Action Met Flag:	Not reported		
Third Party Met Flag:	Not reported		
Financial Assurance Beginning Date:	Not reported		
Piping Design & Ext. Containment 3 :	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EAGLE MART 16 (Continued)

U001242700

Piping Design & Ext. Containment 4 :	Not reported		
Type of Piping :	Not reported		
Internal Tank Lining Date :	00/00/0000		
Pipe Connectors and Valves 1 :	Not reported		
Pipe Connectors and Valves 2 :	Not reported		
Pipe Connectors and Valves 3 :	Not reported		
Other Tank Corrosion Protection Text:	Not reported		
Tank Corrosion Protection Variance :	No Variance		
Pipe Corrosion Protection 3 :	Not reported		
Pipe Corrosion Protection Variance :	No Variance		
Stage 2 Vapor Recry Equipment Status :	Not reported		
Stage 1 Equipment Installed Date :	Not reported		
Tank Tested :	Tested		
Compartment Capacity :	0000000		
Owner ID :	49680		
Owner Name :	SOUTHWEST CONVENIENCE STORES LLC		
Owner Address :	415 N Grant		
	ODESSA, TX 79760		
Owner Contact Telephone :	432-580-8850		
Owner Type :	Corporation		
Owner Amendment Reason Code :	035		
Owner Amendment Date :	06/05/10		
Owner Tax ID :	17526797331		
Number of Facilities reported by Owner :	0156		
Mail Undeliverable :	Not reported		
Bankruptcy In Effect :	Not reported		
# Of Underground Storage Tanks :	0519		
# Of Aboveground Storage Tanks :	0001		
Operator Effective Date :	Not reported		
Operator Type :	Corporation		
Owner Contact Name:	A W WRINKLE		
Date Registration Form Received :	08/86/05		
Facility Type :	Retail		
Name of Facility Manager :	Warren Ayres		
Title of Facility Manager :	Not reported		
Facility Manager Phone :	817-767-2577		
Sign Name on Registration Form :	T. MOORE		
Title of Signer of Registration Form :	BKPR		
Date of Signature on Registration Form :	042986		
Number of USTs:	0009		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	PO BOX 711		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0006173	Tank Installer:	Not reported
Tank ID:	5	Installation Date:	01/01/1961
Tank Emptied:	No	Status Date:	05/01/1991
Capacity:	4030	Unit ID:	00015833
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

EAGLE MART 16 (Continued)

U001242700

Compartment Substance Stored: Gasoline
Compartment Other Substance: Not reported
Tank Release Detection Method: Not reported
Tank Release Method Detection II: Not reported
Tank Release Method Detection III: Not reported
Other Tank Release Method Detection: None
Tank Release Detection Variance : No Variance
Pipe Release Detection Method: Not reported
Other Pipe Release Detection Method : None
Pipe Release Detection Variance : No Variance
Spill and Overfill Protection: Not reported
Tank Corrosion Protection: Not reported
Pipe Corrosion Protection: Not reported
Other Corrosion Protection: None
Vapor Recovery Equipment Status: Not reported
Equipment Installed Date: Not reported
Equipment Installer: Not reported
Contractor Registration Number: Not reported
Tank Registration Date: 05/08/1986
Installer License Number: Not reported
Operator Name: Not reported
Operator Telephone number: Not reported
Operator Address:
Operator Address building: Not reported
Contact Operator Name:
Contact Operator title: Not reported
Contact Operator Phone: Not reported
Self-Certification date: Not reported
Signature Name: Not reported
Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: Not reported
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Tested
Compartment Capacity : 0000000

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

EAGLE MART 16 (Continued)

EDR ID Number
 EPA ID Number

Database(s)

U001242700

Owner ID : 49680
 Owner Name : SOUTHWEST CONVENIENCE STORES LLC
 Owner Address : 415 N Grant
 ODESSA, TX 79760
 Owner Contact Telephone : 432-580-8850
 Owner Type : Corporation
 Owner Amendment Reason Code : 035
 Owner Amendment Date : 06/05/10
 Owner Tax ID : 17526797331
 Number of Facilities reported by Owner : 0156
 Mail Undeliverable : Not reported
 Bankruptcy In Effect : Not reported
 # Of Underground Storage Tanks : 0519
 # Of Aboveground Storage Tanks : 0001
 Operator Effective Date : Not reported
 Operator Type : Corporation
 Owner Contact Name: A W WRINKLE
 Date Registration Form Received : 08/86/05
 Facility Type : Retail
 Name of Facility Manager : Warren Ayres
 Title of Facility Manager : Not reported
 Facility Manager Phone : 817-767-2577
 Sign Name on Registration Form : T. MOORE
 Title of Signer of Registration Form : BKPR
 Date of Signature on Registration Form : 042986
 Number of USTs: 0009
 Number of ASTs: 0000
 Facility PO Box : Not reported
 Owner PO Box : PO BOX 711
 Region Number : 03
 Facility in Ozone non-attainment area : Not reported

Facility ID:	0006173	Tank Installer:	Not reported
Tank ID:	4	Installation Date:	01/01/1961
Tank Emptied:	No	Status Date:	05/01/1991
Capacity:	4030	Unit ID:	00015834
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EAGLE MART 16 (Continued)

U001242700

Vapor Recovery Equipment Status:	Not reported
Equipment Installed Date:	Not reported
Equipment Installer:	Not reported
Contractor Registration Number:	Not reported
Tank Registration Date:	05/08/1986
Installer License Number:	Not reported
Operator Name:	Not reported
Operator Telephone number:	Not reported
Operator Address:	
Operator Address building:	Not reported
Contact Operator Name:	
Contact Operator title:	Not reported
Contact Operator Phone:	Not reported
Self-Certification date:	Not reported
Signature Name:	Not reported
Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Piping Design & Ext. Containment 3 :	Not reported
Piping Design & Ext. Containment 4 :	Not reported
Type of Piping :	Not reported
Internal Tank Lining Date :	00/00/0000
Pipe Connectors and Valves 1 :	Not reported
Pipe Connectors and Valves 2 :	Not reported
Pipe Connectors and Valves 3 :	Not reported
Other Tank Corrosion Protection Text:	Not reported
Tank Corrosion Protection Variance :	No Variance
Pipe Corrosion Protection 3 :	Not reported
Pipe Corrosion Protection Variance :	No Variance
Stage 2 Vapor Recry Equipment Status :	Not reported
Stage 1 Equipment Installed Date :	Not reported
Tank Tested :	Tested
Compartment Capacity :	0000000
Owner ID :	49680
Owner Name :	SOUTHWEST CONVENIENCE STORES LLC
Owner Address :	415 N Grant ODESSA, TX 79760
Owner Contact Telephone :	432-580-8850
Owner Type :	Corporation
Owner Amendment Reason Code :	035
Owner Amendment Date :	06/05/10
Owner Tax ID :	17526797331
Number of Facilities reported by Owner :	0156
Mail Undeliverable :	Not reported
Bankruptcy In Effect :	Not reported
# Of Underground Storage Tanks :	0519
# Of Aboveground Storage Tanks :	0001

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EAGLE MART 16 (Continued)

U001242700

Operator Effective Date : Not reported
 Operator Type : Corporation
 Owner Contact Name: A W WRINKLE
 Date Registration Form Received : 08/86/05
 Facility Type : Retail
 Name of Facility Manager : Warren Ayres
 Title of Facility Manager : Not reported
 Facility Manager Phone : 817-767-2577
 Sign Name on Registration Form : T. MOORE
 Title of Signer of Registration Form : BKPR
 Date of Signature on Registration Form : 042986
 Number of USTs: 0009
 Number of ASTs: 0000
 Facility PO Box : Not reported
 Owner PO Box : PO BOX 711
 Region Number : 03
 Facility in Ozone non-attainment area : Not reported

[Click this hyperlink](#) while viewing on your computer to access
 4 additional TX UST record(s) in the EDR Site Report.

C11
NNE
1/8-1/4
1132 ft.

PRESTON ONE STOP
3201 SEYMOUR HWY
WICHITA FALLS, TX 76309

UST U001277375
LTANKS N/A

Site 5 of 5 in cluster C

Relative:
Lower

LTANKS:

Actual:
966 ft.

Facility ID: 0045852
 Facility Location: 3201 SEYMOUR HWY
 Reported Date: 8/9/1996
 Entered Date: 8/21/1996
 RPR Coordinator: EAE
 Region: 03
 Region City ID: ABILENE
 LPST Id: 111464
 Responsible Party: GROZIER & MANN
 RP Contact: RON JENSEN
 RP Telephone: 940/767-9415
 RP Address: PO BOX 2411
 WICHITA FALLS, TX 76307
 Priority: IMPACTED GW W/IN 500ft-0.25mi TO SW USED BY HUMAN, ENDGR
 SPEC
 Status: **FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING**

UST:

Facility ID:	0045852	Tank Installer:	Not reported
Tank ID:	1	Installation Date:	01/01/1976
Tank Emptied:	No	Status Date:	06/18/1998
Capacity:	6000	Unit ID:	00120025
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Not reported		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PRESTON ONE STOP (Continued)

U001277375

Tank Release Detection Method:	Not reported
Tank Release Method Detection II:	Not reported
Tank Release Method Detection III:	Not reported
Other Tank Release Method Detection:	SIR
Tank Release Detection Variance :	No Variance
Pipe Release Detection Method:	Not reported
Other Pipe Release Detection Method :	SIR
Pipe Release Detection Variance :	No Variance
Spill and Overfill Protection:	Automatic Delivery Shut-off Valve
Spill and Overfill Protection II:	Factory-Built Spill Container/Bucket/Sump
Spill and Overfill Protection III:	Tight-Fill Fitting
Tank Corrosion Protection:	Not reported
Pipe Corrosion Protection:	Not reported
Other Corrosion Protection:	None
Vapor Recovery Equipment Status:	Not reported
Equipment Installed Date:	Not reported
Equipment Installer:	Not reported
Contractor Registration Number:	Not reported
Tank Registration Date:	03/28/1988
Installer License Number:	Not reported
Operator Name:	Not reported
Operator Telephone number:	Not reported
Operator Address:	
Operator Address building:	Not reported
Contact Operator Name:	
Contact Operator title:	Not reported
Contact Operator Phone:	Not reported
Self-Certification date:	Not reported
Signature Name:	Not reported
Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Piping Design & Ext. Containment 3 :	Not reported
Piping Design & Ext. Containment 4 :	Not reported
Type of Piping :	Not reported
Internal Tank Lining Date :	00/00/0000
Pipe Connectors and Valves 1 :	Not reported
Pipe Connectors and Valves 2 :	Not reported
Pipe Connectors and Valves 3 :	Not reported
Other Tank Corrosion Protection Text:	None
Tank Corrosion Protection Variance :	No Variance
Pipe Corrosion Protection 3 :	Not reported
Pipe Corrosion Protection Variance :	No Variance
Stage 2 Vapor Recry Equipment Status :	Not reported
Stage 1 Equipment Installed Date :	Not reported
Tank Tested :	Tested
Compartment Capacity :	0000000

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PRESTON ONE STOP (Continued)

U001277375

Owner ID :	06815		
Owner Name :	GROZIER & MANN COMPANY		
Owner Address :	WICHITA FALLS, TX 76307		
Owner Contact Telephone :	800-460-9616/940-767-9415		
Owner Type :	Corporation		
Owner Amendment Reason Code :	035		
Owner Amendment Date :	31/06/01		
Owner Tax ID :	10049129068		
Number of Facilities reported by Owner :	0028		
Mail Undeliverable :	Not reported		
Bankruptcy In Effect :	Not reported		
# Of Underground Storage Tanks :	0068		
# Of Aboveground Storage Tanks :	0010		
Operator Effective Date :	Not reported		
Operator Type :	Corporation		
Owner Contact Name:	RON JENSEN		
Date Registration Form Received :	28/88/03		
Facility Type :	None of the above, or unidentified		
Name of Facility Manager :	DON POINDEXTER		
Title of Facility Manager :	EXC VP		
Facility Manager Phone :	9156772774		
Sign Name on Registration Form :	DON POINDEXTER		
Title of Signer of Registration Form :	EXC VP		
Date of Signature on Registration Form :	032688		
Number of USTs:	0003		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	PO BOX 2411		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0045852	Tank Installer:	Not reported
Tank ID:	2	Installation Date:	01/01/1976
Tank Emptied:	No	Status Date:	06/18/1998
Capacity:	6000	Unit ID:	00120026
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Not reported		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	SIR		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	SIR		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Automatic Delivery Shut-off Valve		
Spill and Overfill Protection II:	Factory-Built Spill Container/Bucket/Sump		
Spill and Overfill Protection III:	Tight-Fill Fitting		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

PRESTON ONE STOP (Continued)

U001277375

Other Corrosion Protection: None
Vapor Recovery Equipment Status: Not reported
Equipment Installed Date: Not reported
Equipment Installer: Not reported
Contractor Registration Number: Not reported
Tank Registration Date: 03/28/1988
Installer License Number: Not reported
Operator Name: Not reported
Operator Telephone number: Not reported
Operator Address:
Operator Address building: Not reported
Contact Operator Name:
Contact Operator title: Not reported
Contact Operator Phone: Not reported
Self-Certification date: Not reported
Signature Name: Not reported
Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: None
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Tested
Compartment Capacity : 0000000
Owner ID : 06815
Owner Name : GROZIER & MANN COMPANY
Owner Address : WICHITA FALLS, TX 76307
Owner Contact Telephone : 800-460-9616/940-767-9415
Owner Type : Corporation
Owner Amendment Reason Code : 035
Owner Amendment Date : 31/06/01
Owner Tax ID : 10049129068
Number of Facilities reported by Owner : 0028
Mail Undeliverable : Not reported
Bankruptcy In Effect : Not reported
Of Underground Storage Tanks : 0068
Of Aboveground Storage Tanks : 0010

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PRESTON ONE STOP (Continued)

U001277375

Operator Effective Date :	Not reported		
Operator Type :	Corporation		
Owner Contact Name:	RON JENSEN		
Date Registration Form Received :	28/88/03		
Facility Type :	None of the above, or unidentified		
Name of Facility Manager :	DON POINDEXTER		
Title of Facility Manager :	EXC VP		
Facility Manager Phone :	9156772774		
Sign Name on Registration Form :	DON POINDEXTER		
Title of Signer of Registration Form :	EXC VP		
Date of Signature on Registration Form :	032688		
Number of USTs:	0003		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	PO BOX 2411		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0045852	Tank Installer:	Not reported
Tank ID:	3	Installation Date:	01/01/1976
Tank Emptied:	No	Status Date:	06/18/1998
Capacity:	10000	Unit ID:	00120027
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Not reported		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	SIR		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	SIR		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Automatic Delivery Shut-off Valve		
Spill and Overfill Protection II:	Factory-Built Spill Container/Bucket/Sump		
Spill and Overfill Protection III:	Tight-Fill Fitting		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	03/28/1988		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

PRESTON ONE STOP (Continued)

U001277375

Contact Operator Phone: Not reported
Self-Certification date: Not reported
Signature Name: Not reported
Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: None
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Tested
Compartment Capacity : 0000000
Owner ID : 06815
Owner Name : GROZIER & MANN COMPANY
Owner Address : WICHITA FALLS, TX 76307
Owner Contact Telephone : 800-460-9616/940-767-9415
Owner Type : Corporation
Owner Amendment Reason Code : 035
Owner Amendment Date : 31/06/01
Owner Tax ID : 10049129068
Number of Facilities reported by Owner : 0028
Mail Undeliverable : Not reported
Bankruptcy In Effect : Not reported
Of Underground Storage Tanks : 0068
Of Aboveground Storage Tanks : 0010
Operator Effective Date : Not reported
Operator Type : Corporation
Owner Contact Name: RON JENSEN
Date Registration Form Received : 28/88/03
Facility Type : None of the above, or unidentified
Name of Facility Manager : DON POINDEXTER
Title of Facility Manager : EXC VP
Facility Manager Phone : 9156772774
Sign Name on Registration Form : DON POINDEXTER
Title of Signer of Registration Form : EXC VP
Date of Signature on Registration Form : 032688
Number of USTs: 0003
Number of ASTs: 0000

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PRESTON ONE STOP (Continued)

EDR ID Number
 EPA ID Number

Database(s)

Facility PO Box : Not reported
 Owner PO Box : PO BOX 2411
 Region Number : 03
 Facility in Ozone non-attainment area : Not reported

U001277375

12
North
1/4-1/2
1746 ft.

EAGLE MART LC
414 S BEVERLY
WICHITA FALLS, TX 76309

UST **U001242709**
LTANKS **N/A**

Relative:
Lower

LTANKS:

Actual:
948 ft.

Facility ID: 0006182
 Facility Location: 414 S BEVERLY
 Reported Date: Not reported
 Entered Date: 11/18/1996
 RPR Coordinator: MA
 Region: 03
 Region City ID: ABILENE
 LPST Id: 111641
 Responsible Party: SOUTHWEST CONVENIENCE STORES
 RP Contact: DAVID BOUTIN
 RP Telephone: 432/580-8850
 RP Address: 415 N GRANT
 ODESSA, TX 79760
 Priority: GW IMPACT, PUB/DOM WATER SUPPLY WELL W/IN .25 - .5 mi
 Status: **MONITORING**

UST:

Facility ID:	0006182	Tank Installer:	Not reported
Tank ID:	1	Installation Date:	01/01/1976
Tank Emptied:	No	Status Date:	08/30/1996
Capacity:	550	Unit ID:	00015860
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Diesel		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EAGLE MART LC (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001242709

Operator Name: Not reported
Operator Telephone number: Not reported
Operator Address:
Operator Address building: Not reported
Contact Operator Name:
Contact Operator title: Not reported
Contact Operator Phone: Not reported
Self-Certification date: Not reported
Signature Name: Not reported
Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: Not reported
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Tested
Compartment Capacity : 0000000
Owner ID : 49680
Owner Name : SOUTHWEST CONVENIENCE STORES LLC
Owner Address : 415 N Grant
ODESSA, TX 79760
Owner Contact Telephone : 432-580-8850
Owner Type : Corporation
Owner Amendment Reason Code : 035
Owner Amendment Date : 06/05/10
Owner Tax ID : 17526797331
Number of Facilities reported by Owner : 0156
Mail Undeliverable : Not reported
Bankruptcy In Effect : Not reported
Of Underground Storage Tanks : 0519
Of Aboveground Storage Tanks : 0001
Operator Effective Date : Not reported
Operator Type : Corporation
Owner Contact Name: A W WRINKLE
Date Registration Form Received : 08/86/05
Facility Type : None of the above, or unidentified
Name of Facility Manager : Warren Ayres

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EAGLE MART LC (Continued)

U001242709

Title of Facility Manager :	Not reported		
Facility Manager Phone :	817-767-2577		
Sign Name on Registration Form :	T. MOORE		
Title of Signer of Registration Form :	BKPR		
Date of Signature on Registration Form :	042986		
Number of USTs:	0003		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	PO BOX 711		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0006182	Tank Installer:	Not reported
Tank ID:	2	Installation Date:	01/01/1976
Tank Emptied:	No	Status Date:	08/30/1996
Capacity:	4000	Unit ID:	00015861
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Diesel		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		
Contact Operator Phone:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EAGLE MART LC (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001242709

Tank Emptied:	No	Status Date:	08/30/1996
Capacity:	4000	Unit ID:	00015862
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Diesel		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		
Contact Operator Phone:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		
Financial Assurance Self-Certification flag:	Not reported		
Technical standards Self-Certification flag:	Not reported		
UST Delivery Certificate Expiration Date:	Not reported		
Compartment letter:	Not reported		
Financial Responsibility Type:	Not reported		
Corrective Action Met Flag:	Not reported		
Third Party Met Flag:	Not reported		
Financial Assurance Beginning Date:	Not reported		
Piping Design & Ext. Containment 3 :	Not reported		
Piping Design & Ext. Containment 4 :	Not reported		
Type of Piping :	Not reported		
Internal Tank Lining Date :	00/00/0000		
Pipe Connectors and Valves 1 :	Not reported		
Pipe Connectors and Valves 2 :	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

EAGLE MART LC (Continued)

U001242709

Pipe Connectors and Valves 3 : Not reported
 Other Tank Corrosion Protection Text: Not reported
 Tank Corrosion Protection Variance : No Variance
 Pipe Corrosion Protection 3 : Not reported
 Pipe Corrosion Protection Variance : No Variance
 Stage 2 Vapor Recry Equipment Status : Not reported
 Stage 1 Equipment Installed Date : Not reported
 Tank Tested : Tested
 Compartment Capacity : 0000000
 Owner ID : 49680
 Owner Name : SOUTHWEST CONVENIENCE STORES LLC
 Owner Address : 415 N Grant
 ODESSA, TX 79760
 Owner Contact Telephone : 432-580-8850
 Owner Type : Corporation
 Owner Amendment Reason Code : 035
 Owner Amendment Date : 06/05/10
 Owner Tax ID : 17526797331
 Number of Facilities reported by Owner : 0156
 Mail Undeliverable : Not reported
 Bankruptcy In Effect : Not reported
 # Of Underground Storage Tanks : 0519
 # Of Aboveground Storage Tanks : 0001
 Operator Effective Date : Not reported
 Operator Type : Corporation
 Owner Contact Name: A W WRINKLE
 Date Registration Form Received : 08/86/05
 Facility Type : None of the above, or unidentified
 Name of Facility Manager : Warren Ayres
 Title of Facility Manager : Not reported
 Facility Manager Phone : 817-767-2577
 Sign Name on Registration Form : T. MOORE
 Title of Signer of Registration Form : BKPR
 Date of Signature on Registration Form : 042986
 Number of USTs: 0003
 Number of ASTs: 0000
 Facility PO Box : Not reported
 Owner PO Box : PO BOX 711
 Region Number : 03
 Facility in Ozone non-attainment area : Not reported

**D13
 NE
 1/4-1/2
 1925 ft.**

**K C OIL CO
 3141 SEYMOUR HWY
 WICHITA FALLS, TX 76309**

**UST U001261343
 LTANKS N/A**

Site 1 of 2 in cluster D

**Relative:
 Lower**

LTANKS:
 Facility ID: 0027577
 Facility Location: 3141 SEYMOUR HWY
 Reported Date: Not reported
 Entered Date: 7/15/1996
 RPR Coordinator: XYZ
 Region: 03
 Region City ID: ABILENE
 LPST Id: 111210
 Responsible Party: K C OIL CO
 RP Contact: RON CLEMENT
 RP Telephone: 817/723-6522

**Actual:
 956 ft.**

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

K C OIL CO (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001261343

RP Address: PO BOX 8108
WICHITA FALLS, TX 76307
Priority: NO GW IMPACT, NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Status: **FINAL CONCURRENCE ISSUED, CASE CLOSED**

UST:

Facility ID:	0027577	Tank Installer:	Not reported
Tank ID:	1	Installation Date:	01/01/1974
Tank Emptied:	No	Status Date:	05/10/1996
Capacity:	8000	Unit ID:	00072187
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Single Wall		
Pipe Construction & Containment:	Single Wall		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	Inventory Control		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Auto. Line Leak Detector(3.0gph for pressure piping)		
Other Pipe Release Detection Method :	Tightness Testing		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Tight-Fill Fitting		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		
Contact Operator Phone:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		
Financial Assurance Self-Certification flag:	Not reported		
Technical standards Self-Certification flag:	Not reported		
UST Delivery Certificate Expiration Date:	Not reported		
Compartment letter:	Not reported		
Financial Responsibility Type:	Not reported		
Corrective Action Met Flag:	Not reported		
Third Party Met Flag:	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

K C OIL CO (Continued)

EDR ID Number
 EPA ID Number

Database(s)

U001261343

Financial Assurance Beginning Date:	Not reported		
Piping Design & Ext. Containment 3 :	Not reported		
Piping Design & Ext. Containment 4 :	Not reported		
Type of Piping :	Not reported		
Internal Tank Lining Date :	00/00/0000		
Pipe Connectors and Valves 1 :	Not reported		
Pipe Connectors and Valves 2 :	Not reported		
Pipe Connectors and Valves 3 :	Not reported		
Other Tank Corrosion Protection Text:	None		
Tank Corrosion Protection Variance :	No Variance		
Pipe Corrosion Protection 3 :	Not reported		
Pipe Corrosion Protection Variance :	No Variance		
Stage 2 Vapor Recry Equipment Status :	Not reported		
Stage 1 Equipment Installed Date :	Not reported		
Tank Tested :	Not reported		
Compartment Capacity :	0000000		
Owner ID :	13166		
Owner Name :	K-C OIL COMPANY INC		
Owner Address :	WICHITA FALLS, TX 76307		
Owner Contact Telephone :	940-723-6522		
Owner Type :	Corporation		
Owner Amendment Reason Code :	Owner Name Changed		
Owner Amendment Date :	26/03/03		
Owner Tax ID :	17515504599		
Number of Facilities reported by Owner :	0007		
Mail Undeliverable :	Not reported		
Bankruptcy In Effect :	Not reported		
# Of Underground Storage Tanks :	0027		
# Of Aboveground Storage Tanks :	0002		
Operator Effective Date :	Not reported		
Operator Type :	Corporation		
Owner Contact Name:	Ron Clement		
Date Registration Form Received :	08/86/05		
Facility Type :	Retail		
Name of Facility Manager :	Ron Clement		
Title of Facility Manager :	Not reported		
Facility Manager Phone :	817-723-6522		
Sign Name on Registration Form :	R..CLEMENT		
Title of Signer of Registration Form :	MGR.		
Date of Signature on Registration Form :	050286		
Number of USTs:	0004		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	PO BOX 8108		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0027577	Tank Installer:	Not reported
Tank ID:	3	Installation Date:	01/01/1976
Tank Emptied:	No	Status Date:	05/14/1996
Capacity:	2000	Unit ID:	00072188
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Single Wall		
Pipe Construction & Containment:	Single Wall		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

K C OIL CO (Continued)

U001261343

Other Construction & Containment:	Not reported
Compartment Substance Stored:	Gasoline
Compartment Other Substance:	Not reported
Tank Release Detection Method:	Not reported
Tank Release Method Detection II:	Not reported
Tank Release Method Detection III:	Not reported
Other Tank Release Method Detection:	Inventory Control
Tank Release Detection Variance :	No Variance
Pipe Release Detection Method:	Auto. Line Leak Detector(3.0gph for pressure piping)
Other Pipe Release Detection Method :	Tightness Testing
Pipe Release Detection Variance :	No Variance
Spill and Overfill Protection:	Tight-Fill Fitting
Tank Corrosion Protection:	Not reported
Pipe Corrosion Protection:	Not reported
Other Corrosion Protection:	None
Vapor Recovery Equipment Status:	Not reported
Equipment Installed Date:	Not reported
Equipment Installer:	Not reported
Contractor Registration Number:	Not reported
Tank Registration Date:	05/08/1986
Installer License Number:	Not reported
Operator Name:	Not reported
Operator Telephone number:	Not reported
Operator Address:	
Operator Address building:	Not reported
Contact Operator Name:	
Contact Operator title:	Not reported
Contact Operator Phone:	Not reported
Self-Certification date:	Not reported
Signature Name:	Not reported
Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Piping Design & Ext. Containment 3 :	Not reported
Piping Design & Ext. Containment 4 :	Not reported
Type of Piping :	Not reported
Internal Tank Lining Date :	00/00/0000
Pipe Connectors and Valves 1 :	Not reported
Pipe Connectors and Valves 2 :	Not reported
Pipe Connectors and Valves 3 :	Not reported
Other Tank Corrosion Protection Text:	None
Tank Corrosion Protection Variance :	No Variance
Pipe Corrosion Protection 3 :	Not reported
Pipe Corrosion Protection Variance :	No Variance
Stage 2 Vapor Recry Equipment Status :	Not reported
Stage 1 Equipment Installed Date :	Not reported
Tank Tested :	Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

K C OIL CO (Continued)

EDR ID Number
 EPA ID Number

Database(s)

U001261343

Compartment Capacity :	0000000		
Owner ID :	13166		
Owner Name :	K-C OIL COMPANY INC		
Owner Address :	WICHITA FALLS, TX 76307		
Owner Contact Telephone :	940-723-6522		
Owner Type :	Corporation		
Owner Amendment Reason Code :	Owner Name Changed		
Owner Amendment Date :	26/03/03		
Owner Tax ID :	17515504599		
Number of Facilities reported by Owner :	0007		
Mail Undeliverable :	Not reported		
Bankruptcy In Effect :	Not reported		
# Of Underground Storage Tanks :	0027		
# Of Aboveground Storage Tanks :	0002		
Operator Effective Date :	Not reported		
Operator Type :	Corporation		
Owner Contact Name:	Ron Clement		
Date Registration Form Received :	08/86/05		
Facility Type :	Retail		
Name of Facility Manager :	Ron Clement		
Title of Facility Manager :	Not reported		
Facility Manager Phone :	817-723-6522		
Sign Name on Registration Form :	R..CLEMENT		
Title of Signer of Registration Form :	MGR.		
Date of Signature on Registration Form :	050286		
Number of USTs:	0004		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	PO BOX 8108		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0027577	Tank Installer:	Not reported
Tank ID:	2	Installation Date:	01/01/1974
Tank Emptied:	No	Status Date:	05/10/1996
Capacity:	4000	Unit ID:	00072189
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Single Wall		
Pipe Construction & Containment:	Single Wall		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	Inventory Control		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Auto. Line Leak Detector(3.0gph for pressure piping)		
Other Pipe Release Detection Method :	Tightness Testing		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Tight-Fill Fitting		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

K C OIL CO (Continued)

U001261343

Vapor Recovery Equipment Status:	Not reported
Equipment Installed Date:	Not reported
Equipment Installer:	Not reported
Contractor Registration Number:	Not reported
Tank Registration Date:	05/08/1986
Installer License Number:	Not reported
Operator Name:	Not reported
Operator Telephone number:	Not reported
Operator Address:	
Operator Address building:	Not reported
Contact Operator Name:	
Contact Operator title:	Not reported
Contact Operator Phone:	Not reported
Self-Certification date:	Not reported
Signature Name:	Not reported
Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Piping Design & Ext. Containment 3 :	Not reported
Piping Design & Ext. Containment 4 :	Not reported
Type of Piping :	Not reported
Internal Tank Lining Date :	00/00/0000
Pipe Connectors and Valves 1 :	Not reported
Pipe Connectors and Valves 2 :	Not reported
Pipe Connectors and Valves 3 :	Not reported
Other Tank Corrosion Protection Text:	None
Tank Corrosion Protection Variance :	No Variance
Pipe Corrosion Protection 3 :	Not reported
Pipe Corrosion Protection Variance :	No Variance
Stage 2 Vapor Recry Equipment Status :	Not reported
Stage 1 Equipment Installed Date :	Not reported
Tank Tested :	Not reported
Compartment Capacity :	0000000
Owner ID :	13166
Owner Name :	K-C OIL COMPANY INC
Owner Address :	WICHITA FALLS, TX 76307
Owner Contact Telephone :	940-723-6522
Owner Type :	Corporation
Owner Amendment Reason Code :	Owner Name Changed
Owner Amendment Date :	26/03/03
Owner Tax ID :	17515504599
Number of Facilities reported by Owner :	0007
Mail Undeliverable :	Not reported
Bankruptcy In Effect :	Not reported
# Of Underground Storage Tanks :	0027
# Of Aboveground Storage Tanks :	0002
Operator Effective Date :	Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

K C OIL CO (Continued)

U001261343

Operator Type :	Corporation		
Owner Contact Name:	Ron Clement		
Date Registration Form Received :	08/86/05		
Facility Type :	Retail		
Name of Facility Manager :	Ron Clement		
Title of Facility Manager :	Not reported		
Facility Manager Phone :	817-723-6522		
Sign Name on Registration Form :	R..CLEMENT		
Title of Signer of Registration Form :	MGR.		
Date of Signature on Registration Form :	050286		
Number of USTs:	0004		
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	PO BOX 8108		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0027577	Tank Installer:	Not reported
Tank ID:	4	Installation Date:	01/01/1956
Tank Emptied:	No	Status Date:	05/14/1996
Capacity:	500	Unit ID:	00072190
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Single Wall		
Pipe Construction & Containment:	Single Wall		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	Inventory Control		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Auto. Line Leak Detector(3.0gph for pressure piping)		
Other Pipe Release Detection Method :	Tightness Testing		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Tight-Fill Fitting		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		
Contact Operator Phone:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

K C OIL CO (Continued)

U001261343

Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Piping Design & Ext. Containment 3 :	Not reported
Piping Design & Ext. Containment 4 :	Not reported
Type of Piping :	Not reported
Internal Tank Lining Date :	00/00/0000
Pipe Connectors and Valves 1 :	Not reported
Pipe Connectors and Valves 2 :	Not reported
Pipe Connectors and Valves 3 :	Not reported
Other Tank Corrosion Protection Text:	None
Tank Corrosion Protection Variance :	No Variance
Pipe Corrosion Protection 3 :	Not reported
Pipe Corrosion Protection Variance :	No Variance
Stage 2 Vapor Recry Equipment Status :	Not reported
Stage 1 Equipment Installed Date :	Not reported
Tank Tested :	Not reported
Compartment Capacity :	0000000
Owner ID :	13166
Owner Name :	K-C OIL COMPANY INC
Owner Address :	WICHITA FALLS, TX 76307
Owner Contact Telephone :	940-723-6522
Owner Type :	Corporation
Owner Amendment Reason Code :	Owner Name Changed
Owner Amendment Date :	26/03/03
Owner Tax ID :	17515504599
Number of Facilities reported by Owner :	0007
Mail Undeliverable :	Not reported
Bankruptcy In Effect :	Not reported
# Of Underground Storage Tanks :	0027
# Of Aboveground Storage Tanks :	0002
Operator Effective Date :	Not reported
Operator Type :	Corporation
Owner Contact Name:	Ron Clement
Date Registration Form Received :	08/86/05
Facility Type :	Retail
Name of Facility Manager :	Ron Clement
Title of Facility Manager :	Not reported
Facility Manager Phone :	817-723-6522
Sign Name on Registration Form :	R..CLEMENT
Title of Signer of Registration Form :	MGR.
Date of Signature on Registration Form :	050286
Number of USTs:	0004
Number of ASTs:	0000
Facility PO Box :	Not reported
Owner PO Box :	PO BOX 8108
Region Number :	03

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

K C OIL CO (Continued)

EDR ID Number
 EPA ID Number

U001261343

Facility in Ozone non-attainment area : Not reported

**D14
 NE
 1/4-1/2
 2013 ft.**

**KOCKS NO 2
 3124 5TH ST
 WICHITA FALLS, TX 76301**

**UST U001280596
 LTANKS N/A**

Site 2 of 2 in cluster D

**Relative:
 Lower**

LTANKS:

**Actual:
 955 ft.**

Facility ID: 0049587
 Facility Location: 3124 5TH ST
 Reported Date: 8/16/1996
 Entered Date: 8/22/1996
 RPR Coordinator: PSL
 Region: 03
 Region City ID: ABILENE
 LPST Id: 111507
 Responsible Party: GROZIER & MANN OIL CO
 RP Contact: RON JENSEN
 RP Telephone: 940/767-9415
 RP Address: 405 E SCOTT ST
 WICHITA FALLS, TX 76307
 Priority: GW IMPACT, PUB/DOM WATER SUPPLY WELL W/IN .25 - .5 mi
Status: MONITORING

UST:

Facility ID:	0049587	Tank Installer:	Not reported
Tank ID:	2	Installation Date:	01/01/1964
Tank Emptied:	No	Status Date:	08/08/1996
Capacity:	4000	Unit ID:	00128660
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Not reported		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	11/27/1989		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

KOCKS NO 2 (Continued)

U001280596

Operator Address:
Operator Address building: Not reported
Contact Operator Name:
Contact Operator title: Not reported
Contact Operator Phone: Not reported
Self-Certification date: Not reported
Signature Name: Not reported
Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Not reported
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : Not reported
Pipe Connectors and Valves 2 : Not reported
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: None
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Not reported
Compartment Capacity : 0000000
Owner ID : 06814
Owner Name : FUEL STOP INC
Owner Address : WICHITA FALLS, TX 76307
Owner Contact Telephone : 940-767-9415
Owner Type : Corporation
Owner Amendment Reason Code : 001
Owner Amendment Date : 12/02/01
Owner Tax ID : Not reported
Number of Facilities reported by Owner : 0001
Mail Undeliverable : Not reported
Bankruptcy In Effect : Not reported
Of Underground Storage Tanks : 0002
Of Aboveground Storage Tanks : 0000
Operator Effective Date : Not reported
Operator Type : Corporation
Owner Contact Name: Gayle Grozier
Date Registration Form Received : 27/89/11
Facility Type : None of the above, or unidentified
Name of Facility Manager : James Switzer
Title of Facility Manager : Not reported
Facility Manager Phone : 817-767-9415
Sign Name on Registration Form : SAME

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

KOCKS NO 2 (Continued)

U001280596

Title of Signer of Registration Form :	SAME	Tank Installer:	Not reported
Date of Signature on Registration Form :	111089	Installation Date:	01/01/1964
Number of USTs:	0002	Status Date:	08/08/1996
Number of ASTs:	0000	Unit ID:	00128661
Facility PO Box :	Not reported		
Owner PO Box :	PO BOX 2411		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0049587		
Tank ID:	1		
Tank Emptied:	No		
Capacity:	4000		
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Not reported		
Other Materials of Construction:	Not reported		
Tank Status:	Removed from the Ground		
Tank Construction & Containment:	Not reported		
Pipe Construction & Containment:	Not reported		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Not reported		
Other Pipe Release Detection Method :	None		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Not reported		
Tank Corrosion Protection:	Not reported		
Pipe Corrosion Protection:	Not reported		
Other Corrosion Protection:	None		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	11/27/1989		
Installer License Number:	Not reported		
Operator Name:	Not reported		
Operator Telephone number:	Not reported		
Operator Address:			
Operator Address building:	Not reported		
Contact Operator Name:			
Contact Operator title:	Not reported		
Contact Operator Phone:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		
Financial Assurance Self-Certification flag:	Not reported		
Technical standards Self-Certification flag:	Not reported		
UST Delivery Certificate Expiration Date:	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

KOCKS NO 2 (Continued)

U001280596

Compartment letter:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Piping Design & Ext. Containment 3 :	Not reported
Piping Design & Ext. Containment 4 :	Not reported
Type of Piping :	Not reported
Internal Tank Lining Date :	00/00/0000
Pipe Connectors and Valves 1 :	Not reported
Pipe Connectors and Valves 2 :	Not reported
Pipe Connectors and Valves 3 :	Not reported
Other Tank Corrosion Protection Text:	None
Tank Corrosion Protection Variance :	No Variance
Pipe Corrosion Protection 3 :	Not reported
Pipe Corrosion Protection Variance :	No Variance
Stage 2 Vapor Recry Equipment Status :	Not reported
Stage 1 Equipment Installed Date :	Not reported
Tank Tested :	Not reported
Compartment Capacity :	0000000
Owner ID :	06814
Owner Name :	FUEL STOP INC
Owner Address :	WICHITA FALLS, TX 76307
Owner Contact Telephone :	940-767-9415
Owner Type :	Corporation
Owner Amendment Reason Code :	001
Owner Amendment Date :	12/02/01
Owner Tax ID :	Not reported
Number of Facilities reported by Owner :	0001
Mail Undeliverable :	Not reported
Bankruptcy In Effect :	Not reported
# Of Underground Storage Tanks :	0002
# Of Aboveground Storage Tanks :	0000
Operator Effective Date :	Not reported
Operator Type :	Corporation
Owner Contact Name:	Gayle Grozier
Date Registration Form Received :	27/89/11
Facility Type :	None of the above, or unidentified
Name of Facility Manager :	James Switzer
Title of Facility Manager :	Not reported
Facility Manager Phone :	817-767-9415
Sign Name on Registration Form :	SAME
Title of Signer of Registration Form :	SAME
Date of Signature on Registration Form :	111089
Number of USTs:	0002
Number of ASTs:	0000
Facility PO Box :	Not reported
Owner PO Box :	PO BOX 2411
Region Number :	03
Facility in Ozone non-attainment area :	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

15
SE
1/4-1/2
2483 ft.

HAYES ST CONOCO
1702 HAYES ST
WICHITA FALLS, TX 76309

UST
LTANKS

U001249672
N/A

Relative:
Higher

LTANKS:

Actual:
1016 ft.

Facility ID: 0014221
 Facility Location: 1702 HAYES ST
 Reported Date: 10/17/1996
 Entered Date: 11/1/1996
 RPR Coordinator: TH2
 Region: 03
 Region City ID: ABILENE
 LPST Id: 111831
 Responsible Party: GROZIER & MANN OIL CO
 RP Contact: RON JENSEN
 RP Telephone: 940/767-9415
 RP Address: 405 E SCOTT ST
 WICHITA FALLS, TX 76301
 Priority: A DESIGNED MAJOR OR MINOR AQUIFER IS IMPACTED
Status: MONITORING

UST:

Facility ID:	0014221	Tank Installer:	Not reported
Tank ID:	1	Installation Date:	01/01/1985
Tank Emptied:	No	Status Date:	Not reported
Capacity:	6000	Unit ID:	00036624
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	In Use		
Tank Construction & Containment:	Single Wall		
Pipe Construction & Containment:	Single Wall		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	SIR (Stat. Inventory Reconciliation) and Inventory Cntr		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	Not reported		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Auto. Line Leak Detector(3.0gph for pressure piping)		
Pipe Release Detection Method II:	SIR (Stat. Inventory Reconciliation) and Inventory Cntr		
Other Pipe Release Detection Method :	Not reported		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Automatic Delivery Shut-off Valve		
Spill and Overfill Protection II:	Factory-Built Spill Container/Bucket/Sump		
Spill and Overfill Protection III:	Tight-Fill Fitting		
Tank Corrosion Protection:	Composite Tank (steel w/FRP laminate)		
Pipe Corrosion Protection:	Composite Tank (steel w/FRP laminate)		
Other Corrosion Protection:	Not reported		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		
Operator Name:	TODD BOBBY		
Operator Telephone number:	Not reported		
Operator Address:	1702 HAYES ST		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HAYES ST CONOCO (Continued)

U001249672

WICHITA FALLS, TX 76309 - 3130
Operator Address building: Not reported
Contact Operator Name: BOBBY TODD
Contact Operator title: MGR
Contact Operator Phone: 940-767-1399
Self-Certification date: 041505
Signature Name: RON JENSEN
Signature Title Name: MANAGER
Signature Type Text: Legally-Authorized Rep of Owner
Certification Submitted Type: Annual
Registration Self-Certification Flag: Yes
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Yes
Technical standards Self-Certification flag: Yes
UST Delivery Certificate Expiration Date: 20/06/05
Compartment letter: A
Financial Responsibility Type: Insurance or Risk Retention Group
Corrective Action Met Flag: Yes
Third Party Met Flag: Yes
Financial Assurance Beginning Date: 03/31/94
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Pressurized
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : 1
Pipe Connectors and Valves 2 : 2
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: Not reported
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recry Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Not reported
Compartment Capacity : 0000000
Owner ID : 06815
Owner Name : GROZIER & MANN COMPANY
Owner Address : WICHITA FALLS, TX 76307
Owner Contact Telephone : 800-460-9616/940-767-9415
Owner Type : Corporation
Owner Amendment Reason Code : 035
Owner Amendment Date : 31/06/01
Owner Tax ID : 10049129068
Number of Facilities reported by Owner : 0028
Mail Undeliverable : Not reported
Bankruptcy In Effect : Not reported
Of Underground Storage Tanks : 0068
Of Aboveground Storage Tanks : 0010
Operator Effective Date : Not reported
Operator Type : Corporation
Owner Contact Name: RON JENSEN
Date Registration Form Received : 08/86/05
Facility Type : Retail
Name of Facility Manager : BOBBY TODD
Title of Facility Manager : OPERATOR
Facility Manager Phone : 940-767-1399

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HAYES ST CONOCO (Continued)

U001249672

Sign Name on Registration Form :	J SWITZER	Tank Installer:	Not reported
Title of Signer of Registration Form :	OWNER	Installation Date:	01/01/1985
Date of Signature on Registration Form :	040886	Status Date:	Not reported
Number of USTs:	0002	Unit ID:	00036625
Number of ASTs:	0000		
Facility PO Box :	Not reported		
Owner PO Box :	PO BOX 2411		
Region Number :	03		
Facility in Ozone non-attainment area :	Not reported		
Facility ID:	0014221		
Tank ID:	2		
Tank Emptied:	No		
Capacity:	6000		
Tank Material of Construction:	Steel		
Pipe Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Tank Status:	In Use		
Tank Construction & Containment:	Single Wall		
Pipe Construction & Containment:	Single Wall		
Other Construction & Containment:	Not reported		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Detection Method:	SIR (Stat. Inventory Reconciliation) and Inventory Cntr		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	Not reported		
Tank Release Detection Variance :	No Variance		
Pipe Release Detection Method:	Auto. Line Leak Detector(3.0gph for pressure piping)		
Pipe Release Detection Method II:	SIR (Stat. Inventory Reconciliation) and Inventory Cntr		
Other Pipe Release Detection Method :	Not reported		
Pipe Release Detection Variance :	No Variance		
Spill and Overfill Protection:	Automatic Delivery Shut-off Valve		
Spill and Overfill Protection II:	Factory-Built Spill Container/Bucket/Sump		
Spill and Overfill Protection III:	Tight-Fill Fitting		
Tank Corrosion Protection:	Composite Tank (steel w/FRP laminate)		
Pipe Corrosion Protection:	Composite Tank (steel w/FRP laminate)		
Other Corrosion Protection:	Not reported		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Registration Date:	05/08/1986		
Installer License Number:	Not reported		
Operator Name:	TODD BOBBY		
Operator Telephone number:	Not reported		
Operator Address:	1702 HAYES ST		
	WICHITA FALLS, TX 76309 - 3130		
Operator Address building:	Not reported		
Contact Operator Name:	BOBBY TODD		
Contact Operator title:	MGR		
Contact Operator Phone:	940-767-1399		
Self-Certification date:	041505		
Signature Name:	RON JENSEN		
Signature Title Name:	MANAGER		
Signature Type Text:	Legally-Authorized Rep of Owner		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HAYES ST CONOCO (Continued)

U001249672

Certification Submitted Type: Annual
Registration Self-Certification Flag: Yes
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Yes
Technical standards Self-Certification flag: Yes
UST Delivery Certificate Expiration Date: 20/06/05
Compartment letter: A
Financial Responsibility Type: Insurance or Risk Retention Group
Corrective Action Met Flag: Yes
Third Party Met Flag: Yes
Financial Assurance Beginning Date: 03/31/94
Piping Design & Ext. Containment 3 : Not reported
Piping Design & Ext. Containment 4 : Not reported
Type of Piping : Pressurized
Internal Tank Lining Date : 00/00/0000
Pipe Connectors and Valves 1 : 1
Pipe Connectors and Valves 2 : 2
Pipe Connectors and Valves 3 : Not reported
Other Tank Corrosion Protection Text: Not reported
Tank Corrosion Protection Variance : No Variance
Pipe Corrosion Protection 3 : Not reported
Pipe Corrosion Protection Variance : No Variance
Stage 2 Vapor Recy Equipment Status : Not reported
Stage 1 Equipment Installed Date : Not reported
Tank Tested : Not reported
Compartment Capacity : 0000000
Owner ID : 06815
Owner Name : GROZIER & MANN COMPANY
Owner Address : WICHITA FALLS, TX 76307
Owner Contact Telephone : 800-460-9616/940-767-9415
Owner Type : Corporation
Owner Amendment Reason Code : 035
Owner Amendment Date : 31/06/01
Owner Tax ID : 10049129068
Number of Facilities reported by Owner : 0028
Mail Undeliverable : Not reported
Bankruptcy In Effect : Not reported
Of Underground Storage Tanks : 0068
Of Aboveground Storage Tanks : 0010
Operator Effective Date : Not reported
Operator Type : Corporation
Owner Contact Name: RON JENSEN
Date Registration Form Received : 08/86/05
Facility Type : Retail
Name of Facility Manager : BOBBY TODD
Title of Facility Manager : OPERATOR
Facility Manager Phone : 940-767-1399
Sign Name on Registration Form : J SWITZER
Title of Signer of Registration Form : OWNER
Date of Signature on Registration Form : 040886
Number of USTs: 0002
Number of ASTs: 0000
Facility PO Box : Not reported
Owner PO Box : PO BOX 2411
Region Number : 03
Facility in Ozone non-attainment area : Not reported

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
JOLLY	A100116923	JOLLY TRUCK STOP	HWY 287 & FM 2393	76301	AST
JOLLY	A100149789	CONSTRUCTION AGRICULTURE	US HWY 87 EXPWY	76301	AST
JOLLY	S106620650	TPI PETROLEUM FAC 4543	E HWY 287	76301	LTANKS
WICHITA FALLS	1004786780	CASE EQUIP	HWY 287 E 8M	76301	RCRA-SQG, FINDS
WICHITA FALLS	S107747520	JOLLY GROCERY	HWY 287	76301	LTANKS
WICHITA FALLS	877359	US 287, 11MI S OF WICHITA FALLS	US 287, 11MI S OF WICHITA FALLS		ERNS
WICHITA FALLS	A100189118	CHARLES & JOE BEVERING P S	RT 4	76301	AST
WICHITA FALLS	A100189223	DENNYS EXCAVATION	RT 5	76301	AST
WICHITA FALLS	A100189224	JERALS BACKHOE SERVICE	RT 5	76301	AST
WICHITA FALLS	1004784040	ARCO PIPE LINE CO	HWY 79 N .6 MILES	76301	RCRA-SQG, FINDS
WICHITA FALLS	U001257090	JC BURNHAM STATION	HWY 810	76301	UST
WICHITA FALLS	S107790476	CITY OF WICHITA FALLS TRANSFER STATION	NO ADDRESS		SWF/LF
WICHITA FALLS	S107790475	CITY OF WICHITA FALLS LANDFILL	NO ADDRESS		SWF/LF
WICHITA FALLS	S106821303	CITY OF WICHITA FALLS COMPOSTING FACILIT	NO ADDRESS		SWF/LF
WICHITA FALLS	S107632575	WICHITA FALLS COGENERATION PLANT	4511 ALLENDALE ROAD, WICHITA FALLS		ENF
WICHITA FALLS	1008262752	WICHITA FALLS H S	2149 AVE H	76309	FINDS
WICHITA FALLS	S107646433	CRYOVAC DIVISION WICHITA FALLS	3800 CENTRAL FREEWAY N, WICHITA FALLS, TX		ENF
WICHITA FALLS	S107652567	CITY OF WICHITA FALLS LANDFILL	W CITY ON PARKER RANCH ROAD 2 NW INTERSECTION US		ENF
WICHITA FALLS	S107633919	WICHITA FALLS REFURBISHMENT P&WC AEROSPA	3101 HAMMON ROAD, WICHITA FALLS		ENF
WICHITA FALLS	1000836819	BURGESS-MANNING INC	8505 JACKSBORO HWY	76301	RCRA-SQG, FINDS, Ind. Haz Waste
WICHITA FALLS	S107001592	7-8 MILES W OF WICHITA FALLS AT TANK BAT	7-8 MILES W OF WICHITA FALLS AT TANK BATTERY ON OI		TX Spills
WICHITA FALLS	S107656331	WICHITA FALLS CRESCENT PLAZA LP CRESCENT	4600 OLD JACKSBORO HIGHWAY, WICHITA FALLS, 76302 (ENF
WICHITA FALLS	1004783307	CHAMPION TECHNOLOGIES INC	5M S ON HWY 281	76301	RCRA-SQG, FINDS, FTTS
WICHITA FALLS	1003874623	WICHITA FALLS TORNADO DEBRIS LANDFILL	PARKER RANCH RD WEST OF CITY	76301	CERC-NFRAP
WICHITA FALLS	8715044	3 MI. SE OF WICHITA ASPLANT PLANT	3 MI. SE OF WICHITA ASPLANT PLANT		ERNS
WICHITA FALLS	S107656417	WICHITA FANK MANUFACTURING WICHITA FALLS	8651 SEYMOUR HIGHWAY, WICHITA FALLS		ENF
WICHITA FALLS	S107633809	WICHITA TANK MANUFACTURING WICHITA FALLS	8321 SEYMOUR HWY, WICHITA FALLS, TX		ENF
WICHITA FALLS	S107013800	SHEPPARD AFB, WICHITA FALLS, TEXAS	SHEPPARD AFB, WICHITA FALLS, TEXAS		TX Spills
WICHITA FALLS	S103601578	WICHITA FALLS TERMINAL	SINCLAIR BLV / CHARLES RD		Ind. Haz Waste
WICHITA FALLS	S107651893	CITY OF WICHITA FALLS TRANSFER STATION	ON THE EST SIDE OF LAWRENCE ROAD, 2500 FEES SOUTH		ENF
WICHITA FALLS	S106949516	WICHITA FALLS GRAIN ELEVATOR	2102 WAURIKA FREEWAY		ENF
WICHITA FALLS	984381111	WICHITA REGULAR BIRK C LEASE: 234990	WICHITA REGULAR BIRK C LEASE: 234990		ERNS
WICHITA FALLS	984381110	WICHITA REGULAR BIRK C LEASE: 234990	WICHITA REGULAR BIRK C LEASE: 234990		ERNS
WICHITA FALLS	S105781845	WICHITA FALLS SITE	WICHITA FALLS, TX		Ind. Haz Waste
WICHITA FALLS	S105781844	WICHITA FALLS SITE	WICHITA FALLS, TX		Ind. Haz Waste
WICHITA FALLS	S105781843	WICHITA FALLS SITE	WICHITA FALLS, TX		Ind. Haz Waste
WICHITA FALLS	875508	WICHITA RIVER, FTRR ABSTRACST 264 SEC 29, APROX 0.5 MI W OF	WICHITA RIVER, FTRR ABSTRACST 264 SEC 29, APROX 0.5 MI W OF		ERNS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

FEDERAL RECORDS

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 04/19/2006	Source: EPA
Date Data Arrived at EDR: 05/05/2006	Telephone: N/A
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 05/05/2006
Number of Days to Update: 17	Next Scheduled EDR Contact: 07/31/2006
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 8
Telephone: 303-312-6774

EPA Region 4
Telephone 404-562-8033

Proposed NPL: Proposed National Priority List Sites

Date of Government Version: 04/19/2006	Source: EPA
Date Data Arrived at EDR: 05/05/2006	Telephone: N/A
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 05/05/2006
Number of Days to Update: 17	Next Scheduled EDR Contact: 07/31/2006
	Data Release Frequency: Quarterly

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/19/2006	Source: EPA
Date Data Arrived at EDR: 05/05/2006	Telephone: N/A
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 05/05/2006
Number of Days to Update: 17	Next Scheduled EDR Contact: 07/31/2006
	Data Release Frequency: Quarterly

NPL RECOVERY: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 05/23/2006
Number of Days to Update: 56	Next Scheduled EDR Contact: 08/21/2006
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 02/01/2006	Source: EPA
Date Data Arrived at EDR: 03/21/2006	Telephone: 703-413-0223
Date Made Active in Reports: 04/13/2006	Last EDR Contact: 06/22/2006
Number of Days to Update: 23	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Quarterly

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 02/01/2006	Source: EPA
Date Data Arrived at EDR: 03/21/2006	Telephone: 703-413-0223
Date Made Active in Reports: 04/13/2006	Last EDR Contact: 06/23/2006
Number of Days to Update: 23	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Quarterly

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/15/2006	Source: EPA
Date Data Arrived at EDR: 03/17/2006	Telephone: 800-424-9346
Date Made Active in Reports: 04/13/2006	Last EDR Contact: 05/21/2006
Number of Days to Update: 27	Next Scheduled EDR Contact: 09/04/2006
	Data Release Frequency: Quarterly

RCRA: Resource Conservation and Recovery Act Information

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/09/2006	Source: EPA
Date Data Arrived at EDR: 04/27/2006	Telephone: 800-424-9346
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 06/28/2006
Number of Days to Update: 33	Next Scheduled EDR Contact: 08/21/2006
	Data Release Frequency: Quarterly

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2005	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 01/12/2006	Telephone: 202-260-2342
Date Made Active in Reports: 02/21/2006	Last EDR Contact: 04/26/2006
Number of Days to Update: 40	Next Scheduled EDR Contact: 07/24/2006
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2005	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 04/14/2006	Telephone: 202-366-4555
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 07/19/2006
Number of Days to Update: 46	Next Scheduled EDR Contact: 10/16/2006
	Data Release Frequency: Annually

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 03/21/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/27/2006	Telephone: 703-603-8905
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 07/03/2006
Number of Days to Update: 56	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 03/21/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/27/2006	Telephone: 703-603-8905
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 07/03/2006
Number of Days to Update: 56	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2004	Source: USGS
Date Data Arrived at EDR: 02/08/2005	Telephone: 703-692-8801
Date Made Active in Reports: 08/04/2005	Last EDR Contact: 05/12/2006
Number of Days to Update: 177	Next Scheduled EDR Contact: 08/07/2006
	Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/05/2005	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 01/19/2006	Telephone: 202-528-4285
Date Made Active in Reports: 02/21/2006	Last EDR Contact: 07/17/2006
Number of Days to Update: 33	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Varies

US BROWNFIELDS: A Listing of Brownfields Sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 04/26/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/27/2006	Telephone: 202-566-2777
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 06/12/2006
Number of Days to Update: 33	Next Scheduled EDR Contact: 09/11/2006
	Data Release Frequency: Semi-Annually

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/14/2004	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 02/15/2005	Telephone: Varies
Date Made Active in Reports: 04/25/2005	Last EDR Contact: 03/13/2006
Number of Days to Update: 69	Next Scheduled EDR Contact: 07/24/2006
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 04/13/2006	Source: EPA
Date Data Arrived at EDR: 04/28/2006	Telephone: 703-416-0223
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 07/06/2006
Number of Days to Update: 32	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 11/04/2005	Source: Department of Energy
Date Data Arrived at EDR: 11/28/2005	Telephone: 505-845-0011
Date Made Active in Reports: 01/30/2006	Last EDR Contact: 06/21/2006
Number of Days to Update: 63	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2003	Source: EPA
Date Data Arrived at EDR: 07/13/2005	Telephone: 202-566-0250
Date Made Active in Reports: 08/17/2005	Last EDR Contact: 06/22/2006
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002	Source: EPA
Date Data Arrived at EDR: 04/14/2006	Telephone: 202-260-5521
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 07/17/2006
Number of Days to Update: 46	Next Scheduled EDR Contact: 10/16/2006
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/29/2006	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/26/2006	Telephone: 202-566-1667
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 06/19/2006
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Date of Government Version: 03/31/2006	Source: EPA
Date Data Arrived at EDR: 04/26/2006	Telephone: 202-566-1667
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 06/19/2006
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/18/2006
	Data Release Frequency: Quarterly

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2004	Source: EPA
Date Data Arrived at EDR: 05/11/2006	Telephone: 202-564-4203
Date Made Active in Reports: 05/22/2006	Last EDR Contact: 07/17/2006
Number of Days to Update: 11	Next Scheduled EDR Contact: 10/16/2006
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 02/13/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/21/2006	Telephone: 202-564-5088
Date Made Active in Reports: 05/11/2006	Last EDR Contact: 07/17/2006
Number of Days to Update: 20	Next Scheduled EDR Contact: 10/16/2006
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 12/27/2005	Source: EPA
Date Data Arrived at EDR: 02/08/2006	Telephone: 202-566-0500
Date Made Active in Reports: 02/27/2006	Last EDR Contact: 06/28/2006
Number of Days to Update: 19	Next Scheduled EDR Contact: 08/07/2006
	Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/12/2006	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 04/26/2006	Telephone: 301-415-7169
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 07/03/2006
Number of Days to Update: 34	Next Scheduled EDR Contact: 10/02/2006
	Data Release Frequency: Quarterly

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/09/2006	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 03/29/2006	Telephone: 303-231-5959
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 06/28/2006
Number of Days to Update: 62	Next Scheduled EDR Contact: 09/25/2006
	Data Release Frequency: Semi-Annually

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/27/2006	Source: EPA
Date Data Arrived at EDR: 05/02/2006	Telephone: N/A
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 04/03/2006
Number of Days to Update: 28	Next Scheduled EDR Contact: 07/03/2006
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/05/2006
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/04/2006
	Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2003
Date Data Arrived at EDR: 06/17/2005
Date Made Active in Reports: 08/04/2005
Number of Days to Update: 48

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 06/30/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Biennially

STATE AND LOCAL RECORDS

SHWS: State Superfund Registry

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/07/2006
Date Data Arrived at EDR: 05/19/2006
Date Made Active in Reports: 06/07/2006
Number of Days to Update: 19

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5680
Last EDR Contact: 07/14/2006
Next Scheduled EDR Contact: 10/09/2006
Data Release Frequency: Semi-Annually

IOP: Innocent Owner/Operator Program

Contains information on all sites that are in the IOP. An IOP is an innocent owner or operator whose property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to the source or sources of contamination.

Date of Government Version: 05/16/2006
Date Data Arrived at EDR: 05/17/2006
Date Made Active in Reports: 06/07/2006
Number of Days to Update: 21

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5894
Last EDR Contact: 05/15/2006
Next Scheduled EDR Contact: 08/07/2006
Data Release Frequency: Quarterly

SWF/LF: Permitted Solid Waste Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 06/01/2006
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/12/2006
Number of Days to Update: 40

Source: Texas Commission on Environmental Quality
Telephone: 512-239-6706
Last EDR Contact: 05/23/2006
Next Scheduled EDR Contact: 08/21/2006
Data Release Frequency: Quarterly

CLI: Closed Landfill Inventory

Closed and abandoned landfills (permitted as well as unauthorized) across the state of Texas.

Date of Government Version: 08/30/1999
Date Data Arrived at EDR: 09/28/2000
Date Made Active in Reports: 10/30/2000
Number of Days to Update: 32

Source: Texas Commission on Environmental Quality
Telephone: 512-239-6016
Last EDR Contact: 05/01/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: Varies

WASTEMGT: Commercial Hazardous & Solid Waste Management Facilities

This list contains commercial recycling facilities and facilities permitted or authorized (interim status) by the Texas Natural Resource Conservation Commission.

Date of Government Version: 11/01/2003
Date Data Arrived at EDR: 02/17/2004
Date Made Active in Reports: 03/04/2004
Number of Days to Update: 16

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2920
Last EDR Contact: 05/04/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LTANKS: Leaking Petroleum Storage Tank Database

An inventory of reported leaking petroleum storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 05/04/2006
Date Data Arrived at EDR: 05/08/2006
Date Made Active in Reports: 06/07/2006
Number of Days to Update: 30

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2200
Last EDR Contact: 04/26/2006
Next Scheduled EDR Contact: 07/24/2006
Data Release Frequency: Quarterly

UST: Petroleum Storage Tank Database

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 04/26/2006
Date Data Arrived at EDR: 05/08/2006
Date Made Active in Reports: 05/22/2006
Number of Days to Update: 14

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2160
Last EDR Contact: 04/26/2006
Next Scheduled EDR Contact: 07/24/2006
Data Release Frequency: Quarterly

AST: Petroleum Storage Tank Database

Registered Aboveground Storage Tanks.

Date of Government Version: 04/26/2006
Date Data Arrived at EDR: 05/08/2006
Date Made Active in Reports: 05/25/2006
Number of Days to Update: 17

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2160
Last EDR Contact: 04/26/2006
Next Scheduled EDR Contact: 07/24/2006
Data Release Frequency: Quarterly

LIENS: Environmental Liens Listing

The listing covers TCEQ liens placed against either State Superfund sites or Federal Superfund sites to recover cost incurred by TCEQ.

Date of Government Version: 01/27/2006
Date Data Arrived at EDR: 01/27/2006
Date Made Active in Reports: 02/13/2006
Number of Days to Update: 17

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2209
Last EDR Contact: 07/11/2006
Next Scheduled EDR Contact: 09/18/2006
Data Release Frequency: Varies

DEL SHWS: Deleted Superfund Registry Sites

Sites have been deleted from the state Superfund registry in accordance with the Act, ?361.189

Date of Government Version: 04/07/2006
Date Data Arrived at EDR: 04/26/2006
Date Made Active in Reports: 05/12/2006
Number of Days to Update: 16

Source: Texas Commission on Environmental Quality
Telephone: 512-239-0666
Last EDR Contact: 07/14/2006
Next Scheduled EDR Contact: 10/09/2006
Data Release Frequency: Quarterly

SPILLS: Spills Database

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 04/13/2006
Date Made Active in Reports: 05/12/2006
Number of Days to Update: 29

Source: Texas Commission on Environmental Quality
Telephone: 512-239-0983
Last EDR Contact: 06/19/2006
Next Scheduled EDR Contact: 09/18/2006
Data Release Frequency: Quarterly

AUL: Sites with Controls

Activity and use limitations include both engineering controls and institutional controls.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/01/2006
Date Data Arrived at EDR: 05/02/2006
Date Made Active in Reports: 06/07/2006
Number of Days to Update: 36

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5891
Last EDR Contact: 05/02/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: Varies

VCP: Voluntary Cleanup Program Database

The Texas Voluntary Cleanup Program was established to provide administrative, technical, and legal incentives to encourage the cleanup of contaminated sites in Texas.

Date of Government Version: 04/01/2006
Date Data Arrived at EDR: 05/02/2006
Date Made Active in Reports: 06/07/2006
Number of Days to Update: 36

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5891
Last EDR Contact: 05/02/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: Quarterly

VCP: Voluntary Cleanup Program Sites

The Voluntary Cleanup Program (RRC-VCP) provides an incentive to remediate Oil & Gas related pollution by participants as long as they did not cause or contribute to the contamination. Applicants to the program receive a release of liability to the state in exchange for a successful cleanup.

Date of Government Version: 04/10/2006
Date Data Arrived at EDR: 05/02/2006
Date Made Active in Reports: 05/12/2006
Number of Days to Update: 10

Source: Railroad Commission of Texas
Telephone: 512-463-6969
Last EDR Contact: 05/02/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: Varies

DRYCLEANERS: Drycleaner Registration Database Listing

A listing of drycleaning facilities.

Date of Government Version: 04/04/2006
Date Data Arrived at EDR: 04/04/2006
Date Made Active in Reports: 05/12/2006
Number of Days to Update: 38

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2160
Last EDR Contact: 07/03/2006
Next Scheduled EDR Contact: 10/02/2006
Data Release Frequency: Varies

BROWNFIELDS: Brownfields Site Assessments

Brownfield site assessments that are being cleaned under EPA grant monies.

Date of Government Version: 04/01/2006
Date Data Arrived at EDR: 05/02/2006
Date Made Active in Reports: 05/12/2006
Number of Days to Update: 10

Source: TCEQ
Telephone: 512-239-5872
Last EDR Contact: 05/02/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: Semi-Annually

ENFORCEMENT: Notice of Violations Listing

A listing of permit violations.

Date of Government Version: 06/21/2006
Date Data Arrived at EDR: 06/27/2006
Date Made Active in Reports: 07/12/2006
Number of Days to Update: 15

Source: Texas Commission on Environmental Quality
Telephone: 512-239-6012
Last EDR Contact: 06/05/2006
Next Scheduled EDR Contact: 09/04/2006
Data Release Frequency: Semi-Annually

Ind. Haz Waste: Industrial & Hazardous Waste Database

Summary reports reported by waste handlers, generators and shippers in Texas.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 05/16/2005
Date Made Active in Reports: 06/09/2005
Number of Days to Update: 24

Source: Texas Commission on Environmental Quality
Telephone: 512-239-0985
Last EDR Contact: 05/01/2006
Next Scheduled EDR Contact: 07/31/2006
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ED AQUIF: Edwards Aquifer Permits

A listing of permits in the Edwards Aquifer Protection Program database. The information provided is for the counties located in the Austin Region (Hays, Travis, and Williamson counties).

Date of Government Version: 05/10/2006
Date Data Arrived at EDR: 05/11/2006
Date Made Active in Reports: 06/07/2006
Number of Days to Update: 27

Source: Texas Commission on Environmental Quality, Austin Region
Telephone: 512-339-2929
Last EDR Contact: 05/08/2006
Next Scheduled EDR Contact: 07/24/2006
Data Release Frequency: Varies

AIRS: Current Emission Inventory Data

The database lists by company, along with their actual emissions, the TNRCC air accounts that emit EPA criteria pollutants.

Date of Government Version: 08/31/2005
Date Data Arrived at EDR: 01/25/2006
Date Made Active in Reports: 03/08/2006
Number of Days to Update: 42

Source: Texas Commission on Environmental Quality
Telephone: N/A
Last EDR Contact: 07/14/2006
Next Scheduled EDR Contact: 10/09/2006
Data Release Frequency: Semi-Annually

TRIBAL RECORDS

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 02/08/2005
Date Made Active in Reports: 08/04/2005
Number of Days to Update: 177

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 05/12/2006
Next Scheduled EDR Contact: 08/07/2006
Data Release Frequency: Semi-Annually

INDIAN UST: USTs on Indian Land

Date of Government Version: 12/14/2005
Date Data Arrived at EDR: 12/14/2005
Date Made Active in Reports: 01/23/2006
Number of Days to Update: 40

Source: Environmental Protection Agency, Region 6
Telephone: 214-665-7591
Last EDR Contact: 05/23/2006
Next Scheduled EDR Contact: 08/21/2006
Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Historical Auto Stations: EDR Proprietary Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Historical Cleaners: EDR Proprietary Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 02/17/2006
Date Made Active in Reports: 04/07/2006
Number of Days to Update: 49

Source: Department of Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 06/14/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 04/24/2006
Date Made Active in Reports: 05/02/2006
Number of Days to Update: 8

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 07/05/2006
Next Scheduled EDR Contact: 10/02/2006
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 05/02/2006
Date Data Arrived at EDR: 05/31/2006
Date Made Active in Reports: 06/27/2006
Number of Days to Update: 27

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 05/31/2006
Next Scheduled EDR Contact: 08/28/2006
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 05/04/2006
Date Made Active in Reports: 06/06/2006
Number of Days to Update: 33

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/12/2006
Next Scheduled EDR Contact: 09/11/2006
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 09/30/2005
Date Data Arrived at EDR: 05/09/2006
Date Made Active in Reports: 05/24/2006
Number of Days to Update: 15

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 06/19/2006
Next Scheduled EDR Contact: 09/18/2006
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 03/17/2006
Date Made Active in Reports: 05/17/2006
Number of Days to Update: 61

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 05/15/2006
Next Scheduled EDR Contact: 08/14/2006
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 03/17/2006
Date Made Active in Reports: 05/02/2006
Number of Days to Update: 46

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 07/11/2006
Next Scheduled EDR Contact: 10/09/2006
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation

Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Child Care Facility List

Source: Department of Protective & Regulatory Services

Telephone: 512-438-3269

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2006 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

WICHITA FALLS USARC
3315 9TH STREET
WICHITA FALLS, TX 76309

TARGET PROPERTY COORDINATES

Latitude (North):	33.90360 - 33° 54' 13.0"
Longitude (West):	98.535 - 98° 32' 6.0"
Universal Tranverse Mercator:	Zone 14
UTM X (Meters):	542991.3
UTM Y (Meters):	3751370.5
Elevation:	1012 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	33098-H5 WICHITA FALLS WEST, TX
Most Recent Revision:	1972

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General NNE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> WICHITA, TX	FEMA Flood <u>Electronic Data</u> YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	4806620025D
Additional Panels in search area:	4806620020E 4811890180B 4806620015E 4806620030E

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> WICHITA FALLS WEST	NWI Electronic <u>Data Coverage</u> Not Available
--	---

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data:*

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

* ©1996 Site-specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Permian
Series: Early Leonardian
Code: P2ac (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Continental Deposits

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: CLAIREMONT

Soil Surface Texture: silt loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained. Soils have intermediate water holding capacity. Depth to water table is more than 6 feet.

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: MODERATE

Depth to Bedrock Min: > 60 inches

Depth to Bedrock Max: > 60 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	8 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 2.00 Min: 0.60	Max: 8.40 Min: 7.90
2	8 inches	60 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 2.00 Min: 0.60	Max: 8.40 Min: 7.90

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: very fine sandy loam
silty clay loam
fine sandy loam

Surficial Soil Types: very fine sandy loam
silty clay loam
fine sandy loam

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: very fine sandy loam
clay loam
stratified

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.


STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	TXD1039247	1/4 - 1/2 Mile NE
B2	TXD1039169	1/2 - 1 Mile SE
A3	TXD1039248	1/2 - 1 Mile NE
A4	TXD1039249	1/2 - 1 Mile NE
B5	TXD1039167	1/2 - 1 Mile SE
B6	TXD1039170	1/2 - 1 Mile SE
A7	TXD1039251	1/2 - 1 Mile NE
A8	TXD1039252	1/2 - 1 Mile NE
A9	TXD1039258	1/2 - 1 Mile NE
A10	TXD1039263	1/2 - 1 Mile NE
11	TXD1039148	1/2 - 1 Mile SSE
C12	TXD1039203	1/2 - 1 Mile East
C13	TXD1039201	1/2 - 1 Mile East
C14	TXD1039200	1/2 - 1 Mile East
C15	TXD1039204	1/2 - 1 Mile East
C16	TXD1039205	1/2 - 1 Mile East
C17	TXD1039197	1/2 - 1 Mile East

PHYSICAL SETTING SOURCE MAP - 1718729.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons



- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil or gas wells (in certain Texas counties)



SITE NAME: Wichita Falls USARC
 ADDRESS: 3315 9th Street
 Wichita Falls TX 76309
 LAT/LONG: 33.9036 / 98.5350

CLIENT: ENSAFE
 CONTACT: Phil Hardy
 INQUIRY #: 1718729.2s
 DATE: July 19, 2006

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A1
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXD1039247

Rec id:	47616		
Edr site i:	15704	Edr record:	1
Owner name:	Grozier & Mann - Kocks #2	Ownerwell:	MW12
Address:	405 East Scott	Citystatez:	Wichita Falls ,TX76301
Grid:	20-04-9		
Waddress:	3124 5th St.		
Wcitystate:	Wichita Falls ,TX76301	Lat:	33° 54 33N
Wcounty:	Wichita	Lon:	098° 31 46 W
Elevation:	No Data	Gpsused:	Garmin GPS 315
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	5/8/2003	Completedd:	5/8/2003
Diameter:	7 7/8 in From Surface To	40	ft
Dmethod:	Hollow Stem Auger		
Bcompleto:	Not Reported		
Packedfrom:	6.5 ft to	40	ft
Packsiz:	Not Reported		
Finterval:	From 0 ft to	1.5 ft with	2 (#sacks and material)
Sinterval:	From 2 ft to	6.5 ft with	2 (#sacks and material)
Tinterval:	No Data		
Usedmethod:	Portland/Bentonite	Cementedby:	Talon Drilling, Inc.
Contaminat:	N/A ft	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	29.6 ft. below land surface on5/8/2003
Flow:	No Data		
Packers:	none		
Cementinwe:	Not Reported	Typepump:	Other: N/A
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported		
Watertype:	Fresh	Stratadept:	No Data
Chemicalma:	Yes	Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required		
Companynam:	Talon Drilling, Inc.	Companyadd:	921 North Bivins
Ccitystate:	Amarillo , TX 79107	Licensenum:	54583
Wsignature:	Dean Darnold	Dsignature:	No Data
Regnum:	No Data		
Comments:	No Data		
Ftdescript:	05Clay, Sandy, VF, Reddish Brn510Clay, Brn, VF10 15 Sand, F-VF, Reddish Brn15 20 Clay, Sandy, VF, Brn to Reddish Brn20 30 Sand, Clayey, F- VF, Reddish Brn30 40 Sand, F-VF, Reddish Brn		
Typesettin:	2NPVC Riser	010 402NPVC Screen	10 400.010
Oid :	180		

B2
SE
1/2 - 1 Mile
Higher

TX WELLS TXD1039169

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Rec id:	47546	Edr record:	1
Edr site i:	23615	Ownerwell:	MW-11
Owner name:	Grozier & Mann Oil - Peppys Con	Citystatez:	Wichita Falls ,TX76301
Address:	405 East Scott		
Grid:	20-04-9		
Waddress:	1702 Hayes Street		
Wcitystate:	Wichita Falls ,TX76301	Lat:	33° 53 56N
Wcounty:	Wichita	Lon:	098° 31 42 W
Elevation:	No Data	Gpsused:	Garmin GPS 315
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	9/25/2003	Completedd:	9/25/2003
Diameter:	7 7/8 in From Surface To 25 ft		
Dmethod:	Hollow Stem Auger		
Bcompletio:	Not Reported		
Packedfrom:	1.5 ft to 25 ft		
Packsize:	8/16		
Finterval:	From 0 ft to 1 ft with 1 Cement (#sacks and material)		
Sinterval:	From 1 ft to 1.5 ft with .5 Bentonite (#sacks and material)		
Tinterval:	No Data		
Usedmethod:	Portland/Bentonite	Cementedby:	Talon Drilling, Inc.
Contaminat:	N/A ft	Propertyli:	N/A ft
Verrimetho:	N/A	Variance:	N/A
Surface:	Surface Slab Installed	Staticleve:	Dry ft. below land surface on9/25/2003
Flow:	No Data		
Packers:	none		
Cementinwe:	Not Reported	Typepump:	Other: N/A
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported		
Watertype:	Fresh	Stratadept:	No Data
Chemicalma:	Yes	Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required		
Companyname:	Talon Drilling, Inc.	Companyadd:	921 North Bivins
Ccitystate:	Amarillo , TX 79107	Licensenum:	54583
Wsignature:	Dean Darnold	Dsignature:	No Data
Regnum:	No Data		
Comments:	No Data		
Ftdescript:	05Clay, VF, Reddish Brown510Clay, Sandy, VF, Reddish Brown/Dk Gray1025 Clay, VF, Reddish Brown to Dark Reddish Brown		
Typesettin:	2NPVC Riser 02.5 402NPVC Screen 2.5250.010		
Oid :	180		

**A3
NE
1/2 - 1 Mile
Lower**

TX WELLS TXD1039248

Rec id:	31196	Edr record:	1
Edr site i:	46749	Ownerwell:	MW-5A
Owner name:	Grozier & Mann Oil Co.-Kocks #2	Citystatez:	Wichita Falls ,TX76301
Address:	405 East Scott St.		
Grid:	20-04-9		
Waddress:	3124 Fifth St.		
Wcitystate:	Wichita Falls ,TX76301	Lat:	33° 54 33N
Wcounty:	Wichita	Lon:	098° 31 45 W
Elevation:	No Data	Gpsused:	Garmin GPS 315

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Typeofwork:	Replacement Well	Propuse:	Monitor
Sdate:	12/23/2003	Completedd:	12/23/2003
Diameter:	7 7/8 in From Surface To	45	ft
Dmethod:	Air Rotary		
Bcompletio:	Not Reported		
Packedfrom:	15	ft to	45
Packsiz:	8/16		
Finterval:	From	0	ft to 2
Sinterval:	From	2	ft to 15
Tinterval:	No Data		
Usedmethod:	Portland/Bentonite	Cementedby:	Talon Drilling, Inc.
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	32.99 ft. below land surface on12/23/2003
Flow:	No Data		
Packers:	N/A		
Cementinwe:	Not Reported	Typepump:	Other: N/A
Pumpbowl:	(No Data)	Welltests:	No Data
Yield:	Not Reported		
Watertype:	Fresh	Stratadept:	No Data
Chemicalma:	Yes	Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required		
Companyname:	Talon Drilling, Inc.	Companyadd:	921 N. Bivins Street
Ccitystate:	Amarillo, TX 79107	Licensenum:	54969
Wsignature:	Kyle L. Burt	Dsignature:	No Data
Regnum:	No Data		
Comments:	No Data		
Ftdescript:	05VF, Brown-Red Sandy Clay510VF, Brown-Black Sandy Clay1015VF, Brown-Red Silty Clay15 25VF, Brown-Red Sandy Clay2535 F-VF, Brown Sand3545 VF Brown-Red Clay w/ Pea Gravel		
Typesettin:	4 N PVC Riser	025404 N PVC Screen	2545 0.010
Oid :	180		

**A4
NE
1/2 - 1 Mile
Lower**

TX WELLS TXD1039249

Rec id:	47619	Edr record:	1
Edr site i:	15564	Ownerwell:	MW1A
Owner name:	Grozier & Mann - Kocks #2	Citystatez:	Wichita Falls, TX76301
Address:	405 East Scott		
Grid:	20-04-9		
Waddress:	3124 5th St.		
Wcitystate:	Wichita Falls, TX76301	Lat:	33° 54 33N
Wcounty:	Wichita	Lon:	098° 31 44 W
Elevation:	No Data	Gpsused:	Garmin GPS 315
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	5/8/2003	Completedd:	5/8/2003
Diameter:	7 7/8 in From Surface To	39.5	ft
Dmethod:	Hollow Stem Auger		
Bcompletio:	Not Reported		
Packedfrom:	6.5	ft to	39.5
Packsiz:	Not Reported		
Finterval:	From	0	ft to 1.5
			ft with 2 (#sacks and material)

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sinterval: From 1.5 ft to 6.5 ft with 2 (#sacks and material)
 Tinterval: No Data
 Usedmethod: Portland/Bentonite Cementedby: Talon Drilling, Inc.
 Contaminat: N/A ft Propertyli: No Data
 Verrimetho: No Data Variance: No Data
 Surface: Surface Slab Installed Staticleve: 31.5 ft. below land surface on5/8/2003
 Flow: No Data
 Packers: none
 Cementinwe: Not Reported Typepump: Other: N/A
 Pumpbowl: (No Data) ft Welltests: No Data
 Yield: Not Reported
 Watertype: Fresh Stratadept: No Data
 Chemicalma: Yes Undesirabl: No
 Certificat: The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required
 Companyname: Talon Drilling, Inc. Companyadd: 921 North Bivins
 Ccitystate: Amarillo , TX 79107 Licensenum: 54583
 Wsignature: Dean Darnold Dsignature: No Data
 Regnum: No Data
 Comments: No Data
 Ftdescript: 05Clay, Sandy, VF, Brn510Sand, Clayey, VF, Reddish Brn10 15 Sand, F-VF, Reddish Brn15 20 Clay, Sandy, VF, Brn to Reddish Brn20 30 Sand, Clayey, F- VF, Reddish Brn30 40 Sand, M-F, Reddish Brn
 Typesettin: 2NPVC Riser 09.5 402NPVC Screen 9.5 39.50.010
 Oid : 180

**B5
SE
1/2 - 1 Mile
Higher**

TX WELLS TXD1039167

Rec id: 47544
 Edr site i: 24099 Edr record: 1
 Owner name: Grozier & Mann Oil - Peppys Con Ownerwell: MW-13
 Address: 405 East Scott Citystatez: Wichita Falls ,TX76301
 Grid: 20-04-9
 Waddress: 1702 Hayes Street
 Wcitystate: Wichita Falls ,TX76301 Lat: 33° 53 55N
 Wcounty: Wichita Lon: 098° 31 41 W
 Elevation: No Data Gpsused: Garmin GPS 315
 Typeofwork: New Well Propuse: Monitor
 Sdate: 9/25/2003 Completedd: 9/25/2003
 Diameter: 7 7/8 in From Surface To 25 ft
 Dmethod: Hollow Stem Auger
 Bcompletio: Not Reported
 Packedfrom: 1.5 ft to 25 ft
 Packsize: 8/16
 Sinterval: From 0 ft to 1 ft with 1 Cement (#sacks and material)
 Tinterval: From 1 ft to 1.5 ft with .5 Bentonite (#sacks and material)
 Usedmethod: Portland/Bentonite Cementedby: Talon Drilling, Inc.
 Contaminat: N/A ft Propertyli: N/A ft
 Verrimetho: N/A Variance: N/A
 Surface: Surface Slab Installed Staticleve: Dry ft. below land surface on9/25/2003
 Flow: No Data
 Packers: none
 Cementinwe: Not Reported Typepump: Other: N/A

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pumpbowl: (No Data) ft Welltests: No Data
 Yield: Not Reported
 Watertype: Fresh Stratadept: No Data
 Chemicalma: Yes Undesirabl: No
 Certificat: The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required
 Companynam: Talon Drilling, Inc. Companyadd: 921 North Bivins
 Ccitystate: Amarillo, TX 79107 Licensenum: 54583
 Wsignature: Dean Darnold Dsignature: No Data
 Regnum: No Data
 Comments: No Data
 Ftdescription: 0 5Clay, Sandy, VF, Brown510Clay, VF, Reddish Brown1025 Clay, VF, Brown to Reddish Brown
 Typesettin: 2NPVC Riser 02.5 402NPVC Screen 2.5250.010
 Oid : 180

**B6
SE
1/2 - 1 Mile
Higher**

TX WELLS TXD1039170

Rec id: 47545
 Edr site i: 23977 Edr record: 1
 Owner name: Grozier & Mann Oil - Peppys Cornerwell: MW-12
 Address: 405 East Scott Citystatez: Wichita Falls, TX76301
 Grid: 20-04-9
 Waddress: 1702 Hayes Street
 Wcitystate: Wichita Falls, TX76301 Lat: 33° 53 56N
 Wcounty: Wichita Lon: 098° 31 40 W
 Elevation: No Data Gpsused: Garmin GPS 315
 Typeofwork: New Well Propuse: Monitor
 Sdate: 9/25/2003 Completedd: 9/25/2003
 Diameter: 7 7/8 in From Surface To 25 ft
 Dmethod: Hollow Stem Auger
 Bcompleto: Not Reported
 Packedfrom: 1.5 ft to 25 ft
 Packsiz: 8/16
 Finterval: From 0 ft to 1 ft with 1 Cement (#sacks and material)
 Sinterval: From 1 ft to 1.5 ft with .5 Bentonite (#sacks and material)
 Tinterval: No Data
 Usedmethod: Portland/Bentonite Cementedby: Talon Drilling, Inc.
 Contaminat: N/A ft Propertyli: N/A ft
 Verrimetho: N/A Variance: N/A
 Surface: Surface Slab Installed Staticleve: 6.8 ft. below land surface on9/25/2003
 Flow: No Data
 Packers: none
 Cementinwe: Not Reported Typepump: Other: N/A
 Pumpbowl: (No Data) ft Welltests: No Data
 Yield: Not Reported
 Watertype: Fresh Stratadept: No Data
 Chemicalma: Yes Undesirabl: No
 Certificat: The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required
 Companynam: Talon Drilling, Inc. Companyadd: 921 North Bivins
 Ccitystate: Amarillo, TX 79107 Licensenum: 54583
 Wsignature: Dean Darnold Dsignature: No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Regnum: No Data
 Comments: No Data
 Ftdescript: 010Clay, Sandy, VF, Reddish Brown1015Clay, VF, Dark Reddish Brown1525 Sand, VF, Clayey, Dark Reddish Brown
 Typesettin: 2NPVC Riser 02.5 402NPVC Screen 2.5250.010
 Oid : 180

**A7
 NE
 1/2 - 1 Mile
 Lower**

TX WELLS TXD1039251

Rec id:	47617	Edr record:	1
Edr site i:	15701	Ownerwell:	MW3A
Owner name:	Grozier & Mann - Kocks #2	Citystatez:	Wichita Falls ,TX76301
Address:	405 East Scott		
Grid:	20-04-9		
Waddress:	3124 5th St.		
Wcitystate:	Wichita Falls ,TX76301	Lat:	33° 54 34N
Wcounty:	Wichita	Lon:	098° 31 44 W
Elevation:	No Data	Gpsused:	Garmin GPS 315
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	5/13/2003	Completedd:	5/13/2003
Diameter:	7 7/8 in From Surface To		40 ft
Dmethod:	Hollow Stem Auger		
Bcompleto:	Not Reported		
Packedfrom:	7.5 ft to		40 ft
Packsiz:	Not Reported		
Finterval:	From 0 ft to	2 ft with	2 (#sacks and material)
Sinterval:	From 2 ft to	7.5 ft with	2 (#sacks and material)
Tinterval:	No Data		
Usedmethod:	Portland/Bentonite	Cementedby:	Talon Drilling, Inc.
Contaminat:	N/A ft	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	34.4 ft. below land surface on5/13/2003
Flow:	No Data		
Packers:	none		
Cementinwe:	Not Reported	Typepump:	Other: N/A
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported		
Watertype:	Fresh	Stratadept:	No Data
Chemicalma:	Yes	Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required		
Companynam:	Talon Drilling, Inc.	Companyadd:	921 North Bivins
Ccitystate:	Amarillo , TX 79107	Licensenum:	54583
Wsignature:	Dean Darnold	Dsignature:	No Data
Regnum:	No Data		
Comments:	No Data		
Ftdescript:	05Clay, Sandy, VF, Orange Brn510Sand, Clayey, VF, Reddish Brn10 15 Sand, F-VF, Reddish Brn15 20 Clay, Sandy, VF, Brn to Reddish Brn20 30 Sand, Clayey, F- VF, Reddish Brn30 40 Sand, M-F, Reddish Brn		
Typesettin:	2NPVC Riser	010 402NPVC Screen	10 400.010
Oid :	180		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A8
NE
 1/2 - 1 Mile
 Lower

TX WELLS TXD1039252

Rec id:	47399				
Edr site i:	41401	Edr record:	1		
Owner name:	Grozier & Mann Oil Co.-Kocks #2	Ownerwell:	MW-3B		
Address:	405 East Scott St.	Citystatez:	Wichita Falls ,TX76301		
Grid:	20-04-9				
Waddress:	3124 Fifth St.				
Wcitystate:	Wichita Falls ,TX76301	Lat:	33°	54	34N
Wcounty:	Wichita	Lon:	098°	31	44 W
Elevation:	No Data		Gpsused:	Garmin GPS 315	
Typeofwork:	Replacement Well		Propuse:	Monitor	
Sdate:	12/23/2003		Completedd:	12/23/2003	
Diameter:	7 7/8	in From Surface To	45	ft	
Dmethod:	Air Rotary				
Bcompleto:	Not Reported				
Packedfrom:	15	ft to	45	ft	
Packsiz:	8/16				
Finterval:	From 0	ft to	2	ft with	2 Concrete (#sacks and material)
Sinterval:	From 2	ft to	15	ft with	6 Bentonite (#sacks and material)
Tinterval:	No Data				
Usedmethod:	Portland/Bentonite		Cementedby:	Talon Drilling, Inc.	
Contaminat:	No Data		Propertyli:	No Data	
Verrimetho:	No Data		Variance:	No Data	
Surface:	Surface Slab Installed		Staticleve:	33.44 ft. below land surface on12/23/2003	
Flow:	No Data				
Packers:	N/A				
Cementinwe:	Not Reported		Typepump:	Other: N/A	
Pumpbowl:	(No Data)	ft	Welltests:	No Data	
Yield:	Not Reported				
Watertype:	Fresh		Stratadept:	No Data	
Chemicalma:	Yes		Undesirabl:	No	
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required				
Companynam:	Talon Drilling, Inc.		Companyadd:	921 N. Bivins Street	
Ccitystate:	Amarillo , TX	79107	Licensenum:	54969	
Wsignature:	Kyle L. Burt		Dsignature:	No Data	
Regnum:	No Data				
Comments:	No Data				
Ftdescript:	05VF, Brown-Red Sandy Clay515VF, Dk Brown Sandy Clay1525VF, Red- Brown Silty Sand2530 VF, Red-Brown Sand3035 Coarse Brown Sand w/ Pea Gravel 3540 VF Brown Clay w/ Medium Pea Gravel4045 VF Brown Clay w/ Pea Gravel				
Typesettin:	4 N	PVC Riser	025404 N	PVC Screen	2545 0.010
Oid :	180				

A9
NE
 1/2 - 1 Mile
 Lower

TX WELLS TXD1039258

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Rec id:	47618	Edr record:	1
Edr site i:	15691	Ownerwell:	MW2A
Owner name:	Grozier & Mann - Kocks #2	Citystatez:	Wichita Falls ,TX76301
Address:	405 East Scott		
Grid:	20-04-9		
Waddress:	3124 5th St.		
Wcitystate:	Wichita Falls ,TX76301	Lat:	33° 54 35N
Wcounty:	Wichita	Lon:	098° 31 44 W
Elevation:	No Data	Gpsused:	Garmin GPS 315
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	5/13/2003	Completedd:	5/13/2003
Diameter:	7 7/8 in From Surface To		40 ft
Dmethod:	Hollow Stem Auger		
Bcompletio:	Not Reported		
Packedfrom:	7.5 ft to		40 ft
Packsize:	Not Reported		
Finterval:	From 0 ft to	2 ft with	2 (#sacks and material)
Sinterval:	From 2 ft to	7.5 ft with	2 (#sacks and material)
Tinterval:	No Data		
Usedmethod:	Portland/Bentonite	Cementedby:	Talon Drilling, Inc.
Contaminat:	N/A ft	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	29.9 ft. below land surface on5/13/2003
Flow:	No Data		
Packers:	none		
Cementinwe:	Not Reported	Typepump:	Other: N/A
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported		
Watertype:	Fresh	Stratadept:	No Data
Chemicalma:	Yes	Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required		
Companyname:	Talon Drilling, Inc.	Companyadd:	921 North Bivins
Ccitystate:	Amarillo , TX 79107	Licensenum:	54583
Wsignature:	Dean Darnold	Dsignature:	No Data
Regnum:	No Data		
Comments:	No Data		
Ftdescript:	05Clay, Sandy, VF, Brn510Sand, Clayey, VF, Reddish Brn10 15 Sand, F-VF, Reddish Brn15 20 Clay, Sandy, VF, Brn to Reddish Brn20 30 Sand, Clayey, F- VF, Reddish Brn30 40 Sand, M-F, Reddish Brn		
Typesettin:	2NPVC Riser	010 402NPVC Screen	10 400.010
Oid :	180		

**A10
NE
1/2 - 1 Mile
Lower**

TX WELLS TXD1039263

Rec id:	47615	Edr record:	1
Edr site i:	15790	Ownerwell:	MW13
Owner name:	Grozier & Mann - Kocks #2	Citystatez:	Wichita Falls ,TX76301
Address:	405 East Scott		
Grid:	20-04-9		
Waddress:	3124 5th St.		
Wcitystate:	Wichita Falls ,TX76301	Lat:	33° 54 36N
Wcounty:	Wichita	Lon:	098° 31 43 W
Elevation:	No Data	Gpsused:	Garmin GPS 315

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Type of work:	New Well	Propose:	Monitor
Sdate:	5/8/2003	Completedd:	5/8/2003
Diameter:	7 7/8 in From Surface To	45	ft
Dmethod:	Hollow Stem Auger		
Bcompleteio:	Not Reported		
Packedfrom:	7.5 ft to	45	ft
Packsize:	Not Reported		
Finterval:	From 0 ft to	2	ft with 2 (#sacks and material)
Sinterval:	From 2 ft to	7.5	ft with 2 (#sacks and material)
Tinterval:	No Data		
Usedmethod:	Portland/Bentonite	Cementedby:	Talon Drilling, Inc.
Contaminat:	N/A ft	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	29.6 ft. below land surface on 5/8/2003
Flow:	No Data		
Packers:	none		
Cementinwe:	Not Reported	Typepump:	Other: N/A
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported		
Watertype:	Fresh	Stratadept:	No Data
Chemicalma:	Yes	Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required		
Companyname:	Talon Drilling, Inc.	Companyadd:	921 North Bivins
Ccitystate:	Amarillo, TX 79107	Licensenum:	54583
Wsignature:	Dean Darnold	Dsignature:	No Data
Regnum:	No Data		
Comments:	No Data		
Ftdescript:	05 Clay, Sandy, VF, Orange-Brn 510 Clay, Sandy, Red-Brn, VF 10 15 Sand, F-VF, Reddish Brn 15 20 Clay, Sandy, VF, Brn to Reddish Brn 20 30 Sand, Clayey, F- VF, Reddish Brn 30 40 Sand, F-VF, Reddish Brn		
Typesettin:	2NPVC Riser	010 402NPVC Screen	10 400.010
Oid :	180		

11
SSE
1/2 - 1 Mile
Lower

TX WELLS TXD1039148

Rec id:	47595	Edr record:	1
Edr site i:	18521	Ownerwell:	MW-9
Owner name:	Southwest Convenience Stores	Citystatez:	Odessa, TX 79760
Address:	415 N. Grant Street		
Grid:	20-04-9		
Waddress:	2012 Grant Street		
Wcitystate:	Wichita Falls, TX	Lat:	33° 53 39N
Wcounty:	Wichita	Lon:	098° 31 40 W
Elevation:	No Data	Gpsused:	Garmin/Etrex
Type of work:	New Well	Propose:	Monitor
Sdate:	2/4/2003	Completedd:	2/4/2003
Diameter:	8 in From Surface To	25	ft
Dmethod:	Hollow Stem Auger		
Bcompleteio:	Not Reported		
Packedfrom:	Not Reported		
Packsize:	Not Reported		
Finterval:	From 1 ft to	1.0	ft with (No Data) (#sacks and material)

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sinterval: No Data
 Tinterval: No Data
 Usedmethod: TNRCC Method Cementedby: Drill Crew
 Contaminat: No Data Propertyli: No Data
 Verrimetho: No Data Variance: No Data
 Surface: Surface Slab Installed Staticleve: No Data
 Flow: No Data
 Packers: No Data
 Cementinwe: No Data Typepump: No Data
 Pumpbowl: Not Reported Welltests: No Data
 Yield: Not Reported
 Watertype: No Data Stratadept: No Data
 Chemicalma: No Data Undesirabl: No
 Certificat: The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required

 Companynam: GM Enterprises Companyadd: 7098 Mansfield Hwy
 Ccitystate: Kennedale , TX 76060 Licensenum: 3006
 Wsignature: Richard Cheek Dsignature: No Data
 Regnum: No Data
 Comments: No Data
 Ftdescrpt: .6 Gravel Base.6-25 Reddish Brown Silty Sandy Clays
 Typesettin: 2 N Tri-Lok PVC Blank Pipe .6-2.5 sch 402 N
 Tri-Lok Screen PVC Pipe 2.5-25.0 .010
 Oid : 225

**C12
East
1/2 - 1 Mile
Higher**

TX WELLS TXD1039203

Rec id: 47688
 Edr site i: 7429 Edr record: 1
 Owner name: Haigood & Campbell Ownerwell: MW12
 Address: P.O. Box 427 Citystatez: Archer City ,TX76351
 Grid: 20-04-9
 Waddress: 911 Kemp Blvd
 Wcitystate: Wichita Falls ,TX Lat: 33° 54 12N
 Wcounty: Wichita Lon: 098° 31 08 W
 Elevation: No Data Gpsused: Garmin GPS 315
 Typeofwork: New Well Propuse: Monitor
 Sdate: 12/3/2002 Completedd: 12/3/2002
 Diameter: 7 7/8 in From Surface To 28 ft
 Dmethod: Hollow Stem Auger
 Bcompletio: Not Reported
 Packedfrom: 3 ft to 28 ft
 Packsize: Not Reported
 Finterval: From 0 ft to 2 ft with 1 (#sacks and material)
 Sinterval: From 2 ft to 3 ft with 1 (#sacks and material)
 Tinterval: No Data
 Usedmethod: Portland/Bentonite Cementedby: Talon Drilling, Inc.
 Contaminat: N/A ft Propertyli: No Data
 Verrimetho: No Data Variance: No Data
 Surface: Surface Slab Installed Staticleve: 11.1 ft. below land surface on12/3/2002
 Flow: No Data
 Packers: none
 Cementinwe: Not Reported Typepump: Other: N/A

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pumpbowl:	(No Data)	ft	Welltests:	No Data
Yield:	Not Reported			
Watertype:	Fresh		Stratadept:	No Data
Chemicalma:	Yes		Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required			
Companyname:	Talon Drilling, Inc.		Companyadd:	921 North Bivins
Ccitystate:	Amarillo, TX	79107	Licensenum:	54583
Wsignature:	Dean Darnold		Dsignature:	No Data
Regnum:	No Data			
Comments:	No Data			
Ftdescript:	05Clay, F-VF, Reddish Drk Brn515Sandy Clay, F-VF, Dark Reddish Brn15	25	Clay, F-VF,	
	Red, Moist			
Typesettin:	4NPVC Riser	0 5	404NPVC Screen5250.010	
Oid :	180			

**C13
East
1/2 - 1 Mile
Higher**

TX WELLS TXD1039201

Rec id:	47687				
Edr site i:	7431		Edr record:	1	
Owner name:	Haigood & Campbell		Ownerwell:	MW13	
Address:	P.O. Box 427		Citystatez:	Archer City, TX	76351
Grid:	20-04-9				
Waddress:	911 Kemp Blvd				
Wcitystate:	Wichita Falls, TX		Lat:	33°	54 11N
Wcounty:	Wichita		Lon:	098°	31 08 W
Elevation:	No Data		Gpsused:	Garmin GPS 315	
Typeofwork:	New Well		Propuse:	Monitor	
Sdate:	12/3/2002		Completeddd:	12/3/2002	
Diameter:	7 7/8	in From Surface To	28	ft	
Dmethod:	Hollow Stem Auger				
Bcompletio:	Not Reported				
Packedfrom:	3	ft to	28	ft	
Packsiz:	Not Reported				
Finterval:	From 0	ft to	2	ft with	2 (#sacks and material)
Sinterval:	From 2	ft to	3	ft with	1 (#sacks and material)
Tinterval:	No Data				
Usedmethod:	Portland/Bentonite		Cementedby:	Talon Drilling, Inc.	
Contaminat:	N/A	ft	Propertyli:	No Data	
Verrimetho:	No Data		Variance:	No Data	
Surface:	Surface Slab Installed		Staticleve:	11.4 ft. below land surface on12/3/2002	
Flow:	No Data				
Packers:	none				
Cementinwe:	Not Reported		Typepump:	Other: N/A	
Pumpbowl:	(No Data)	ft	Welltests:	No Data	
Yield:	Not Reported				
Watertype:	Fresh		Stratadept:	No Data	
Chemicalma:	Yes		Undesirabl:	No	
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required				
Companyname:	Talon Drilling, Inc.		Companyadd:	921 North Bivins	
Ccitystate:	Amarillo, TX	79107	Licensenum:	54583	
Wsignature:	Dean Darnold		Dsignature:	No Data	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Regnum: No Data
 Comments: No Data
 Ft descript: 05 Clay, M-F, Brown - Lt. Brown 515 Sandy Clay, M-F, Dark Reddish Brn 15 25 Clay, F-VF, Red, Moist
 Typesettin: 4NPVC Riser 0 5 404NPVC Screen 5250.010
 Oid: 180

**C14
East
1/2 - 1 Mile
Higher**

TX WELLS TXD1039200

Rec id:	47686	Edr record:	1
Edr site i:	7593	Ownerwell:	MW14
Owner name:	Haigood & Campbell	Citystatez:	Archer City ,TX76351
Address:	P.O. Box 427		
Grid:	20-04-9		
Waddress:	911 Kemp Blvd		
Wcitystate:	Wichita Falls ,TX	Lat:	33° 54 11N
Wcounty:	Wichita	Lon:	098° 31 08 W
Elevation:	No Data	Gpsused:	Garmin GPS 315
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	12/4/2002	Completedd:	12/4/2002
Diameter:	7 7/8 in From Surface To		28 ft
Dmethod:	Hollow Stem Auger		
Bcompleto:	Not Reported		
Packedfrom:	3 ft to 28 ft		
Packsizes:	Not Reported		
Finterval:	From 0 ft to 2 ft with 2		(#sacks and material)
Sinterval:	From 2 ft to 3 ft with 1		(#sacks and material)
Tinterval:	No Data		
Usedmethod:	Portland/Bentonite	Cementedby:	Talon Drilling, Inc.
Contaminat:	N/A ft	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	20.9 ft. below land surface on 12/4/2002
Flow:	No Data		
Packers:	none		
Cementinwe:	Not Reported	Typepump:	Other: N/A
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported		
Watertype:	Fresh	Stratadept:	No Data
Chemicalma:	Yes	Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required		
Companyname:	Talon Drilling, Inc.	Companyadd:	921 North Bivins
Ccitystate:	Amarillo , TX 79107	Licensenum:	54583
Wsignature:	Dean Darnold	Dsignature:	No Data
Regnum:	No Data		
Comments:	No Data		
Ft descript:	010 Clay, F-VF, Drk Brn 1015 Clay, Sandy, Fine, Drk Brn, Very Coarse 15 25 Clay, F-VF, Reddish Brn, Moist		
Typesettin:	4NPVC Riser 0 5 404NPVC Screen 5250.010		
Oid:	180		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

C15
East
1/2 - 1 Mile
Higher

TX WELLS TXD1039204

Rec id:	47682	Edr record:	1
Edr site i:	8139	Ownerwell:	MW17
Owner name:	Haigood & Campbell	Citystatez:	Archer City ,TX76351
Address:	P.O. Box 427		
Grid:	20-04-9		
Waddress:	911 Kemp Blvd		
Wcystate:	Wichita Falls ,TX	Lat:	33° 54 12N
Wcounty:	Wichita	Lon:	098° 31 07 W
Elevation:	No Data	Gpsused:	Garmin GPS 315
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	12/18/2002	Completedd:	12/18/2002
Diameter:	7 7/8 in From Surface To		26 ft
Dmethod:	Hollow Stem Auger		
Bcompleto:	Not Reported		
Packedfrom:	2.10 ft to		26 ft
Packsiz:	Not Reported		
Finterval:	From 0 ft to	1 ft with	2 (#sacks and material)
Sinterval:	From 1 ft to	2.10 ft with	.5 (#sacks and material)
Tinterval:	No Data		
Usedmetho:	Portland/Bentonite	Cementedby:	Talon Drilling, Inc.
Contaminat:	N/A ft	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	Dry ft. below land surface on12/18/2002
Flow:	No Data		
Packers:	none		
Cementinwe:	Not Reported	Typepump:	Other: N/A
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported		
Watertype:	N/A	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required		
Companynam:	Talon Drilling, Inc.	Companyadd:	921 North Bivins
Ccitystate:	Amarillo , TX 79107	Licensenum:	54583
Wsignature:	Dean Darnold	Dsignature:	No Data
Regnum:	No Data		
Comments:	No Data		
Ftdescript:	0 5Clay, VF, Drk Reddish Brn515Clay, Sandy, F-VF, Reddish Brn15	25	Clay, VF, Drk Reddish Brn
Typesettin:	2NPVC Riser	0 5	402NPVC Screen5250.010
Oid :	180		

C16
East
1/2 - 1 Mile
Higher

TX WELLS TXD1039205

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Rec id:	47683	Edr record:	1
Edr site i:	7949	Ownerwell:	MW16
Owner name:	Haigood & Campbell	Citystatez:	Archer City ,TX76351
Address:	P.O. Box 427		
Grid:	20-04-9		
Waddress:	911 Kemp Blvd		
Wcitystate:	Wichita Falls ,TX	Lat:	33° 54 12N
Wcounty:	Wichita	Lon:	098° 31 07 W
Elevation:	No Data	Gpsused:	Garmin GPS 315
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	12/5/2002	Completedd:	12/5/2002
Diameter:	7 7/8 in From Surface To		28 ft
Dmethod:	Hollow Stem Auger		
Bcompletio:	Not Reported		
Packedfrom:	3 ft to		28 ft
Packsize:	Not Reported		
Finterval:	From 0 ft to	2 ft with	2 (#sacks and material)
Sinterval:	From 2 ft to	3 ft with	1 (#sacks and material)
Tinterval:	No Data		
Usedmethod:	Portland/Bentonite	Cementedby:	Talon Drilling, Inc.
Contaminat:	N/A ft	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	13.8 ft. below land surface on12/5/2002
Flow:	No Data		
Packers:	none		
Cementinwe:	Not Reported	Typepump:	Other: N/A
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported		
Watertype:	Fresh	Stratadept:	No Data
Chemicalma:	Yes	Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required		
Companyname:	Talon Drilling, Inc.	Companyadd:	921 North Bivins
Ccitystate:	Amarillo , TX 79107	Licensenum:	54583
Wsignature:	Dean Darnold	Dsignature:	No Data
Regnum:	No Data		
Comments:	No Data		
Ftdescript:	0 5Hard Clay, M-F, Reddish Brn510Clay, Sandy, F-VF, Reddish Brn10 20 Claystone, F-VF, Reddish Brn20 25 Clay, Sandstone, F-VF, Reddish Brn		
Typesettin:	2NPVC Riser 0 5 402NPVC Screen5250.010		
Oid :	180		

**C17
East
1/2 - 1 Mile
Higher**

TX WELLS TXD1039197

Rec id:	47684	Edr record:	1
Edr site i:	7926	Ownerwell:	MW15
Owner name:	Haigood & Campbell	Citystatez:	Archer City ,TX76351
Address:	P.O. Box 427		
Grid:	20-04-9		
Waddress:	911 Kemp Blvd		
Wcitystate:	Wichita Falls ,TX	Lat:	33° 54 10N
Wcounty:	Wichita	Lon:	098° 31 06 W
Elevation:	No Data	Gpsused:	Garmin GPS 315

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Type of work:	New Well	Propose:	Monitor
Sdate:	12/4/2002	Completedd:	12/4/2002
Diameter:	7 7/8 in From Surface To	28	ft
Dmethod:	Hollow Stem Auger		
Bcompleteio:	Not Reported		
Packedfrom:	3	ft to	28
Packsize:	Not Reported		
Finterval:	From	0	ft to 2
Sinterval:	From	2	ft to 3
Tinterval:	No Data		
Usedmethod:	Portland/Bentonite	Cementedby:	Talon Drilling, Inc.
Contaminat:	N/A	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	11.5 ft. below land surface on 12/4/2002
Flow:	No Data		
Packers:	none		
Cementinwe:	Not Reported	Typepump:	Other: N/A
Pumpbowl:	(No Data)	Welltests:	No Data
Yield:	Not Reported		
Watertype:	Fresh	Stratadept:	No Data
Chemicalma:	Yes	Undesirabl:	No
Certificat:	The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required		
Companyname:	Talon Drilling, Inc.	Companyadd:	921 North Bivins
Ccitystate:	Amarillo, TX 79107	Licensenum:	54583
Wsignature:	Dean Darnold	Dsignature:	No Data
Regnum:	No Data		
Comments:	No Data		
Ftdescript:	010Clay, F-VF, Drk Brn1015Clay, F-VF, Drk Brn, Moist15	25	Clay, VF, Drk Reddish Brn,
Typesettin:	2NPVC Riser	0 5	402NPVC Screen5250.010
Oid :	180		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: TX Radon

Radon Test Results

County	Mean	Total Sites	%>4 pCi/L	%>20 pCi/L	Min pCi/L	Max pCi/L
WICHITA	1.4	14	7.7	.0	<.5	4.3

Federal EPA Radon Zone for WICHITA County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 76309

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	3.400 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	Not Reported	Not Reported	Not Reported	Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Texas Groundwater Database

Source: Texas Water Development Board

Telephone: 512-936-0837

Texas Public Water Supply Database on Ground and Surface Water

Source: Texas Commission on Environmental Quality

Texas Water Wells DOL

Source: Texas Department of Licensing and Regulation

Telephone: 512-463-6599

OTHER STATE DATABASE INFORMATION

Texas Oil and Gas Wells: Inventory of oil and gas wells in select Texas counties

Source: Texas Railroad Commission

Oil and gas well locations in the following counties: Bexar, Brazoria, Collin, Dallas, Denton, El Paso, Fort Bend, Galveston, Gregg, Harris, Hidalgo, Jefferson, Lubbock, Montgomery, Nueces, Tarrant, and Travis.

RADON

State Database: TX Radon

Source: Department of Health

Telephone: 512-834-6688

Final Report of the Texas Indoor Radon Survey

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

STREET AND ADDRESS INFORMATION

© 2006 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.



EDR® Environmental
Data Resources Inc

EDR Site Report™

**EAGLE MART 16
3200 SEYMOUR HWY
WICHITA FALLS, TX 76301**

Inquiry Number: u001242700

September 7, 2006

The Standard in Environmental Risk Management Information

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

The EDR-Site Report™ is a comprehensive presentation of government filings on a facility identified in a search of over 4 million government records from more than 600 federal, state and local environmental databases. The report is divided into three sections:

Section 1: Facility Summary Page 3

Summary of facility filings including a review of the following areas: waste management, waste disposal, multi-media issues, and Superfund liability.

Section 2: Facility Detail Reports Page 4

All available detailed information from databases where sites are identified.

Section 3: Databases Searched and Update Information. Page 18

Name, source, update dates, contact phone number and description of each of the databases searched for this report.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this report "AS IS". Any analyses, estimates, ratings, or risk codes provided in this report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can produce information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SECTION 1: FACILITY SUMMARY

FACILITY	FACILITY 1 EAGLE MART 16 3200 SEYMOUR HWY WICHITA FALLS, TX 76301 EDR ID #U001242700
AREA	
WASTE MANAGEMENT Facility generates hazardous waste (RCRA)	NO
Facility treats, stores, or disposes of hazardous waste on-site (RCRA/TSD)	NO
Facility has received Notices of Violations (RCRA/VIOL)	NO
Facility has been subject to RCRA administrative actions (RAATS)	NO
Facility has been subject to corrective actions (CORRACTS)	NO
Facility handles PCBs (PADS)	NO
Facility uses radioactive materials (MLTS)	NO
Facility manages registered aboveground storage tanks (AST)	NO
Facility manages registered underground storage tanks (UST)	YES - p4
Facility has reported leaking underground storage tank incidents (LUST)	NO
Facility has reported emergency releases to the soil (ERNS)	NO
Facility has reported hazardous material incidents to DOT (HMIRS)	NO
WASTE DISPOSAL Facility is a Superfund Site (NPL)	NO
Facility has a known or suspect abandoned, inactive or uncontrolled hazardous waste site (CERCLIS)	NO
Facility has a reported Superfund Lien on it (LIENS)	NO
Facility is listed as a state hazardous waste site (SHWS)	NO
Facility has disposed of solid waste on-site (SWF/LF)	NO
MULTIMEDIA Facility uses toxic chemicals and has notified EPA under SARA Title III, Section 313 (TRIS)	NO
Facility produces pesticides and has notified EPA under Section 7 of FIFRA (SSTS)	NO
Facility manufactures or imports toxic chemicals on the TSCA list (TSCA)	NO
Facility has inspections under FIFRA, TSCA or EPCRA (FTTS)	NO
Facility is listed in EPA's index system (FINDS)	NO
Facility is listed in a county/local unique database (LOCAL)	YES - p17
POTENTIAL SUPERFUND LIABILITY Facility has a list of potentially responsible parties PRP	NO
TOTAL (YES)	2

SECTION 2: FACILITY DETAIL REPORTS

WASTE MANAGEMENT

Facility manages registered underground storage tanks

DATABASE: Petroleum Storage Tank Database (UST)

EAGLE MART 16
3200 SEYMOUR HWY
WICHITA FALLS, TX 76301
EDR ID #U001242700

UST:

Facility ID:	0006173	Tank Installer:	Not reported
Tank ID:	2	Installation Date:	01011981
Unit ID:	00015830	Capacity:	0000550
Tank Emptied:	No		
Tank Status:	Removed from the Ground		
Status Date:	05011991		
Tank Registration Date:	05081986		
Tank Construction and Containment:	Not reported		
Tank Construction and Containment II:	Not reported		
Tank Construction and Containment III:	Not reported		
Tank Construction and Containment IV:	Not reported		
Pipe Construction and Containment:	Not reported		
Pipe Construction and Containment II:	Not reported		
Piping Design and Ext. Containment 3:	Not reported		
Piping Design and Ext. Containment 4:	Not reported		
Type of Piping:	Not reported		
Internal Tank Lining Date:	00000000		
Tank Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Pipe Material of Construction:	Steel		
Other Construction and Containment:	Not reported		
Pipe Connectors and Valves 1:	Not reported		
Pipe Connectors and Valves 2:	Not reported		
Pipe Connectors and Valves 3:	Not reported		
Tank Corrosion Protection:	Not reported		
Tank Corrosion Protection II:	Not reported		
Tank Corrosion Protection III:	Not reported		
Other Tank Corrosion Protection Text:	Not reported		
Tank Corrosion Protection Variance:	No Variance		
Pipe Corrosion Protection:	Not reported		
Pipe Corrosion Protection II:	Not reported		
Pipe Corrosion Protection 3:	Not reported		
Other Corrosion Protection:	None		
Pipe Corrosion Protection Variance:	No Variance		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Stage 2 Vapor Recry Equipment Status:	Not reported		
Stage 1 Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Tested:	Tested		
Installer License Number:	Not reported		
Financial Responsibility Type:	Not reported		
Corrective Action Met Flag:	Not reported		
Third Party Met Flag:	Not reported		
Financial Assurance Beginning Date:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		
Financial Assurance Self-Certification flag:	Not reported		
Technical standards Self-Certification flag:	Not reported		
UST Delivery Certificate Expiration Date:	Not reported		
Compartment letter:	Not reported		
Compartment Capacity:	0000000		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Method Detection I:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance:	No Variance		
Pipe Release Detection Method:	Not reported		
Pipe Release Detection Method II:	Not reported		
Pipe Release Detection Method III:	Not reported		
Other Pipe Release Detection Method:	None		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Pipe Release Detection Variance:	No Variance		
Spill and Overfill Protection:	Not reported		
Spill and Overfill Protection II:	Not reported		
Spill and Overfill Protection III:	Not reported		
spillprvar:	2		
Owner ID:	49680		
Owner Name:	SOUTHWEST CONVENIENCE STORES LLC		
Owner Address:	415 N Grant		
Owner City,St,Zip:	ODESSA, TX 79760		
Owner Contact Name:	A W WRINKLE		
Contact Telephone:	432-580-8850		
Operator ID:	Not reported		
Operator Effective Date:	Not reported		
Operator Type:	Not reported		
Operator Name:	Not reported		
Operator Phone:	Not reported		
Operator Address:	Not reported		
Operator Address Building:	Not reported		
Operator City,St,Zip:	Not reported		
Operator Contact Name:	Not reported		
Operator Contact Title:	Not reported		
Operator Contact Phone:	Not reported		
Operator Type:	Corporation		
Mail Undeliverable:	Not reported		
Bankruptcy is in effect:	Not reported		
Owner Amendment Reason Code:	035		
Owner Amendment Date:	100605		
Owner Tax ID:	17526797331		
Owner PO Box:	PO BOX 711		
Owner Zip 2:	0711		
Facility Type:	Retail		
Facility PO Box:	Not reported		
Region Number:	03		
Facility in Ozone non-attainment area:	Not reported		
Number of USTs:	0009		
Number of ASTs:	0000		
Name of Facility Manager:	Warren Ayres		
Title of Facility Manager:	Not reported		
Facility Manager Phone:	817-767-2577		
Number of Facilities reported by Owner:	0156		
# Of Underground Storage Tanks:	0519		
# Of Aboveground Storage Tanks:	0001		
Date Registration Form Received:	050886		
Sign Name on Registration Form:	T. MOORE		
Title of Signer of Registration Form:	BKPR		
Date of Signature on Registration Form:	042986		
Facility ID:	0006173	Tank Installer:	Not reported
Tank ID:	1	Installation Date:	01011981
Unit ID:	00015831	Capacity:	0001000
Tank Emptied:	No		
Tank Status:	Removed from the Ground		
Status Date:	05011991		
Tank Registration Date:	05081986		
Tank Construction and Containment:	Not reported		
Tank Construction and Containment II:	Not reported		
Tank Construction and Containment III:	Not reported		
Tank Construction and Containment IV:	Not reported		
Pipe Construction and Containment:	Not reported		
Pipe Construction and Containment II:	Not reported		
Piping Design and Ext. Containment 3:	Not reported		
Piping Design and Ext. Containment 4:	Not reported		
Type of Piping:	Not reported		
Internal Tank Lining Date:	00000000		
Tank Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Pipe Material of Construction:	Steel		
Other Construction and Containment:	Not reported		
Pipe Connectors and Valves 1:	Not reported		
Pipe Connectors and Valves 2:	Not reported		
Pipe Connectors and Valves 3:	Not reported		
Tank Corrosion Protection:	Not reported		
Tank Corrosion Protection II:	Not reported		
Tank Corrosion Protection III:	Not reported		
Other Tank Corrosion Protection Text:	Not reported		
Tank Corrosion Protection Variance:	No Variance		
Pipe Corrosion Protection:	Not reported		
Pipe Corrosion Protection II:	Not reported		
Pipe Corrosion Protection 3:	Not reported		
Other Corrosion Protection:	None		
Pipe Corrosion Protection Variance:	No Variance		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Stage 2 Vapor Recry Equipment Status:	Not reported		
Stage 1 Equipment Installed Date:	Not reported		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Tested:	Tested		
Installer License Number:	Not reported		
Financial Responsibility Type:	Not reported		
Corrective Action Met Flag:	Not reported		
Third Party Met Flag:	Not reported		
Financial Assurance Beginning Date:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		
Financial Assurance Self-Certification flag:	Not reported		
Technical standards Self-Certification flag:	Not reported		
UST Delivery Certificate Expiration Date:	Not reported		
Compartment letter:	Not reported		
Compartment Capacity:	0000000		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Method Detection I:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance:	No Variance		
Pipe Release Detection Method:	Not reported		
Pipe Release Detection Method II:	Not reported		
Pipe Release Detection Method III:	Not reported		
Other Pipe Release Detection Method:	None		
Pipe Release Detection Variance:	No Variance		
Spill and Overfill Protection:	Not reported		
Spill and Overfill Protection II:	Not reported		
Spill and Overfill Protection III:	Not reported		
spillprvar:	2		
Owner ID:	49680		
Owner Name:	SOUTHWEST CONVENIENCE STORES LLC		
Owner Address:	415 N Grant		
Owner City,St,Zip:	ODESSA, TX 79760		
Owner Contact Name:	A W WRINKLE		
Contact Telephone:	432-580-8850		
Operator ID:	Not reported		
Operator Effective Date:	Not reported		
Operator Type:	Not reported		
Operator Name:	Not reported		
Operator Phone:	Not reported		
Operator Address:	Not reported		
Operator Address Building:	Not reported		
Operator City,St,Zip:	Not reported		
Operator Contact Name:	Not reported		
Operator Contact Title:	Not reported		
Operator Contact Phone:	Not reported		
Operator Type:	Corporation		
Mail Undeliverable:	Not reported		
Bankruptcy is in effect:	Not reported		
Owner Amendment Reason Code:	035		
Owner Amendment Date:	100605		
Owner Tax ID:	17526797331		
Owner PO Box:	PO BOX 711		
Owner Zip 2:	0711		
Facility Type:	Retail		
Facility PO Box:	Not reported		
Region Number:	03		
Facility in Ozone non-attainment area:	Not reported		
Number of USTs:	0009		
Number of ASTs:	0000		
Name of Facility Manager:	Warren Ayres		
Title of Facility Manager:	Not reported		
Facility Manager Phone:	817-767-2577		
Number of Facilities reported by Owner:	0156		
# Of Underground Storage Tanks:	0519		
# Of Aboveground Storage Tanks:	0001		
Date Registration Form Received:	050886		
Sign Name on Registration Form:	T. MOORE		
Title of Signer of Registration Form:	BKPR		
Date of Signature on Registration Form:	042986		
Facility ID:	0006173	Tank Installer:	Not reported
Tank ID:	3	Installation Date:	01011961
Unit ID:	00015832	Capacity:	0004030
Tank Emptied:	No		
Tank Status:	Removed from the Ground		
Status Date:	05011991		
Tank Registration Date:	05081986		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Tank Construction and Containment:	Not reported
Tank Construction and Containment II:	Not reported
Tank Construction and Containment III:	Not reported
Tank Construction and Containment IV:	Not reported
Pipe Construction and Containment:	Not reported
Pipe Construction and Containment II:	Not reported
Piping Design and Ext. Containment 3:	Not reported
Piping Design and Ext. Containment 4:	Not reported
Type of Piping:	Not reported
Internal Tank Lining Date:	00000000
Tank Material of Construction:	Steel
Other Materials of Construction:	Not reported
Pipe Material of Construction:	Steel
Other Construction and Containment:	Not reported
Pipe Connectors and Valves 1:	Not reported
Pipe Connectors and Valves 2:	Not reported
Pipe Connectors and Valves 3:	Not reported
Tank Corrosion Protection:	Not reported
Tank Corrosion Protection II:	Not reported
Tank Corrosion Protection III:	Not reported
Other Tank Corrosion Protection Text:	Not reported
Tank Corrosion Protection Variance:	No Variance
Pipe Corrosion Protection:	Not reported
Pipe Corrosion Protection II:	Not reported
Pipe Corrosion Protection 3:	Not reported
Other Corrosion Protection:	None
Pipe Corrosion Protection Variance:	No Variance
Vapor Recovery Equipment Status:	Not reported
Equipment Installed Date:	Not reported
Stage 2 Vapor Recry Equipment Status:	Not reported
Stage 1 Equipment Installed Date:	Not reported
Equipment Installer:	Not reported
Contractor Registration Number:	Not reported
Tank Tested:	Tested
Installer License Number:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Self-Certification date:	Not reported
Signature Name:	Not reported
Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Compartment Capacity:	0000000
Compartment Substance Stored:	Gasoline
Compartment Other Substance:	Not reported
Tank Release Method Detection I:	Not reported
Tank Release Method Detection II:	Not reported
Tank Release Method Detection III:	Not reported
Other Tank Release Method Detection:	None
Tank Release Detection Variance:	No Variance
Pipe Release Detection Method:	Not reported
Pipe Release Detection Method II:	Not reported
Pipe Release Detection Method III:	Not reported
Other Pipe Release Detection Method:	None
Pipe Release Detection Variance:	No Variance
Spill and Overfill Protection:	Not reported
Spill and Overfill Protection II:	Not reported
Spill and Overfill Protection III:	Not reported
spillprvar:	2
Owner ID:	49680
Owner Name:	SOUTHWEST CONVENIENCE STORES LLC
Owner Address:	415 N Grant
Owner City,St,Zip:	ODESSA, TX 79760
Owner Contact Name:	A W WRINKLE
Contact Telephone:	432-580-8850
Operator ID:	Not reported
Operator Effective Date:	Not reported
Operator Type:	Not reported
Operator Name:	Not reported
Operator Phone:	Not reported
Operator Address:	Not reported
Operator Address Building:	Not reported
Operator City,St,Zip:	Not reported
Operator Contact Name:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Type:	Corporation

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Mail Undeliverable: Not reported
Bankruptcy is in effect: Not reported
Owner Amendment Reason Code: 035
Owner Amendment Date: 100605
Owner Tax ID: 17526797331
Owner PO Box: PO BOX 711
Owner Zip 2: 0711
Facility Type: Retail
Facility PO Box: Not reported
Region Number: 03
Facility in Ozone non-attainment area: Not reported
Number of USTs: 0009
Number of ASTs: 0000
Name of Facility Manager: Warren Ayres
Title of Facility Manager: Not reported
Facility Manager Phone: 817-767-2577
Number of Facilities reported by Owner: 0156
Of Underground Storage Tanks: 0519
Of Aboveground Storage Tanks: 0001
Date Registration Form Received: 050886
Sign Name on Registration Form: T. MOORE
Title of Signer of Registration Form: BKPR
Date of Signature on Registration Form: 042986

Facility ID: 0006173
Tank ID: 5
Unit ID: 00015833
Tank Emptied: No
Tank Status: Removed from the Ground
Status Date: 05011991
Tank Registration Date: 05081986
Tank Construction and Containment: Not reported
Tank Construction and Containment II: Not reported
Tank Construction and Containment III: Not reported
Tank Construction and Containment IV: Not reported
Pipe Construction and Containment: Not reported
Pipe Construction and Containment II: Not reported
Piping Design and Ext. Containment 3: Not reported
Piping Design and Ext. Containment 4: Not reported
Type of Piping: Not reported
Internal Tank Lining Date: 00000000
Tank Material of Construction: Steel
Other Materials of Construction: Not reported
Pipe Material of Construction: Steel
Other Construction and Containment: Not reported
Pipe Connectors and Valves 1: Not reported
Pipe Connectors and Valves 2: Not reported
Pipe Connectors and Valves 3: Not reported
Tank Corrosion Protection: Not reported
Tank Corrosion Protection II: Not reported
Tank Corrosion Protection III: Not reported
Other Tank Corrosion Protection Text: Not reported
Tank Corrosion Protection Variance: No Variance
Pipe Corrosion Protection: Not reported
Pipe Corrosion Protection II: Not reported
Pipe Corrosion Protection 3: Not reported
Other Corrosion Protection: None
Pipe Corrosion Protection Variance: No Variance
Vapor Recovery Equipment Status: Not reported
Equipment Installed Date: Not reported
Stage 2 Vapor Recry Equipment Status: Not reported
Stage 1 Equipment Installed Date: Not reported
Equipment Installer: Not reported
Contractor Registration Number: Not reported
Tank Tested: Tested
Installer License Number: Not reported
Financial Responsibility Type: Not reported
Corrective Action Met Flag: Not reported
Third Party Met Flag: Not reported
Financial Assurance Beginning Date: Not reported
Self-Certification date: Not reported
Signature Name: Not reported
Signature Title Name: Not reported
Signature Type Text: Not reported
Certification Submitted Type: Not reported
Registration Self-Certification Flag: Not reported
Fees Self-Certification Flag: Not reported
Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Compartment Capacity: 0000000
Compartment Substance Stored: Gasoline
Compartment Other Substance: Not reported
Tank Release Method Detection I: Not reported

Tank Installer: Not reported
Installation Date: 01011961
Capacity: 0004030

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance:	No Variance		
Pipe Release Detection Method:	Not reported		
Pipe Release Detection Method II:	Not reported		
Pipe Release Detection Method III:	Not reported		
Other Pipe Release Detection Method:	None		
Pipe Release Detection Variance:	No Variance		
Spill and Overfill Protection:	Not reported		
Spill and Overfill Protection II:	Not reported		
Spill and Overfill Protection III:	Not reported		
spillprvar:	2		
Owner ID:	49680		
Owner Name:	SOUTHWEST CONVENIENCE STORES LLC		
Owner Address:	415 N Grant		
Owner City,St,Zip:	ODESSA, TX 79760		
Owner Contact Name:	A W WRINKLE		
Contact Telephone:	432-580-8850		
Operator ID:	Not reported		
Operator Effective Date:	Not reported		
Operator Type:	Not reported		
Operator Name:	Not reported		
Operator Phone:	Not reported		
Operator Address:	Not reported		
Operator Address Building:	Not reported		
Operator City,St,Zip:	Not reported		
Operator Contact Name:	Not reported		
Operator Contact Title:	Not reported		
Operator Contact Phone:	Not reported		
Operator Type:	Corporation		
Mail Undeliverable:	Not reported		
Bankruptcy is in effect:	Not reported		
Owner Amendment Reason Code:	035		
Owner Amendment Date:	100605		
Owner Tax ID:	17526797331		
Owner PO Box:	PO BOX 711		
Owner Zip 2:	0711		
Facility Type:	Retail		
Facility PO Box:	Not reported		
Region Number:	03		
Facility in Ozone non-attainment area:	Not reported		
Number of USTs:	0009		
Number of ASTs:	0000		
Name of Facility Manager:	Warren Ayres		
Title of Facility Manager:	Not reported		
Facility Manager Phone:	817-767-2577		
Number of Facilities reported by Owner:	0156		
# Of Underground Storage Tanks:	0519		
# Of Aboveground Storage Tanks:	0001		
Date Registration Form Received:	050886		
Sign Name on Registration Form:	T. MOORE		
Title of Signer of Registration Form:	BKPR		
Date of Signature on Registration Form:	042986		
Facility ID:	0006173	Tank Installer:	Not reported
Tank ID:	4	Installation Date:	01011961
Unit ID:	00015834	Capacity:	0004030
Tank Emptied:	No		
Tank Status:	Removed from the Ground		
Status Date:	05011991		
Tank Registration Date:	05081986		
Tank Construction and Containment:	Not reported		
Tank Construction and Containment II:	Not reported		
Tank Construction and Containment III:	Not reported		
Tank Construction and Containment IV:	Not reported		
Pipe Construction and Containment:	Not reported		
Pipe Construction and Containment II:	Not reported		
Piping Design and Ext. Containment 3:	Not reported		
Piping Design and Ext. Containment 4:	Not reported		
Type of Piping:	Not reported		
Internal Tank Lining Date:	00000000		
Tank Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Pipe Material of Construction:	Steel		
Other Construction and Containment:	Not reported		
Pipe Connectors and Valves 1:	Not reported		
Pipe Connectors and Valves 2:	Not reported		
Pipe Connectors and Valves 3:	Not reported		
Tank Corrosion Protection:	Not reported		
Tank Corrosion Protection II:	Not reported		
Tank Corrosion Protection III:	Not reported		
Other Tank Corrosion Protection Text:	Not reported		
Tank Corrosion Protection Variance:	No Variance		
Pipe Corrosion Protection:	Not reported		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Pipe Corrosion Protection II:	Not reported
Pipe Corrosion Protection 3:	Not reported
Other Corrosion Protection:	None
Pipe Corrosion Protection Variance:	No Variance
Vapor Recovery Equipment Status:	Not reported
Equipment Installed Date:	Not reported
Stage 2 Vapor Recry Equipment Status:	Not reported
Stage 1 Equipment Installed Date:	Not reported
Equipment Installer:	Not reported
Contractor Registration Number:	Not reported
Tank Tested:	Tested
Installer License Number:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Self-Certification date:	Not reported
Signature Name:	Not reported
Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Compartment Capacity:	0000000
Compartment Substance Stored:	Gasoline
Compartment Other Substance:	Not reported
Tank Release Method Detection I:	Not reported
Tank Release Method Detection II:	Not reported
Tank Release Method Detection III:	Not reported
Other Tank Release Method Detection:	None
Tank Release Detection Variance:	No Variance
Pipe Release Detection Method:	Not reported
Pipe Release Detection Method II:	Not reported
Pipe Release Detection Method III:	Not reported
Other Pipe Release Detection Method:	None
Pipe Release Detection Variance:	No Variance
Spill and Overfill Protection:	Not reported
Spill and Overfill Protection II:	Not reported
Spill and Overfill Protection III:	Not reported
spillprvar:	2
Owner ID:	49680
Owner Name:	SOUTHWEST CONVENIENCE STORES LLC
Owner Address:	415 N Grant
Owner City,St,Zip:	ODESSA, TX 79760
Owner Contact Name:	A W WRINKLE
Contact Telephone:	432-580-8850
Operator ID:	Not reported
Operator Effective Date:	Not reported
Operator Type:	Not reported
Operator Name:	Not reported
Operator Phone:	Not reported
Operator Address:	Not reported
Operator Address Building:	Not reported
Operator City,St,Zip:	Not reported
Operator Contact Name:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Type:	Corporation
Mail Undeliverable:	Not reported
Bankruptcy is in effect:	Not reported
Owner Amendment Reason Code:	035
Owner Amendment Date:	100605
Owner Tax ID:	17526797331
Owner PO Box:	PO BOX 711
Owner Zip 2:	0711
Facility Type:	Retail
Facility PO Box:	Not reported
Region Number:	03
Facility in Ozone non-attainment area:	Not reported
Number of USTs:	0009
Number of ASTs:	0000
Name of Facility Manager:	Warren Ayres
Title of Facility Manager:	Not reported
Facility Manager Phone:	817-767-2577
Number of Facilities reported by Owner:	0156
# Of Underground Storage Tanks:	0519
# Of Aboveground Storage Tanks:	0001
Date Registration Form Received:	050886
Sign Name on Registration Form:	T. MOORE
Title of Signer of Registration Form:	BKPR
Date of Signature on Registration Form:	042986

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Facility ID:	0006173	Tank Installer:	Not reported
Tank ID:	6	Installation Date:	01011961
Unit ID:	00015835	Capacity:	0004030
Tank Emptied:	No		
Tank Status:	Removed from the Ground		
Status Date:	05011991		
Tank Registration Date:	05081986		
Tank Construction and Containment:	Not reported		
Tank Construction and Containment II:	Not reported		
Tank Construction and Containment III:	Not reported		
Tank Construction and Containment IV:	Not reported		
Pipe Construction and Containment:	Not reported		
Pipe Construction and Containment II:	Not reported		
Piping Design and Ext. Containment 3:	Not reported		
Piping Design and Ext. Containment 4:	Not reported		
Type of Piping:	Not reported		
Internal Tank Lining Date:	00000000		
Tank Material of Construction:	Steel		
Other Materials of Construction:	Not reported		
Pipe Material of Construction:	Steel		
Other Construction and Containment:	Not reported		
Pipe Connectors and Valves 1:	Not reported		
Pipe Connectors and Valves 2:	Not reported		
Pipe Connectors and Valves 3:	Not reported		
Tank Corrosion Protection:	Not reported		
Tank Corrosion Protection II:	Not reported		
Tank Corrosion Protection III:	Not reported		
Other Tank Corrosion Protection Text:	Not reported		
Tank Corrosion Protection Variance:	No Variance		
Pipe Corrosion Protection:	Not reported		
Pipe Corrosion Protection II:	Not reported		
Pipe Corrosion Protection 3:	Not reported		
Other Corrosion Protection:	None		
Pipe Corrosion Protection Variance:	No Variance		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Stage 2 Vapor Recry Equipment Status:	Not reported		
Stage 1 Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Tested:	Tested		
Installer License Number:	Not reported		
Financial Responsibility Type:	Not reported		
Corrective Action Met Flag:	Not reported		
Third Party Met Flag:	Not reported		
Financial Assurance Beginning Date:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		
Financial Assurance Self-Certification flag:	Not reported		
Technical standards Self-Certification flag:	Not reported		
UST Delivery Certificate Expiration Date:	Not reported		
Compartment letter:	Not reported		
Compartment Capacity:	0000000		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Method Detection I:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance:	No Variance		
Pipe Release Detection Method:	Not reported		
Pipe Release Detection Method II:	Not reported		
Pipe Release Detection Method III:	Not reported		
Other Pipe Release Detection Method:	None		
Pipe Release Detection Variance:	No Variance		
Spill and Overfill Protection:	Not reported		
Spill and Overfill Protection II:	Not reported		
Spill and Overfill Protection III:	Not reported		
spillprvar:	2		
Owner ID:	49680		
Owner Name:	SOUTHWEST CONVENIENCE STORES LLC		
Owner Address:	415 N Grant		
Owner City,St,Zip:	ODESSA, TX 79760		
Owner Contact Name:	A W WRINKLE		
Contact Telephone:	432-580-8850		
Operator ID:	Not reported		
Operator Effective Date:	Not reported		
Operator Type:	Not reported		
Operator Name:	Not reported		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Operator Phone:	Not reported		
Operator Address:	Not reported		
Operator Address Building:	Not reported		
Operator City,St,Zip:	Not reported		
Operator Contact Name:	Not reported		
Operator Contact Title:	Not reported		
Operator Contact Phone:	Not reported		
Operator Type:	Corporation		
Mail Undeliverable:	Not reported		
Bankruptcy is in effect:	Not reported		
Owner Amendment Reason Code:	035		
Owner Amendment Date:	100605		
Owner Tax ID:	17526797331		
Owner PO Box:	PO BOX 711		
Owner Zip 2:	0711		
Facility Type:	Retail		
Facility PO Box:	Not reported		
Region Number:	03		
Facility in Ozone non-attainment area:	Not reported		
Number of USTs:	0009		
Number of ASTs:	0000		
Name of Facility Manager:	Warren Ayres		
Title of Facility Manager:	Not reported		
Facility Manager Phone:	817-767-2577		
Number of Facilities reported by Owner:	0156		
# Of Underground Storage Tanks:	0519		
# Of Aboveground Storage Tanks:	0001		
Date Registration Form Received:	050886		
Sign Name on Registration Form:	T. MOORE		
Title of Signer of Registration Form:	BKPR		
Date of Signature on Registration Form:	042986		
Facility ID:	0006173	Tank Installer:	Not reported
Tank ID:	2A	Installation Date:	05011991
Unit ID:	00015836	Capacity:	0006000
Tank Emptied:	No		
Tank Status:	Removed from the Ground		
Status Date:	06031998		
Tank Registration Date:	05081986		
Tank Construction and Containment:	Double Wall		
Tank Construction and Containment II:	Not reported		
Tank Construction and Containment III:	Not reported		
Tank Construction and Containment IV:	Not reported		
Pipe Construction and Containment:	Single Wall		
Pipe Construction and Containment II:	Not reported		
Piping Design and Ext. Containment 3:	Not reported		
Piping Design and Ext. Containment 4:	Not reported		
Type of Piping:	Not reported		
Internal Tank Lining Date:	00000000		
Tank Material of Construction:	Composite (steel with FRP laminate)		
Other Materials of Construction:	Not reported		
Pipe Material of Construction:	Fiberglass-Reinforced Plastic (FRP)		
Other Construction and Containment:	Not reported		
Pipe Connectors and Valves 1:	Not reported		
Pipe Connectors and Valves 2:	Not reported		
Pipe Connectors and Valves 3:	Not reported		
Tank Corrosion Protection:	Noncorrodible Material (c.g. FRP)		
Tank Corrosion Protection II:	Not reported		
Tank Corrosion Protection III:	Not reported		
Other Tank Corrosion Protection Text:	Not reported		
Tank Corrosion Protection Variance:	No Variance		
Pipe Corrosion Protection:	None		
Pipe Corrosion Protection II:	Not reported		
Pipe Corrosion Protection 3:	Not reported		
Other Corrosion Protection:	Not reported		
Pipe Corrosion Protection Variance:	No Variance		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Stage 2 Vapor Recry Equipment Status:	Not reported		
Stage 1 Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Tested:	Tested		
Installer License Number:	Not reported		
Financial Responsibility Type:	Not reported		
Corrective Action Met Flag:	Not reported		
Third Party Met Flag:	Not reported		
Financial Assurance Beginning Date:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Financial Assurance Self-Certification flag: Not reported
Technical standards Self-Certification flag: Not reported
UST Delivery Certificate Expiration Date: Not reported
Compartment letter: Not reported
Compartment Capacity: 0000000
Compartment Substance Stored: Gasoline
Compartment Other Substance: Not reported
Tank Release Method Detection I: Not reported
Tank Release Method Detection II: Not reported
Tank Release Method Detection III: Not reported
Other Tank Release Method Detection: None
Tank Release Detection Variance: No Variance
Pipe Release Detection Method: Not reported
Pipe Release Detection Method II: Not reported
Pipe Release Detection Method III: Not reported
Other Pipe Release Detection Method: None
Pipe Release Detection Variance: No Variance
Spill and Overfill Protection: Not reported
Spill and Overfill Protection II: Not reported
Spill and Overfill Protection III: Not reported
spillprvar: 2
Owner ID: 49680
Owner Name: SOUTHWEST CONVENIENCE STORES LLC
Owner Address: 415 N Grant
Owner City,St,Zip: ODESSA, TX 79760
Owner Contact Name: A W WRINKLE
Contact Telephone: 432-580-8850
Operator ID: Not reported
Operator Effective Date: Not reported
Operator Type: Not reported
Operator Name: Not reported
Operator Phone: Not reported
Operator Address: Not reported
Operator Address Building: Not reported
Operator City,St,Zip: Not reported
Operator Contact Name: Not reported
Operator Contact Title: Not reported
Operator Contact Phone: Not reported
Operator Type: Corporation
Mail Undeliverable: Not reported
Bankruptcy is in effect: Not reported
Owner Amendment Reason Code: 035
Owner Amendment Date: 100605
Owner Tax ID: 17526797331
Owner PO Box: PO BOX 711
Owner Zip 2: 0711
Facility Type: Retail
Facility PO Box: Not reported
Region Number: 03
Facility in Ozone non-attainment area: Not reported
Number of USTs: 0009
Number of ASTs: 0000
Name of Facility Manager: Warren Ayres
Title of Facility Manager: Not reported
Facility Manager Phone: 817-767-2577
Number of Facilities reported by Owner: 0156
Of Underground Storage Tanks: 0519
Of Aboveground Storage Tanks: 0001
Date Registration Form Received: 050886
Sign Name on Registration Form: T. MOORE
Title of Signer of Registration Form: BKPR
Date of Signature on Registration Form: 042986

Facility ID: 0006173
Tank ID: 1A
Unit ID: 00015837
Tank Emptied: No
Tank Status: Removed from the Ground
Status Date: 06031998
Tank Registration Date: 05081986
Tank Construction and Containment: Double Wall
Tank Construction and Containment II: Not reported
Tank Construction and Containment III: Not reported
Tank Construction and Containment IV: Not reported
Pipe Construction and Containment: Single Wall
Pipe Construction and Containment II: Not reported
Piping Design and Ext. Containment 3: Not reported
Piping Design and Ext. Containment 4: Not reported
Type of Piping: Not reported
Internal Tank Lining Date: 00000000
Tank Material of Construction: Composite (steel with FRP laminate)
Other Materials of Construction: Not reported
Pipe Material of Construction: Fiberglass-Reinforced Plastic (FRP)
Other Construction and Containment: Not reported
Pipe Connectors and Valves 1: Not reported

Tank Installer: Not reported
Installation Date: 05011991
Capacity: 0008000

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Pipe Connectors and Valves 2:	Not reported
Pipe Connectors and Valves 3:	Not reported
Tank Corrosion Protection:	Noncorrodible Material (c.g. FRP)
Tank Corrosion Protection II:	Not reported
Tank Corrosion Protection III:	Not reported
Other Tank Corrosion Protection Text:	Not reported
Tank Corrosion Protection Variance:	No Variance
Pipe Corrosion Protection:	None
Pipe Corrosion Protection II:	Not reported
Pipe Corrosion Protection 3:	Not reported
Other Corrosion Protection:	Not reported
Pipe Corrosion Protection Variance:	No Variance
Vapor Recovery Equipment Status:	Not reported
Equipment Installed Date:	Not reported
Stage 2 Vapor Recry Equipment Status:	Not reported
Stage 1 Equipment Installed Date:	Not reported
Equipment Installer:	Not reported
Contractor Registration Number:	Not reported
Tank Tested:	Tested
Installer License Number:	Not reported
Financial Responsibility Type:	Not reported
Corrective Action Met Flag:	Not reported
Third Party Met Flag:	Not reported
Financial Assurance Beginning Date:	Not reported
Self-Certification date:	Not reported
Signature Name:	Not reported
Signature Title Name:	Not reported
Signature Type Text:	Not reported
Certification Submitted Type:	Not reported
Registration Self-Certification Flag:	Not reported
Fees Self-Certification Flag:	Not reported
Financial Assurance Self-Certification flag:	Not reported
Technical standards Self-Certification flag:	Not reported
UST Delivery Certificate Expiration Date:	Not reported
Compartment letter:	Not reported
Compartment Capacity:	0000000
Compartment Substance Stored:	Gasoline
Compartment Other Substance:	Not reported
Tank Release Method Detection I:	Not reported
Tank Release Method Detection II:	Not reported
Tank Release Method Detection III:	Not reported
Other Tank Release Method Detection:	None
Tank Release Detection Variance:	No Variance
Pipe Release Detection Method:	Not reported
Pipe Release Detection Method II:	Not reported
Pipe Release Detection Method III:	Not reported
Other Pipe Release Detection Method:	None
Pipe Release Detection Variance:	No Variance
Spill and Overfill Protection:	Not reported
Spill and Overfill Protection II:	Not reported
Spill and Overfill Protection III:	Not reported
spillprvar:	2
Owner ID:	49680
Owner Name:	SOUTHWEST CONVENIENCE STORES LLC
Owner Address:	415 N Grant
Owner City,St,Zip:	ODESSA, TX 79760
Owner Contact Name:	A W WRINKLE
Contact Telephone:	432-580-8850
Operator ID:	Not reported
Operator Effective Date:	Not reported
Operator Type:	Not reported
Operator Name:	Not reported
Operator Phone:	Not reported
Operator Address:	Not reported
Operator Address Building:	Not reported
Operator City,St,Zip:	Not reported
Operator Contact Name:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Type:	Corporation
Mail Undeliverable:	Not reported
Bankruptcy is in effect:	Not reported
Owner Amendment Reason Code:	035
Owner Amendment Date:	100605
Owner Tax ID:	17526797331
Owner PO Box:	PO BOX 711
Owner Zip 2:	0711
Facility Type:	Retail
Facility PO Box:	Not reported
Region Number:	03
Facility in Ozone non-attainment area:	Not reported
Number of USTs:	0009
Number of ASTs:	0000
Name of Facility Manager:	Warren Ayres
Title of Facility Manager:	Not reported

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Facility Manager Phone:	817-767-2577		
Number of Facilities reported by Owner:	0156		
# Of Underground Storage Tanks:	0519		
# Of Aboveground Storage Tanks:	0001		
Date Registration Form Received:	050886		
Sign Name on Registration Form:	T. MOORE		
Title of Signer of Registration Form:	BKPR		
Date of Signature on Registration Form:	042986		
Facility ID:	0006173	Tank Installer:	Not reported
Tank ID:	3A	Installation Date:	05011991
Unit ID:	00015838	Capacity:	0006000
Tank Emptied:	No		
Tank Status:	Removed from the Ground		
Status Date:	06031998		
Tank Registration Date:	05081986		
Tank Construction and Containment:	Double Wall		
Tank Construction and Containment II:	Not reported		
Tank Construction and Containment III:	Not reported		
Tank Construction and Containment IV:	Not reported		
Pipe Construction and Containment:	Single Wall		
Pipe Construction and Containment II:	Not reported		
Piping Design and Ext. Containment 3:	Not reported		
Piping Design and Ext. Containment 4:	Not reported		
Type of Piping:	Not reported		
Internal Tank Lining Date:	00000000		
Tank Material of Construction:	Composite (steel with FRP laminate)		
Other Materials of Construction:	Not reported		
Pipe Material of Construction:	Fiberglass-Reinforced Plastic (FRP)		
Other Construction and Containment:	Not reported		
Pipe Connectors and Valves 1:	Not reported		
Pipe Connectors and Valves 2:	Not reported		
Pipe Connectors and Valves 3:	Not reported		
Tank Corrosion Protection:	Noncorrodible Material (c.g. FRP)		
Tank Corrosion Protection II:	Not reported		
Tank Corrosion Protection III:	Not reported		
Other Tank Corrosion Protection Text:	Not reported		
Tank Corrosion Protection Variance:	No Variance		
Pipe Corrosion Protection:	None		
Pipe Corrosion Protection II:	Not reported		
Pipe Corrosion Protection 3:	Not reported		
Other Corrosion Protection:	Not reported		
Pipe Corrosion Protection Variance:	No Variance		
Vapor Recovery Equipment Status:	Not reported		
Equipment Installed Date:	Not reported		
Stage 2 Vapor Recry Equipment Status:	Not reported		
Stage 1 Equipment Installed Date:	Not reported		
Equipment Installer:	Not reported		
Contractor Registration Number:	Not reported		
Tank Tested:	Tested		
Installer License Number:	Not reported		
Financial Responsibility Type:	Not reported		
Corrective Action Met Flag:	Not reported		
Third Party Met Flag:	Not reported		
Financial Assurance Beginning Date:	Not reported		
Self-Certification date:	Not reported		
Signature Name:	Not reported		
Signature Title Name:	Not reported		
Signature Type Text:	Not reported		
Certification Submitted Type:	Not reported		
Registration Self-Certification Flag:	Not reported		
Fees Self-Certification Flag:	Not reported		
Financial Assurance Self-Certification flag:	Not reported		
Technical standards Self-Certification flag:	Not reported		
UST Delivery Certificate Expiration Date:	Not reported		
Compartment letter:	Not reported		
Compartment Capacity:	0000000		
Compartment Substance Stored:	Gasoline		
Compartment Other Substance:	Not reported		
Tank Release Method Detection I:	Not reported		
Tank Release Method Detection II:	Not reported		
Tank Release Method Detection III:	Not reported		
Other Tank Release Method Detection:	None		
Tank Release Detection Variance:	No Variance		
Pipe Release Detection Method:	Not reported		
Pipe Release Detection Method II:	Not reported		
Pipe Release Detection Method III:	Not reported		
Other Pipe Release Detection Method:	None		
Pipe Release Detection Variance:	No Variance		
Spill and Overfill Protection:	Not reported		
Spill and Overfill Protection II:	Not reported		
Spill and Overfill Protection III:	Not reported		
spillprvar:	2		
Owner ID:	49680		
Owner Name:	SOUTHWEST CONVENIENCE STORES LLC		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Owner Address:	415 N Grant
Owner City,St,Zip:	ODESSA, TX 79760
Owner Contact Name:	A W WRINKLE
Contact Telephone:	432-580-8850
Operator ID:	Not reported
Operator Effective Date:	Not reported
Operator Type:	Not reported
Operator Name:	Not reported
Operator Phone:	Not reported
Operator Address:	Not reported
Operator Address Building:	Not reported
Operator City,St,Zip:	Not reported
Operator Contact Name:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Type:	Corporation
Mail Undeliverable:	Not reported
Bankruptcy is in effect:	Not reported
Owner Amendment Reason Code:	035
Owner Amendment Date:	100605
Owner Tax ID:	17526797331
Owner PO Box:	PO BOX 711
Owner Zip 2:	0711
Facility Type:	Retail
Facility PO Box:	Not reported
Region Number:	03
Facility in Ozone non-attainment area:	Not reported
Number of USTs:	0009
Number of ASTs:	0000
Name of Facility Manager:	Warren Ayres
Title of Facility Manager:	Not reported
Facility Manager Phone:	817-767-2577
Number of Facilities reported by Owner:	0156
# Of Underground Storage Tanks:	0519
# Of Aboveground Storage Tanks:	0001
Date Registration Form Received:	050886
Sign Name on Registration Form:	T. MOORE
Title of Signer of Registration Form:	BKPR
Date of Signature on Registration Form:	042986

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

MULTIMEDIA

Facility is listed in a county/local unique database

DATABASE: State/County (LOCAL)

EAGLE MART 16
3200 SEYMOUR HWY
WICHITA FALLS, TX 76301
EDR ID #U001242700

Database: TX LTANKS

LTANKS:

Facility ID: 0006173
Facility Location: 3200 SEYMOUR HWY
Region City ID: 03
Region City: ABILENE
LPST Id: 111577
Reported Date: Not reported
Entered Date: 9/12/1996
Priority: NO GW IMPACT, NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
RPR Coordinator: XYZ
Responsible Party Name: EAGLE MART L C
Responsible Party Contact: DAVID BOUTIN
Responsible Party Address: 2525 KELL BLVD STE 210
Responsible Party City,St,Zip: WICHITA FALLS, TX 76308
Responsible Party Telephone: 940/767-2577

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

To maintain currency of the following federal, state and local databases, EDR contacts the appropriate government agency on a monthly or quarterly basis as required.

Elapsed ASTM days: Provides confirmation that this report meets or exceeds the 90-day updating requirement of the ASTM standard.

WASTE MANAGEMENT

RCRA: Resource Conservation and Recovery Act Information

Source: EPA

Telephone: 800-424-9346

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/13/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 08/22/2006
Date of Next Scheduled Update: 11/20/2006

BRS: Biennial Reporting System

Source: EPA/NTIS

Telephone: 800-424-9346

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2003
Database Release Frequency: Biennially

Date of Last EDR Contact: 07/21/2006
Date of Next Scheduled Update: 09/11/2006

RAATS: RCRA Administrative Action Tracking System

Source: EPA

Telephone: 202-564-4104

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 09/05/2006
Date of Next Scheduled Update: 12/04/2006

CORRACTS: Corrective Action Report

Source: EPA

Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/15/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 09/05/2006
Date of Next Scheduled Update: 12/04/2006

PADS: PCB Activity Database System

Source: EPA

Telephone: 202-566-0500

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/07/2006
Database Release Frequency: Annually

Date of Last EDR Contact: 08/09/2006
Date of Next Scheduled Update: 11/06/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/10/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 07/03/2006
Date of Next Scheduled Update: 10/02/2006

TX AST: Petroleum Storage Tank Database

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2160
Registered Aboveground Storage Tanks.

Date of Government Version: 04/26/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 07/25/2006
Date of Next Scheduled Update: 10/23/2006

TX UST: Petroleum Storage Tank Database

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2160

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 04/26/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 07/25/2006
Date of Next Scheduled Update: 10/23/2006

ERNS: Emergency Response Notification System

Source: National Response Center, United States Coast Guard
Telephone: 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2005
Database Release Frequency: Annually

Date of Last EDR Contact: 07/25/2006
Date of Next Scheduled Update: 10/23/2006

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation
Telephone: 202-366-4555

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 07/03/2006
Database Release Frequency: Annually

Date of Last EDR Contact: 07/19/2006
Date of Next Scheduled Update: 10/16/2006

WASTE DISPOSAL

NPL: National Priority List

Source: EPA
Telephone: Not reported

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 04/19/2006
Date Made Active at EDR: 05/22/2006
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 05/05/2006
Elapsed ASTM Days: 17
Date of Last EDR Contact: 08/02/2006

Proposed NPL: Proposed National Priority List Sites

Source: EPA
Telephone: Not reported

Date of Government Version: 04/19/2006
Date Made Active at EDR: 05/22/2006
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 05/05/2006
Elapsed ASTM Days: 17
Date of Last EDR Contact: 08/02/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

DELISTED NPL: National Priority List Deletions

Source: EPA

Telephone: Not reported

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/19/2006

Date Made Active at EDR: 05/22/2006

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 05/05/2006

Elapsed ASTM Days: 17

Date of Last EDR Contact: 08/02/2006

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA

Telephone: 703-413-0223

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 06/19/2006

Date Made Active at EDR: 08/23/2006

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 06/22/2006

Elapsed ASTM Days: 62

Date of Last EDR Contact: 06/22/2006

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Source: EPA

Telephone: 703-413-0223

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 02/01/2006

Database Release Frequency: Quarterly

Date of Last EDR Contact: 06/23/2006

Date of Next Scheduled Update: 09/18/2006

ROD: Records Of Decision

Source: EPA

Telephone: 703-416-0223

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 07/10/2006

Database Release Frequency: Annually

Date of Last EDR Contact: 07/06/2006

Date of Next Scheduled Update: 10/02/2006

NPL RECOVERY: Federal Superfund Liens

Source: EPA

Telephone: 202-564-4267

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991

Date Made Active at EDR: 03/30/1994

Database Release Frequency: No Update Planned

Date of Data Arrival at EDR: 02/02/1994

Elapsed ASTM Days: 56

Date of Last EDR Contact: 08/21/2006

TX SHWS: State Superfund Registry

Source: Texas Commission on Environmental Quality

Telephone: 512-239-5680

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/07/2006

Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 08/04/2006

Date of Next Scheduled Update: 10/09/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

TX SWF/LF: Permitted Solid Waste Facilities

Source: Texas Commission on Environmental Quality
Telephone: 512-239-6706

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 06/01/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 08/21/2006
Date of Next Scheduled Update: 11/20/2006

MULTIMEDIA

TRIS: Toxic Chemical Release Inventory System

Source: EPA

Telephone: 202-566-0250

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2004
Database Release Frequency: Annually

Date of Last EDR Contact: 06/22/2006
Date of Next Scheduled Update: 09/18/2006

SSTS: Section 7 Tracking Systems

Source: EPA

Telephone: 202-564-4203

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2004
Database Release Frequency: Annually

Date of Last EDR Contact: 07/17/2006
Date of Next Scheduled Update: 10/16/2006

TSCA: Toxic Substances Control Act

Source: EPA

Telephone: 202-260-5521

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002
Database Release Frequency: N/A

Date of Last EDR Contact: 07/17/2006
Date of Next Scheduled Update: 10/16/2006

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/14/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 06/19/2006
Date of Next Scheduled Update: 09/18/2006

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA

Telephone: 202-566-1667

Date of Government Version: 07/14/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 06/19/2006
Date of Next Scheduled Update: 09/18/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

FINDS: Facility Index System/Facility Registry System

Source: EPA

Telephone: Not reported

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/21/2006

Database Release Frequency: Quarterly

Date of Last EDR Contact: 04/03/2006

Date of Next Scheduled Update: 07/03/2006

RMP: Risk Management Plans

Source: Environmental Protection Agency

Telephone: 202-564-8600

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 06/01/2006

Database Release Frequency: Varies

Date of Last EDR Contact: 08/21/2006

Date of Next Scheduled Update: 11/20/2006

STORMWATER: Storm Water General Permits

Source: Environmental Protection Agency

Telephone: 202-564-0746

A listing of all facilities with Storm Water General Permits.

Date of Government Version: 06/02/2005

Database Release Frequency: Quarterly

Date of Last EDR Contact: 09/05/2006

Date of Next Scheduled Update: 10/02/2006

US ENG CONTROLS: Engineering Controls Sites List

Source: Environmental Protection Agency

Telephone: 703-603-8905

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 03/21/2006

Database Release Frequency: Varies

Date of Last EDR Contact: 07/03/2006

Date of Next Scheduled Update: 10/02/2006

US INST CONTROL: Sites with Institutional Controls

Source: Environmental Protection Agency

Telephone: 703-603-8905

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 03/21/2006

Database Release Frequency: Varies

Date of Last EDR Contact: 07/03/2006

Date of Next Scheduled Update: 10/02/2006

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

Source: EPA Region 1

Telephone: 617-918-1313

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 06/08/2006

Database Release Frequency: Varies

Date of Last EDR Contact: 08/21/2006

Date of Next Scheduled Update: 11/20/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

TX IOP: Innocent Owner/Operator Program

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5894

Contains information on all sites that are in the IOP. An IOP is an innocent owner or operator whose property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to the source or sources of contamination.

Date of Government Version: 05/16/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 08/08/2006
Date of Next Scheduled Update: 11/06/2006

TX CLI: Closed Landfill Inventory

Source: Texas Commission on Environmental Quality
Telephone: 512-239-6016

Closed and abandoned landfills (permitted as well as unauthorized) across the state of Texas.

Date of Government Version: 08/30/1999
Database Release Frequency: Varies

Date of Last EDR Contact: 07/31/2006
Date of Next Scheduled Update: 10/30/2006

TX WASTEMGT: Commercial Hazardous & Solid Waste Management Facilities

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2920

This list contains commercial recycling facilities and facilities permitted or authorized (interim status) by the Texas Natural Resource Conservation Commission.

Date of Government Version: 11/01/2003
Database Release Frequency: Varies

Date of Last EDR Contact: 08/01/2006
Date of Next Scheduled Update: 10/30/2006

TX LTANKS: Leaking Petroleum Storage Tank Database

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2200

An inventory of reported leaking petroleum storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 05/04/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 07/25/2006
Date of Next Scheduled Update: 10/23/2006

TX LIENS: Environmental Liens Listing

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2209

The listing covers TCEQ liens placed against either State Superfund sites or Federal Superfund sites to recover cost incurred by TCEQ.

Date of Government Version: 01/27/2006
Database Release Frequency: Varies

Date of Last EDR Contact: 07/11/2006
Date of Next Scheduled Update: 09/18/2006

TX DEL SHWS: Deleted Superfund Registry Sites

Source: Texas Commission on Environmental Quality
Telephone: 512-239-0666

Sites have been deleted from the state Superfund registry in accordance with the Act, ?361.189

Date of Government Version: 04/07/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 08/04/2006
Date of Next Scheduled Update: 10/09/2006

TX SPILLS: Spills Database

Source: Texas Commission on Environmental Quality
Telephone: 512-239-0983

Date of Government Version: 07/03/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 06/19/2006
Date of Next Scheduled Update: 09/18/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

TX AUL: Sites with Controls

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5891

Activity and use limitations include both engineering controls and institutional controls.

Date of Government Version: 04/01/2006
Database Release Frequency: Varies

Date of Last EDR Contact: 08/01/2006
Date of Next Scheduled Update: 10/30/2006

TX VCP: Voluntary Cleanup Program Database

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5891

The Texas Voluntary Cleanup Program was established to provide administrative, technical, and legal incentives to encourage the cleanup of contaminated sites in Texas.

Date of Government Version: 04/01/2006
Database Release Frequency: Quarterly

Date of Last EDR Contact: 08/01/2006
Date of Next Scheduled Update: 10/30/2006

TX DRYCLEANERS: Drycleaner Registration Database Listing

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2160

A listing of drycleaning facilities.

Date of Government Version: 07/06/2006
Database Release Frequency: Varies

Date of Last EDR Contact: 07/03/2006
Date of Next Scheduled Update: 10/02/2006

TX BROWNFIELDS: Brownfields Site Assessments

Source: TCEQ
Telephone: 512-239-5872

Brownfield site assessments that are being cleaned under EPA grant monies.

Date of Government Version: 04/01/2006
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 08/01/2006
Date of Next Scheduled Update: 10/30/2006

TX ENFORCEMENT: Notice of Violations Listing

Source: Texas Commission on Environmental Quality
Telephone: 512-239-6012

A listing of permit violations.

Date of Government Version: 06/21/2006
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 09/06/2006
Date of Next Scheduled Update: 12/04/2006

TX Ind. Haz Waste: Industrial & Hazardous Waste Database

Source: Texas Commission on Environmental Quality
Telephone: 512-239-0985

Summary reports reported by waste handlers, generators and shippers in Texas.

Date of Government Version: 12/31/2004
Database Release Frequency: Annually

Date of Last EDR Contact: 08/25/2006
Date of Next Scheduled Update: 10/30/2006

TX ED AQUIF: Edwards Aquifer Permits

Source: Texas Commission on Environmental Quality, Austin Region
Telephone: 512-339-2929

A listing of permits in the Edwards Aquifer Protection Program database. The information provided is for the counties located in the Austin Region (Hays, Travis, and Williamson counties).

Date of Government Version: 05/10/2006
Database Release Frequency: Varies

Date of Last EDR Contact: 08/07/2006
Date of Next Scheduled Update: 10/23/2006

TX AIRS: Current Emission Inventory Data

Source: Texas Commission on Environmental Quality
Telephone: Not reported

The database lists by company, along with their actual emissions, the TNRCC air accounts that emit EPA criteria pollutants.

Date of Government Version: 08/31/2005
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 07/14/2006
Date of Next Scheduled Update: 10/09/2006

SECTION 3: DATABASES SEARCHED AND UPDATE DATES

...Continued...

POTENTIAL SUPERFUND LIABILITY

PRP: Potentially Responsible Parties

Source: EPA

Telephone: 202-564-6064

A listing of verified Potentially Responsible Parties

Date of Government Version: 07/20/2006

Database Release Frequency: Quarterly

Date of Last EDR Contact: 07/06/2006

Date of Next Scheduled Update: 10/02/2006



"Linking Technology with Tradition"®

Sanborn® Map Report

Ship To: Phil Hardy
ENSAFE
5724 Summer Trees Drive
Memphis, TN 38134

Order Date: 7/19/2006 **Completion Date:** 7/19/2006
Inquiry #: 1718729.3
P.O. #: 0888802978 0034 TS01
Site Name: Wichita Falls USARC

Customer Project: TEJV-ECP Proj.
1013941ERN 850-457-1796

Address: 3315 9th Street
City/State: Wichita Falls, TX 76309
Cross Streets:

This document reports that the largest and most complete collection of Sanborn fire insurance maps has been reviewed based on client supplied information, and fire insurance maps depicting the target property at the specified address were not identified.

NO COVERAGE

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission. EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



EDR® Environmental
Data Resources Inc

**EDR Historical
Topographic Map
Report**

**Wichita Falls USARC
3315 9th Street
Wichita Falls, TX 76309**

Inquiry Number: 1718729.4

July 19, 2006

**The Standard in
Environmental Risk
Management Information**

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.'s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900's.

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.** It can not be concluded from this report that coverage information for the target and surrounding properties does not exist from other sources. Any analyses, estimates, ratings or risk codes provided in this report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Any liability on the part of EDR is strictly limited to a refund of the amount paid for this report.

Copyright © 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



EDR® Environmental
Data Resources Inc

The EDR Aerial Photo Decade Package

**Wichita Falls USARC
3315 9th Street
Wichita Falls, TX 76309**

Inquiry Number: 1718729.5

July 21, 2006

The Standard in Environmental Risk Management Information

**440 Wheelers Farms Road
Milford, Connecticut 06461**

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDRs professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



EDR® Environmental
Data Resources Inc

The EDR-City Directory
Abstract

Wichita Falls USARC
3315 9th Street
Wichita Falls, TX 76309

Inquiry Number: 1718729.6

Friday, July 21, 2006

**The Standard in
Environmental Risk
Management Information**

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

EDR City Directory Abstract

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening report designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.**

Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SUMMARY

- ***City Directories:***

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1920 through 1993. (These years are not necessarily inclusive.) A summary of the information obtained is provided in the text of this report.

Date EDR Searched Historical Sources: July 21, 2006

Target Property:

3315 9th Street
Wichita Falls, TX 76309

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1920	Address Not Listed in Research Source	Worley's City Directory
1924	Address Not Listed in Research Source	Worley's City Directory
1930	Address Not Listed in Research Source	Worley's City Directory
1937	Address Not Listed in Research Source	Worley's City Directory
1942	Address Not Listed in Research Source	Worley's City Directory
1947	Address Not Listed in Research Source	Worley's City Directory
1953	Address Not Listed in Research Source	Worley's City Directory
1958	Address Not Listed in Research Source	Polk's City Directory
1963	Address Not Listed in Research Source	Polk's City Directory
1968	U S A Reserve Center	Polk's City Directory
1973	U S A Reserve Training Center	Polk's City Directory
1978	U S A Reserve Center	Polk's City Directory
1983	U S A Reserve Center	Polk's City Directory
1988	U S A Reserve Center	Polk's City Directory
1993	U S A Reserve Center	Polk's City Directory

Adjoining Properties

SURROUNDING

Multiple Addresses
Wichita Falls, TX 76309

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1920	Address Not Listed in Research Source	Worley's City Directory

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1924	Address Not Listed in Research Source	Worley's City Directory
1930	Address Not Listed in Research Source	Worley's City Directory
1937	Address Not Listed in Research Source	Worley's City Directory
1942	*9th Street*	Worley's City Directory
	Address not listed in research source (3212)	Worley's City Directory
	Address not listed in research source (3217)	Worley's City Directory
	Address not listed in research source (3221)	Worley's City Directory
	Address not listed in research source (3250)	Worley's City Directory
	Address not listed in research source (3252)	Worley's City Directory
	Address not listed in research source (3300)	Worley's City Directory
	Address not listed in research source (3308)	Worley's City Directory
	Residence (3401)	Worley's City Directory
	Address not listed in research source (3404)	Worley's City Directory
	Address not listed in research source (3405)	Worley's City Directory
1947	*9th Street*	Worley's City Directory
	Address not listed in research source (3212)	Worley's City Directory
	Address not listed in research source (3217)	Worley's City Directory
	Address not listed in research source (3221)	Worley's City Directory
	Address not listed in research source (3250)	Worley's City Directory
	Address not listed in research source (3252)	Worley's City Directory
	Address not listed in research source (3300)	Worley's City Directory
	Address not listed in research source (3308)	Worley's City Directory

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1947	Residence (3401)	Worley's City Directory
	Address not listed in research source (3404)	Worley's City Directory
	Address not listed in research source (3405)	Worley's City Directory
1953	*9th Street*	Worley's City Directory
	Address not listed in research source (3212)	Worley's City Directory
	Address not listed in research source (3217)	Worley's City Directory
	Address not listed in research source (3221)	Worley's City Directory
	Wichita Falls Animal Hosp (3250)	Worley's City Directory
	Vacant (3252)	Worley's City Directory
	Residence (3300)	Worley's City Directory
	Beverly Drive In (3308)	Worley's City Directory
	Residence (3401)	Worley's City Directory
	Residence (3404)	Worley's City Directory
	Residence (3405)	Worley's City Directory
1958	*9th Street*	Polk's City Directory
	Residence (3212)	Polk's City Directory
	Residence (3217)	Polk's City Directory
	Residence (3221)	Polk's City Directory
	No Listings Beyond The 3200 Block	Polk's City Directory
1963	*9th Street*	Polk's City Directory
	Residence (3212)	Polk's City Directory
	Vacant (3217)	Polk's City Directory

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1963	Vacant (3221)	Polk's City Directory
	No Listings Beyond The 3200 Block	Polk's City Directory
1968	*9th Street*	Polk's City Directory
	Residence (3212)	Polk's City Directory
	Vacant (3217)	Polk's City Directory
	Residence (3221)	Polk's City Directory
	No Listings Beyond The Target Property	Polk's City Directory
1973	*9th Street*	Polk's City Directory
	Residence (3212)	Polk's City Directory
	Residence (3217)	Polk's City Directory
	Residence (3221)	Polk's City Directory
	No Listings Beyond The Target Property	Polk's City Directory
1978	*9th Street*	Polk's City Directory
	Residence (3212)	Polk's City Directory
	Residence (3217)	Polk's City Directory
	Residence (3221)	Polk's City Directory
	No Listings Beyond The Target Property	Polk's City Directory
1983	*9th Street*	Polk's City Directory
	Residence (3212)	Polk's City Directory
	Residence (3217)	Polk's City Directory
	No Return (3221)	Polk's City Directory
	No Listings Beyond The Target Property	Polk's City Directory

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1988	*9th Street*	Polk's City Directory
	Residence (3212)	Polk's City Directory
	Vacant (3217)	Polk's City Directory
	Residence (3221)	Polk's City Directory
	No Listings Beyond The Target Property	Polk's City Directory
1993	*9th Street*	Polk's City Directory
	Nell Mike Oil & Gas Properties (3212)	Polk's City Directory
	Residence (3217)	Polk's City Directory
	Not Verified (3221)	Polk's City Directory
	No Listings Beyond The Target Property	Polk's City Directory