

***FINAL***

**ENVIRONMENTAL CONDITION OF  
PROPERTY REPORT**

**ALICE U.S. ARMY RESERVE CENTER (TX002)  
100 SOUTH STADIUM ROAD  
ALICE, TEXAS 78332**

***Prepared For:***

**U.S. Army Corps of Engineers — Louisville District  
Engineering Division — Environmental Engineering Branch  
600 Dr. Martin Luther King, Jr. Place  
Louisville, Kentucky 40202-2232**

**February 13, 2007**

## CERTIFICATION

All information/documentation provided accurately reflects the environmental condition of the property. This Environmental Condition of Property (ECP) Report is in general accordance with the U.S. Department of Defense (DoD) requirements for completion of an ECP Report.

---

**JAMES WHEELER II**  
**Chief, Environmental Division**  
**90<sup>th</sup> Regional Readiness Command**

---

**DATE**

The undersigned certifies the contents of this report are in general accordance with DoD policies for the completion of an ECP Report.



---

**LENARD P. GUNNELL, P.G.**  
**Project Geologist**  
**U.S. Army Corps of Engineers**

---

February 13, 2007

**DATE**

## EXECUTIVE SUMMARY

The Terraine-EnSafe Joint Venture (TEJV), under contract to the U.S. Army Corps of Engineers, Louisville District, has prepared this Environmental Condition of Property (ECP) Report for the Alice U.S. Army Reserve (USAR) Center (Facility ID TX002), hereafter referred to as the "Site" or "USAR Center." The Site is located at 100 South Stadium Road in Alice, Jim Wells County, Texas.

This ECP Report was conducted in conformance with primary Department of Defense (DoD) and Army guidance, the DoD's Base Redevelopment and Realignment Manual, DoD 4165.77-M, Army regulations and the American Society for Testing and Materials Designation D 6008-96 (2005), *Standard Practice for Conducting Environmental Baseline Surveys*, as secondary guidance when it was not inconsistent with the primary guidance.

This ECP Report details the history of the property, including the USAR and any prior tenant uses of the Site and the resulting environmental condition of the property.

The USAR Center encompasses 3.53 acres and has four permanent buildings: a 4,505-square-foot Administration Building, a 1,822-square-foot organizational maintenance shop (OMS), and two flammable materials storage sheds. The Site is currently occupied by Detachment 1 of the 887th Quartermaster Company.

Based on a review of aerial photographs and U.S. Geological Survey topographical maps dating back to 1930, the Site was an undeveloped lot prior to the 1957 land acquisition by the U.S. government. The Administration Building was constructed in 1959, and the OMS was constructed in 1962. The USAR has historically conducted administrative and training activities at the Site, with vehicle maintenance occurring in the OMS building through 2002.

Areas of potential environmental concern were reviewed and the TEJV found no significant concerns relating to the environmental condition of the Site. In accordance with DoD policy defining the classifications (see S.W. Goodman Memorandum dated October 21, 1996), the Site has been classified as Category 2. This classification does not include categorizing the property based on *de minimis* conditions that generally do not present material risk of harm to the public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.

## Table of Contents

|   |    |
|---|----|
| EXECUTIVE SUMMARY.....  | i  |
| 1.0 INTRODUCTION.....   | 1  |
| 1.1 Purpose of Environmental Condition of Property.....   | 1  |
| 1.2 Scope of Services.....  | 2  |
| 1.3 Assumptions and Limitations.....  | 3  |
| 2.0 SITE LOCATION AND PHYSICAL DESCRIPTION.....   | 4  |
| 2.1 Site Location.....  | 4  |
| 2.2 Asset Information.....  | 4  |
| 2.3 Physical Description.....   | 5  |
| 2.4 Site Hydrology and Geology.....   | 7  |
| 2.4.1 Surface Water Characteristics.....  | 7  |
| 2.4.2 Hydrogeological Characteristics.....  | 7  |
| 2.5 Site Utilities.....   | 8  |
| 2.6 Water Supply Wells and Septic Systems.....  | 8  |
| 3.0 SITE HISTORY.....   | 10 |
| 3.1 History of Ownership.....   | 10 |
| 3.2 Past Uses and Operations.....   | 10 |
| 3.3 Past Use, Storage, Disposal, and Release of Hazardous Substances.....                         | 12 |
| 3.3.1 Past Use and Storage of Hazardous Substances.....   | 12 |
| 3.3.2 Past Disposal and Release of Hazardous Substances.....                                      | 12 |
| 3.4 Past Bulk Petroleum Storage Tanks.....  | 12 |
| 3.5 Review of Previous Environmental Reports.....   | 12 |
| 3.5.1 Environmental Baseline Survey Report.....   | 13 |
| 3.5.2 Architectural Assessment Report.....  | 13 |
| 3.5.3 Lead-Based Paint Report.....  | 13 |
| 3.5.4 Radon Report.....   | 13 |
| 3.5.5 Asbestos Report.....  | 14 |
| 3.5.6 Cultural Resources Report.....  | 14 |
| 3.5.7 Polychlorinated Biphenyls Report.....   | 14 |
| 3.5.8 Oil-Water Separator Report.....   | 14 |
| 4.0 ADJACENT PROPERTIES.....  | 16 |
| 5.0 REVIEW OF REGULATORY INFORMATION.....   | 17 |
| 5.1 Federal Environmental Records.....  | 17 |
| 5.1.1 Federal National Priorities List Sites within One Mile.....                                 | 17 |
| 5.1.2 Federal CERCLA Information System Sites within One-Half Mile.....                           | 18 |
| 5.1.3 Resource Conservation and Recovery Act Corrective Action Sites<br>within One Mile.....      | 18 |
| 5.1.4 RCRA Transport, Treatment, Storage, and/or Disposal Facilities<br>within One-Half Mile..... | 18 |

|        |   |    |
|--------|---|----|
| 5.1.5  | Federal RCRA Small- and Large-Quantity Generators List within One-Quarter Mile..... | 18 |
| 5.1.6  | Federal Emergency Response Notification System .....                                | 19 |
| 5.2    | State and Local Environmental Records.....  | 19 |
| 5.2.1  | State-Registered Landfills within One-Half Mile .....                               | 19 |
| 5.2.2  | State-Registered Leaking Petroleum Storage Tank Sites within One-Half Mile .....    | 19 |
| 5.2.3  | State-Registered UST Sites within One-Quarter Mile.....                             | 19 |
| 5.2.4  | State AST Sites within One-Quarter Mile .....                                       | 21 |
| 5.2.5  | State-Registered Hazardous Waste Sites within One Mile.....                         | 22 |
| 5.2.6  | State Innocent Owner/Operator Program .....   | 21 |
| 5.2.7  | State-Registered Commercial Hazardous and Solid Waste Management Facility .....     | 21 |
| 5.2.8  | State Deleted Superfund Registry Sites within One Mile.....                         | 21 |
| 5.2.9  | State Spills Database .....   | 21 |
| 5.2.10 | State Sites with Institutional Controls within One-Half Mile .....                  | 23 |
| 5.2.11 | State Voluntary Cleanup Program Sites within One-Half Mile.....                     | 23 |
| 5.2.12 | State-Registered Dry Cleaners within One-Quarter Mile.....                          | 23 |
| 5.2.13 | State Brownfields Program Sites within One-Half Mile.....                           | 23 |
| 5.2.14 | State Enforcement Sites.....  | 23 |
| 5.2.15 | State IHW Database.....   | 23 |
| 5.3    | Tribal Environmental Records.....   | 23 |
| 5.4    | Unmapped Sites .....  | 24 |
| 5.5    | Summary of Properties Evaluated to Determine Risk to Site.....                      | 24 |
| 6.0    | SITE INVESTIGATION AND REVIEW OF HAZARDS .....                                      | 25 |
| 6.1    | Underground and Aboveground Storage Tanks .....                                     | 25 |
| 6.2    | Inventory of Chemicals/Hazardous Substances .....                                   | 25 |
| 6.3    | Waste Disposal Sites.....   | 25 |
| 6.4    | Pits, Sumps, Dry Wells, and Catch Basins .....                                      | 25 |
| 6.5    | Asbestos-Containing Material .....  | 25 |
| 6.6    | PCB-Containing Equipment.....   | 26 |
| 6.7    | Lead-Based Paint .....  | 26 |
| 6.8    | Radon .....   | 26 |
| 6.9    | Unexploded Ordnance .....   | 27 |
| 6.10   | Radioactive Materials.....  | 27 |
| 7.0    | REVIEW OF SPECIAL RESOURCES.....  | 28 |
| 7.1    | Land Use .....  | 28 |
| 7.2    | Coastal Zone Management.....  | 28 |
| 7.3    | Wetlands.....   | 28 |
| 7.4    | 100-Year Floodplain .....   | 28 |
| 7.5    | Natural Resources .....   | 29 |
| 7.6    | Cultural Resources .....  | 29 |
| 7.7    | Other Special Resources .....   | 29 |

|     |                   |    |
|-----|-------------------|----|
| 8.0 | CONCLUSIONS ..... | 30 |
| 9.0 | REFERENCES .....  | 34 |

### List of Tables

|         |   |    |
|---------|---|----|
| Table 1 | Historical Summary of the Alice USAR Center ..... | 10 |
| Table 2 | List of Adjacent Properties .....                 | 16 |
| Table 3 | RCRA SQG Sites.....                               | 18 |
| Table 4 | Leaking Petroleum Storage Tank Sites .....        | 20 |
| Table 5 | Underground Storage Tank Sites .....              | 22 |

### List of Appendices

#### Appendix A Figures

|           |                                  |
|-----------|----------------------------------|
| Figure 1  | General Site Location Map        |
| Figure 2  | Site Layout Plan                 |
| Figure 3  | Existing OMS Building Floor Plan |
| Figure 4  | 1930 Aerial Photograph           |
| Figure 5  | 1950 Aerial Photograph           |
| Figure 6  | 1960 Aerial Photograph           |
| Figure 7  | 1969 Aerial Photograph           |
| Figure 8  | 1979 Aerial Photograph           |
| Figure 9  | 1986 Aerial Photograph           |
| Figure 10 | 1990 Aerial Photograph           |
| Figure 11 | 1995 Aerial Photograph           |
| Figure 12 | 1996 Aerial Photograph           |
| Figure 13 | 2004 Aerial Photograph           |
| Figure 14 | 2005 Aerial Photograph           |
| Figure 15 | 2006 Aerial Photograph           |
| Figure 16 | FEMA Flood Plain Map             |

|            |                                    |
|------------|------------------------------------|
| Appendix B | Site Reconnaissance Photographs    |
| Appendix C | Chain-of-Title Report              |
| Appendix D | Previous Environmental Reports     |
| Appendix E | Regulatory Database Search Reports |

## List of Acronyms and Abbreviations

|          |   |
|----------|---|
| AEP      | (Texas) American Electric Power                                       |
| AST      | aboveground storage tank  |
| ASTM     | American Society for Testing and Materials                            |
| BRAC     | Base Realignment and Closure  |
| BRRM     | Base Redevelopment and Realignment Manual                             |
| CERCLA   | Comprehensive Environmental Response, Compensation, and Liability Act |
| CERCLIS  | CERCLA Information System   |
| CFR      | Code of Federal Regulations   |
| CONEX    | Container Express   |
| CORRACTS | Corrective Action Sites   |
| CP&L     | Central Power & Light   |
| DoD      | Department of Defense   |
| EBS      | Environmental Baseline Survey   |
| ECCI     | Environmental, Compliance & Construction, Inc.                        |
| ECP      | Environmental Condition of Property                                   |
| EDR      | Environmental Data Resources, Inc.                                    |
| ERNS     | Emergency Response Notification System                                |
| FEMA     | Federal Emergency Management Agency                                   |
| IHW      | Industrial and Hazardous Waste  |
| IOP      | Innocent Owner/Operator Program                                       |
| kg       | kilogram  |
| LBP      | lead-based paint  |
| LPST     | Leaking Petroleum Storage Tank  |
| LQG      | large-quantity generator  |
| MEP      | military equipment parking  |
| NPL      | National Priorities List  |
| OMS      | organizational maintenance shop                                       |
| OWS      | oil-water separator   |

|          |   |
|----------|---|
| PCB      | polychlorinated biphenyl                                      |
| pCi/L    | picocuries per liter  |
| PMT      | pole-mounted transformer                                      |
| PST      | Petroleum Storage Tank  |
| PWS      | Public Water Supply   |
| RCRA     | Resource Conservation and Recovery Act                        |
| RQ       | reportable quantity   |
| RRC      | Regional Readiness Command                                    |
| SQG      | small-quantity generator                                      |
| TCEQ     | Texas Commission on Environmental Quality                     |
| TEJV     | Terraine-EnSafe Joint Venture                                 |
| TSD      | treatment, storage, and disposal                              |
| USACE    | U.S. Army Corps of Engineers                                  |
| USACHPPM | U.S. Army Center for Health Promotion and Preventive Medicine |
| USAR     | U.S. Army Reserve   |
| USDA     | U.S. Department of Agriculture                                |
| USEPA    | U.S. Environmental Protection Agency                          |
| USFWS    | U.S. Fish and Wildlife Service                                |
| USGS     | U.S. Geological Survey  |
| UST      | underground storage tank                                      |
| VCP      | Voluntary Cleanup Program                                     |
| VWR      | vehicle wash rack   |

## **1.0 INTRODUCTION**

The Terraine-EnSafe Joint Venture (TEJV), under contract to the U.S. Army Corps of Engineers (USACE) Louisville District, was authorized to prepare an Environmental Condition of Property (ECP) Report for the Alice U.S. Army Reserve (USAR) Center (Facility ID TX002), in response to the Base Realignment and Closure Act (BRAC) 2005 legislation. The work was performed under Contract No. W912QR-04-D-0044, Delivery Order No. 0008. The facility located at 100 South Stadium Road in Alice, Jim Wells County, Texas, is hereafter referred to as the "Site" or "USAR Center." In support of the ECP, a visual reconnaissance of the Site was conducted on August 10, 2006. The purpose of the reconnaissance was to visually obtain information indicating the likelihood of recognized environmental conditions in connection with the Site.

### **1.1 PURPOSE OF ENVIRONMENTAL CONDITION OF PROPERTY**

The Military Department with real property accountability shall assess, determine and document the environmental condition of all transferable property in an ECP Report. This ECP Report is based on readily available information. Pursuant to the Department of Defense's (DoD's) policy, set forth in the Base Redevelopment and Realignment Manual (DoD 4165.66-M, March 1, 2006) Section C8.3 (BRRM), the primary purposes of the ECP Report include the following:

- Provide the Army with information it may use to make disposal decisions.
- Provide the public with information relative to the environmental condition of the property.
- Assist in community planning for the reuse of BRAC property.
- Assist Federal agencies during the property screening process.
- Provide information for prospective buyers.
- Assist prospective new owners in meeting the requirements under U.S. Environmental Protection Agency's (USEPA) "All Appropriate Inquiry" regulations.
- Provide information about completed remedial and corrective actions at the property.
- Assist in determining appropriate responsibilities, asset valuation, and liabilities with other parties to a transaction.

The ECP Report contains the information required to comply with the provisions of 40 Code of Federal Regulations (CFR) Part 373, which require that a notice accompany contracts for the sale of, and deeds entered into, for the transfer of federal property on which any hazardous substance was stored, released or disposed of. The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), Section 120(h) stipulates that a notice is required if certain quantities of designated hazardous substances have been stored on the property for one year or more — specifically, quantities exceeding 1,000 kilograms (kg) or the reportable quantity (RQ), whichever is greater, of the substances specified in 40 CFR 302.4 or one kg of acutely hazardous waste as defined in 40 CFR 261.30. A notice is also required if hazardous substances have been disposed of or released on the property in an amount greater than or equal to the RQ. Army Regulation 200-1 requires that the ECP Report address asbestos, lead-based paint (LBP), radon and other substances potentially hazardous to human health.

This ECP Report used the American Society for Testing and Materials (ASTM) Designation D 6008-96 (2005), *Standard Practice for Conducting Environmental Baseline Surveys* as a guideline when not inconsistent with the BRRM, CERCLA § 120, Army regulations and other applicable Army guidance.

## 1.2 SCOPE OF SERVICES

This ECP covers the 3.53-acre USAR Center at 100 South Stadium Road in Alice, Texas. The property is bounded by Houston Street then the First Community Bank to the north; South Stadium Road, then the Alice High School Stadium to the west; a vacant undeveloped lot, then the Alice High School Maintenance Department to the south; and an Alice High School athletic field to the east. A general Site location map, Site map, historical topographic maps and aerial photographs, and a Federal Emergency Management Agency (FEMA) flood plain map are provided in Appendix A. Appendix B provides photographs taken during the August 10, 2006 Site reconnaissance. Appendix C provides chain-of-title information. Historical environmental documents and reports, and records of communication are provided in Appendix D. The environmental database report is provided in Appendix E.

This ECP Report classifies the property into one of seven DoD Environmental ECP categories as defined by the S.W. Goodman Memorandum dated October 21, 1996. The property classification categories are as follows:

- Category 1: Areas where no release or disposal of hazardous substances or petroleum products has occurred (including no migration of these substances from adjacent areas).
- Category 2: Areas where only release or disposal of petroleum products has occurred.

- Category 3: Areas where release, disposal, and/or migration of hazardous substances has occurred, but at concentrations that do not require a removal or remedial response.
- Category 4: Areas where release, disposal, and/or migration of hazardous substances has occurred, and all removal or remedial actions to protect human health and the environment have been taken.
- Category 5: Areas where release, disposal, and/or migration of hazardous substances has occurred, and removal or remedial actions are underway, but all required remedial actions have not yet been taken.
- Category 6: Areas where release, disposal, and/or migration of hazardous substances has occurred, but required actions have not yet been implemented.
- Category 7: Areas that are not evaluated or require additional evaluation.

### **1.3 ASSUMPTIONS AND LIMITATIONS**

This report was prepared to permit formulation of an opinion of the environmental condition of the Site. Opinions on the environmental conditions at the Site are based on information from the visual reconnaissance, interviews, and collection and review of readily available information. New information or changes in Site use could require a review and possible modification of the findings and conclusions contained in this report.

The information obtained from the USAR, the USAR's representatives, individuals interviewed and prior environmental reports was considered to be accurate unless reasonable inquiries indicated otherwise. Conditions observed were considered representative of similar areas that were not accessible unless otherwise indicated.

This ECP Report presents a summary of readily available information on the environmental conditions of, and concerns relative to, the land, facilities, and real property assets at the USAR Center. Its findings are based on a record search of readily available documents, a thorough review of the applicable and relevant documents, a visual reconnaissance conducted on August 10, 2006, and interviews with personnel knowledgeable about the Site and its history. Extensive environmental investigations and reports and Site historical documents were reviewed in support of this ECP. Information obtained from these other studies is reflected within this report by reference. A complete list of references is provided as Section 9.0.

All Site buildings were visually inspected during the Site reconnaissance. However, a 100% visual reconnaissance of each building (e.g., attics, crawl spaces, etc.) was not practical due to accessibility restrictions. USAR personnel refused the TEJV access to the weapons vault. No sampling or analysis of any media was conducted during this survey.

## 2.0 SITE LOCATION AND PHYSICAL DESCRIPTION

The visual Site reconnaissance included a driving tour of the facility and the surrounding area, and a walking assessment of the entire Site. The visual reconnaissance was conducted by TEJV personnel on August 10, 2006, to field-verify information produced in the document review and to identify recognized environmental conditions of property. All roads on the Site accessible by two-wheel-drive vehicle were driven during the reconnaissance. Also, the interiors and exteriors of the Administration Building, organizational maintenance shop (OMS), and flammable materials storage sheds were visually assessed. The Site contact did not have access to the container express (CONEX) storage containers and USAR personnel refused TEJV personnel access to the weapons vault.

A reconnaissance of the Site perimeter was conducted to evaluate adjacent property uses that could contribute to any environmental contamination detected on the Site. TEJV personnel drove on roads along the perimeter and in the surrounding area to visually identify any contiguous properties that appear, in TEJV's professional judgment, to have contamination that could migrate to the Site. The findings of the perimeter survey are presented in Section 4.0.

### 2.1 SITE LOCATION

The Site is at 100 South Stadium Road in Alice, Jim Wells County, Texas. As shown on Figure 1 in Appendix A, the Site is in a developed area in east Alice. The property is bounded by Houston Street and the First Community Bank to the north; Stadium Road, then the Alice High School Stadium to the west; a vacant undeveloped lot and the Alice High School Maintenance Department to the south; and an Alice High School athletic field to the east.

### 2.2 ASSET INFORMATION

|                            |   |
|----------------------------|---|
| Facility Name and Address: | Alice USAR Center (TX002)<br>100 South Stadium Road<br>Alice, Texas 78332 |
| Property Owner:            | U.S. Government   |
| Date of Ownership:         | May 13, 1957  |
| Current Occupant:          | Detachment 1 of the 887 <sup>th</sup> Quartermaster Company               |
| Zoning:                    | B-3, Commercial/Retail  |
| County, State:             | Jim Wells County, Texas   |
| USGS Quadrangle:           | Alice North, Texas  |

Section/Township/Range: Not applicable in this portion of the State of Texas

Latitude/Longitude: 27° 45' 19.4" N; -98° 3' 17.6" W

Legal Description: All those certain pieces or parcels of land being a 3.5261-acre tract lying and situated in the city of Alice, County of Jim Wells, State of Texas.

### 2.3 PHYSICAL DESCRIPTION

A Site map of the USAR Center is provided as Figure 2 in Appendix A. Photographs are provided in Appendix B. Photographs 1 through 5 show the adjacent properties. Photographs 6 through 16 show the Administration Building area, the interior and exterior of the Administration Building, and specific environmental conditions or other Site-specific features. Photographs 17 through 31 show the OMS area, the interior and exterior of the OMS building, and specific environmental conditions or other Site-specific features.

The USAR Center is on 3.53 acres of land with four permanent structures: a 4,505-square-foot Administration Building, a 1,822-square-foot OMS, and two flammable materials storage sheds. The Administration Building was constructed in 1959 and the OMS was constructed in 1962. Both are constructed of concrete block with brick veneer on a concrete slab. All painted surfaces appeared to be in good condition and no peeling paint was observed.

The Site also contains a fenced military equipment parking (MEP) area and a divided privately owned vehicle parking lot. Five steel mobile CONEX boxes for the storage of miscellaneous materials, the flammable materials storage sheds, and a vehicle wash rack (VWR) with associated oil-water separator (OWS) are located within the MEP fenced area. Approximately one-third of the Site is considered impervious (asphalt parking areas, driveways, concrete walkways, building footprints, etc.), while the remainder is covered by lawn dotted sporadically with ornamental trees and shrubs. Vehicle access is via two entrances from South Stadium Road.

Topographically, the Site is relatively flat. No signs of erosion, excavation, or fill were observed on the Site. According to USAR personnel familiar with the Site, neither offsite soil nor fill material has been brought onto the Site, nor has any significant regrading occurred on the Site.

The Administration Building includes restrooms, offices, an arms storage room, and a mechanical room. The arms storage room is currently used to store infantry small arms and ammunition. The mechanical room houses heating and air-conditioning equipment for the building. The interior of the building appeared to be well maintained during the August 10, 2006 Site reconnaissance. Small quantities of cleaning chemicals were stored in a janitor's closet. Floor drains were observed in the restrooms and in the mechanical room. The floor drains discharge to the public sanitary sewer that serves the

Site. No evidence of chemical or petroleum releases was observed inside any room in the Administration Building and no other environmental concerns were identified.

Northeast of the Administration Building is a concrete pad with the outdoor components for the building's air-conditioning system. No environmental concerns were identified at this location.

The OMS is a one-story, rectangular structure within the chain-link security fencing northeast of the Administration Building. The OMS was not used for vehicle maintenance at the time of the Site reconnaissance, and has not been used since 2002, according to USAR personnel familiar with the Site. No evidence of ongoing maintenance activities was observed during the Site reconnaissance. The interior of the OMS is one main central room with doors leading to lockers, showers, an office, and storage rooms. During the Site reconnaissance, the main central room was in use as a weight room for physical training; several large pieces of exercise equipment were on the floor. Chemicals being stored in one of the OMS storage rooms included consumer-sized containers of cleaning solutions and antifreeze. A building floor plan map for the OMS is provided as Figure 3 in Appendix A. This figure, provided to the TEJV by the 90<sup>th</sup> Regional Readiness Command (RRC), shows the layout of the OMS to include a flammable materials storage area and a battery storage area. Those rooms were not being used for those purposes at the time of the Site reconnaissance. No evidence of stains or odors or other environmental concerns were identified inside the OMS.

An approximately 3-foot by 8-foot concrete pad is located in the southwest part of the fenced-in area. The pad has a raised curb around its perimeter and a concrete ramp leading over that curb. It also has a drain on its western side that discharges to the grassy area surrounding the pad. USAR personnel familiar with the Site were not aware of the history of this unused pad. A partial drum ring was evident on the north end of the concrete pad. No indications of a release were observed during the Site reconnaissance.

North of the concrete pad was the VWR with a forklift on it. According to USAR personnel familiar with the Site, the VWR is not in use. The pad appeared in good condition at the time of the Site visit and no signs of a release were observed.

North of the VWR is an OWS that is associated with the VWR. The OWS was empty at the time of the Site visit and no liquid, oily residue, or sludge was observed in it. No signs of a release were observed.

Immediately west of the OWS are two flammable materials storage sheds (Photograph 20). The sheds are constructed of concrete block with metal roofs and appeared to be in good condition. Both sheds were being used to store items such as antifreeze, brake fluid, lubricating oil, transmission oil, grease, and engine oil. Hoses, empty 5-gallon fuel containers and other assorted pieces of equipment were also stored in the sheds. Photograph 21 provides an inventory of the contents. There were no signs of a release from either of the sheds. No concerns were identified for these two structures.

There are five steel CONEX boxes located along the north side of the fenced-in area: four north of the OMS and one in the northeast corner of the fenced-in area. The CONEX are used for storage of furniture, electronic equipment, field equipment, etc. No environmental concerns were identified for the five CONEX boxes.

Also located in the northeast part of the fenced-in area were two empty 600-gallon, single-walled steel mobile diesel tanks (Photographs 22 through 24). Both tanks appeared in good condition during the Site reconnaissance. According to USAR personnel familiar with the Site, the tanks have not been used since 2003 when the unit mobilized to Kuwait. Fuel for military vehicles is purchased at a local gas station and is not stored in bulk on the Site.

An August 29, 2001, figure provided by the 90<sup>th</sup> RRC, and used as the base map for Figure 2 in Appendix A, shows a grease rack in the OMS fenced area. The grease rack was not in use during the August 10, 2006 Site reconnaissance; the grease rack concrete pad had a military vehicle parked on it. Portions of the grease rack concrete pad are shown on Photographs 27 and 28.

In addition to the forklift on the VWR and the vehicle on the grease rack concrete pad, there were five military vehicles parked along the eastern fence line in the MEP area. All vehicles had oil drip pans positioned beneath them. Photograph 26 shows a typical vehicle with underlying drip pan. *De minimis* staining was observed on the asphalt pavement in this area.

## **2.4 SITE HYDROLOGY AND GEOLOGY**

### **2.4.1 Surface Water Characteristics**

Appendix A provides a topographic map (Figure 1) of the Site and surrounding area. As shown on the map, the Site is relatively flat and slopes gently from west to east and is approximately 192 feet above mean sea level. No storm water drains were observed on the Site; storm water sheet flows to a grassy area, infiltrates grass-covered areas, or sheet flows to storm water drains in South Stadium Road. No surface water bodies are present on the Site or adjacent areas. The closest surface water body is an unnamed intermittent stream approximately 2,000 feet north of the Site. The intermittent stream flows to San Fernando Creek approximately 4 miles east-northeast of the Site.

### **2.4.2 Hydrogeological Characteristics**

Based on the Jim Wells County soils map from the U.S. Department of Agriculture (USDA) Natural Resource Conservation Service, the predominant soil type on the Site is Clareville loam, 0 to 1% slopes. This soil forms on terraces or coastal plains in Quaternary-aged loamy alluvium. The soil is well drained and permeability is moderately high. This soil is not hydric.

The City of Alice is within the Gulf Coastal Plain Physiographic region. Lithology underlying this area consists of Miocene and younger unconsolidated deposits; the deposits extend from ground surface to the top of the Vicksburg-Jackson confining unit.

The City of Alice lies within the coastal lowlands aquifer system. This system contains numerous local aquifers in a thick sequence of mostly unconsolidated coastal plain sediments of alternating and interfingering beds of clay, silt, sand, and gravel. The sequence is generally wedge-shaped, and dips and thickens toward the Gulf of Mexico. The local aquifers consist of sand and gravel. Large amounts of water are withdrawn from the aquifer system for municipal, industrial, and irrigation needs. The coastal lowlands aquifer system lies above and coastward of the Vicksburg-Jackson confining unit; the deposits extend to land surface. The upper part forms the surficial aquifer in the Site area. The aquifer system extends eastward into parts of the coastal plain of Louisiana and Mississippi. In Texas, the aquifer system underlies about 35,000 square miles of the level, low-lying coastal plain.

The City of Alice obtains its drinking water from groundwater from the Gulf Coast Aquifer. The water-bearing formations in the Alice area, in ascending order, are the Oakville Sandstone, the Lagarto Clay, the Goliad Sand, and undifferentiated Pliocene and Pleistocene formations (surficial aquifer). Of these formations, the Goliad Sand is the principle drinking water supply aquifer in the Alice area. Selected pages of the *Availability of Ground Water from the Goliad Sand in the Alice Area, Texas* (U.S. Geological Survey [USGS], 1963) are presented in Appendix D.

Based upon a review of historical topographic maps, shallow groundwater flow is expected to be generally north to northeast, toward an unnamed intermittent stream.

## **2.5 SITE UTILITIES**

The Site is served by public utilities. Electric power to the Site is provided by overhead lines from either Central Power & Light (CP&L), and/or Texas American Electric Power (AEP). The TEJV contacted each organization, both of which claimed the other had responsibility for providing electricity and line maintenance. Natural gas is provided by Entex. Potable water and sanitary sewer service are provided by the city of Alice.

## **2.6 WATER SUPPLY WELLS AND SEPTIC SYSTEMS**

No wells or springs were observed on the Site. The Site and surrounding area are served with public water by the City of Alice. A database search was conducted for federal USGS, federal Public Water Supply (PWS) System wells, and state-registered wells within one mile of the Site (see pages A-7 to A-25 in the Environmental Data Resources [EDR] Report in Appendix E). One PWS System well was identified within one mile of the Site, approximately one mile west-southwest of the Site, and is owned by the Crestview Mobile Home Park; no information regarding well depth or construction was provided.

Fourteen water wells were reported within one mile. The closest water wells were reported as a cluster of five wells at JC Penney's, approximately one-quarter mile south and topographically higher than the Site. The five wells range in depth from 14 to 16 feet and are for monitoring purposes.

The nearest potable water supply well was reported to be between one-quarter and one-half mile northwest of the Site, at 896 feet deep. Four city of Alice wells were tested for dissolved boron and iron, and total iron.

The Site is served by a public sanitary sewer system and USAR personnel did not know of any current or former septic systems on the Site.

### 3.0 SITE HISTORY

#### 3.1 HISTORY OF OWNERSHIP

Land titles for the Site were reviewed back to 1903. Appendix C contains a historical Chain-of-Title Report completed for the Site. Key historical deed transfers of the Site in the past 60 years are as follows:

- May 13, 1957 — E. A. Sain, et al. to United States of America

The Chain-of-Title Report did not identify any leases or environmental liens against the USAR Center property.

#### 3.2 PAST USES AND OPERATIONS

Important events in the facility's development, administration, and mission are summarized in Table 1.

| <b>Year</b> | <b>Description</b>                                |
|-------------|---|
| 1957        | Site property was acquired by the U.S. government |
| 1959        | Administration Building constructed               |
| 1962        | OMS constructed                                   |
| 1978        | OWS improved                                      |
| 2002        | Maintenance activities in OMS ceased              |

Historical information sources suggest that the Site was undeveloped until the U.S. government constructed the Administration Building in 1959.

Historic uses of the USAR Center included administrative activities and maintenance of military vehicles including vehicle washing. The Site was historically used by reservists for drill activities on various weekends throughout the year. According to USAR personnel familiar with the Site, vehicle maintenance and washing ceased in 2002.

A historical topographic map and aerial photographs provided information about past uses of the Site and surrounding area. Figure 1 in Appendix A presents a topographical map of the Site and surrounding area dated 1963. Figures 4 through 15 present aerial photographs of the Site and surrounding areas dated 1930, 1950, 1960, 1969, 1979, 1986, 1990, 1995, 1996, 2004, 2005, and 2006, respectively.

Pertinent observations on the historical USGS topographic map are summarized below.

- **1963 (Figure 1).** This figure shows the Administration Building and OMS in the same configuration as observed during the August 10, 2006 Site reconnaissance. The Alice High School Stadium (to the west) and Maintenance Department complex (to the south) can also be seen. South Stadium Road is present, but Houston Street is not shown.

Pertinent observations on the historical aerial photographs are summarized below.

- **1930 (Figure 4).** This figure shows the Site as an undeveloped area. Most of the Site is open field and appears to be under cultivation. None of the adjacent properties are developed.
- **1950 (Figure 5).** This figure shows the Site as an undeveloped area. Most of the Site is open field and appears to be under cultivation. The adjacent Alice High School Stadium has been constructed, but no other adjacent properties are developed.
- **1960 (Figure 6).** This figure shows the Site with the Administration Building constructed. The OMS does not appear in this photograph. No other adjacent properties are developed.
- **1969 (Figure 7).** This figure shows the Site with the Administration Building and OMS constructed. The adjacent Maintenance Department complex and Houston Street have been constructed.
- **1979 through 2006 (Figures 8 through 15).** These aerial photographs show the Site, adjacent properties (including the First Community Bank north of the Site), and the surrounding area in the same configuration as observed during the August 10, 2006 Site reconnaissance.

Available business directories including *Worley's City Directory*, *Hudspeth's City Directory*, and *Polk's City Directory*, were reviewed by EDR (Appendix E) at roughly five-year intervals between 1909 through 1993. City directories did not list the Site address from 1952 to 1958. The first listing for the Site address was in 1961. In addition, the TEJV reviewed *Polk's* city directories dated 1950 to 1953, 1957, 1958, 1961, 1963, 1965, 1968, 1970, 1972 to 1979, and 1982 at the Alice Public Library. The Site address was not listed for the years between 1950 and 1958. For years 1961 and 1963, the Site address was listed as occupied by the United States Reserve Armory. The Site address was not listed for the year 1965. For the years between 1968 and 1982, the Site address was listed as occupied by the United States Army Reserve Center. Historical Sanborn fire insurance maps dated 1922, 1932, and 1947 were reviewed online at the Alice Public Library at [www.tsl.state.tx.us/texshare](http://www.tsl.state.tx.us/texshare). None included the Site property.

### **3.3 PAST USE, STORAGE, DISPOSAL, AND RELEASE OF HAZARDOUS SUBSTANCES**

Information related to the past use and storage of hazardous substances at the Site was compiled through review of available Site records, search of federal and state environmental databases, and interviews with USAR Center personnel.

#### **3.3.1 Past Use and Storage of Hazardous Substances**

Chemicals formerly used and stored at the Site were associated with vehicle and facility maintenance activities and janitorial services. Janitorial chemicals and building maintenance-related products were stored in the designated storage area within the janitorial closet in the Administration Building.

Cleaning solutions, batteries, petroleum, oil, lubricants, and other chemicals associated with vehicle maintenance were stored in the OMS or flammable materials storage sheds.

Certain types of chemical products used and stored at the Site would have contained CERCLA hazardous substances and would have been stored on a rotational basis in amounts necessary to support the unit through direct-support-level maintenance. However, there is no indication that CERCLA hazardous substances were stored at the Site for one year or more in excess of corresponding RQs.

#### **3.3.2 Past Disposal and Release of Hazardous Substances**

Information related to past disposal and potential release of hazardous substances at the Site was compiled through review of available Site records, search of federal and state environmental databases, and interviews with USAR Center personnel. According to USAR Center personnel and Site records, the disposal of hazardous materials or hazardous wastes has not occurred at the Site.

### **3.4 PAST BULK PETROLEUM STORAGE TANKS**

Based upon a review of available Site records, a search of federal and state environmental databases, and interviews with USAR Center personnel, it does not appear that past bulk petroleum aboveground storage tanks (ASTs) and/or USTs have been used on the Site. The OWS is registered as a UST with the Texas Commission on Environmental Quality (TCEQ), as discussed in Section 6.1.

### **3.5 REVIEW OF PREVIOUS ENVIRONMENTAL REPORTS**

A review of Site records produced several applicable reports pertaining to the Site. The following subsections provide a brief summary of these reports. Copies of the reports, unless otherwise specified, are provided in Appendix D. Only pertinent sections of reports that addressed multiple sites are presented in Appendix D.

### **3.5.1 Environmental Baseline Survey Report**

An Environmental Baseline Survey (EBS) was recently completed for the Site for the USAR, 90<sup>th</sup> RRC. Environmental, Compliance & Construction, Inc. (ECCI) issued an *Environmental Baseline Survey for Disposal of the Alice United States Army Reserve Center* in January 2005. The EBS provides summary and general information about the Site which was collected in December 2004. "In accordance with the ASTM Designation D 5746-98 for *Standard Classification of Environmental Condition of Property Area Types for Defense Base Closure and Realignment Facilities*," ECCI classified the Site as an ECP Area Type 1 Property. An ECP Area Type 1 Property is an area or parcel of real property where no release or disposal of hazardous substances or petroleum products or their derivatives has occurred, including no migration of these substances from adjacent properties.

### **3.5.2 Architectural Assessment Report**

Parsons Engineering Science, Inc. (Parsons) performed a *Historic Architectural Resources Assessment of the 90<sup>th</sup> Regional Support Command Facilities in Texas* for the Department of the Army, 90<sup>th</sup> RRC Office of the Engineer. The findings of the assessment were compiled in a report issued in February 1998. The report concluded that the buildings on the Site were not eligible for placement on the National Register of Historic Places because they did not meet the 50-year age criteria and they did not appear to possess exceptional historical importance. The Texas State Historic Preservation Officer concurred with the architectural assessment report in a letter dated July 23, 1997.

### **3.5.3 Lead-Based Paint Report**

A LBP survey was conducted by the Environmental Section of the 90<sup>th</sup> RRC and findings presented in the *Lead Based Paint Survey, Alice USAR Center, Alice, TX* (2001). Paint was sampled on October 15, 2001, in 43 locations using a Niton Spectrum Analyzer. The survey identified yellow safety, black floor, brown overhead door frame, and flagpole paint as lead-based. Three of the types of paint (yellow safety, black floor, and brown door frame) paint were in the OMS. One (yellow safety paint) was in the Administrative Building and two (flagpole and yellow safety paint) were outdoors. The survey indicated that no immediate action was necessary.

### **3.5.4 Radon Report**

A radon survey was conducted on August 10, 1998, by the Environmental Section of the 90<sup>th</sup> RRC and findings presented in the *Radon Building Survey, Alice Memorial U.S. Army Reserve Center, Alice, Texas* (1998). Three samples were collected: one from the OMS and two from the Administration Building. Results ranged up to 0.4 picocuries per liter (pCi/L). The USEPA-recommended action level is 4.0 pCi/L.

### **3.5.5 Asbestos Report**

An asbestos re-inspection was conducted by the Environmental Section of the 90<sup>th</sup> RRC and the findings presented in the *Asbestos Building Reinspection, Alice U.S. Army Reserve Center, Alice, Texas* (1998). Appendix B of that report includes 16 pictures of sample locations from an original asbestos survey. Captions on the photographs suggest that eight of the locations were found to contain asbestos. Asbestos was detected in piping insulation, floor tile and mastic, and a vibration gasket; asbestos was not classified as friable or non-friable during that inspection. The *Asbestos Building Reinspection* report addresses seven of the eight locations: five were in the Administrative Building and two were in the OMS. Sample location A.0301 (heating water lines in the Administrative Building) was omitted. Two of the locations (both in the Administrative Building) are listed as removed and the remaining five are listed as either damaged or significantly damaged.

### **3.5.6 Cultural Resources Report**

Parsons performed two assessments and prepared two reports for the Department of the Army, 90<sup>th</sup> RRC: *Management Summary, Cultural Resources Assessment of 90<sup>th</sup> Regional Support Command, Facilities in Arkansas, Louisiana, New Mexico, Oklahoma and Texas*; and *Archaeological Assessment and Reconnaissance of 90<sup>th</sup> Regional Support Command Facilities in Texas*. The assessments were compiled and issued in February 1998. The assessments concluded that there were no architectural or archaeological issues at the Site. The Site has a “low” archaeological potential and is not eligible for the National Register of Historic Places.

### **3.5.7 Polychlorinated Biphenyls Report**

The U.S. Army Center for Health Promotion and Preventive Medicine (USACHPPM) performed a *Polychlorinated Biphenyls (PCB) Assessment No. 37-08-5615-97* for 90<sup>th</sup> RRC facilities and issued a report in September 1997. The assessment addressed three pole-mounted transformers (PMTs) “in front of main building” of the Site and fluorescent lights. According to the report, the PMTs are owned by CP&L. The report lists the manufacturer, date of manufacture, and PCB status as unknown. All three of the transformers are listed as in good condition and no leaks were observed. The USACHPPM report stated that “Fluorescent lighting in this facility is operated by non-PCB containing ballasts” with no indication of specific buildings.

### **3.5.8 Oil-Water Separator Report**

The OWS was evaluated in January 2000 and results presented in the *Oil/Water Separator Evaluation* (EnSafe, 2000). According to that report, the OWS was installed in the 1960s and was improved in 1978. The OWS is a 1,200-gallon, two-chambered, concrete rectangular structure that receives water only from the VWR, and discharges it to the sanitary sewer. The 2000 report made the following recommendations:

- Install wash rack canopy to prevent storm water infiltration.
- Establish schedule for routine sludge and oil removal based on usage and material accumulation (quarterly as a minimum).
- Inspect OWS system annually.
- Develop site-specific written program which describes procedures and management practices used to ensure compliance with the Clean Water Act.

None of the recommendations suggested a possible release.

#### 4.0 ADJACENT PROPERTIES

Figure 15 in Appendix A provides a 2006 aerial view of the Site and adjacent properties. The property is bounded by Houston Street and the First Community Bank to the north; South Stadium Road, then the Alice High School Stadium to the west; a vacant undeveloped lot, then the Alice High School Maintenance Department to the south; and an Alice High School athletic field to the east. Table 2 provides a list of adjacent properties with their directional location from the Site and zoning.

| <b>Table 2<br/>List of Adjacent Properties</b> |                                   |                                 |                                  |
|--|-----------------------------------|---------------------------------|----------------------------------|
| <b>Direction<br/>From Site</b>                 | <b>Name/Type of Property</b>      | <b>Addresses</b>                | <b>Zoning</b>                    |
| North  | First Community Bank              | 0 block of Stadium Road         | B3, Local Retail/<br>Commercial  |
| West   | Alice High School Stadium         | 100 block of South Stadium Road | R1, Single-Family<br>Residential |
| South  | Vacant Lot                        | 100 block of South Stadium Road | B3, Local Retail/<br>Commercial  |
| East   | Alice High School Athletic Fields | Not Applicable                  | R1, Single-Family<br>Residential |

Appendix A provides historical aerial photographs and a topographic map and Appendix E presents EDR's environmental database search report that was used to evaluate potential environmental impacts from adjacent and nearby properties that may have also impacted the environmental conditions at the Site. Land use at the adjacent properties does not appear to have changed significantly since development began in the 1950s and 1960s and does not appear to have impacted the environmental conditions of the USAR Center.

## **5.0 REVIEW OF REGULATORY INFORMATION**

A component of the ECP is the review of all reasonably obtainable federal, state, and local government records for the Site and surrounding properties where there has been a release or likely release of any hazardous substance or any petroleum product and that are likely to cause or contribute to a release or threatened release of any hazardous substance or any petroleum product on the federal real property. The environmental database summary obtained from EDR on July 14, 2006, consolidates standard federal, state, local, and tribal environmental record sources based on ASTM D 6008-recommended minimum search distances from the Site. A copy of the complete EDR report is included in Appendix E.

There were no environmental permits issued for the Site; therefore, there were no permit applications or associated permit documentation available for review. There were no known contamination events on the Site that required an environmental cleanup; therefore, the Site did not participate in the Installation Restoration Program, Military Munitions Response Program, or a Compliance Cleanup program.

The TEJV interviewed local authorities and reviewed reasonably accessible USAR environmental documents, TCEQ (Region 14) files in Corpus Christi and Austin (state files), city of Alice records, and historical aerial photographs and maps to investigate environmental conditions at the Site and surrounding area. Available information on potential impacts to the Site was assessed.

The TEJV conducted multiple interviews with relevant personnel to discuss general environmental interest and specific areas of interest identified during the records review and visual reconnaissance. Copies of the interview reports are included in Appendix D. Section 9.0 of this report identifies the individuals interviewed with respect to conditions and operations at the Site and the information from those interviews incorporated into this report. Pertinent information from these interviews is incorporated into this report.

The USAR Center OWS is listed on the TCEQ Petroleum Storage Tank (PST) database and the state Industrial and Hazardous Waste (IHW) database. These listings are discussed further in Sections 5.2.3 and 5.2.15, respectively.

### **5.1 FEDERAL ENVIRONMENTAL RECORDS**

#### **5.1.1 Federal National Priorities List Sites within One Mile**

The National Priorities List (NPL) identifies more than 1,200 sites for priority cleanup under the Superfund Program. NPL sites are targeted for long-term remedial action under CERCLA. According to the environmental database report, the USAR Center is not an NPL site and there are no such sites within one mile of the Site.

### 5.1.2 Federal CERCLA Information System Sites within One-Half Mile

The CERCLA Information System (CERCLIS) contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies, and persons, pursuant to Section 103 of CERCLA. CERCLIS contains sites that are either proposed to be or are on the NPL. According to the environmental database report, the USAR Center is not a CERCLIS site and there are no CERCLIS sites within one-half mile of the Site.

### 5.1.3 Resource Conservation and Recovery Act Corrective Action Sites within One Mile

Resource Conservation and Recovery Act (RCRA) corrective action sites (CORRACTS) represent facilities that have generated or managed hazardous wastes and require corrective action. According to the environmental database report, the USAR Center is not a CORRACTS. No CORRACTS were identified within one mile of the Site.

### 5.1.4 RCRA Transport, Treatment, Storage, and/or Disposal Facilities within One-Half Mile

The RCRA Information Database includes selective information on sites that generate, transport, and treat, store, and/or dispose (TSD) of hazardous waste as defined by RCRA. According to the environmental database report, the USAR Center is not a RCRA TSD site and there are no such sites within one-half mile of the USAR Center.

### 5.1.5 Federal RCRA Small- and Large-Quantity Generators List within One-Quarter Mile

Conditionally exempt small-quantity generators generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. RCRA small-quantity generators (SQGs) are defined as facilities generating between 100 kg and 1,000 kg of hazardous waste per month, while a large-quantity generator (LQG) is defined as a facility generating more than 1,000 kg of hazardous waste, or over 1 kg of acutely hazardous waste per month. According to the environmental database report, the USAR Center is not a SQG or LQG. No RCRA LQGs are within one-quarter mile of the Site. Three RCRA SQGs are located within one-quarter mile of the Site and are summarized in Table 3.

| Table 3<br>RCRA SQG Sites |  |                                  |                     |                            |
|---------------------------|--|----------------------------------|---------------------|----------------------------|
| Company/Site              | Address  | Distance and Direction from Site | Status              | Elevation Relation to Site |
| Wrights Sporting Goods    | 1500 East Main Street<br>Alice, Texas 78332    | 400 feet west-northwest          | No violations found | Higher                     |
| Wal-Mart Stores Inc.      | 1250 East Houston Street<br>Alice, Texas 78332 | 965 feet west                    | No violations found | Higher                     |
| Bowden Ford               | 1300 East Main Street<br>Alice, Texas 78333    | 1,124 feet west                  | No violations found | Higher                     |

### **5.1.6 Federal Emergency Response Notification System**

The federal Emergency Response Notification System (ERNS) provides information on reported releases of oil and hazardous substances. According to the environmental database report, the USAR Center is not listed on the ERNS list

## **5.2 STATE AND LOCAL ENVIRONMENTAL RECORDS**

The regulatory information presented below was obtained from the environmental database report. Supplemental information was also provided from research at the Austin and Corpus Christi TCEQ offices. Copies of applicable documentation obtained from TCEQ are provided in Appendix D.

### **5.2.1 State-Registered Landfills within One-Half Mile**

According to the environmental database report, no solid waste landfills are within one-half mile of the USAR Center. There is no solid waste landfill on the Site.

### **5.2.2 State-Registered Leaking Petroleum Storage Tank Sites within One-Half Mile**

The Site itself is not listed in the state Leaking Petroleum Storage Tank (LPST) database. According to the environmental database report, seven LPST sites are within one-half mile of the USAR Center. Table 4 summarizes each site. A file review was conducted at the TCEQ Region 14 office in Corpus Christi, Texas, which included a request for all available information for each of these seven sites. In most cases, the available files were incomplete; where necessary to ascertain the relative threat to the USAR Center, a follow-up file review was conducted at the TCEQ headquarters location in Austin, Texas. Due to copying restrictions, not all pertinent information was copied; however, the more critical information was copied and is presented in Appendix D. In all cases but one (Texas Star 115), file information, including groundwater flow direction (potentiometric surface) maps, plume delineation maps, investigation reports, and/or closure letters, was sufficient to conclude that these sites pose a low risk to the environmental condition of the Site. However, for the Texas Star 115 site, the only information available was a poorly drawn and inconclusive potentiometric surface map with a presumed groundwater flow direction toward the north/northeast. Based on an evaluation of available information and details concerning the identified sites, all of these sites are considered "Low Risk" sites.

### **5.2.3 State-Registered UST Sites within One-Quarter Mile**

USTs are regulated under RCRA Subtitle I and must be registered with the state department responsible for administering the UST program. The OWS on the Site is registered as a PST with the TCEQ under Owner Identification Number 49607 and Facility Identification Number 69255. A copy of information found on the TCEQ Web site [www.tceq.state.tx.us](http://www.tceq.state.tx.us) for the OWS is presented in Appendix D.

**Table 4  
 Leaking Petroleum Storage Tank Sites**

| <b>Company/Site</b>              | <b>Address</b>                              | <b>Distance and Direction from Site</b> | <b>Status</b>   | <b>Elevation Relation to Site</b> |
|----------------------------------|---|---|---|-----------------------------------|
| Texas Star 115<br>ID# 39266      | 1617 East Main Street<br>Alice, Texas 78332 | 457 feet north-northwest                | Impacted groundwater; no threats or impacts to receptors determined; ongoing monitoring.  | Higher                            |
| Firestone Store 24F1<br>ID# 1066 | 1401 East Main Street<br>Alice, Texas 78332 | 752 feet west                           | Impacted groundwater; no threats or impacts to receptors determined; case is closed.      | Higher                            |
| Circle K 7049<br>ID# 28711       | 1723 East Main Street<br>Alice, Texas 78332 | 1,017 feet north-northeast              | Impacted groundwater; a designated major or minor aquifer is impacted; case is closed.    | Lower                             |
| Speedy Stop 61<br>ID# 26374      | 1725 East Main Street<br>Alice, Texas 78332 | 1,023 feet north-northeast              | Impacted groundwater; public/domestic water supply well within 0.25 mile; case is closed. | Lower                             |
| Circle K 2644<br>ID# 4175        | 1800 East Main Street<br>Alice, Texas 78333 | 1,316 feet northeast                    | Ongoing Remediation; Corrective Action Plan.  | Lower                             |
| Yawn Motor Co<br>ID# 16937       | 1259 East Main Street<br>Alice, Texas 78332 | 1,463 feet west                         | Impacted groundwater; no threats or impacts to receptors determined; case is closed.      | Higher                            |
| Bus Fleet Garage<br>ID# 1715     | 1212 North Stadium Rd<br>Alice, Texas 78332 | 2,115 feet north-northwest              | Impacted groundwater; no threats or impacts to receptors determined; case is closed.      | Higher                            |

The environmental database report identified 11 state-registered UST sites within one-quarter mile, which are summarized in Table 5. Seven of the UST sites are also listed as LPST sites, which were summarized in Table 4. Except for the sites also listed as LPST sites, there are no reported releases associated with these UST sites and they represent a low potential environmental risk to the Site.

#### **5.2.4 State AST Sites within One-Quarter Mile**

The USAR Center is not listed as a state AST site. According to the environmental database report there is one state-registered AST site within one-quarter mile of the USAR Center. The site is FESCO Inc., located at 1408 Main Street, which is also listed as a UST site; the details of which are summarized in Table 5. Available documentation suggests the USTs were replaced with ASTs. Because there is no reported release associated with this AST site, it represents a low environmental risk to the Site.

#### **5.2.5 State-Registered Hazardous Waste Sites within One Mile**

According to the environmental database report, no hazardous waste sites are within one mile of the USAR Center. The Site is not a hazardous waste site.

#### **5.2.6 State Innocent Owner/Operator Program**

The Innocent Owner/Operator Program (IOP) lists innocent owners or operators whose property has been contaminated by an offsite source. The USAR Center is not on the IOP list.

#### **5.2.7 State-Registered Commercial Hazardous and Solid Waste Management Facility**

The USAR Center is not listed as a state-registered commercial hazardous or solid waste management facility.

#### **5.2.8 State Deleted Superfund Registry Sites within One Mile**

According to the environmental database report, the USAR Center is not listed on the Texas Deleted Superfund Registry and none were reported within one mile of the Site.

#### **5.2.9 State Spills Database**

According to the environmental database report, the USAR Center is not listed on the Texas Spills Database.

| <b>Table 5<br/>Underground Storage Tank Sites</b> |  |   |  |                                       |
|---|--|---|--|---------------------------------------|
| <b>Company/Site</b>                               | <b>Address</b>                                 | <b>Distance and<br/>Direction from Site</b> | <b>Status</b>  | <b>Elevation<br/>Relation to Site</b> |
| Texas Star 115<br>ID# 39266                       | 1617 East Main Street<br>Alice, Texas 78332    | 457 feet north-northwest                    | Four active gasoline USTs.   | Higher                                |
| Scumberberger Well Services<br>ID# 3111           | 130 South Stadium Road<br>Alice, Texas 78332   | 552 feet north-northwest                    | One 2,000-gallon UST removed.  | Higher                                |
| FESCO Inc<br>ID# 17137                            | 1408 East Main Street<br>Alice, Texas 78332    | 705 feet west                               | One 2,000- and one 1,000-gallon UST removed.                                       | Higher                                |
| Firestone Store 24F1<br>ID# 1066                  | 1401 East Main Street<br>Alice, Texas 78332    | 752 feet west                               | 550-gallon used oil UST removed.   | Higher                                |
| Firestone Store 4491<br>ID # 19780                | Sagewood Mall<br>Alice, Texas 78332            | 837 feet northwest                          | 75-gallon used oil UST removed.  | Higher                                |
| Wal-Mart Stores Inc<br>ID # 58410                 | 1250 East Houston Street<br>Alice, Texas 78332 | 965 feet west                               | 550-gallon used oil UST removed.   | Higher                                |
| Circle K 7049<br>ID# 28711                        | 1723 East Main Street<br>Alice, Texas 78332    | 1,017 feet north-northeast                  | Two 8,000-gallon gasoline tanks removed and replaced with two 10,000-gallon tanks. | Lower                                 |
| Speedy Stop 61<br>ID# 26374                       | 1725 East Main Street<br>Alice, Texas 78332    | 1,023 feet north-northeast                  | Four petroleum product USTs removed and replaced with one UST.                     | Lower                                 |
| Circle K 2644<br>ID# 4175                         | 1800 East Main Street<br>Alice, Texas 78333    | 1,316 feet northeast                        | Four gasoline USTs removed.  | Lower                                 |
| Yawn Motor Co<br>ID# 16937                        | 1259 East Main Street<br>Alice, Texas 78332    | 1,463 feet west                             | Two used oil USTs removed.   | Higher                                |
| Bus Fleet Garage<br>ID# 1715                      | 1212 North Stadium Road<br>Alice, Texas 78332  | 2,115 feet north-northwest                  | One gasoline UST removed.  | Higher                                |

#### **5.2.10 State Sites with Institutional Controls within One-Half Mile**

Institutional controls include administrative procedures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post-remediation care requirements intended to prevent exposure to contaminants remaining onsite. According to the environmental database report, no state-registered sites with Institutional Engineering Controls are within one-half mile of the USAR Center.

#### **5.2.11 State Voluntary Cleanup Program Sites within One-Half Mile**

There are no State Voluntary Cleanup Program (VCP) sites within one-half mile of the USAR Center. According to the environmental database report, the USAR Center is not listed on the VCP list.

#### **5.2.12 State-Registered Dry Cleaners within One-Quarter Mile**

There are no state-registered dry-cleaner sites within one-quarter mile of the USAR Center. According to the environmental database report, the USAR Center is not a state-registered dry-cleaner site.

#### **5.2.13 State Brownfields Program Sites within One-Half Mile**

Included in the listing are brownfields properties addressed by Cooperative Agreement Recipients and brownfields properties targeted by Targeted Brownfields Assessments. According to the environmental database report, no state-registered Brownfield Program Sites are within one-half mile of the USAR Center. According to the environmental database report, the USAR Center is not listed on the brownfields list.

#### **5.2.14 State Enforcement Sites**

According to the environmental database report, the USAR Center is not listed on the enforcement list.

#### **5.2.15 State IHW Database**

The Site is listed in the state IHW database for the years 2001 and 2002. A request for any information related to this listing was made at the TCEQ offices in Corpus Christi and Austin; no information was found. The IHW database contains summary reports reported by waste handlers, generators, and shippers in the State of Texas. Based on the years the Site is listed, it is likely this listing is based on waste disposed offsite as a result of closing operations associated with the OMS.

### **5.3 TRIBAL ENVIRONMENTAL RECORDS**

According to the environmental database report, no designated Indian Reservations are within one mile of the USAR Center.

#### **5.4 UNMAPPED SITES**

The environmental database search yielded 24 unmapped sites. Unmapped sites are those with insufficient address information such that they can only be identified as being within the zip code of the target Site. Further research was conducted using maps of the Site and surrounding area. None of the unmapped sites were estimated to be within the corresponding ASTM D 6008-recommended minimum search distance for the databases on which the sites are listed. The unmapped sites were not located while in the field.

#### **5.5 SUMMARY OF PROPERTIES EVALUATED TO DETERMINE RISK TO SITE**

During review of environmental information summarized in this section, multiple databases and sites were reviewed to evaluate potential risks to the Site. Thirteen sites were identified as potential risks to the Site as detailed in Sections 5.1.5, 5.2.2, 5.2.3, and 5.2.4.

In all cases but one (Texas Star 115), file information obtained from TCEQ — including groundwater flow direction (potentiometric surface) maps, plume delineation maps, investigation reports, and/or closure letters – was sufficient to conclude that these sites pose a low risk to the environmental condition of the Site. For the Texas Star 115 site, the only information available was a poorly drawn and inconclusive potentiometric surface map with a presumed groundwater flow direction toward the north/northeast. Based on an evaluation of available information and details concerning the identified sites, all of these sites are considered “Low Risk” sites.

Based on an evaluation of available information and details concerning the identified sites, no “High Risk” sites were identified. “High Risk” properties are those that exhibit significant environmental conditions that have the probability of adversely affecting the environmental conditions at the Site.

## **6.0 SITE INVESTIGATION AND REVIEW OF HAZARDS**

Findings documented in the following subsections are based on the August 10, 2006 Site and area reconnaissance, review of available Site records, and information obtained from USAR personnel.

### **6.1 UNDERGROUND AND ABOVEGROUND STORAGE TANKS**

No bulk petroleum USTs or ASTs are currently on the Site. The registered OWS is was empty at the time of the Site reconnaissance and no liquid, oily residue, or sludge was observed in it. No evidence of a release was observed.

### **6.2 INVENTORY OF CHEMICALS/HAZARDOUS SUBSTANCES**

During the Site reconnaissance, the chemicals and hazardous substances observed on the Site were the household-type quantities of cleaning supplies in the janitor's closet in the Administration Building; household-type quantities of chemicals, such as cleaning solutions and antifreeze, in one of the OMS storage rooms; and chemical storage in the two flammable materials storage sheds. Both sheds were being used to store items such as antifreeze, brake fluid, lubricating oil, transmission oil, grease, engine oil in 5-gallon containers or smaller, hoses, empty 5-gallon fuel containers, and other assorted pieces of equipment.

### **6.3 WASTE DISPOSAL SITES**

No signs of landfilling or illegal waste disposal activities were observed on the Site during the Site reconnaissance.

### **6.4 PITS, SUMPS, DRY WELLS, AND CATCH BASINS**

The Site is served by a sanitary sewer system from the City of Alice. Wastewater from within the buildings discharges to the sanitary sewer system. Floor drains in the Administration Building and OMS restrooms/showers discharge to the sanitary sewer.

No storm water drains were observed on the Site; storm water infiltrates grass-covered areas or sheet flows to either a grassy area or storm water drains in South Stadium Road. The OWS is a concrete, in-ground structure measuring 3 feet wide by 15 feet long by approximately 6 feet deep. The OWS was also discussed in Sections 3.5.8 and 6.1.

### **6.5 ASBESTOS-CONTAINING MATERIAL**

As discussed in Section 3.5.5, an asbestos inspection was conducted of asbestos-containing piping insulation, floor tile and mastic, and a vibration gasket. A follow-up *Asbestos Building Reinspection* report addressed seven of those eight locations: five were in the Administrative Building and two were in the OMS. Two of the locations (both in the Administrative Building) are listed as removed and the remaining five are listed as either

damaged or significantly damaged. The TEJV did not review any specific documentation of asbestos removal. The items reported as damaged or significantly damaged were not observed by TEJV personnel.

## **6.6 PCB-CONTAINING EQUIPMENT**

The USACHPPM performed a *Polychlorinated Biphenyls (PCB) Assessment No. 37-08-5615-97* for 90<sup>th</sup> RRC facilities in 1997. The assessment addressed three PMTs "in front of main building" of the Site, and fluorescent lights. Although three PMTs are listed in that report, four PMTs were observed during the August 10, 2006 Site visit: one on a pole along the west-central Site property boundary and three on another pole along the northwest Site property boundary. The three transformers located on the northeast pole appeared in good condition, while the transformer on the west-central pole appeared rusted. No staining was observed beneath the transformers. The TEJV contacted CP&L to address the PCB status of the four transformers; CP&L indicated that Texas AEP is responsible for the transformers. The TEJV contacted Texas AEP who indicated that CP&L was responsible for the transformers.

The USACHPPM report also stated that "Fluorescent lighting in this facility is operated by non-PCB containing ballasts" with no indication of specific buildings. Any light ballast not marked with "No PCBs" should be assumed to contain PCBs and management and disposal of these light ballasts must be in accordance with local, State and Federal requirements.

## **6.7 LEAD-BASED PAINT**

A LBP survey was conducted by the Environmental Section of the 90<sup>th</sup> RRC and findings presented in the *Lead Based Paint Survey, Alice USAR Center, Alice, TX* (2001). The survey identified yellow safety, black floor, brown overhead door frame, and flagpole paint as lead-based. Three of the types of paint (yellow safety, black floor, and brown door frame) paint were in the OMS. One (yellow safety paint) was in the Administrative Building and two (flagpole and yellow safety paint) were outdoors. During the August 10, 2006 Site reconnaissance, these painted surfaces appeared in good condition with no peeling paint.

## **6.8 RADON**

A radon survey was conducted at the Site on August 10, 1998, by the Environmental Section of the 90<sup>th</sup> RRC (1998). Three samples were collected: one from the OMS and two from the Administration Building. Results ranged up to 0.4 pCi/L. According to the USEPA Map of Radon Zones for Texas, Jim Wells County is in an area classified as Zone 3, which has radon levels less than 2 pCi/L. The average activity for first-floor living areas was reported as 0.400 pCi/L. The USEPA-recommended action level is 4.0 pCi/L.

## **6.9 UNEXPLODED ORDNANCE**

No indications were found during the Site reconnaissance or the review of records to indicate the presence of munitions and explosives of concern at the Site. Small arms ammunition has been stored on the Site, but USAR personnel refused the TEJV access to the weapons vault.

## **6.10 RADIOACTIVE MATERIALS**

During the Site reconnaissance a radioactive warning placard was observed on the weapons vault door (photograph 12, Appendix B). USAR personnel were unaware of any radioactive materials stored in the vault that would mandate the use of a radiation hazard placard on the door. No other indications were found of the past storage or use of radiological commodities at the USAR Center.

## **7.0 REVIEW OF SPECIAL RESOURCES**

### **7.1 LAND USE**

Based on an interview with the City of Alice Zoning Department Administrator, the Site is zoned B3, which is commercial/retail. The Alice High School Maintenance Department (south of the Site) and the First Community Bank (north of the Site) are also zoned B3. The remaining properties adjacent to the Site are owned by the Alice High School and are zoned R1, residential. Figure 15 in Appendix A provides a 2006 aerial photograph of the USAR Center and surrounding properties, which depicts current land use.

### **7.2 COASTAL ZONE MANAGEMENT**

The Texas Coastal Management Plan is administered by the Texas General Land Office. The Texas coastal zone extends southwest along the coast from the Sabine River to the Rio Grande River, seaward into the Gulf of Mexico for a distance of 10.35 miles, and inland to include 36 counties. The coastal zone includes all counties bordering the Gulf of Mexico and extends as much as 40 miles inland. It includes all estuaries and tidally influenced streams and bounding wetlands. The USAR Center is approximately 25 miles inland from the Gulf of Mexico. Jim Wells County is not included in the Texas Coastal Management Plan.

### **7.3 WETLANDS**

A search for wetland information was conducted online from the U.S. Fish and Wildlife Service (USFWS) Web site, with no digital data available for the Site. The Texas Natural Resources Center in Corpus Christi was contacted in person by TEJV personnel to obtain wetland maps; none were available. Wetland information was also requested at the USDA office, but none were available. Additionally, EDR did not have wetlands information for the Site.

The 2005 EBS report states that there are three wetlands within one-half to one mile south of the Site that are seasonally or temporarily flooded. The 2005 EBS report cites a USFWS wetland map as the source of the information. The report also states that no wetland areas exist on the Site.

### **7.4 100-YEAR FLOODPLAIN**

According to the FEMA Flood Insurance Rate Map (Figure 16, Appendix A) for the City of Alice, Texas (Community-Panel Number 480394 0005 C, March 1, 1984) obtained online from the FEMA Web site at <http://www.msc.fema.gov>, the Site is in "Zone B." Zone B is defined by FEMA as "areas between limits of the 100-year and 500-year flood; or certain areas subject to 100-year flooding with average depths less than one foot or where the contributing drainage area is less than one square mile; or areas protected by levees from base flood."

## **7.5 NATURAL RESOURCES**

No survey has been conducted at the Site for threatened and endangered species. Except for potential incidental use by migrants, threatened and endangered species are unlikely to occur at the Site due to its urban nature.

## **7.6 CULTURAL RESOURCES**

As described in Section 3.5.6, a cultural resource assessment was performed for the Site. The conclusion was that there were no architectural or archaeological issues at the Site. The Site has a “low” archaeological potential and is not eligible for the National Register of Historic Places.

Additionally, the Texas Historical Commission Web site (<http://www.thc.state.tx.us/>) was researched to determine if any historical properties or cultural resource sites had been identified, or currently exist on the Site. The research resulted in three historical locations located approximately one mile from the Site: the Jim Wells County Courthouse, the McGill Brothers Building, and the Alice Historical Marker. No historic sites were identified within one mile of the Site.

## **7.7 OTHER SPECIAL RESOURCES**

There are no other known resources that could affect the Site.

## 8.0 CONCLUSIONS

The TEJV, under contract to the USACE, Louisville District, has prepared this ECP Report for the Alice USAR Center (Facility ID TX002), at 100 South Stadium Road in Alice, Jim Wells County, Texas. The Site encompasses 3.53 acres and is currently active; Detachment 1 of the 887<sup>th</sup> Quartermaster Company occupies the facility. The Site contains an Administration Building, an OMS, and two flammable materials storage sheds. The Site has primarily functioned as an administrative and educational facility. However, vehicle maintenance and washing were conducted in the OMS until 2002.

Findings of this ECP are based on existing environmental information, including visual observations, Site records, and federal, state, and local database and file information related to the storage, release, treatment, or disposal of hazardous substances or petroleum products or derivatives on the Site. The following present the findings related to areas evaluated during the ECP process.

- **Hazardous Substances.** CERCLA hazardous substances would have been used and stored at the Site in amounts necessary to support unit-level vehicle and building maintenance activities. However, the quantities stored for one year or more would not have exceeded 1,000 kg or the RQ of designated hazardous substances, or one kg of acutely hazardous waste. There is no evidence that the hazardous substances used or stored were ever improperly handled, released, or disposed at the Site.
- **USTs/ASTs.** No bulk petroleum USTs or ASTs have been used on the Site. The OWS is registered with the TCEQ under Owner Identification Number 49607 and Facility Identification Number 69255. The OWS was empty at the time of the Site visit and no liquid, oily residue, or sludge was observed in it. No evidence of a release was observed.

The OWS was evaluated in January 2000 and results presented in the *Oil/Water Separator Evaluation* (EnSafe, 2000). According to this report, the OWS was installed in the 1960s and was improved in 1978. It is a 1,200-gallon, two-chambered, concrete rectangular structure that receives water only from the VWR and discharges it to the sanitary sewer.

- **Non-UST/AST Petroleum Storage.** Petroleum storage would have occurred in designated areas within the OMS and flammable materials storage sheds.

Two empty 600-gallon, single-walled, steel, mobile diesel tanks were observed in the northeast part of the OMS fenced-in area. Both tanks appeared in good condition during the Site reconnaissance. These tanks are set on a flatbed trailer when in use. According to USAR personnel familiar with the Site, they have not been used since 2003 when the unit mobilized to Kuwait. Fuel for military vehicles is purchased at a local gas station and has never been stored in bulk on the Site.

An approximately 3-foot by 8-foot concrete pad is located in the southwest part of the fenced-in area. The pad has a raised curb around its perimeter and a concrete ramp leading over that curb. It also has a drain on its western side - presumably for rain water - that discharges to the grassy area surrounding the pad. USAR personnel familiar with the Site were not aware of the history of this pad but did say that it is not in use. A partial drum ring was evident on the north end of the concrete pad. No visual indications of a release were observed during the Site reconnaissance.

North of the concrete pad was a VWR and, according to USAR personnel, the VWR is not in use. The pad appeared in good condition at the time of the Site visit and no signs of a release were observed.

- **PCBs.** The USACHPPM performed a *Polychlorinated Biphenyls (PCB) Assessment No. 37-08-5615-97* for the Site in 1997. The assessment addressed three PMTs “in front of main building” of the Site, and fluorescent lights. The PMTs were owned by CP&L. The report lists the manufacturer, date of manufacture, and PCB status as unknown. All three of the transformers were reported to be in good condition with no leaks. Although three PMTs are listed in the report, four PMTs were observed during the August 10, 2006 Site reconnaissance; one on a pole along the west-central Site property boundary and three on another pole along the northwest Site property boundary. The three transformers located on the northeast pole appeared in good condition and the transformer on the west-central pole appeared rusted. No staining was observed beneath the transformers. The TEJV contacted each organization, both of which claimed the other had responsibility for providing electricity and line maintenance. The USACHPPM report stated that “fluorescent lighting in this facility is operated by non-PCB containing ballasts” with no indication of specific buildings.
- **Asbestos-Containing Material.** An asbestos re-inspection was conducted by the Environmental Section of the 90<sup>th</sup> RRC. Asbestos was detected in piping insulation, floor tile and mastic, and a vibration gasket; asbestos was not determined to be friable or non-friable during that inspection. The *Asbestos Building Reinspection* report addresses seven of the eight locations: five were in the Administrative Building and two were in the OMS. Sample location A.0301 (heating water lines in the Administrative Building) was omitted. Two of the locations (both in the Administrative Building) are listed as removed and the remaining five are listed as either damaged or significantly damaged. The TEJV did not review any specific documentation of asbestos removal.
- **LBP.** A LBP survey was conducted by the Environmental Section of the 90<sup>th</sup> RRC and findings presented in the *Lead Based Paint Survey, Alice USAR Center, Alice, Texas (2001)*. Paint was sampled in 43 locations using a Niton Spectrum Analyzer. The survey identified yellow safety, black floor, brown overhead door frame, and flagpole paint as lead-based in a total of six samples. Three of the types

of paint (yellow safety, black floor, and brown door frame) paint were in the OMS. One (yellow safety paint) was in the Administrative Building and two (flagpole and yellow safety paint) were outdoors. The survey indicated that no immediate action was necessary. These painted surfaces appeared in good condition with no peeling paint during the August 10, 2006 Site reconnaissance.

- **Radiological Materials.** During the Site reconnaissance, a radioactive warning placard was observed on the weapons vault door (photograph 12, Appendix B). USAR personnel were unaware of any radioactive materials stored in the vault that would mandate the use of a radiation hazard placard on the door. No other indications were found of the past storage or use of radiological commodities at the USAR Center.
- **Radon.** A radon survey was conducted by the Environmental Section of the 90<sup>th</sup> RRC and findings presented in the *Radon Building Survey, Alice Memorial U.S. Army Reserve Center, Alice, Texas* (1998). Three samples were collected, one from the OMS and two from the Administration Building. Results ranged from up to 0.4 pCi/L. The USEPA-recommended action level is 4.0 pCi/L. Based on the site-specific samples, the presence of radon is not considered an environmental concern at the Site.
- **Munitions and Explosives.** No evidence was found during the Site reconnaissance or records review process of the past presence of munitions and explosives of concern. Small arms ammunition has been stored on the Site.
- **Surrounding Properties.** Potential environmental sites of concern, located within corresponding ASTM D 6008-recommended minimum search distances from the Site were evaluated. Land use at the adjacent properties does not appear to have changed significantly over the years.

Thirteen sites were identified as potential risks to the Site as detailed in Sections 5.1.5, 5.2.2, 5.2.3, and 5.2.4. Based on an evaluation of available information and details concerning the identified sites, all of these sites are considered "Low Risk" sites. In all cases but one (Texas Star 115), file information obtained from TCEQ — including groundwater flow direction (potentiometric surface) maps, plume delineation maps, investigation reports, and/or closure letters — was sufficient to conclude that these sites pose a low risk to the environmental condition of the Site. For the Texas Star 115 site, the only information available was a poorly drawn and inconclusive potentiometric surface map; however, the presumed groundwater flow direction is toward the north/northeast. Based on an evaluation of available information and details concerning the identified sites, all of these sites are considered "Low Risk" sites.

Areas of potential environmental concern were reviewed and the TEJV found no significant concerns relating to the environmental condition of the Site. In accordance with DoD policy defining the classifications (see S.W. Goodman Memorandum dated October 21, 1996), the Site has been classified as Category 2. This classification does not include categorizing the property based on *de minimis* conditions that generally do not present material risk of harm to the public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.

## 9.0 REFERENCES

### PERSONS CONTACTED

- Alicia Esquivel, Christina Sanchez, and Emelda Mendoza, TCEQ, (361) 825-3363. Telecommunications August 2 to 8, 2006; meeting on August 10, 2006.
- Administrator, USDA Service Center, (361) 668-8361. Meeting on August 9, 2006.
- Joyce Rotge, Alice Zoning Department Administrator, (361) 664-0186. Telecommunication on August 28, 2006.
- Lamar Turner, USAR, (361) 664-6012. Telecommunication on July 16 to September 1, 2006.
- Librarian, Alice Public Library, (361) 664-9506. Meeting on August 9, 2006.
- Olivia Gomez, Texas Natural Resources Center, (361) 825-2329. Meeting on August 10, 2006.
- Operator, Central Power and Light, (866) 322-5563. Telecommunication on September 1, 2006.
- Operator, Texas American Electric Power, (877) 373-4858. Telecommunication on September 1, 2006.
- Raul Garcia, Jim Wells County Appraisal District, (361) 668-9656. Meeting on August 9, 2006.
- Staff Sergeant Bernard Miller, USAR, (361) 664-6021. Meeting on August 10, 2006.

### RESOURCES CONSULTED

- Aerial Photographs dated 1969, 1979, 1986, 1996, 2005, and 2006 provided by the Wells County Farm Service Agency.
- City Directories reviewed at the Alice Public Library.
- Edgar Tobin Aerial Survey Map T-2016 dated 1964 provided by the Alice Tax Assessors office.
- ECCI. *Environmental Baseline Survey of Alice U.S. Army Reserve Center*. January 2005.
- EnSafe, Inc. *Oil/Water Separator Evaluation*. May 5, 2000.

- Environmental Data Resources Inc. 440 Wheelers Farms Road, Milford, Connecticut 06461.
- Federal Emergency Management Agency. *Flood Insurance Rate Map, city of Alice, Texas, Jim Wells County*, Community-Panel Number 480394 0005 C, obtained at [www.msc.fema.gov](http://www.msc.fema.gov). March 1, 1984.
- Goodman, S.W. *Memorandum: Clarification of "Uncontaminated" Environmental Condition of Property at Base Realignment and Closure (BRAC) Installations*. October 21, 1996.
- NETR-Real Estate Research & Information, 2055 East Rio Salado Parkway, Tempe, Arizona, 85281 (Chain-of-Title). Project No. N06-4916. August 2, 2006.
- Parsons Engineering Science, Inc. *Management Summary, Cultural Resources Assessment of 90<sup>th</sup> Regional Support Command Facilities in Arkansas, Louisiana, New Mexico, Oklahoma, and Texas* (for Department of the Army, 90<sup>th</sup> Regional Support Command). February 1998.
- Parsons Engineering Science, Inc. *Archaeological Assessment and Reconnaissance of 90<sup>th</sup> Regional Support Command Facilities in Texas*. February 1998.
- Parsons Engineering Science, Inc. *Historic Architectural Resources Assessment of the 90<sup>th</sup> Regional Support Command Facilities in Texas*. February 1998.
- Sanborn maps reviewed at the Alice Public Library at the Web site [www.tsl.state.tx.us/texshare](http://www.tsl.state.tx.us/texshare)
- Texas Commission on Environmental Quality. File reviews of leaking petroleum storage tank sites.
- Texas Commission on Environmental Quality PST Registration Database Query Results obtained at the Web site [www.tceq.state.tx.us](http://www.tceq.state.tx.us).
- Texas Historical Commission Web site (<http://www.thc.state.tx.us/>). Historic locations search.
- Texas Water Commission. *Availability of Ground Water from the Goliad Sand in the Alice Area, Texas*. March 1963.
- U.S. Army 90<sup>th</sup> Regional Support Command (RSC). *Asbestos Building Reinspection, Alice U.S. Army Reserve Center, Alice, Texas*. August 1998.

- U.S. Army 90<sup>th</sup> RSC. *Lead Based Paint Survey, Alice USAR Center, Alice, Texas.* October 2001.
- U.S. Army 90<sup>th</sup> RSC. *Radon Building Survey, Alice Memorial U.S. Army Reserve Center, Alice, Texas.* August 1998.
- U.S. Army Center for Health Promotion and Preventive Medicine. *Polychlorinated Biphenyls (PCB) Assessment No. 37-08-5615-97* (for 90<sup>th</sup> Regional Support Command). September 30, 1997.
- U.S. Army Reserve Center, Detachment 1 of the 887<sup>th</sup> Quartermaster Company, Alice, Texas Chemical Inventory.
- U.S. Department of Agriculture, National Resources Conservation Service, *Web Soil Survey.* <http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>
- U.S. Fish and Wildlife Services, Branch of Habitat Assessment, *National Wetlands Inventory Wetlands Mapper.* <http://wetlandsfws.er.usgs.gov/wtlnds/launch.html>
- U.S. Geological Survey TerraServer-USA. (March 28, 2000 aerial photograph). Retrieved from <http://www.terraserver-usa.com/>

#### **AGENCIES CONTACTED**

- City of Alice Public Library
- City of Alice Tax Assessors Office
- Central Power and Light
- Texas American Electric Power
- Texas Commission on Environmental Quality
- U.S. Department of Agriculture, National Resources Conservation Service

**Appendix A**  
**Figures**

**FIGURES**

|           |                                  |
|-----------|----------------------------------|
| Figure 1  | General Site Location Map        |
| Figure 2  | Site Layout Plan                 |
| Figure 3  | Existing OMS Building Floor Plan |
| Figure 4  | 1930 Aerial Photograph           |
| Figure 5  | 1950 Aerial Photograph           |
| Figure 6  | 1960 Aerial Photograph           |
| Figure 7  | 1969 Aerial Photograph           |
| Figure 8  | 1979 Aerial Photograph           |
| Figure 9  | 1986 Aerial Photograph           |
| Figure 10 | 1990 Aerial Photograph           |
| Figure 11 | 1995 Aerial Photograph           |
| Figure 12 | 1996 Aerial Photograph           |
| Figure 13 | 2004 Aerial Photograph           |
| Figure 14 | 2005 Aerial Photograph           |
| Figure 15 | 2006 Aerial Photograph           |
| Figure 16 | FEMA Flood Plain Map             |

**Appendix B**  
**Site Reconnaissance Photographs**

**Appendix C**  
**Chain-of-Title Report**

**Appendix D**  
**Previous Environmental Reports**

**PREVIOUS ENVIRONMENTAL REPORTS**

1. Edgar Tobin Aerial Survey Map T-2016 dated 1964 provided by the Alice Tax Assessors office.
2. ECCL. *Environmental Baseline Survey of Alice U.S. Army Reserve Center*. January 2005.
3. EnSafe, Inc. *Oil/Water Separator Evaluation*. May 5, 2000.
4. Interview Records.
5. Parsons Engineering Science, Inc. *Management Summary, Cultural Resources Assessment of 90<sup>th</sup> Regional Support Command, Facilities in Arkansas, Louisiana, New Mexico, Oklahoma, and Texas* (for Department of the Army, 90th Regional Support Command). February 1998.
6. Parsons Engineering Science, Inc. *Archaeological Assessment and Reconnaissance of 90<sup>th</sup> Regional Support Command Facilities in Texas* (for Department of the Army, 90<sup>th</sup> Regional Support Command). February 1998.
7. Parsons Engineering Science, Inc. *Historic Architectural Resources Assessment of the 90<sup>th</sup> Regional Support Command Facilities in Texas*. February 1998.
8. Texas Commission on Environmental Quality. File reviews of LPST sites.
9. TCEQ PST Registration Database Query Results obtained at the Web site [www.tceq.state.tx.us](http://www.tceq.state.tx.us).
10. Texas Water Commission. *Availability of Ground Water from the Goliad Sand in the Alice Area, Texas*. March 1963.
11. U.S. Army 90<sup>th</sup> Regional Support Command (RSC). *Asbestos Building Reinspection, Alice U.S. Army Reserve Center, Alice, Texas*. August 1998.
12. U.S. Army 90<sup>th</sup> RSC. *Lead Based Paint Survey, Alice USAR Center, Alice, Texas*. October 2001.
13. U.S. Army 90<sup>th</sup> RSC. *Radon Building Survey, Alice Memorial U.S. Army Reserve Center, Alice, Texas*. August 1998.

14. U.S. Army Center for Health Promotion and Preventive Medicine. *Polychlorinated Biphenyls (PCB) Assessment No. 37-08-5615-97* (for 90<sup>th</sup> Regional Support Command). September 30, 1997.
15. U.S. Army Reserve Center, Detachment 1 of the 887<sup>th</sup> Quartermaster Company, Alice, Texas Chemical Inventory.
16. U.S. Department of Agriculture, National Resources Conservation Service, *Web Soil Survey*. <http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>

**Appendix E**  
**Regulatory Database Search Reports**

**Appendix A**  
**Figures**

---

**FIGURES**

- Figure 1 General Site Location Map
- Figure 2 Site Layout Plan
- Figure 3 Existing OMS Building Floor Plan
- Figure 4 1930 Aerial Photograph
- Figure 5 1950 Aerial Photograph
- Figure 6 1960 Aerial Photograph
- Figure 7 1969 Aerial Photograph
- Figure 8 1979 Aerial Photograph
- Figure 9 1986 Aerial Photograph
- Figure 10 1990 Aerial Photograph
- Figure 11 1995 Aerial Photograph
- Figure 12 1996 Aerial Photograph
- Figure 13 2004 Aerial Photograph
- Figure 14 2005 Aerial Photograph
- Figure 15 2006 Aerial Photograph
- Figure 16 FEMA Flood Plain Map

I:\PROJECTS-BST\0888802978\_enviro\BRAC\enviro BRAC data\802978B013\_TX002\_FIG 1\_Alice\_TX.dwg 12/11/2006 1:22:15 PM CST





FIGURE 1  
GENERAL SITE LOCATION MAP  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS

MAP SOURCE:  
U.S.G.S. 7.5 MINUTE QUADRANGLE  
ALICE NORTH, TEXAS 1963

REQUESTED BY: FELTER  
DRAWN BY: BRONSON  
DWG DATE: 08/21/06  
DWG NO: 802978B013






**TOTALS**

|               |          |
|---------------|----------|
| FENCING:      | FENCE    |
| GATES:        | GATES    |
| SIDEWALKS:    | SIDEWALK |
| EXT LIGHTING: | LIGHTS   |
| ROADS:        | ROADS    |
| POV PARKING:  | POVP     |
| POV UNPAVED:  | POVU     |
| MEP PARKING:  | MEPP     |
| MEP UNPAVED:  | MEPU     |
| GRASS:        | GRASS    |

**LEGEND**

| SYMBOL    | DESCRIPTION           | CAT. CODE |
|-----------|-----------------------|-----------|
| [Pattern] | MEP PARKING           | 85210     |
| [Pattern] | MEP PARKING (UNPAVED) | 85211     |
| [Pattern] | POV PARKING           | 85215     |
| [Pattern] | GRASS                 | -         |
| [Pattern] | SIDEWALK              | 85220     |
| [Symbol]  | FENCE LINE            | 87210     |
| [Symbol]  | FLAG POLE             | 69010     |
| [Symbol]  | EXTERIOR LIGHTING     | 81230     |




SOURCE:  
MORSE CADD & SERVICES  
(AUGUST 29, 2001)

FIGURE 2  
SITE LAYOUT PLAN  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS

REQUESTED BY: FELTER  
DRAWN BY: BRONSON  
DWG DATE: 12/11/06  
DWG NO: 802978B014







Approximate location of  
Alice USARC



I:\PROJECTS-BST\0888802978\_enviro\BRAC\_data\802978B078\_TX002\_1930\_AERIAL\_ALICE\_TX.dwg 9/6/2006 5:34:11 PM CST

SOURCE:  
90TH REGIONAL READINESS COMMAND

|   |  |
|---|--|
| <p>FIGURE 4<br/>1930 AERIAL PHOTOGRAPH<br/>ENVIRONMENTAL CONDITION OF PROPERTY<br/>ALICE USARC<br/>ALICE, TEXAS</p> |  |
| REQUESTED BY: D. FELTER   |  |
| DRAWN BY: BRONSON   |  |
| DWG DATE: 09/05/06  |  |
| DWG NO: 802978B078  |  |

I:\PROJECTS-BST\0888802978\_enviroBRAC\enviro BRAC data\802978B079\_TX002\_1950\_AERIAL\_ALICE, TX.dwg 9/7/2006 9:39:37 AM CST






FIGURE 5  
1950 AERIAL PHOTOGRAPH  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS

|                         |   |
|-------------------------|---|
| REQUESTED BY: D. FELTER | <br>B(a) joint venture |
| DRAWN BY: BRONSON       |   |
| DWG DATE: 09/05/06      |   |
| DWG NO: 802978B079      |   |

SOURCE:  
ENVIRONMENTAL DATA RESOURCES



I:\PROJECTS-BST\0888602978\_enviro\BRAC\_data\802978B081\_TX002\_1969\_AERIAL\_ALICE\_TX.dwg 9/7/2006 9:41:23 AM CST



NOT TO SCALE

SOURCE:  
UNITED STATES DEPARTMENT OF AGRICULTURE

FIGURE 7  
1969 AERIAL PHOTOGRAPH  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS

REQUESTED BY: D. FELTER

DRAWN BY: BRONSON

DWG DATE: 09/05/06

DWG NO: 802978B081



I:\PROJECTS-BST\0888602978\_enviroBRAC\enviro BRAC data\802978B082\_TX002\_1979 AERIAL\_ALICE, TX.dwg 9/6/2006 5:45:43 PM CST



NOT TO SCALE

SOURCE:  
UNITED STATES DEPARTMENT OF AGRICULTURE

FIGURE 8  
1979 AERIAL PHOTOGRAPH  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS

REQUESTED BY: D. FELTER

DRAWN BY: BRONSON

DWG DATE: 09/05/06

DWG NO: 802978B082



I:\PROJECTS-BST\0888602978\_enviro\BRAC\_data\802978B083\_TX002\_1986\_AERIAL\_ALICE\_TX.dwg 9/6/2006 5:44:42 PM CST



NOT TO SCALE

FIGURE 9  
 1986 AERIAL PHOTOGRAPH  
 ENVIRONMENTAL CONDITION OF PROPERTY  
 ALICE USARC  
 ALICE, TEXAS

SOURCE:  
 UNITED STATES DEPARTMENT OF AGRICULTURE

REQUESTED BY: D. FELTER

DRAWN BY: BRONSON

DWG DATE: 09/05/06

DWG NO: 802978B083






I:\PROJECTS-BST\0888802978\_enviroBRAC\enviro BRAC data\802978B085\_TX002\_1995 AERIAL\_ALICE, TX.dwg 9/6/2006 5:42:48 PM CST



**SITE**




SOURCE:  
ENVIRONMENTAL DATA RESOURCES

FIGURE 11  
1995 AERIAL PHOTOGRAPH  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS

|               |            |
|---------------|------------|
| REQUESTED BY: | D. FELTER  |
| DRAWN BY:     | BRONSON    |
| DWG DATE:     | 09/05/06   |
| DWG NO:       | 802978B085 |



I:\PROJECTS-BST\0888602978\_enviro\BRAC\enviro BRAC data\802978B086\_TX002\_1996 AERIAL\_ALICE, TX.dwg 9/6/2006 5:41:57 PM CST



NOT TO SCALE

SOURCE:  
UNITED STATES DEPARTMENT OF AGRICULTURE

FIGURE 12  
1996 AERIAL PHOTOGRAPH  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS

REQUESTED BY: D. FELTER



DRAWN BY: BRONSON

DWG DATE: 09/05/06

DWG NO: 802978B086



I:\PROJECTS-BST\0888802978\_enviro\BRAC\enviro BRAC data\802978B087\_TX002\_2004 AERIAL\_ALICE, TX.dwg 9/6/2006 5:41:02 PM CST



SOURCE:  
ENVIRONMENTAL DATA RESOURCES

FIGURE 13  
2004 AERIAL PHOTOGRAPH  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS

REQUESTED BY: D. FELTER

DRAWN BY: BRONSON

DWG DATE: 09/05/06

DWG NO: 802978B087



I:\PROJECTS-BST\0888802978\_enviro\BRAC\_data\802978B088\_TX002\_2005\_AERIAL\_ALICE\_TX.dwg 9/6/2006 5:39:57 PM CST



NOT TO SCALE

SOURCE:  
UNITED STATES DEPARTMENT OF AGRICULTURE

FIGURE 14  
2005 AERIAL PHOTOGRAPH  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS

REQUESTED BY: D. FELTER

DRAWN BY: BRONSON

DWG DATE: 09/05/06

DWG NO: 802978B088



I:\PROJECTS-BST\0888802978\_enviro\BRAC\enviro BRAC data\802978B089\_TX002\_2006 AERIAL\_ALICE, TX.dwg 9/6/2006 5:37:33 PM CST



NOT TO SCALE

SOURCE:  
UNITED STATES DEPARTMENT OF AGRICULTURE

FIGURE 15  
2006 AERIAL PHOTOGRAPH  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS


REQUESTED BY: D. FELTER

DRAWN BY: BRONSON

DWG DATE: 09/05/06

DWG NO: 802978B089





FLOODING EFFECTS FROM CHILPIN CREEK  
**ZONE A4**  
(EL 182)

THIS AREA PROTECTED FROM THE ONE PERCENT ANNUAL CHANCE (100-YEAR) FLOOD BY LEVEE, DIKE, OR OTHER STRUCTURES SUBJECT TO POSSIBLE FAILURE OR OVERTOPPING DURING LARGER FLOODS.

FIGURE 16  
FEMA FLOOD PLAIN MAP  
ENVIRONMENTAL CONDITION OF PROPERTY  
ALICE USARC  
ALICE, TEXAS

SOURCE:  
FEDERAL EMERGENCY MANAGEMENT AGENCY  
(MARCH 1, 1984)

REQUESTED BY: D. FELTER  
DRAWN BY: BRONSON  
DWG DATE: 09/05/06  
DWG NO: 802978B090



**Appendix B**  
**Site Reconnaissance Photographs**

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**



**Photo 1:** Looking south from the POV parking area, across a field adjacent to the USAR Center, to the Alice Independent School District Maintenance Department complex.



**Photo 2:** Looking southeast from the POV parking area at the southeast corner of the Site and across the adjacent Alice High School Athletic Field.

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**



**Photo 3:** Looking northeast through the OMS fence at the adjacent Alice High School Athletic Field.




**Photo 4:** Looking north through the OMS fence, across Houston Street, at the First Community Bank building.

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**



**Photo 5:** Looking west-southwest from the center of the Site, across Stadium Road, at the Alice High School Stadium.



**Photo 6:** Pole with one transformer located on the west-central Site property boundary.

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**



**Photo 7:** Pole with three transformers located on the northwest Site property boundary.



**Photo 8:** View of the front (west side) of the Administration Building. Photo was taken looking northeast from the POV parking area entrance. The bank adjacent to the property (north) can be seen in the background left.

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**



**Photo 9:** View of the back (east side) of the Administration Building, looking southwest from the fenced OMS Building area. The fence in the foreground surrounds the OMS building, container boxes, flammable materials storage sheds, vehicle washing station, and MEP area. The Alice High School Stadium adjacent to the property (west) can be seen in the background left.



**Photo 10:** This sand filled drum outside the side door to the Administration Building is designed to be used by soldiers returning from the rifle range. Before a soldier enters the building with a rifle, the muzzle is pointed at the sand in the drum and the trigger pulled to ensure there are no weapons with live rounds in the building. According to USAR personnel, the drum has not been used.

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**



**Photo 11:** View looking down the Administration Building hallway.



**Photo 12:** This is a photograph of the weapons vault door. USAR personnel on the Site did not know why there is a radiation hazard placard on the door.

Alice USAR Center  
100 South Stadium Road  
Alice, TX



**Photo 13:** View inside the Administration Building's janitor's closet. Household cleaning supplies were observed.



**Photo 14:** View inside the mechanical room. Most pipe insulation appeared new.

Alice USAR Center  
100 South Stadium Road  
Alice, TX



**Photo 15:** Photograph of the air conditioning condensate discharge pipe. The pipe discharges to the floor drain seen in the center of the photograph. The drain leads to the sanitary sewer.



**Photo 16:** Looking south from the OMS area to the open areas within the southeast portion of the USAR property.

Alice USAR Center  
100 South Stadium Road  
Alice, TX



**Photo 17:** A concrete pad in the southwest corner of the OMS fenced area has a concrete ramp leading over the curb and a bottom drain.



**Photo 18:** Vehicle wash rack (VWR) with a forklift on it. This is located north of the pad in Photograph 17, and within the OMS fenced area. According to USAR personnel, the pad is not used as a VWR. During the Site visit, the pad appeared in good condition and no signs of a release were observed.

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**



**Photo 19:** This is the oil-water separator (OWS) associated with the VWR. It is located north of the VWR and immediately east of the two flammable materials storage sheds (background). During the Site visit, the OWS was empty and no liquid, oily residue, or sludge was observed in it. Also, no signs of a release were observed.



**Photo 20:** Looking west at the two flammable materials storage sheds located within the OMS fenced area. The OWS can be seen in front of the sheds. There were no signs of a release from these two sheds. Photograph 21 provides an inventory of the contents.

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**

Office DEPOT.

INVENTORY OF POL ITEMS.

| NAME   | SIZE          | QTY            | QTY/USED |
|--|---------------|----------------|----------|
| 1.Coastal antifreeze/coolant                 | 1Gal          | 2              |          |
| 2.Zerex antifreeze/coolant                   | 1Gal          | 1              |          |
| 3.Detergent,general purpose                  | 16floz        | 3              |          |
| 4.Brake fluid                                | 12floz        | 1              |          |
| 5.Silcone spray                              | 10oz          | 1              |          |
| 6.WD-40                                      | 8oz           | 1              |          |
| 7.Ink,marking stencil,opaque (black)         | 10.5oz        | 1              |          |
| 8.Hand cleaner gel                           | 1Gal          | 2              |          |
| 9.Handcleaneer waterless cream form          | 1lb           | 26             |          |
| 10.Lubricating oil weapons                   | 5Gal          | 1              |          |
| 11.Hydraulic fluid auto transmission         | 1Qts          | 26             |          |
| 12.Hydraulic fluid auto transmission         | 1Qts          | 2              |          |
| 13.Superflo motor oil (30wt)                 | 1Qts          | 10             |          |
| 14.Superflo auto transmission fluid          | 1Qts          | 8              |          |
| 15.Dexron iie/mercon auto transmission fluid |               | 1              |          |
| 16.B.B grease grease,auto&artillery          |               | 1              |          |
| 17.Lube oil engine                           | 5Gal          | 1              |          |
| 18.10WT                                      | 5Gal          | 1              |          |
| 19.Lubricating oil, engine (10W)             | 5Gal          | 1              |          |
| 20.Lubricating oil,gear (80W-90)             | 5Gal          | 1              |          |
| 21.WD40/spray bottle (HALF FULL)             |               | 1              |          |
| 22. <i>Black solvent fluid</i>               | <i>10.5oz</i> | <i>2 cases</i> |          |

SFC RICHARDSON 887<sup>TH</sup> QM CO  
MOTOR SERGEANT

**Photo 21:** Petroleum, oil, and lubricant (POL) storage list for the two flammable materials storage sheds.



**Photo 22:** Looking north at four container boxes stored within the OMS fenced area. The boxes were being used for inert storage such as furniture, electronic equipment, field equipment, etc.

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**



**Photo 23:** Looking west at the same container boxes shown in Photo 22.



**Photo 24:** This is a fifth container box located in the northeast corner of the fenced OMS area. This container box is also used for inert storage. There are two empty mobile storage tanks on the asphalt pavement next to the container box. Details of the tanks are given in the next photograph (Photograph 25) caption.

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**



**Photo 25:** One of two empty 600-gallon, single-walled, steel, mobile diesel tanks. Part of the second tank can be seen to the right. These tanks are set on a flatbed trailer when in use. According to USAR personnel, the tanks have not been used since 2003 when the unit mobilized to Kuwait. Fuel for military vehicles is purchased at a local gas station and is not stored on the Site.



**Photo 26:** In addition to the forklift on the VWR, there were five military vehicles parked along the eastern fence line. All vehicles had oil drip pans positioned beneath them. Minor staining was observed on the asphalt pavement as shown in this photograph.

**Alice USAR Center  
100 South Stadium Road  
Alice, TX**



**Photo 27:** View of the fenced-in OMS area looking east-northeast from the western property line. The OMS is the largest building and can be seen in the upper center of the photograph. A concrete pad from a former grease rack has a vehicle parked on it in front of the OMS.



**Photo 28:** View of the front (south side) of the OMS. The OMS has not been used for vehicle maintenance since 2002 according to USAR personnel. During the Site visit, no evidence of ongoing maintenance activities was observed and the main room inside the OMS was a weight room for physical training. Part of the concrete pad remaining from the former grease rack can be seen in the extreme left of the photograph.

Alice USAR Center  
100 South Stadium Road  
Alice, TX



**Photo 29:** Shower located in the OMS.



**Photo 30:** Storage area in the OMS. This set of shelving is used for parts and tools; no chemicals were stored here.

Alice USAR Center  
100 South Stadium Road  
Alice, TX



**Photo 31:** This storage room inside the OMS was used to store small quantities of chemicals and parts such as cleaning fluid, antifreeze, and oil filters.

**Appendix C**  
**Chain-of-Title Report**



2055 East Rio Salado Parkway, Suite 201  
Tempe, Arizona 85281  
Phone: (480) 967-6752  
Fax Number: (480) 966-9422  
Web Site: [www.netronline.com](http://www.netronline.com)

## **HISTORICAL CHAIN OF TITLE REPORT**

**ALICE USARC  
100 STADIUM ROAD  
ALICE, TEXAS**

**Submitted to:**

**TERRAINE, INC.**  
4002 Sutherland Ave  
Knoxville, Tennessee 37919  
(800) 531-1242

**Attention: James Young**

**Project No. N06-4916**

**Wednesday, August 02, 2006**

**NETR- Real Estate Research & Information** hereby submits the following ASTM historical chain-of-title to the land described below, subject to the leases/miscellaneous shown in Section 2. Title to the estate or interest covered by this report appears to be vested in:

UNITED STATES OF AMERICA

The following is the current property legal description:

All those certain pieces or parcels of land being a 3.5261 acre tract lying and situate in the City of Alice, County of Jim Wells, State of Texas.

Assessor's Parcel No: 11015-07500000

## **1. HISTORICAL CHAIN OF TITLE**

1. DEED:
  - RECORDED: 03-17-1903
  - GRANTOR: Hayden B. Hartke
  - GRANTEE: L. K. Shelman
  - INSTRUMENT: Bk 56, Pg 207
  
2. DEED:
  - RECORDED: 04-21-1914
  - GRANTOR: L. K. Shelman
  - GRANTEE: Rex A. Neubauer
  - INSTRUMENT: Bk 97, Pg 319
  
3. WARRANTY DEED:
  - RECORDED: 06-17-1923
  - GRANTOR: Rex A. Neubauer
  - GRANTEE: E. J. Deines
  - INSTRUMENT: Bk 152, Pg 264
  
4. WARRANTY DEED:
  - RECORDED: 12-28-1934
  - GRANTOR: E. J. Deines
  - GRANTEE: Gracia W. Maricle
  - INSTRUMENT: Bk 182, Pg 463
  
5. WARRANTY DEED:
  - RECORDED: 03-24-1945
  - GRANTOR: Gracia W. Maricle
  - GRANTEE: E. A. Sain, et al
  - INSTRUMENT: Bk 208, Pg 51
  
6. WARRANTY DEED:
  - RECORDED: 05-13-1957
  - GRANTOR: E. A. Sain, et al
  - GRANTEE: United States of America
  - INSTRUMENT: Bk 175, Pg 326

## **2. LEASES AND MISCELLANEOUS**

1. No environmental liens, institutional controls or engineering controls were found of record.

### **3. LIMITATION**

This report was prepared for the use of Terraine, Inc., exclusively. This report is neither a guarantee of title, a commitment to insure, or a policy of title insurance. NETR- Real Estate Research & Information does not guarantee nor include any warranty of any kind whether expressed or implied, about the validity of all information included in this report since this information is retrieved as it is recorded from the various agencies that make it available. The total liability is limited to the fee paid for this report.

**APPENDIX E**  
**REGULATORY DATABASE SEARCH RESULTS**



**EDR**® Environmental  
Data Resources Inc

## **The EDR Radius Map with GeoCheck®**

**Alice USARC  
100 S Stadium Rd  
Alice, TX 78332**

**Inquiry Number: 1715374.2s**

**July 14, 2006**

## **The Standard in Environmental Risk Management Information**

440 Wheelers Farms Road  
Milford, Connecticut 06461

### **Nationwide Customer Service**

Telephone: 1-800-352-0050  
Fax: 1-800-231-6802  
Internet: [www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

| <u>SECTION</u>   | <u>PAGE</u> |
|--|-------------|
| Executive Summary .....                                  | ES1         |
| Overview Map .....                                       | 2           |
| Detail Map .....   | 3           |
| Map Findings Summary .....                               | 4           |
| Map Findings .....                                       | 6           |
| Orphan Summary .....                                     | 68          |
| Government Records Searched/Data Currency Tracking ..... | GR-1        |
| <br><b><u>GEOCHECK ADDENDUM</u></b>                      |             |
| Physical Setting Source Addendum .....                   | A-1         |
| Physical Setting Source Summary .....                    | A-2         |
| Physical Setting Source Map .....                        | A-7         |
| Physical Setting Source Map Findings .....               | A-8         |
| Physical Setting Source Records Searched .....           | A-27        |

*Thank you for your business.*  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

#### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

100 S STADIUM RD  
ALICE, TX 78332

#### COORDINATES

Latitude (North): 27.755400 - 27° 45' 19.4"  
Longitude (West): 98.054900 - 98° 3' 17.6"  
Universal Transverse Mercator: Zone 14  
UTM X (Meters): 593137.8  
UTM Y (Meters): 3070294.5  
Elevation: 192 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 27098-G1 ALICE NORTH, TX  
Most Recent Revision: 1963  
  
South Map: 27098-F1 ALICE SOUTH, TX  
Most Recent Revision: 1963

### TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following government records. For more information on this property see page 6 of the attached EDR Radius Map report:

| <u>Site</u>  | <u>Database(s)</u> | <u>EPA ID</u> |
|--|--------------------|---------------|
| US DEPARTMENT OF THE ARMY<br>100 S STADIUM RD RESERVE<br>ALICE, TX 78332 | Ind. Haz Waste     | N/A           |
| US ARMY ALICE RESERVE CENTER<br>100 STADIUM RD<br>ALICE, TX 78332        | Ind. Haz Waste     | N/A           |

## EXECUTIVE SUMMARY

### DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

### FEDERAL RECORDS

|                        |   |
|------------------------|---|
| <b>NPL</b>             | National Priority List  |
| <b>Proposed NPL</b>    | Proposed National Priority List Sites   |
| <b>Delisted NPL</b>    | National Priority List Deletions  |
| <b>NPL RECOVERY</b>    | Federal Superfund Liens   |
| <b>CERCLIS</b>         | Comprehensive Environmental Response, Compensation, and Liability Information System  |
| <b>CERC-NFRAP</b>      | CERCLIS No Further Remedial Action Planned  |
| <b>CORRACTS</b>        | Corrective Action Report  |
| <b>RCRA-TSDF</b>       | Resource Conservation and Recovery Act Information  |
| <b>RCRA-LQG</b>        | Resource Conservation and Recovery Act Information  |
| <b>ERNS</b>            | Emergency Response Notification System  |
| <b>HMIRS</b>           | Hazardous Materials Information Reporting System  |
| <b>US ENG CONTROLS</b> | Engineering Controls Sites List   |
| <b>US INST CONTROL</b> | Sites with Institutional Controls   |
| <b>DOD</b>             | Department of Defense Sites   |
| <b>FUDS</b>            | Formerly Used Defense Sites   |
| <b>US BROWNFIELDS</b>  | A Listing of Brownfields Sites  |
| <b>CONSENT</b>         | Superfund (CERCLA) Consent Decrees  |
| <b>ROD</b>             | Records Of Decision   |
| <b>UMTRA</b>           | Uranium Mill Tailings Sites   |
| <b>ODI</b>             | Open Dump Inventory   |
| <b>TRIS</b>            | Toxic Chemical Release Inventory System   |
| <b>TSCA</b>            | Toxic Substances Control Act  |
| <b>FTTS</b>            | FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) |
| <b>SSTS</b>            | Section 7 Tracking Systems  |
| <b>ICIS</b>            | Integrated Compliance Information System  |
| <b>PADS</b>            | PCB Activity Database System  |
| <b>MLTS</b>            | Material Licensing Tracking System  |
| <b>MINES</b>           | Mines Master Index File   |
| <b>FINDS</b>           | Facility Index System/Facility Registry System  |
| <b>RAATS</b>           | RCRA Administrative Action Tracking System  |

### STATE AND LOCAL RECORDS

|                    |  |
|--------------------|--|
| <b>SHWS</b>        | State Superfund Registry                                 |
| <b>IOP</b>         | Innocent Owner/Operator Program                          |
| <b>SWF/LF</b>      | Permitted Solid Waste Facilities                         |
| <b>CLI</b>         | Closed Landfill Inventory                                |
| <b>WasteMgt</b>    | Commercial Hazardous & Solid Waste Management Facilities |
| <b>LIENS</b>       | Environmental Liens Listing                              |
| <b>DEL SHWS</b>    | Deleted Superfund Registry Sites                         |
| <b>TX Spills</b>   | Spills Database  |
| <b>AUL</b>         | Sites with Controls                                      |
| <b>TX VCP</b>      | Voluntary Cleanup Program Database                       |
| <b>DRYCLEANERS</b> | Drycleaner Registration Database Listing                 |

## EXECUTIVE SUMMARY

**BROWNFIELDS**..... Brownfields Site Assessments  
**ENF**..... Notice of Violations Listing  
**ED AQUIF**..... Edwards Aquifer Permits  
**AIRS**..... Current Emission Inventory Data

### TRIBAL RECORDS

**INDIAN RESERV**..... Indian Reservations  
**INDIAN UST**..... USTs on Indian Land

### EDR PROPRIETARY RECORDS

**Manufactured Gas Plants**... EDR Proprietary Manufactured Gas Plants  
**EDR Historical Auto Stations**EDR Proprietary Historic Gas Stations  
**EDR Historical Cleaners**..... EDR Proprietary Historic Dry Cleaners

### SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

### FEDERAL RECORDS

**RCRAInfo:** RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act ( RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-SQG list, as provided by EDR, and dated 03/09/2006 has revealed that there are 3 RCRA-SQG sites within approximately 0.25 miles of the target property.

| <u>Equal/Higher Elevation</u>        | <u>Address</u>                      | <u>Dist / Dir</u>           | <u>Map ID</u>    | <u>Page</u>      |
|--------------------------------------|-------------------------------------|-----------------------------|------------------|------------------|
| <b><i>WRIGHTS SPORTING GOODS</i></b> | <b><i>1500 E MAIN ST</i></b>        | <b><i>0 - 1/8 WNW 3</i></b> | <b><i>9</i></b>  | <b><i>9</i></b>  |
| <b><i>WAL-MART STORES INC</i></b>    | <b><i>1250 E HOUSTON STREET</i></b> | <b><i>1/8 - 1/4 W</i></b>   | <b><i>9</i></b>  | <b><i>29</i></b> |
| <b><i>BOWDEN FORD</i></b>            | <b><i>1300 E MAIN STREET</i></b>    | <b><i>1/8 - 1/4 W</i></b>   | <b><i>12</i></b> | <b><i>48</i></b> |

## EXECUTIVE SUMMARY

### STATE AND LOCAL RECORDS

**LTANKS:** The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Texas Commission on Environmental Quality's Leaking Petroleum Storage Tank Database.

A review of the LTANKS list, as provided by EDR, and dated 05/04/2006 has revealed that there are 7 LTANKS sites within approximately 0.5 miles of the target property.

| <u>Equal/Higher Elevation</u>   | <u>Address</u>           | <u>Dist / Dir</u>       | <u>Map ID</u> | <u>Page</u> |
|---|--------------------------|-------------------------|---------------|-------------|
| <b>TEXAS STAR 115</b><br>Status Code: MONITORING                                  | <b>1617 E MAIN ST</b>    | <b>0 - 1/8 NNW 4</b>    |               | <b>10</b>   |
| <b>FIRESTONE STORE 24F1</b><br>Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED | <b>1401 E MAIN</b>       | <b>1/8 - 1/4 W</b>      | <b>B7</b>     | <b>25</b>   |
| <b>YAWN MOTOR CO</b><br>Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED        | <b>1259 E MAIN</b>       | <b>1/4 - 1/2 W</b>      | <b>14</b>     | <b>61</b>   |
| <b>BUS FLEET GARAGE</b><br>Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED     | <b>1212 N STADIUM RD</b> | <b>1/4 - 1/2 NNW 15</b> |               | <b>65</b>   |
| <u>Lower Elevation</u>  | <u>Address</u>           | <u>Dist / Dir</u>       | <u>Map ID</u> | <u>Page</u> |
| <b>CIRCLE K 7049</b><br>Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED        | <b>1723 E MAIN</b>       | <b>1/8 - 1/4 NNE</b>    | <b>C10</b>    | <b>31</b>   |
| <b>SPEEDY STOP 61</b><br>Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED       | <b>1725 E MAIN ST</b>    | <b>1/8 - 1/4 NNE</b>    | <b>C11</b>    | <b>39</b>   |
| <b>CIRCLE K 2644</b><br>Status Code: CORRECTIVE ACTION PLAN                       | <b>1800 E MAIN</b>       | <b>1/8 - 1/4 NE</b>     | <b>13</b>     | <b>53</b>   |

**UST:** The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Texas Commission on Environmental Quality's Petroleum Storage Tank Database.

A review of the UST list, as provided by EDR, and dated 04/26/2006 has revealed that there are 9 UST sites within approximately 0.25 miles of the target property.

| <u>Equal/Higher Elevation</u> | <u>Address</u>               | <u>Dist / Dir</u>    | <u>Map ID</u> | <u>Page</u> |
|-------------------------------|------------------------------|----------------------|---------------|-------------|
| <b>TEXAS STAR 115</b>         | <b>1617 E MAIN ST</b>        | <b>0 - 1/8 NNW 4</b> |               | <b>10</b>   |
| SCHLUMBERGER WELL SERVICES    | 130 STADIUM RD               | 0 - 1/8 NNW 5        |               | 17          |
| <b>FESCO INC</b>              | <b>1408 E MAIN ST</b>        | <b>1/8 - 1/4 W</b>   | <b>B6</b>     | <b>19</b>   |
| <b>FIRESTONE STORE 24F1</b>   | <b>1401 E MAIN</b>           | <b>1/8 - 1/4 W</b>   | <b>B7</b>     | <b>25</b>   |
| FIRESTONE STORE 4491          | SAGEWOOD MALL                | 1/8 - 1/4 NW 8       |               | 27          |
| <b>WAL-MART STORES INC</b>    | <b>1250 E HOUSTON STREET</b> | <b>1/8 - 1/4 W</b>   | <b>9</b>      | <b>29</b>   |
| <u>Lower Elevation</u>        | <u>Address</u>               | <u>Dist / Dir</u>    | <u>Map ID</u> | <u>Page</u> |
| <b>CIRCLE K 7049</b>          | <b>1723 E MAIN</b>           | <b>1/8 - 1/4 NNE</b> | <b>C10</b>    | <b>31</b>   |
| <b>SPEEDY STOP 61</b>         | <b>1725 E MAIN ST</b>        | <b>1/8 - 1/4 NNE</b> | <b>C11</b>    | <b>39</b>   |
| <b>CIRCLE K 2644</b>          | <b>1800 E MAIN</b>           | <b>1/8 - 1/4 NE</b>  | <b>13</b>     | <b>53</b>   |

## EXECUTIVE SUMMARY

**AST:** The Aboveground Storage Tank database contains registered ASTs. The data come from the Texas Commission on Environmental Quality's Petroleum Storage Tank Database.

A review of the AST list, as provided by EDR, and dated 04/26/2006 has revealed that there is 1 AST site within approximately 0.25 miles of the target property.


| <u>Equal/Higher Elevation</u> | <u>Address</u>        | <u>Dist / Dir</u>  | <u>Map ID</u> | <u>Page</u> |
|-------------------------------|-----------------------|--------------------|---------------|-------------|
| <i>FESCO INC</i>              | <i>1408 E MAIN ST</i> | <i>1/8 - 1/4 W</i> | <i>B6</i>     | <i>19</i>   |

## EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

| <u>Site Name</u>                   | <u>Database(s)</u>              |
|------------------------------------|---------------------------------|
| ALICE CLEANERS                     | DRYCLEANERS                     |
| STARR IND SERV INC                 | CERC-NFRAP                      |
| W.J.T.,INC. (TILLER HELICOPTER)    | CERC-NFRAP                      |
| CITY OF ALICE SOLID WASTE PROCESSI | SWF/LF                          |
| JIM WELLS COUNTY LANDFILL          | SWF/LF                          |
| TXDOT                              | LTANKS                          |
| ALICE TEXAS DIVISION               | Ind. Haz Waste, LTANKS          |
| ALICE TERMINAL                     | LTANKS                          |
| J P PALACIOS GROCERY               | UST                             |
| NAVAL AUXILIARY LANDING FIELD ORAN | UST                             |
| EL TIGRE FOOD STORE 19             | UST                             |
| MURPHY USA 7065                    | UST                             |
| WAL-MART SUPERCENTER 791           | UST                             |
| M F ADAMS & SON                    | AST                             |
| TILLER HELICOPTER SERVICE INC      | AST                             |
| HUB OILFIELD SUPPLY CO             | AST                             |
| B & J AIR & PUMP RENTAL            | AST                             |
| ALICE TERMINAL                     | AST                             |
| BRADFORDS GM MOTOR CARS            | AST                             |
| OSAGE ENVIRONMENTAL INC            | RCRA-SQG, FINDS, Ind. Haz Waste |
| WESTERN ATLAS SERVICES             | RCRA-SQG, FINDS                 |
| SIMONS PETROLEUM WAREHOUSE         | RCRA-SQG                        |
| COASTAL CHEMICAL CO LLC            | RCRA-SQG                        |
| WEATHERFORD SURPLUS PROPERTY       | TX VCP                          |

# OVERVIEW MAP - 1715374.2s



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  National Priority List Sites
-  Landfill Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  Oil & Gas pipelines




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Alice USARC  
 ADDRESS: 100 S Stadium Rd  
 Alice TX 78332  
 LAT/LONG: 27.7554 / 98.0549

CLIENT: ENSAFE  
 CONTACT: Phil Hardy  
 INQUIRY #: 1715374.2s  
 DATE: July 14, 2006

# DETAIL MAP - 1715374.2s



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Landfill Sites
-  Dept. Defense Sites

-  0 1/16 1/8 1/4 Miles
-  Indian Reservations BIA
-  Oil & Gas pipelines



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Alice USARC  
 ADDRESS: 100 S Stadium Rd  
 Alice TX 78332  
 LAT/LONG: 27.7554 / 98.0549

CLIENT: ENSAFE  
 CONTACT: Phil Hardy  
 INQUIRY #: 1715374.2s  
 DATE: July 14, 2006

## MAP FINDINGS SUMMARY

| Database                              | Target<br>Property | Search<br>Distance<br>(Miles) | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total<br>Plotted |
|---------------------------------------|--------------------|-------------------------------|-------|-----------|-----------|---------|-----|------------------|
| <b><u>FEDERAL RECORDS</u></b>         |                    |                               |       |           |           |         |     |                  |
| NPL                                   |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| Proposed NPL                          |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| Delisted NPL                          |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| NPL RECOVERY                          | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| CERCLIS                               |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| CERC-NFRAP                            |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| CORRACTS                              |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| RCRA TSD                              |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| RCRA Lg. Quan. Gen.                   |                    | 0.250                         | 0     | 0         | NR        | NR      | NR  | 0                |
| RCRA Sm. Quan. Gen.                   |                    | 0.250                         | 1     | 2         | NR        | NR      | NR  | 3                |
| ERNS                                  | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| HMIRS                                 | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| US ENG CONTROLS                       |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| US INST CONTROL                       |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| DOD                                   |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| FUDS                                  |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| US BROWNFIELDS                        |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| CONSENT                               |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| ROD                                   |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| UMTRA                                 |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| ODI                                   |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| TRIS                                  | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| TSCA                                  | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| FTTS                                  | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| SSTS                                  | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| ICIS                                  | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| PADS                                  | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| MLTS                                  | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| MINES                                 |                    | 0.250                         | 0     | 0         | NR        | NR      | NR  | 0                |
| FINDS                                 | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| RAATS                                 | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| <b><u>STATE AND LOCAL RECORDS</u></b> |                    |                               |       |           |           |         |     |                  |
| State Haz. Waste                      |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| IOP                                   | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| State Landfill                        |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| CLI                                   |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| WasteMgt                              | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| LTANKS                                |                    | 0.500                         | 1     | 4         | 2         | NR      | NR  | 7                |
| UST                                   |                    | 0.250                         | 2     | 7         | NR        | NR      | NR  | 9                |
| AST                                   |                    | 0.250                         | 0     | 1         | NR        | NR      | NR  | 1                |
| LIENS                                 | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| DEL SHWS                              |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| TX Spills                             | TP                 |                               | NR    | NR        | NR        | NR      | NR  | 0                |
| AUL                                   |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| TX VCP                                |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| DRYCLEANERS                           |                    | 0.250                         | 0     | 0         | NR        | NR      | NR  | 0                |

## MAP FINDINGS SUMMARY

| Database                              | Target<br>Property | Search<br>Distance<br>(Miles) | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total<br>Plotted |
|---------------------------------------|--------------------|-------------------------------|-------|-----------|-----------|---------|-----|------------------|
| BROWNFIELDS                           |                    | 0.500                         | 0     | 0         | 0         | NR      | NR  | 0                |
| ENF                                   |                    | TP                            | NR    | NR        | NR        | NR      | NR  | 0                |
| Ind. Haz Waste                        | X                  | TP                            | NR    | NR        | NR        | NR      | NR  | 0                |
| ED AQUIF                              |                    | TP                            | NR    | NR        | NR        | NR      | NR  | 0                |
| AIRS                                  |                    | TP                            | NR    | NR        | NR        | NR      | NR  | 0                |
| <b><u>TRIBAL RECORDS</u></b>          |                    |                               |       |           |           |         |     |                  |
| INDIAN RESERV                         |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| INDIAN UST                            |                    | 0.250                         | 0     | 0         | NR        | NR      | NR  | 0                |
| <b><u>EDR PROPRIETARY RECORDS</u></b> |                    |                               |       |           |           |         |     |                  |
| Manufactured Gas Plants               |                    | 1.000                         | 0     | 0         | 0         | 0       | NR  | 0                |
| EDR Historical Auto Stations          |                    | TP                            | NR    | NR        | NR        | NR      | NR  | 0                |
| EDR Historical Cleaners               |                    | TP                            | NR    | NR        | NR        | NR      | NR  | 0                |

**NOTES:**

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**A1**  
**Target**  
**Property**

**US DEPARTMENT OF THE ARMY**  
**100 S STADIUM RD RESERVE**  
**ALICE, TX 78332**

**Ind. Haz Waste**

**S105835591**  
**N/A**

**Actual:**  
**192 ft.**

**Site 1 of 2 in cluster A**

TX IHW:

|  |   |
|--|---|
| Registration Number:                         | 68052   |
| Year:  | 2002  |
| Registration Initial Notification Date:      | Not reported  |
| Registration Last Amendment Date:            | 08/23/2001  |
| EPA Identification:                          | TX1210022033  |
| TNRCC Permit Number:                         | 023035  |
| Revcr Has Monthly Reporting Requirement:     | Not reported  |
| Description of Facility Site Location:       | 100 S Stadium Rd, Reserve, Alice, TX                  |
| Site Primary Standard Industrial Code:       | 99990   |
|  | Nonclassifiable Establishments                        |
|  | Nonclassifiable                                       |
| Registration is a Generator of Waste:        | Yes   |
| Registration is a Receivers of Waste:        | No  |
| Registration is a Transporter of Waste:      | No  |
| Registration is a Transfer Facility:         | No  |
| Mexican Facility:                            | Does not represent a Maquiladora (Mexican Facility)   |
| Facility Country:                            | Not reported  |
| Facility Status:                             | Inactive  |
| Type of Generator:                           | Not a HW generator                                    |
| Company Name:                                | US Department of The Army                             |
| Facility County:                             | Not reported  |
| TNRCC Region:                                | Not reported  |
| TNRCC Facility ID :                          | 023035  |
| Site Owner Tax ID :                          | Not reported  |
| Site Location Lat/Long :                     | Not reported  |
| Last Update to NOR Data :                    | 20030307  |
| Ind. waste permit # :                        | Not reported  |
| Mun waste permit # :                         | Not reported  |
| Non Notifier :                               | No  |
| Facility is STEERS Reporter :                | No  |
| Fac Req to Submit Annual Waste Summary Rpt : | No  |
| Facility Involved In Recycling:              | No  |
| Mailing Address:                             | 100 S Stadium Rd<br>Reserve<br>Alice, TX 78332 - 6829 |
| Mailing County:                              | USA   |
| Mailing Add 3:                               | Reserve   |
| Contact:                                     | Environmental Manager                                 |
| Contact Telephone Number:                    | Not reported  |
| Registration Number:                         | 68052   |
| Year:  | 2003  |
| Registration Initial Notification Date:      | Not reported  |
| Registration Last Amendment Date:            | 08/23/2001  |
| EPA Identification:                          | TX1210022033  |
| TNRCC Permit Number:                         | 023035  |
| Revcr Has Monthly Reporting Requirement:     | Not reported  |
| Description of Facility Site Location:       | 100 S Stadium Rd, Reserve, Alice, TX                  |
| Site Primary Standard Industrial Code:       | 99990   |
|  | Nonclassifiable Establishments                        |
|  | Nonclassifiable                                       |
| Registration is a Generator of Waste:        | Yes   |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s)  
EDR ID Number  
EPA ID Number

US DEPARTMENT OF THE ARMY (Continued)

S105835591

Registration is a Receivers of Waste: No  
Registration is a Transporter of Waste: No  
Registration is a Transfer Facility: No  
Mexican Facility: Does not represent a Maquiladora (Mexican Facility)  
Facility Country: Not reported  
Facility Status: Inactive  
Type of Generator: Not a HW generator  
Company Name: US Department of The Army  
Facility County: Not reported  
TNRCC Region: Not reported  
TNRCC Facility ID : 023035  
Site Owner Tax ID : Not reported  
Site Location Lat/Long : Not reported  
Last Update to NOR Data : 20030307  
Ind. waste permit # : Not reported  
Mun waste permit # : Not reported  
Non Notifier : No  
Facility is STEERS Reporter : No  
Fac Req to Submit Annual Waste Summary Rpt : No  
Facility Involved In Recycling: No  
Mailing Address: 100 S Stadium Rd  
Reserve  
Alice, TX 78332 - 6829  
Mailing County: USA  
Mailing Add 3: Reserve  
Contact: Environmental Manager  
Contact Telephone Number: Not reported  
Registration Number: 68052  
Year: 2004  
Registration Initial Notification Date: Not reported  
Registration Last Amendment Date: 08/23/2001  
EPA Identification: TX1210022033  
TNRCC Permit Number: 023035  
Revr Has Monthly Reporting Requirement: 9  
Description of Facility Site Location: 100 S Stadium Rd, Reserve, Alice, TX  
Site Primary Standard Industrial Code: 99990  
Nonclassifiable Establishments  
Nonclassifiable  
Registration is a Generator of Waste: Yes  
Registration is a Receivers of Waste: No  
Registration is a Transporter of Waste: No  
Registration is a Transfer Facility: No  
Mexican Facility: Does not represent a Maquiladora (Mexican Facility)  
Facility Country: USA  
Facility Status: Inactive  
Type of Generator: Not a HW generator  
Company Name: US Department of The Army  
Facility County: Not reported  
TNRCC Region: Not reported  
TNRCC Facility ID : 023035  
Site Owner Tax ID : Not reported  
Site Location Lat/Long : Not reported  
Last Update to NOR Data : 20030307  
Ind. waste permit # : Not reported  
Mun waste permit # : Not reported  
Non Notifier : No



Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

MAP FINDINGS

Database(s)  
 EDR ID Number  
 EPA ID Number

**US ARMY ALICE RESERVE CENTER (Continued)**

**S105532024**

[Click this hyperlink](#) while viewing on your computer to access additional TX IHW detail in the EDR Site Report.

**3**  
**WNW**  
**< 1/8**  
**400 ft.**

**WRIGHTS SPORTING GOODS**  
**1500 E MAIN ST**  
**ALICE, TX 78332**

**RCRA-SQG** **1000235150**  
**FINDS** **TXD076926823**  
**Ind. Haz Waste**

**Relative:**  
**Higher**

RCRAInfo:  
 Owner: CLAUDE WRIGHT JR  
 (000) 000-0000  
 EPA ID: TXD076926823  
 Contact: THOMAS WRIGHT  
 (512) 664-7971  
 Classification: Small Quantity Generator  
 TSDF Activities: Not reported  
 Violation Status: No violations found

**Actual:**  
**193 ft.**

**FINDS:**

Other Pertinent Environmental Activity Identified at Site:  
 RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**TX IHW:**

Registration Number: 68241  
 Year: 2004  
 Registration Initial Notification Date: Not reported  
 Registration Last Amendment Date: 08/23/2001  
 EPA Identification: TXD076926823  
 TNRCC Permit Number: 023196  
 Revcr Has Monthly Reporting Requirement: 9  
 Description of Facility Site Location: 1500 E Main St, Alice, TX  
 Site Primary Standard Industrial Code: 99990  
 Nonclassifiable Establishments  
 Nonclassifiable  
 Registration is a Generator of Waste: Yes  
 Registration is a Receivers of Waste: No  
 Registration is a Transporter of Waste: No  
 Registration is a Transfer Facility: No  
 Mexican Facility: Does not represent a Maquiladora (Mexican Facility)  
 Facility Country: USA  
 Facility Status: Inactive  
 Type of Generator: Not a HW generator  
 Company Name: Wrights Sporting Goods  
 Facility County: Not reported  
 TNRCC Region: Not reported  
 TNRCC Facility ID : 023196  
 Site Owner Tax ID : Not reported  
 Site Location Lat/Long : Not reported  
 Last Update to NOR Data : 20030123  
 Ind. waste permit # : Not reported  
 Mun waste permit # : Not reported  
 Non Notifier : No  
 Facility is STEERS Reporter : No

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**WRIGHTS SPORTING GOODS (Continued)**

**1000235150**

Fac Req to Submit Annual Waste Summary Rpt : No  
 Facility Involved In Recycling: No  
 Mailing Address: 1500 E Main St Sagewood Mall  
 Alice, TX 78332  
 Mailing County: USA  
 Mailing Add 3: Not reported  
 Contact: Environmental Manager  
 Contact Telephone Number: Not reported

[Click this hyperlink](#) while viewing on your computer to access additional TX IHW detail in the EDR Site Report.

**4  
 NNW  
 < 1/8  
 457 ft.**

**TEXAS STAR 115  
 1617 E MAIN ST  
 ALICE, TX 78332**

**UST U001271820  
 LTANKS N/A**

**Relative:  
 Higher**

**LTANKS:**

**Actual:  
 192 ft.**

Facility ID: 0039266  
 Facility Location: 1617 E MAIN  
 Reported Date: 7/21/1989  
 Entered Date: 7/25/1989  
 RPR Coordinator: ELM  
 Region: 14  
 Region City ID: CORPUS CHRISTI  
 LPST Id: 093269  
 Responsible Party: TEXAS STAR INVESTMENTS  
 RP Contact: TABOR BROOKS  
 RP Telephone: 361/882-3311  
 RP Address: PO BOX 151  
 CORPUS CHRISTI, TX 78403  
 Priority: GW IMPACTED, NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
**Status: MONITORING**

**UST:**

|                                       |   |                    |              |
|---------------------------------------|---|--------------------|--------------|
| Facility ID:                          | 0039266   | Tank Installer:    | Not reported |
| Tank ID:                              | 2   | Installation Date: | 01/01/1981   |
| Tank Emptied:                         | No  | Status Date:       | Not reported |
| Capacity:                             | 10000   | Unit ID:           | 00103729     |
| Tank Material of Construction:        | Steel   |                    |              |
| Pipe Material of Construction:        | Fiberglass-Reinforced Plastic (FRP)                     |                    |              |
| Other Materials of Construction:      | Not reported  |                    |              |
| Tank Status:                          | In Use  |                    |              |
| Tank Construction & Containment:      | Single Wall   |                    |              |
| Pipe Construction & Containment:      | Single Wall   |                    |              |
| Other Construction & Containment:     | Not reported  |                    |              |
| Compartment Substance Stored:         | Gasoline  |                    |              |
| Compartment Other Substance:          | Not reported  |                    |              |
| Tank Release Detection Method:        | SIR (Stat. Inventory Reconciliation) and Inventory Cntr |                    |              |
| Tank Release Method Detection II:     | Not reported  |                    |              |
| Tank Release Method Detection III:    | Not reported  |                    |              |
| Other Tank Release Method Detection:  | Auto Tank Gauging & inv. contr                          |                    |              |
| Tank Release Detection Variance :     | No Variance   |                    |              |
| Pipe Release Detection Method:        | Auto. Line Leak Detector(3.0gph for pressure piping)    |                    |              |
| Pipe Release Detection Method II:     | SIR (Stat. Inventory Reconciliation) and Inventory Cntr |                    |              |
| Other Pipe Release Detection Method : | Not reported  |                    |              |
| Pipe Release Detection Variance :     | No Variance   |                    |              |
| Spill and Overfill Protection:        | Automatic Delivery Shut-off Valve                       |                    |              |
| Spill and Overfill Protection II:     | Factory-Built Spill Container/Bucket/Sump               |                    |              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

TEXAS STAR 115 (Continued)

U001271820

Spill and Overfill Protection III: Tight-Fill Fitting  
Tank Corrosion Protection: Composite Tank (steel w/FRP laminate)  
Pipe Corrosion Protection: None  
Other Corrosion Protection: Not reported  
Vapor Recovery Equipment Status: Stage 2 Vapor Recovery Equipment Installed  
Equipment Installed Date: Not reported  
Equipment Installer: Not reported  
Contractor Registration Number: Not reported  
Tank Registration Date: 05/08/1986  
Installer License Number: Not reported  
Operator Name: TEXAS STAR INVESTMENTS INC  
Operator Telephone number: Not reported  
Operator Address: CORPUS CHRISTI, TX 78403  
Operator Address building: PO BOX 151  
Contact Operator Name: TABOR BROOKS  
Contact Operator title: VP  
Contact Operator Phone: 361-882-3311  
Self-Certification date: 011806  
Signature Name: TABOR BROOKS  
Signature Title Name: VP  
Signature Type Text: Legally-Authorized Rep of Owner  
Certification Submitted Type: Annual  
Registration Self-Certification Flag: Yes  
Fees Self-Certification Flag: Not reported  
Financial Assurance Self-Certification flag: Yes  
Technical standards Self-Certification flag: Yes  
UST Delivery Certificate Expiration Date: 20/07/02  
Compartment letter: A  
Financial Responsibility Type: Insurance or Risk Retention Group  
Corrective Action Met Flag: Yes  
Third Party Met Flag: Yes  
Financial Assurance Beginning Date: 03/01/94  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Pressurized  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: Not reported  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Not reported  
Compartment Capacity : 0000000  
Owner ID : 19862  
Owner Name : TEXAS STAR INVESTMENTS INC  
Owner Address : Corpus Christi, TX 78403  
Owner Contact Telephone : 361-882-3311  
Owner Type : Corporation  
Owner Amendment Reason Code : Owner Billing Address Changed  
Owner Amendment Date : 28/02/01  
Owner Tax ID : 741715312  
Number of Facilities reported by Owner : 0027

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation    Site

MAP FINDINGS

Database(s)    EDR ID Number  
 EPA ID Number

**TEXAS STAR 115 (Continued)**

**U001271820**

|  |   |                    |              |
|--|---|--------------------|--------------|
| Mail Undeliverable :                     | Not reported  |                    |              |
| Bankruptcy In Effect :                   | Not reported  |                    |              |
| # Of Underground Storage Tanks :         | 0110  |                    |              |
| # Of Aboveground Storage Tanks :         | 0000  |                    |              |
| Operator Effective Date :                | Not reported  |                    |              |
| Operator Type :                          | Corporation   |                    |              |
| Owner Contact Name:                      | Tabor Brooks  |                    |              |
| Date Registration Form Received :        | 08/86/05  |                    |              |
| Facility Type :                          | Retail  |                    |              |
| Name of Facility Manager :               | SHELLY PENA   |                    |              |
| Title of Facility Manager :              | VP  |                    |              |
| Facility Manager Phone :                 | 361-664-0208  |                    |              |
| Sign Name on Registration Form :         | DICK FOGLE  |                    |              |
| Title of Signer of Registration Form :   | SEC TREAS   |                    |              |
| Date of Signature on Registration Form : | 050586  |                    |              |
| Number of USTs:                          | 0004  |                    |              |
| Number of ASTs:                          | 0000  |                    |              |
| Facility PO Box :                        | Not reported  |                    |              |
| Owner PO Box :                           | PO BOX 151  |                    |              |
| Region Number :                          | 14  |                    |              |
| Facility in Ozone non-attainment area :  | Not reported  |                    |              |
| <br>                                     |   |                    |              |
| Facility ID:                             | 0039266   | Tank Installer:    | Not reported |
| Tank ID:                                 | 1   | Installation Date: | 01/01/1981   |
| Tank Emptied:                            | No  | Status Date:       | Not reported |
| Capacity:                                | 10000   | Unit ID:           | 00103730     |
| Tank Material of Construction:           | Steel   |                    |              |
| Pipe Material of Construction:           | Fiberglass-Reinforced Plastic (FRP)                     |                    |              |
| Other Materials of Construction:         | Not reported  |                    |              |
| Tank Status:                             | In Use  |                    |              |
| Tank Construction & Containment:         | Single Wall   |                    |              |
| Pipe Construction & Containment:         | Single Wall   |                    |              |
| Other Construction & Containment:        | Not reported  |                    |              |
| Compartment Substance Stored:            | Gasoline  |                    |              |
| Compartment Other Substance:             | Not reported  |                    |              |
| Tank Release Detection Method:           | SIR (Stat. Inventory Reconciliation) and Inventory Cntr |                    |              |
| Tank Release Method Detection II:        | Not reported  |                    |              |
| Tank Release Method Detection III:       | Not reported  |                    |              |
| Other Tank Release Method Detection:     | Auto Tank Gauging & inv. contr                          |                    |              |
| Tank Release Detection Variance :        | No Variance   |                    |              |
| Pipe Release Detection Method:           | Auto. Line Leak Detector(3.0gph for pressure piping)    |                    |              |
| Pipe Release Detection Method II:        | SIR (Stat. Inventory Reconciliation) and Inventory Cntr |                    |              |
| Other Pipe Release Detection Method :    | Not reported  |                    |              |
| Pipe Release Detection Variance :        | No Variance   |                    |              |
| Spill and Overfill Protection:           | Automatic Delivery Shut-off Valve                       |                    |              |
| Spill and Overfill Protection II:        | Factory-Built Spill Container/Bucket/Sump               |                    |              |
| Spill and Overfill Protection III:       | Tight-Fill Fitting                                      |                    |              |
| Tank Corrosion Protection:               | Composite Tank (steel w/FRP laminate)                   |                    |              |
| Pipe Corrosion Protection:               | None  |                    |              |
| Other Corrosion Protection:              | Not reported  |                    |              |
| Vapor Recovery Equipment Status:         | Stage 2 Vapor Recovery Equipment Installed              |                    |              |
| Equipment Installed Date:                | Not reported  |                    |              |
| Equipment Installer:                     | Not reported  |                    |              |
| Contractor Registration Number:          | Not reported  |                    |              |
| Tank Registration Date:                  | 05/08/1986  |                    |              |
| Installer License Number:                | Not reported  |                    |              |
| Operator Name:                           | TEXAS STAR INVESTMENTS INC                              |                    |              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

TEXAS STAR 115 (Continued)

U001271820

Operator Telephone number: Not reported  
Operator Address: CORPUS CHRISTI, TX 78403  
Operator Address building: PO BOX 151  
Contact Operator Name: TABOR BROOKS  
Contact Operator title: VP  
Contact Operator Phone: 361-882-3311  
Self-Certification date: 011806  
Signature Name: TABOR BROOKS  
Signature Title Name: VP  
Signature Type Text: Legally-Authorized Rep of Owner  
Certification Submitted Type: Annual  
Registration Self-Certification Flag: Yes  
Fees Self-Certification Flag: Not reported  
Financial Assurance Self-Certification flag: Yes  
Technical standards Self-Certification flag: Yes  
UST Delivery Certificate Expiration Date: 20/07/02  
Compartment letter: A  
Financial Responsibility Type: Insurance or Risk Retention Group  
Corrective Action Met Flag: Yes  
Third Party Met Flag: Yes  
Financial Assurance Beginning Date: 03/01/94  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Pressurized  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: Not reported  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Not reported  
Compartment Capacity : 0000000  
Owner ID : 19862  
Owner Name : TEXAS STAR INVESTMENTS INC  
Owner Address : Corpus Christi, TX 78403  
Owner Contact Telephone : 361-882-3311  
Owner Type : Corporation  
Owner Amendment Reason Code : Owner Billing Address Changed  
Owner Amendment Date : 28/02/01  
Owner Tax ID : 741715312  
Number of Facilities reported by Owner : 0027  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 0110  
# Of Aboveground Storage Tanks : 0000  
Operator Effective Date : Not reported  
Operator Type : Corporation  
Owner Contact Name: Tabor Brooks  
Date Registration Form Received : 08/86/05  
Facility Type : Retail  
Name of Facility Manager : SHELLY PENA  
Title of Facility Manager : VP

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

TEXAS STAR 115 (Continued)

U001271820

Facility Manager Phone : 361-664-0208  
Sign Name on Registration Form : DICK FOGLE  
Title of Signer of Registration Form : SEC TREAS  
Date of Signature on Registration Form : 050586  
Number of USTs: 0004  
Number of ASTs: 0000  
Facility PO Box : Not reported  
Owner PO Box : PO BOX 151  
Region Number : 14  
Facility in Ozone non-attainment area : Not reported

Facility ID: 0039266 Tank Installer: Not reported  
Tank ID: 4 Installation Date: 01/01/1981  
Tank Emptied: No Status Date: Not reported  
Capacity: 10000 Unit ID: 00103731

Tank Material of Construction: Steel  
Pipe Material of Construction: Fiberglass-Reinforced Plastic (FRP)  
Other Materials of Construction: Not reported  
Tank Status: In Use  
Tank Construction & Containment: Single Wall  
Pipe Construction & Containment: Single Wall  
Other Construction & Containment: Not reported  
Compartment Substance Stored: Gasoline  
Compartment Other Substance: Not reported  
Tank Release Detection Method: SIR (Stat. Inventory Reconciliation) and Inventory Cntr  
Tank Release Method Detection II: Not reported  
Tank Release Method Detection III: Not reported  
Other Tank Release Method Detection: Auto Tank Gauging & inv. contr  
Tank Release Detection Variance : No Variance  
Pipe Release Detection Method: Auto. Line Leak Detector(3.0gph for pressure piping)  
Pipe Release Detection Method II: SIR (Stat. Inventory Reconciliation) and Inventory Cntr  
Other Pipe Release Detection Method : Not reported  
Pipe Release Detection Variance : No Variance  
Spill and Overfill Protection: Automatic Delivery Shut-off Valve  
Spill and Overfill Protection II: Factory-Built Spill Container/Bucket/Sump  
Spill and Overfill Protection III: Tight-Fill Fitting  
Tank Corrosion Protection: Composite Tank (steel w/FRP laminate)  
Pipe Corrosion Protection: None  
Other Corrosion Protection: Not reported  
Vapor Recovery Equipment Status: Not reported  
Equipment Installed Date: Not reported  
Equipment Installer: Not reported  
Contractor Registration Number: Not reported  
Tank Registration Date: 05/08/1986  
Installer License Number: Not reported  
Operator Name: TEXAS STAR INVESTMENTS INC  
Operator Telephone number: Not reported  
Operator Address: CORPUS CHRISTI, TX 78403

Operator Address building: PO BOX 151  
Contact Operator Name: TABOR BROOKS  
Contact Operator title: VP  
Contact Operator Phone: 361-882-3311  
Self-Certification date: 011806  
Signature Name: TABOR BROOKS  
Signature Title Name: VP  
Signature Type Text: Legally-Authorized Rep of Owner

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

TEXAS STAR 115 (Continued)

U001271820

Certification Submitted Type: Annual  
Registration Self-Certification Flag: Yes  
Fees Self-Certification Flag: Not reported  
Financial Assurance Self-Certification flag: Yes  
Technical standards Self-Certification flag: Yes  
UST Delivery Certificate Expiration Date: 20/07/02  
Compartment letter: A  
Financial Responsibility Type: Insurance or Risk Retention Group  
Corrective Action Met Flag: Yes  
Third Party Met Flag: Yes  
Financial Assurance Beginning Date: 03/01/94  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Pressurized  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: Not reported  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Not reported  
Compartment Capacity : 0000000  
Owner ID : 19862  
Owner Name : TEXAS STAR INVESTMENTS INC  
Owner Address : Corpus Christi, TX 78403  
Owner Contact Telephone : 361-882-3311  
Owner Type : Corporation  
Owner Amendment Reason Code : Owner Billing Address Changed  
Owner Amendment Date : 28/02/01  
Owner Tax ID : 741715312  
Number of Facilities reported by Owner : 0027  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 0110  
# Of Aboveground Storage Tanks : 0000  
Operator Effective Date : Not reported  
Operator Type : Corporation  
Owner Contact Name: Tabor Brooks  
Date Registration Form Received : 08/86/05  
Facility Type : Retail  
Name of Facility Manager : SHELLY PENA  
Title of Facility Manager : VP  
Facility Manager Phone : 361-664-0208  
Sign Name on Registration Form : DICK FOGLE  
Title of Signer of Registration Form : SEC TREAS  
Date of Signature on Registration Form : 050586  
Number of USTs: 0004  
Number of ASTs: 0000  
Facility PO Box : Not reported  
Owner PO Box : PO BOX 151  
Region Number : 14  
Facility in Ozone non-attainment area : Not reported

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

TEXAS STAR 115 (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001271820

|  |   |                    |              |
|--|---|--------------------|--------------|
| Facility ID:                                 | 0039266   | Tank Installer:    | Not reported |
| Tank ID:                                     | 3   | Installation Date: | 01/01/1981   |
| Tank Emptied:                                | No  | Status Date:       | Not reported |
| Capacity:                                    | 10000   | Unit ID:           | 00103732     |
| Tank Material of Construction:               | Steel   |                    |              |
| Pipe Material of Construction:               | Fiberglass-Reinforced Plastic (FRP)                     |                    |              |
| Other Materials of Construction:             | Not reported  |                    |              |
| Tank Status:                                 | In Use  |                    |              |
| Tank Construction & Containment:             | Single Wall   |                    |              |
| Pipe Construction & Containment:             | Single Wall   |                    |              |
| Other Construction & Containment:            | Not reported  |                    |              |
| Compartment Substance Stored:                | Gasoline  |                    |              |
| Compartment Other Substance:                 | Not reported  |                    |              |
| Tank Release Detection Method:               | SIR (Stat. Inventory Reconciliation) and Inventory Cntr |                    |              |
| Tank Release Method Detection II:            | Not reported  |                    |              |
| Tank Release Method Detection III:           | Not reported  |                    |              |
| Other Tank Release Method Detection:         | Auto Tank Gauging & inv. contr                          |                    |              |
| Tank Release Detection Variance :            | No Variance   |                    |              |
| Pipe Release Detection Method:               | Auto. Line Leak Detector(3.0gph for pressure piping)    |                    |              |
| Pipe Release Detection Method II:            | SIR (Stat. Inventory Reconciliation) and Inventory Cntr |                    |              |
| Other Pipe Release Detection Method :        | Not reported  |                    |              |
| Pipe Release Detection Variance :            | No Variance   |                    |              |
| Spill and Overfill Protection:               | Automatic Delivery Shut-off Valve                       |                    |              |
| Spill and Overfill Protection II:            | Factory-Built Spill Container/Bucket/Sump               |                    |              |
| Spill and Overfill Protection III:           | Tight-Fill Fitting                                      |                    |              |
| Tank Corrosion Protection:                   | Composite Tank (steel w/FRP laminate)                   |                    |              |
| Pipe Corrosion Protection:                   | None  |                    |              |
| Other Corrosion Protection:                  | Not reported  |                    |              |
| Vapor Recovery Equipment Status:             | Stage 2 Vapor Recovery Equipment Installed              |                    |              |
| Equipment Installed Date:                    | Not reported  |                    |              |
| Equipment Installer:                         | Not reported  |                    |              |
| Contractor Registration Number:              | Not reported  |                    |              |
| Tank Registration Date:                      | 05/08/1986  |                    |              |
| Installer License Number:                    | Not reported  |                    |              |
| Operator Name:                               | TEXAS STAR INVESTMENTS INC                              |                    |              |
| Operator Telephone number:                   | Not reported  |                    |              |
| Operator Address:                            |   |                    |              |
|  | CORPUS CHRISTI, TX 78403                                |                    |              |
| Operator Address building:                   | PO BOX 151  |                    |              |
| Contact Operator Name:                       | TABOR BROOKS  |                    |              |
| Contact Operator title:                      | VP  |                    |              |
| Contact Operator Phone:                      | 361-882-3311  |                    |              |
| Self-Certification date:                     | 011806  |                    |              |
| Signature Name:                              | TABOR BROOKS  |                    |              |
| Signature Title Name:                        | VP  |                    |              |
| Signature Type Text:                         | Legally-Authorized Rep of Owner                         |                    |              |
| Certification Submitted Type:                | Annual  |                    |              |
| Registration Self-Certification Flag:        | Yes   |                    |              |
| Fees Self-Certification Flag:                | Not reported  |                    |              |
| Financial Assurance Self-Certification flag: | Yes   |                    |              |
| Technical standards Self-Certification flag: | Yes   |                    |              |
| UST Delivery Certificate Expiration Date:    | 20/07/02  |                    |              |
| Compartment letter:                          | A   |                    |              |
| Financial Responsibility Type:               | Insurance or Risk Retention Group                       |                    |              |
| Corrective Action Met Flag:                  | Yes   |                    |              |
| Third Party Met Flag:                        | Yes   |                    |              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

MAP FINDINGS

**TEXAS STAR 115 (Continued)**

EDR ID Number  
 EPA ID Number

Database(s)

**U001271820**

Financial Assurance Beginning Date: 03/01/94  
 Piping Design & Ext. Containment 3 : Not reported  
 Piping Design & Ext. Containment 4 : Not reported  
 Type of Piping : Pressurized  
 Internal Tank Lining Date : 00/00/0000  
 Pipe Connectors and Valves 1 : Not reported  
 Pipe Connectors and Valves 2 : Not reported  
 Pipe Connectors and Valves 3 : Not reported  
 Other Tank Corrosion Protection Text: Not reported  
 Tank Corrosion Protection Variance : No Variance  
 Pipe Corrosion Protection 3 : Not reported  
 Pipe Corrosion Protection Variance : No Variance  
 Stage 2 Vapor Recry Equipment Status : Not reported  
 Stage 1 Equipment Installed Date : Not reported  
 Tank Tested : Not reported  
 Compartment Capacity : 0000000  
 Owner ID : 19862  
 Owner Name : TEXAS STAR INVESTMENTS INC  
 Owner Address : Corpus Christi, TX 78403  
 Owner Contact Telephone : 361-882-3311  
 Owner Type : Corporation  
 Owner Amendment Reason Code : Owner Billing Address Changed  
 Owner Amendment Date : 28/02/01  
 Owner Tax ID : 741715312  
 Number of Facilities reported by Owner : 0027  
 Mail Undeliverable : Not reported  
 Bankruptcy In Effect : Not reported  
 # Of Underground Storage Tanks : 0110  
 # Of Aboveground Storage Tanks : 0000  
 Operator Effective Date : Not reported  
 Operator Type : Corporation  
 Owner Contact Name: Tabor Brooks  
 Date Registration Form Received : 08/86/05  
 Facility Type : Retail  
 Name of Facility Manager : SHELLY PENA  
 Title of Facility Manager : VP  
 Facility Manager Phone : 361-664-0208  
 Sign Name on Registration Form : DICK FOGLE  
 Title of Signer of Registration Form : SEC TREAS  
 Date of Signature on Registration Form : 050586  
 Number of USTs: 0004  
 Number of ASTs: 0000  
 Facility PO Box : Not reported  
 Owner PO Box : PO BOX 151  
 Region Number : 14  
 Facility in Ozone non-attainment area : Not reported

**5  
 NNW  
 < 1/8  
 552 ft.**

**SCHLUMBERGER WELL SERVICES  
 130 STADIUM RD  
 ALICE, TX 78332**

**UST U001240025  
 N/A**

**Relative:  
 Higher**

UST:

Facility ID: 0003111  
 Tank ID: 1  
 Tank Emptied: No  
 Capacity: 2000

Tank Installer: Not reported  
 Installation Date: 01/01/1961  
 Status Date: 08/21/1989  
 Unit ID: 00007597

**Actual:  
 192 ft.**

Tank Material of Construction: Steel  
 Pipe Material of Construction: Not reported

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation    Site

MAP FINDINGS

Database(s)    EDR ID Number  
 EPA ID Number

**SCHLUMBERGER WELL SERVICES (Continued)**

**U001240025**

|  |                         |
|--|-------------------------|
| Other Materials of Construction:             | Not reported            |
| Tank Status:                                 | Removed from the Ground |
| Tank Construction & Containment:             | Not reported            |
| Pipe Construction & Containment:             | Not reported            |
| Other Construction & Containment:            | Not reported            |
| Compartment Substance Stored:                | Not reported            |
| Compartment Other Substance:                 | EMPTY                   |
| Tank Release Detection Method:               | Not reported            |
| Tank Release Method Detection II:            | Not reported            |
| Tank Release Method Detection III:           | Not reported            |
| Other Tank Release Method Detection:         | None                    |
| Tank Release Detection Variance :            | No Variance             |
| Pipe Release Detection Method:               | Not reported            |
| Other Pipe Release Detection Method :        | None                    |
| Pipe Release Detection Variance :            | No Variance             |
| Spill and Overfill Protection:               | Not reported            |
| Tank Corrosion Protection:                   | Not reported            |
| Pipe Corrosion Protection:                   | Not reported            |
| Other Corrosion Protection:                  | None                    |
| Vapor Recovery Equipment Status:             | Not reported            |
| Equipment Installed Date:                    | Not reported            |
| Equipment Installer:                         | Not reported            |
| Contractor Registration Number:              | Not reported            |
| Tank Registration Date:                      | 05/08/1986              |
| Installer License Number:                    | Not reported            |
| Operator Name:                               | Not reported            |
| Operator Telephone number:                   | Not reported            |
| Operator Address:                            |                         |
| Operator Address building:                   | Not reported            |
| Contact Operator Name:                       |                         |
| Contact Operator title:                      | Not reported            |
| Contact Operator Phone:                      | Not reported            |
| Self-Certification date:                     | Not reported            |
| Signature Name:                              | Not reported            |
| Signature Title Name:                        | Not reported            |
| Signature Type Text:                         | Not reported            |
| Certification Submitted Type:                | Not reported            |
| Registration Self-Certification Flag:        | Not reported            |
| Fees Self-Certification Flag:                | Not reported            |
| Financial Assurance Self-Certification flag: | Not reported            |
| Technical standards Self-Certification flag: | Not reported            |
| UST Delivery Certificate Expiration Date:    | Not reported            |
| Compartment letter:                          | Not reported            |
| Financial Responsibility Type:               | Not reported            |
| Corrective Action Met Flag:                  | Not reported            |
| Third Party Met Flag:                        | Not reported            |
| Financial Assurance Beginning Date:          | Not reported            |
| Piping Design & Ext. Containment 3 :         | Not reported            |
| Piping Design & Ext. Containment 4 :         | Not reported            |
| Type of Piping :                             | Not reported            |
| Internal Tank Lining Date :                  | 00/00/0000              |
| Pipe Connectors and Valves 1 :               | Not reported            |
| Pipe Connectors and Valves 2 :               | Not reported            |
| Pipe Connectors and Valves 3 :               | Not reported            |
| Other Tank Corrosion Protection Text:        | None                    |
| Tank Corrosion Protection Variance :         | No Variance             |
| Pipe Corrosion Protection 3 :                | Not reported            |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation    Site

MAP FINDINGS

Database(s)    EDR ID Number  
 EPA ID Number

**SCHLUMBERGER WELL SERVICES (Continued)**

**U001240025**

Pipe Corrosion Protection Variance :    No Variance  
 Stage 2 Vapor Recry Equipment Status :    Not reported  
 Stage 1 Equipment Installed Date :    Not reported  
 Tank Tested :    Tested  
 Compartment Capacity :    0000000  
 Owner ID :    01896  
 Owner Name :    SCHLUMBERGER TECHNOLOGY CORPORATION  
 Owner Address :    HOUSTON, TX 77252  
 Owner Contact Telephone :    512-664-6584  
 Owner Type :    Corporation  
 Owner Amendment Reason Code :    Owner Name Changed  
 Owner Amendment Date :    30/03/04  
 Owner Tax ID :    Not reported  
 Number of Facilities reported by Owner :    0002  
 Mail Undeliverable :    Not reported  
 Bankruptcy In Effect :    Not reported  
 # Of Underground Storage Tanks :    0003  
 # Of Aboveground Storage Tanks :    0001  
 Operator Effective Date :    Not reported  
 Operator Type :    Corporation  
 Owner Contact Name:     
 Date Registration Form Received :    08/86/05  
 Facility Type :    None of the above, or unidentified  
 Name of Facility Manager :    W.L. KLOSTERMAN  
 Title of Facility Manager :    DISTRICT MANAGER  
 Facility Manager Phone :    5126646584  
 Sign Name on Registration Form :    W.L. KLOSTERMAN  
 Title of Signer of Registration Form :    DISTRICT MANAGER  
 Date of Signature on Registration Form :    031286  
 Number of USTs:    0001  
 Number of ASTs:    0000  
 Facility PO Box :    Not reported  
 Owner PO Box :    PO BOX 2175  
 Region Number :    14  
 Facility in Ozone non-attainment area :    Not reported

**B6  
 West  
 1/8-1/4  
 705 ft.**

**FESCO INC  
 1408 E MAIN ST  
 ALICE, TX 78332**

**UST    U001252219  
 AST    N/A**

**Site 1 of 2 in cluster B**

**Relative:  
 Higher**

UST:  
 Facility ID:    0017137    Tank Installer:    Not reported  
 Tank ID:    1    Installation Date:    01/01/1984  
 Tank Emptied:    No    Status Date:    12/20/1993  
 Capacity:    1000    Unit ID:    00043559  
 Tank Material of Construction:    Steel  
 Pipe Material of Construction:    Steel  
 Other Materials of Construction:    Not reported  
 Tank Status:    Removed from the Ground  
 Tank Construction & Containment:    Not reported  
 Pipe Construction & Containment:    Not reported  
 Other Construction & Containment:    ASPHALT PAINT  
 Compartment Substance Stored:    Gasoline  
 Compartment Other Substance:    Not reported  
 Tank Release Detection Method:    Not reported  
 Tank Release Method Detection II:    Not reported  
 Tank Release Method Detection III:    Not reported

**Actual:  
 194 ft.**

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

FESCO INC (Continued)

U001252219

Other Tank Release Method Detection: None  
Tank Release Detection Variance : No Variance  
Pipe Release Detection Method: Not reported  
Other Pipe Release Detection Method : None  
Pipe Release Detection Variance : No Variance  
Spill and Overfill Protection: Not reported  
Tank Corrosion Protection: Not reported  
Pipe Corrosion Protection: Not reported  
Other Corrosion Protection: None  
Vapor Recovery Equipment Status: Not reported  
Equipment Installed Date: Not reported  
Equipment Installer: Not reported  
Contractor Registration Number: Not reported  
Tank Registration Date: 05/08/1986  
Installer License Number: Not reported  
Operator Name: Not reported  
Operator Telephone number: Not reported  
Operator Address: Not reported  
Operator Address building: Not reported  
Contact Operator Name: Not reported  
Contact Operator title: Not reported  
Contact Operator Phone: Not reported  
Self-Certification date: Not reported  
Signature Name: Not reported  
Signature Title Name: Not reported  
Signature Type Text: Not reported  
Certification Submitted Type: Not reported  
Registration Self-Certification Flag: Not reported  
Fees Self-Certification Flag: Not reported  
Financial Assurance Self-Certification flag: Not reported  
Technical standards Self-Certification flag: Not reported  
UST Delivery Certificate Expiration Date: Not reported  
Compartment letter: Not reported  
Financial Responsibility Type: Not reported  
Corrective Action Met Flag: Not reported  
Third Party Met Flag: Not reported  
Financial Assurance Beginning Date: Not reported  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Not reported  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: Not reported  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Tested  
Compartment Capacity : 0000000  
Owner ID : 08582  
Owner Name : FESCO INC  
Owner Address : OZONA, TX 76943  
Owner Contact Telephone : (915) 392-3773  
Owner Type : Private or Corporate

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

FESCO INC (Continued)

U001252219

Owner Amendment Reason Code : 001  
Owner Amendment Date : 12/02/01  
Owner Tax ID : 1741458395  
Number of Facilities reported by Owner : 0011  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 0019  
# Of Aboveground Storage Tanks : 0000  
Operator Effective Date : Not reported  
Operator Type : Private or Corporate  
Owner Contact Name: TOM ANDERSON  
Date Registration Form Received : 08/86/05  
Facility Type : None of the above, or unidentified  
Name of Facility Manager : T. KARKOSKA  
Title of Facility Manager : OPS MGR  
Facility Manager Phone : 5126643479  
Sign Name on Registration Form : T. KARKOSKA  
Title of Signer of Registration Form : OPS MGR  
Date of Signature on Registration Form : 042186  
Number of USTs: 0002  
Number of ASTs: 0000  
Facility PO Box : Not reported  
Owner PO Box : PO BOX 1568  
Region Number : 14  
Facility in Ozone non-attainment area : Not reported

Facility ID: 0017137 Tank Installer: Not reported  
Tank ID: 2 Installation Date: 01/01/1984  
Tank Emptied: No Status Date: 12/22/1993  
Capacity: 2000 Unit ID: 00043560

Tank Material of Construction: Steel  
Pipe Material of Construction: Steel  
Other Materials of Construction: Not reported  
Tank Status: Removed from the Ground  
Tank Construction & Containment: Not reported  
Pipe Construction & Containment: Not reported  
Other Construction & Containment: ASPHALT PAINT  
Compartment Substance Stored: Gasoline  
Compartment Other Substance: Not reported  
Tank Release Detection Method: Not reported  
Tank Release Method Detection II: Not reported  
Tank Release Method Detection III: Not reported  
Other Tank Release Method Detection: None  
Tank Release Detection Variance : No Variance  
Pipe Release Detection Method: Not reported  
Other Pipe Release Detection Method : None  
Pipe Release Detection Variance : No Variance  
Spill and Overfill Protection: Not reported  
Tank Corrosion Protection: Not reported  
Pipe Corrosion Protection: Not reported  
Other Corrosion Protection: None  
Vapor Recovery Equipment Status: Not reported  
Equipment Installed Date: Not reported  
Equipment Installer: Not reported  
Contractor Registration Number: Not reported  
Tank Registration Date: 05/08/1986  
Installer License Number: Not reported

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation    Site

MAP FINDINGS

Database(s)    EDR ID Number  
 EPA ID Number

**FESCO INC (Continued)**

**U001252219**

|  |                                    |
|--|------------------------------------|
| Operator Name:                               | Not reported                       |
| Operator Telephone number:                   | Not reported                       |
| Operator Address:                            |                                    |
| Operator Address building:                   | Not reported                       |
| Contact Operator Name:                       |                                    |
| Contact Operator title:                      | Not reported                       |
| Contact Operator Phone:                      | Not reported                       |
| Self-Certification date:                     | Not reported                       |
| Signature Name:                              | Not reported                       |
| Signature Title Name:                        | Not reported                       |
| Signature Type Text:                         | Not reported                       |
| Certification Submitted Type:                | Not reported                       |
| Registration Self-Certification Flag:        | Not reported                       |
| Fees Self-Certification Flag:                | Not reported                       |
| Financial Assurance Self-Certification flag: | Not reported                       |
| Technical standards Self-Certification flag: | Not reported                       |
| UST Delivery Certificate Expiration Date:    | Not reported                       |
| Compartment letter:                          | Not reported                       |
| Financial Responsibility Type:               | Not reported                       |
| Corrective Action Met Flag:                  | Not reported                       |
| Third Party Met Flag:                        | Not reported                       |
| Financial Assurance Beginning Date:          | Not reported                       |
| Piping Design & Ext. Containment 3 :         | Not reported                       |
| Piping Design & Ext. Containment 4 :         | Not reported                       |
| Type of Piping :                             | Not reported                       |
| Internal Tank Lining Date :                  | 00/00/0000                         |
| Pipe Connectors and Valves 1 :               | Not reported                       |
| Pipe Connectors and Valves 2 :               | Not reported                       |
| Pipe Connectors and Valves 3 :               | Not reported                       |
| Other Tank Corrosion Protection Text:        | Not reported                       |
| Tank Corrosion Protection Variance :         | No Variance                        |
| Pipe Corrosion Protection 3 :                | Not reported                       |
| Pipe Corrosion Protection Variance :         | No Variance                        |
| Stage 2 Vapor Recry Equipment Status :       | Not reported                       |
| Stage 1 Equipment Installed Date :           | Not reported                       |
| Tank Tested :                                | Tested                             |
| Compartment Capacity :                       | 0000000                            |
| Owner ID :                                   | 08582                              |
| Owner Name :                                 | FESCO INC                          |
| Owner Address :                              | OZONA, TX 76943                    |
| Owner Contact Telephone :                    | (915) 392-3773                     |
| Owner Type :                                 | Private or Corporate               |
| Owner Amendment Reason Code :                | 001                                |
| Owner Amendment Date :                       | 12/02/01                           |
| Owner Tax ID :                               | 1741458395                         |
| Number of Facilities reported by Owner :     | 0011                               |
| Mail Undeliverable :                         | Not reported                       |
| Bankruptcy In Effect :                       | Not reported                       |
| # Of Underground Storage Tanks :             | 0019                               |
| # Of Aboveground Storage Tanks :             | 0000                               |
| Operator Effective Date :                    | Not reported                       |
| Operator Type :                              | Private or Corporate               |
| Owner Contact Name:                          | TOM ANDERSON                       |
| Date Registration Form Received :            | 08/86/05                           |
| Facility Type :                              | None of the above, or unidentified |
| Name of Facility Manager :                   | T. KARKOSKA                        |
| Title of Facility Manager :                  | OPS MGR                            |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation    Site

MAP FINDINGS

Database(s)    EDR ID Number  
 EPA ID Number

**FESCO INC (Continued)**

**U001252219**

|  |                                       |                              |
|--|---------------------------------------|------------------------------|
| Facility Manager Phone :                 | 5126643479                            |                              |
| Sign Name on Registration Form :         | T. KARKOSKA                           |                              |
| Title of Signer of Registration Form :   | OPS MGR                               |                              |
| Date of Signature on Registration Form : | 042186                                |                              |
| Number of USTs:                          | 0002                                  |                              |
| Number of ASTs:                          | 0000                                  |                              |
| Facility PO Box :                        | Not reported                          |                              |
| Owner PO Box :                           | PO BOX 1568                           |                              |
| Region Number :                          | 14                                    |                              |
| Facility in Ozone non-attainment area :  | Not reported                          |                              |
| <b>AST:</b>                              |                                       |                              |
| Facility ID:                             | 0075949                               | Owner ID: 61383              |
| Tank ID:                                 | 1                                     |                              |
| Number of USTs:                          | 0000                                  | Number of ASTs: 0002         |
| Facility Type:                           | Fleet refueling                       |                              |
| Facility PO Box :                        | Not reported                          |                              |
| Owner PO Box :                           | Not reported                          |                              |
| Date Registration Form Received :        | 29/03/07                              |                              |
| Facility in Ozone non-attainment area :  | Not reported                          |                              |
| Name of Facility Manager :               | SAM PAEZ                              |                              |
| Title of Facility Manager :              | Not reported                          |                              |
| Facility Manager Phone :                 | 361-664-3479                          |                              |
| Sign Name on Registration Form :         | STEVE FINDLEY                         |                              |
| Title of Signer of Registration Form :   | PRES                                  |                              |
| Date of Signature on Registration Form : | 052803                                |                              |
| Capacity:                                | 0002000                               | Tank Status: In Use          |
| Unit ID:                                 | 00201855                              |                              |
| Owner Contact:                           | STEVE FINDLEY                         | Contact phone: 361-664-3479  |
| Content:                                 | Gasoline                              | Other content: Not reported  |
| Containment:                             | Containment liner                     | Other Contain.: Not reported |
| Material:                                | Steel                                 | Other material: Not reported |
| Owner:                                   | FINDLEY JR WILLIAM E                  |                              |
| Date Installed:                          | 06/01/19                              |                              |
| Owner Address:                           | 1000 FESCO AVE<br>ALICE, TX 78332     |                              |
| Date out of use:                         | Not reported                          |                              |
| Tank registration date:                  | 07292003                              |                              |
| Vapor recovery equipment status:         | No Stage 2 Vapor Recovery Equipment   |                              |
| Stage 2 Vapor recvry equipmnt status:    | Not reported                          |                              |
| State 2 equipment installed Date:        | Not reported                          |                              |
| State 2 equipment installed:             | Not reported                          |                              |
| Owner Name:                              | FINDLEY JR WILLIAM E                  |                              |
| Operator Phone                           | Not reported                          |                              |
| Owner Address:                           | 1000 FESCO AVE<br><br>ALICE, TX 78332 |                              |
| Owner Type:                              | Private or Corporate                  |                              |
| Operator Type:                           | Not reported                          |                              |
| Contact Operator:                        |                                       |                              |
| Cont Oper Tele:                          | 361-664-3479                          |                              |
| Mail Undelivrlble :                      | Not reported                          |                              |
| Bankruptcy In Effect                     | Not reported                          |                              |
| # Of Facilities Reported By Owne         | 0002                                  |                              |
| Number Of USTs :                         | 0000                                  | Number Of ASTs :0004         |
| Owner Amendment Reason :                 | owner billing address changed         |                              |
| Owner Amendment Date :                   | 021605                                |                              |
| Owner Tax Id :                           | Not reported                          |                              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s)  
EDR ID Number  
EPA ID Number

FESCO INC (Continued)

U001252219

Financial Respsnbly: Not reported  
Financial Assurance Begin: Not reported  
Third Party Met: Not reported  
Signature Name:  
Signature Type: Not reported  
Cert Submit Type: Not reported  
Fees Self-Cert Flag: Not reported  
Financial Assurance Self-Cert: Not reported  
Compartment Letter: Not reported  
UST Delivery Cert Expire Date:  
Region Number : 14  
Corrtv Action Met: Not reported  
Self-Cert Date: Not reported  
Registrn Self-cert: Not reported  
Facility ID: 0075949  
Tank ID: 2  
Number of USTs: 0000  
Facility Type: Fleet refueling  
Facility PO Box : Not reported  
Owner PO Box : Not reported  
Date Registration Form Received : 29/03/07  
Facility in Ozone non-attainment area : Not reported  
Name of Facility Manager : SAM PAEZ  
Title of Facility Manager : Not reported  
Facility Manager Phone : 361-664-3479  
Sign Name on Registration Form : STEVE FINDLEY  
Title of Signer of Registration Form : PRES  
Date of Signature on Registration Form : 052803  
Capacity: 0002000  
Unit ID: 00201856  
Owner Contact: STEVE FINDLEY  
Content: Diesel  
Containment: Containment liner  
Material: Steel  
Owner: FINDLEY JR WILLIAM E  
Date Installed: 06/01/19  
Owner Address: 1000 FESCO AVE  
ALICE, TX 78332  
Owner ID: 61383  
Number of ASTs: 0002  
Tank Status: In Use  
Contact phone: 361-664-3479  
Other content: Not reported  
Other Contain.: Not reported  
Other material: Not reported  
Date out of use: Not reported  
Tank registration date: 07292003  
Vapor recovery equipment status: No Stage 2 Vapor Recovery Equipment  
Stage 2 Vapor recvry equipmnt status: Not reported  
State 2 equipment installed Date: Not reported  
State 2 equipment installed: Not reported  
Owner Name: FINDLEY JR WILLIAM E  
Operator Phone: Not reported  
Owner Address: 1000 FESCO AVE  
ALICE, TX 78332  
Owner Type: Private or Corporate  
Operator Type: Not reported  
Contact Operator:  
Cont Oper Tele: 361-664-3479  
Mail Undelivrible : Not reported  
Bankruptcy In Effect : Not reported  
# Of Facilities Reported By Owne: 0002  
Number Of USTs : 0000  
Number Of ASTs : 0004  
Owner Amendment Reason : owner billing address changed  
Owner Amendment Date : 021605

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

MAP FINDINGS

**FESCO INC (Continued)**

EDR ID Number  
 EPA ID Number

Database(s)

**U001252219**

Owner Tax Id : Not reported  
 Financial Respsnblty: Not reported  
 Financial Assurance Begin: Not reported  
 Third Party Met: Not reported  
 Signature Name:  
 Signature Type: Not reported  
 Cert Submit Type: Not reported  
 Fees Self-Cert Flag: Not reported  
 Financial Assurance Self-Cert: Not reported  
 Compartment Letter: Not reported  
 UST Delivery Cert Expire Date:  
 Region Number : 14

Corrtv Action Met: Not reported  
 Self-Cert Date: Not reported  
 Registrn Self-cert: Not reported

**B7**  
**West**  
**1/8-1/4**  
**752 ft.**

**FIRESTONE STORE 24F1**  
**1401 E MAIN**  
**ALICE, TX 78332**

**UST** **U001238293**  
**LTANKS** **N/A**

**Site 2 of 2 in cluster B**

**Relative:**  
**Higher**

**LTANKS:**

**Actual:**  
**194 ft.**

Facility ID: Not reported  
 Facility Location: SAGEBEND MALL  
 Reported Date: 4/5/1983  
 Entered Date: Not reported  
 RPR Coordinator: BLB  
 Region: 14  
 Region City ID: CORPUS CHRISTI  
 LPST Id: 091003  
 Responsible Party: J C PENNY CO INC  
 RP Contact: RICK NELINSON  
 RP Telephone: 972/431-4280  
 RP Address: 6501 LEGACY DR  
 PLANO, TX 75024  
 Priority: GW IMPACTED, NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Status: **FINAL CONCURRENCE ISSUED, CASE CLOSED**

**UST:**

Facility ID: 0001066  
 Tank ID: 1  
 Tank Emptied: No  
 Capacity: 550  
 Tank Material of Construction: Steel  
 Pipe Material of Construction: Steel  
 Other Materials of Construction: Not reported  
 Tank Status: Removed from the Ground  
 Tank Construction & Containment: Not reported  
 Pipe Construction & Containment: Not reported  
 Other Construction & Containment: Not reported  
 Compartment Substance Stored: Used Oil  
 Compartment Other Substance: Not reported  
 Tank Release Detection Method: Not reported  
 Tank Release Method Detection II: Not reported  
 Tank Release Method Detection III: Not reported  
 Other Tank Release Method Detection: None  
 Tank Release Detection Variance : No Variance  
 Pipe Release Detection Method: Not reported  
 Other Pipe Release Detection Method : None  
 Pipe Release Detection Variance : No Variance  
 Spill and Overfill Protection: Not reported

Tank Installer: Not reported  
 Installation Date: 01/01/1970  
 Status Date: 09/30/1988  
 Unit ID: 00002739

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**FIRESTONE STORE 24F1 (Continued)**

**U001238293**

|  |  |
|--|--|
| Tank Corrosion Protection:                   | Not reported                           |
| Pipe Corrosion Protection:                   | Not reported                           |
| Other Corrosion Protection:                  | None                                   |
| Vapor Recovery Equipment Status:             | Not reported                           |
| Equipment Installed Date:                    | Not reported                           |
| Equipment Installer:                         | Not reported                           |
| Contractor Registration Number:              | Not reported                           |
| Tank Registration Date:                      | 05/08/1986                             |
| Installer License Number:                    | Not reported                           |
| Operator Name:                               | Not reported                           |
| Operator Telephone number:                   | Not reported                           |
| Operator Address:                            |  |
| Operator Address building:                   | Not reported                           |
| Contact Operator Name:                       |  |
| Contact Operator title:                      | Not reported                           |
| Contact Operator Phone:                      | Not reported                           |
| Self-Certification date:                     | Not reported                           |
| Signature Name:                              | Not reported                           |
| Signature Title Name:                        | Not reported                           |
| Signature Type Text:                         | Not reported                           |
| Certification Submitted Type:                | Not reported                           |
| Registration Self-Certification Flag:        | Not reported                           |
| Fees Self-Certification Flag:                | Not reported                           |
| Financial Assurance Self-Certification flag: | Not reported                           |
| Technical standards Self-Certification flag: | Not reported                           |
| UST Delivery Certificate Expiration Date:    | Not reported                           |
| Compartment letter:                          | Not reported                           |
| Financial Responsibility Type:               | Not reported                           |
| Corrective Action Met Flag:                  | Not reported                           |
| Third Party Met Flag:                        | Not reported                           |
| Financial Assurance Beginning Date:          | Not reported                           |
| Piping Design & Ext. Containment 3 :         | Not reported                           |
| Piping Design & Ext. Containment 4 :         | Not reported                           |
| Type of Piping :                             | Not reported                           |
| Internal Tank Lining Date :                  | 00/00/0000                             |
| Pipe Connectors and Valves 1 :               | Not reported                           |
| Pipe Connectors and Valves 2 :               | Not reported                           |
| Pipe Connectors and Valves 3 :               | Not reported                           |
| Other Tank Corrosion Protection Text:        | None                                   |
| Tank Corrosion Protection Variance :         | No Variance                            |
| Pipe Corrosion Protection 3 :                | Not reported                           |
| Pipe Corrosion Protection Variance :         | No Variance                            |
| Stage 2 Vapor Recry Equipment Status :       | Not reported                           |
| Stage 1 Equipment Installed Date :           | Not reported                           |
| Tank Tested :                                | Not reported                           |
| Compartment Capacity :                       | 0000000                                |
| Owner ID :                                   | 58665                                  |
| Owner Name :                                 | BRIDGESTONE FIRESTONE INC              |
| Owner Address :                              | 50 CENTURY BLVD<br>NASHVILLE, TN 37214 |
| Owner Contact Telephone :                    | Not reported                           |
| Owner Type :                                 | Private or Corporate                   |
| Owner Amendment Reason Code :                | Owner Name Changed                     |
| Owner Amendment Date :                       | 21/03/05                               |
| Owner Tax ID :                               | Not reported                           |
| Number of Facilities reported by Owner :     | 0015                                   |
| Mail Undeliverable :                         | Not reported                           |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**FIRESTONE STORE 24F1 (Continued)**

**U001238293**

Bankruptcy In Effect : Not reported  
 # Of Underground Storage Tanks : 0030  
 # Of Aboveground Storage Tanks : 0000  
 Operator Effective Date : Not reported  
 Operator Type : Private or Corporate  
 Owner Contact Name:  
 Date Registration Form Received : 08/86/05  
 Facility Type : Other  
 Name of Facility Manager : C L KRZYSIAK  
 Title of Facility Manager : SECT MGR  
 Facility Manager Phone : 2163625335  
 Sign Name on Registration Form : C L KRZYSIAK  
 Title of Signer of Registration Form : SECT MGR  
 Date of Signature on Registration Form : 031486  
 Number of USTs: 0001  
 Number of ASTs: 0000  
 Facility PO Box : Not reported  
 Owner PO Box : Not reported  
 Region Number : 14  
 Facility in Ozone non-attainment area : Not reported

**8  
 NW  
 1/8-1/4  
 837 ft.**

**FIRESTONE STORE 4491  
 SAGEWOOD MALL  
 ALICE, TX 78332**

**UST U001254634  
 N/A**

**Relative:  
 Higher**

**UST:**

**Actual:  
 193 ft.**

|                                       |                         |                    |              |
|---------------------------------------|-------------------------|--------------------|--------------|
| Facility ID:                          | 0019780                 | Tank Installer:    | Not reported |
| Tank ID:                              | 1                       | Installation Date: | 01/01/1968   |
| Tank Emptied:                         | No                      | Status Date:       | 02/11/1993   |
| Capacity:                             | 75                      | Unit ID:           | 00050869     |
| Tank Material of Construction:        | Steel                   |                    |              |
| Pipe Material of Construction:        | Steel                   |                    |              |
| Other Materials of Construction:      | Not reported            |                    |              |
| Tank Status:                          | Removed from the Ground |                    |              |
| Tank Construction & Containment:      | Not reported            |                    |              |
| Pipe Construction & Containment:      | Not reported            |                    |              |
| Other Construction & Containment:     | Not reported            |                    |              |
| Compartment Substance Stored:         | Used Oil                |                    |              |
| Compartment Other Substance:          | Not reported            |                    |              |
| Tank Release Detection Method:        | Not reported            |                    |              |
| Tank Release Method Detection II:     | Not reported            |                    |              |
| Tank Release Method Detection III:    | Not reported            |                    |              |
| Other Tank Release Method Detection:  | None                    |                    |              |
| Tank Release Detection Variance :     | No Variance             |                    |              |
| Pipe Release Detection Method:        | Not reported            |                    |              |
| Other Pipe Release Detection Method : | None                    |                    |              |
| Pipe Release Detection Variance :     | No Variance             |                    |              |
| Spill and Overfill Protection:        | Not reported            |                    |              |
| Tank Corrosion Protection:            | Not reported            |                    |              |
| Pipe Corrosion Protection:            | Not reported            |                    |              |
| Other Corrosion Protection:           | None                    |                    |              |
| Vapor Recovery Equipment Status:      | Not reported            |                    |              |
| Equipment Installed Date:             | Not reported            |                    |              |
| Equipment Installer:                  | Not reported            |                    |              |
| Contractor Registration Number:       | Not reported            |                    |              |
| Tank Registration Date:               | 05/08/1986              |                    |              |
| Installer License Number:             | Not reported            |                    |              |
| Operator Name:                        | Not reported            |                    |              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

**FIRESTONE STORE 4491 (Continued)**

**U001254634**

Operator Telephone number: Not reported  
Operator Address:  
Operator Address building: Not reported  
Contact Operator Name:  
Contact Operator title: Not reported  
Contact Operator Phone: Not reported  
Self-Certification date: Not reported  
Signature Name: Not reported  
Signature Title Name: Not reported  
Signature Type Text: Not reported  
Certification Submitted Type: Not reported  
Registration Self-Certification Flag: Not reported  
Fees Self-Certification Flag: Not reported  
Financial Assurance Self-Certification flag: Not reported  
Technical standards Self-Certification flag: Not reported  
UST Delivery Certificate Expiration Date: Not reported  
Compartment letter: Not reported  
Financial Responsibility Type: Not reported  
Corrective Action Met Flag: Not reported  
Third Party Met Flag: Not reported  
Financial Assurance Beginning Date: Not reported  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Not reported  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: Not reported  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Tested  
Compartment Capacity : 0000000  
Owner ID : 09179  
Owner Name : ALICIA CORP  
Owner Address : 1800 GUARANTY PLAZA  
CORPUS CHRISTI, TX 78475  
  
Owner Contact Telephone : 512-664-9911  
Owner Type : Private or Corporate  
Owner Amendment Reason Code : Owner Address Deliverable  
Owner Amendment Date : 04/02/10  
Owner Tax ID : Not reported  
Number of Facilities reported by Owner : 0001  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 0001  
# Of Aboveground Storage Tanks : 0000  
Operator Effective Date : Not reported  
Operator Type : Private or Corporate  
Owner Contact Name: PATRICK ROGERS  
Date Registration Form Received : 08/86/05  
Facility Type : None of the above, or unidentified  
Name of Facility Manager : K. ATKINS  
Title of Facility Manager : MGR

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**FIRESTONE STORE 4491 (Continued)**

**U001254634**

Facility Manager Phone : 5126649911  
 Sign Name on Registration Form : K. ATKINS  
 Title of Signer of Registration Form : MGR  
 Date of Signature on Registration Form : 031986  
 Number of USTs: 0001  
 Number of ASTs: 0000  
 Facility PO Box : Not reported  
 Owner PO Box : Not reported  
 Region Number : 14  
 Facility in Ozone non-attainment area : Not reported

**9**  
**West**  
**1/8-1/4**  
**965 ft.**

**WAL-MART STORES INC**  
**1250 E HOUSTON STREET**  
**ALICE, TX 78332**

**RCRA-SQG 1000139331**  
**FINDS TXD149971046**  
**UST**

**Relative:**  
**Higher**

RCRAInfo:  
 Owner: WAL MART STORES INC  
 (000) 000-0000  
 EPA ID: TXD149971046  
 Contact: DAVID EHRETT  
 (512) 668-6620

**Actual:**  
**194 ft.**

Classification: Small Quantity Generator  
 TSDF Activities: Not reported  
 Violation Status: No violations found

**FINDS:**

Other Pertinent Environmental Activity Identified at Site:  
 RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**UST:**

|                                       |                                     |                    |              |
|---------------------------------------|-------------------------------------|--------------------|--------------|
| Facility ID:                          | 0058410                             | Tank Installer:    | Not reported |
| Tank ID:                              | 1                                   | Installation Date: | 07/01/1985   |
| Tank Emptied:                         | No                                  | Status Date:       | 03/30/1992   |
| Capacity:                             | 550                                 | Unit ID:           | 00139443     |
| Tank Material of Construction:        | Fiberglass-Reinforced Plastic (FRP) |                    |              |
| Pipe Material of Construction:        | Steel                               |                    |              |
| Other Materials of Construction:      | Not reported                        |                    |              |
| Tank Status:                          | Removed from the Ground             |                    |              |
| Tank Construction & Containment:      | Single Wall                         |                    |              |
| Pipe Construction & Containment:      | Single Wall                         |                    |              |
| Other Construction & Containment:     | Not reported                        |                    |              |
| Compartment Substance Stored:         | Used Oil                            |                    |              |
| Compartment Other Substance:          | Not reported                        |                    |              |
| Tank Release Detection Method:        | Not reported                        |                    |              |
| Tank Release Method Detection II:     | Not reported                        |                    |              |
| Tank Release Method Detection III:    | Not reported                        |                    |              |
| Other Tank Release Method Detection:  | None                                |                    |              |
| Tank Release Detection Variance :     | No Variance                         |                    |              |
| Pipe Release Detection Method:        | Not reported                        |                    |              |
| Other Pipe Release Detection Method : | None                                |                    |              |
| Pipe Release Detection Variance :     | No Variance                         |                    |              |
| Spill and Overfill Protection:        | Not reported                        |                    |              |
| Tank Corrosion Protection:            | Not reported                        |                    |              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

**WAL-MART STORES INC (Continued)**

**1000139331**

|  |  |
|--|--|
| Pipe Corrosion Protection:                   | Not reported                                     |
| Other Corrosion Protection:                  | None   |
| Vapor Recovery Equipment Status:             | Not reported                                     |
| Equipment Installed Date:                    | Not reported                                     |
| Equipment Installer:                         | Not reported                                     |
| Contractor Registration Number:              | Not reported                                     |
| Tank Registration Date:                      | 05/24/1991                                       |
| Installer License Number:                    | Not reported                                     |
| Operator Name:                               | Not reported                                     |
| Operator Telephone number:                   | Not reported                                     |
| Operator Address:                            |  |
| Operator Address building:                   | Not reported                                     |
| Contact Operator Name:                       |  |
| Contact Operator title:                      | Not reported                                     |
| Contact Operator Phone:                      | Not reported                                     |
| Self-Certification date:                     | Not reported                                     |
| Signature Name:                              | Not reported                                     |
| Signature Title Name:                        | Not reported                                     |
| Signature Type Text:                         | Not reported                                     |
| Certification Submitted Type:                | Not reported                                     |
| Registration Self-Certification Flag:        | Not reported                                     |
| Fees Self-Certification Flag:                | Not reported                                     |
| Financial Assurance Self-Certification flag: | Not reported                                     |
| Technical standards Self-Certification flag: | Not reported                                     |
| UST Delivery Certificate Expiration Date:    | Not reported                                     |
| Compartment letter:                          | Not reported                                     |
| Financial Responsibility Type:               | Not reported                                     |
| Corrective Action Met Flag:                  | Not reported                                     |
| Third Party Met Flag:                        | Not reported                                     |
| Financial Assurance Beginning Date:          | Not reported                                     |
| Piping Design & Ext. Containment 3 :         | Not reported                                     |
| Piping Design & Ext. Containment 4 :         | Not reported                                     |
| Type of Piping :                             | Gravity  |
| Internal Tank Lining Date :                  | 00/00/0000                                       |
| Pipe Connectors and Valves 1 :               | Not reported                                     |
| Pipe Connectors and Valves 2 :               | Not reported                                     |
| Pipe Connectors and Valves 3 :               | Not reported                                     |
| Other Tank Corrosion Protection Text:        | None   |
| Tank Corrosion Protection Variance :         | No Variance                                      |
| Pipe Corrosion Protection 3 :                | Not reported                                     |
| Pipe Corrosion Protection Variance :         | No Variance                                      |
| Stage 2 Vapor Recry Equipment Status :       | Not reported                                     |
| Stage 1 Equipment Installed Date :           | Not reported                                     |
| Tank Tested :                                | Tested   |
| Compartment Capacity :                       | 0000000  |
| Owner ID :                                   | 22656  |
| Owner Name :                                 | WAL-MART STORES INC                              |
| Owner Address :                              | 702 SW 8TH ST Dept 8916<br>BENTONVILLE, AR 72716 |
| Owner Contact Telephone :                    | 479-204-2188                                     |
| Owner Type :                                 | Corporation                                      |
| Owner Amendment Reason Code :                | 035  |
| Owner Amendment Date :                       | 02/05/06   |
| Owner Tax ID :                               | Not reported                                     |
| Number of Facilities reported by Owner :     | 0089   |
| Mail Undeliverable :                         | Not reported                                     |
| Bankruptcy In Effect :                       | Not reported                                     |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**WAL-MART STORES INC (Continued)**

**1000139331**

# Of Underground Storage Tanks : 0097  
 # Of Aboveground Storage Tanks : 0000  
 Operator Effective Date : Not reported  
 Operator Type : Corporation  
 Owner Contact Name: SHEILA DEARING  
 Date Registration Form Received : 24/91/05  
 Facility Type : Retail  
 Name of Facility Manager : \$  
 Title of Facility Manager : Not reported  
 Facility Manager Phone : 5126686620  
 Sign Name on Registration Form : ZEB LAVZON  
 Title of Signer of Registration Form : BUYER  
 Date of Signature on Registration Form : 050891  
 Number of USTs: 0001  
 Number of ASTs: 0000  
 Facility PO Box : Not reported  
 Owner PO Box : Not reported  
 Region Number : 14  
 Facility in Ozone non-attainment area : Not reported

**C10  
 NNE  
 1/8-1/4  
 1017 ft.**

**CIRCLE K 7049  
 1723 E MAIN  
 ALICE, TX 78332**

**UST U001262344  
 LTANKS N/A**

**Site 1 of 2 in cluster C**

**Relative:  
 Lower**

**LTANKS:**

**Actual:  
 190 ft.**

Facility ID: 0028711  
 Facility Location: 1723 E MAIN  
 Reported Date: 4/23/1993  
 Entered Date: 7/5/1993  
 RPR Coordinator: TH2  
 Region: 14  
 Region City ID: CORPUS CHRISTI  
 LPST Id: 106826  
 Responsible Party: COASTAL MART INC  
 RP Contact: DAVID W ZUVANICH  
 RP Telephone: 713/420-3414  
 RP Address: 1001 LOUISIANA  
 HOUSTON, TX 77002  
 Priority: A DESIGNED MAJOR OR MINOR AQUIFER IS IMPACTED  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**

**UST:**

|                                   |                                     |                    |              |
|-----------------------------------|-------------------------------------|--------------------|--------------|
| Facility ID:                      | 0028711                             | Tank Installer:    | Not reported |
| Tank ID:                          | 1                                   | Installation Date: | 01/01/1974   |
| Tank Emptied:                     | No                                  | Status Date:       | 08/19/1993   |
| Capacity:                         | 8000                                | Unit ID:           | 00075448     |
| Tank Material of Construction:    | Steel                               |                    |              |
| Pipe Material of Construction:    | Fiberglass-Reinforced Plastic (FRP) |                    |              |
| Other Materials of Construction:  | Not reported                        |                    |              |
| Tank Status:                      | Removed from the Ground             |                    |              |
| Tank Construction & Containment:  | Single Wall                         |                    |              |
| Pipe Construction & Containment:  | Single Wall                         |                    |              |
| Other Construction & Containment: | Not reported                        |                    |              |
| Compartment Substance Stored:     | Gasoline                            |                    |              |
| Compartment Other Substance:      | Not reported                        |                    |              |
| Tank Release Detection Method:    | Vapor Monitoring                    |                    |              |
| Tank Release Method Detection II: | Not reported                        |                    |              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**CIRCLE K 7049 (Continued)**

**U001262344**

Tank Release Method Detection III: Not reported  
 Other Tank Release Method Detection: Inventory Control  
 Tank Release Detection Variance : No Variance  
 Pipe Release Detection Method: Vapor Monitoring  
 Other Pipe Release Detection Method : Tightness Testing  
 Pipe Release Detection Variance : No Variance  
 Spill and Overfill Protection: Auto. Flow Restrictor Valve  
 Spill and Overfill Protection II: Factory-Built Spill Container/Bucket/Sump  
 Spill and Overfill Protection III: Tight-Fill Fitting  
 Tank Corrosion Protection: Not reported  
 Pipe Corrosion Protection: Not reported  
 Other Corrosion Protection: Non Corrodible Material  
 Vapor Recovery Equipment Status: Not reported  
 Equipment Installed Date: Not reported  
 Equipment Installer: Not reported  
 Contractor Registration Number: Not reported  
 Tank Registration Date: 05/08/1986  
 Installer License Number: Not reported  
 Operator Name: SSP PARTNERS INC  
 Operator Telephone number: Not reported  
 Operator Address: 2935 CACTUS RD

CORPUS CHRISTI, TX 78415

Operator Address building: Not reported  
 Contact Operator Name: ROBERT MUIR  
 Contact Operator title: COMP MGR  
 Contact Operator Phone: 361-852-2266  
 Self-Certification date: 121905  
 Signature Name: Robert Muir  
 Signature Title Name: V.P. Facilities Mgmt  
 Signature Type Text: Legally-Authorized Rep of Owner  
 Certification Submitted Type: Annual  
 Registration Self-Certification Flag: Yes  
 Fees Self-Certification Flag: Not reported  
 Financial Assurance Self-Certification flag: Yes  
 Technical standards Self-Certification flag: Yes  
 UST Delivery Certificate Expiration Date: 20/07/01  
 Compartment letter: A  
 Financial Responsibility Type: Insurance or Risk Retention Group  
 Corrective Action Met Flag: Yes  
 Third Party Met Flag: Yes  
 Financial Assurance Beginning Date: 03/01/94  
 Piping Design & Ext. Containment 3 : Not reported  
 Piping Design & Ext. Containment 4 : Not reported  
 Type of Piping : Pressurized  
 Internal Tank Lining Date : 00/00/0000  
 Pipe Connectors and Valves 1 : Not reported  
 Pipe Connectors and Valves 2 : Not reported  
 Pipe Connectors and Valves 3 : Not reported  
 Other Tank Corrosion Protection Text: Not reported  
 Tank Corrosion Protection Variance : No Variance  
 Pipe Corrosion Protection 3 : Not reported  
 Pipe Corrosion Protection Variance : No Variance  
 Stage 2 Vapor Recry Equipment Status : Not reported  
 Stage 1 Equipment Installed Date : Not reported  
 Tank Tested : Tested  
 Compartment Capacity : 0000000

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

MAP FINDINGS

**CIRCLE K 7049 (Continued)**

EDR ID Number  
 EPA ID Number

Database(s)

**U001262344**

|  |   |                    |              |
|--|---|--------------------|--------------|
| Owner ID :                               | 46081                                     |                    |              |
| Owner Name :                             | SSP PARTNERS                              |                    |              |
| Owner Address :                          | 2935 CACTUS DR                            |                    |              |
|  | CORPUS CHRISTI, TX 78415                  |                    |              |
| Owner Contact Telephone :                | 361-852-2266                              |                    |              |
| Owner Type :                             | Private or Corporate                      |                    |              |
| Owner Amendment Reason Code :            | Owner Name Changed                        |                    |              |
| Owner Amendment Date :                   | 02/05/11                                  |                    |              |
| Owner Tax ID :                           | 17427375724                               |                    |              |
| Number of Facilities reported by Owner : | 0324                                      |                    |              |
| Mail Undeliverable :                     | Not reported                              |                    |              |
| Bankruptcy In Effect :                   | Not reported                              |                    |              |
| # Of Underground Storage Tanks :         | 1071                                      |                    |              |
| # Of Aboveground Storage Tanks :         | 0000                                      |                    |              |
| Operator Effective Date :                | Not reported                              |                    |              |
| Operator Type :                          | Private or Corporate                      |                    |              |
| Owner Contact Name:                      | ROBERT MUIR                               |                    |              |
| Date Registration Form Received :        | 08/86/05                                  |                    |              |
| Facility Type :                          | Retail                                    |                    |              |
| Name of Facility Manager :               | ROBERT MUIR                               |                    |              |
| Title of Facility Manager :              | COMP MGR                                  |                    |              |
| Facility Manager Phone :                 | 361-664-1932                              |                    |              |
| Sign Name on Registration Form :         | K.C. LOOSEMORE                            |                    |              |
| Title of Signer of Registration Form :   | EXEC. V.P.                                |                    |              |
| Date of Signature on Registration Form : | 042986                                    |                    |              |
| Number of USTs:                          | 0004                                      |                    |              |
| Number of ASTs:                          | 0000                                      |                    |              |
| Facility PO Box :                        | Not reported                              |                    |              |
| Owner PO Box :                           | Not reported                              |                    |              |
| Region Number :                          | 14  |                    |              |
| Facility in Ozone non-attainment area :  | Not reported                              |                    |              |
| Facility ID:                             | 0028711                                   | Tank Installer:    | Not reported |
| Tank ID:                                 | 2   | Installation Date: | 01/01/1974   |
| Tank Emptied:                            | No  | Status Date:       | 08/19/1993   |
| Capacity:                                | 8000                                      | Unit ID:           | 00075449     |
| Tank Material of Construction:           | Steel                                     |                    |              |
| Pipe Material of Construction:           | Fiberglass-Reinforced Plastic (FRP)       |                    |              |
| Other Materials of Construction:         | Not reported                              |                    |              |
| Tank Status:                             | Removed from the Ground                   |                    |              |
| Tank Construction & Containment:         | Single Wall                               |                    |              |
| Pipe Construction & Containment:         | Single Wall                               |                    |              |
| Other Construction & Containment:        | Not reported                              |                    |              |
| Compartment Substance Stored:            | Gasoline                                  |                    |              |
| Compartment Other Substance:             | Not reported                              |                    |              |
| Tank Release Detection Method:           | Vapor Monitoring                          |                    |              |
| Tank Release Method Detection II:        | Not reported                              |                    |              |
| Tank Release Method Detection III:       | Not reported                              |                    |              |
| Other Tank Release Method Detection:     | Inventory Control                         |                    |              |
| Tank Release Detection Variance :        | No Variance                               |                    |              |
| Pipe Release Detection Method:           | Vapor Monitoring                          |                    |              |
| Other Pipe Release Detection Method :    | Tightness Testing                         |                    |              |
| Pipe Release Detection Variance :        | No Variance                               |                    |              |
| Spill and Overfill Protection:           | Auto. Flow Restrictor Valve               |                    |              |
| Spill and Overfill Protection II:        | Factory-Built Spill Container/Bucket/Sump |                    |              |
| Spill and Overfill Protection III:       | Tight-Fill Fitting                        |                    |              |
| Tank Corrosion Protection:               | Not reported                              |                    |              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**CIRCLE K 7049 (Continued)**

**U001262344**

|  |                                   |
|--|-----------------------------------|
| Pipe Corrosion Protection:                   | Not reported                      |
| Other Corrosion Protection:                  | Non Corrodible Material           |
| Vapor Recovery Equipment Status:             | Not reported                      |
| Equipment Installed Date:                    | Not reported                      |
| Equipment Installer:                         | Not reported                      |
| Contractor Registration Number:              | Not reported                      |
| Tank Registration Date:                      | 05/08/1986                        |
| Installer License Number:                    | Not reported                      |
| Operator Name:                               | SSP PARTNERS INC                  |
| Operator Telephone number:                   | Not reported                      |
| Operator Address:                            | 2935 CACTUS RD                    |
|  | CORPUS CHRISTI, TX 78415          |
| Operator Address building:                   | Not reported                      |
| Contact Operator Name:                       | ROBERT MUIR                       |
| Contact Operator title:                      | COMP MGR                          |
| Contact Operator Phone:                      | 361-852-2266                      |
| Self-Certification date:                     | 121905                            |
| Signature Name:                              | Robert Muir                       |
| Signature Title Name:                        | V.P. Facilities Mgmt              |
| Signature Type Text:                         | Legally-Authorized Rep of Owner   |
| Certification Submitted Type:                | Annual                            |
| Registration Self-Certification Flag:        | Yes                               |
| Fees Self-Certification Flag:                | Not reported                      |
| Financial Assurance Self-Certification flag: | Yes                               |
| Technical standards Self-Certification flag: | Yes                               |
| UST Delivery Certificate Expiration Date:    | 20/07/01                          |
| Compartment letter:                          | A                                 |
| Financial Responsibility Type:               | Insurance or Risk Retention Group |
| Corrective Action Met Flag:                  | Yes                               |
| Third Party Met Flag:                        | Yes                               |
| Financial Assurance Beginning Date:          | 03/01/94                          |
| Piping Design & Ext. Containment 3 :         | Not reported                      |
| Piping Design & Ext. Containment 4 :         | Not reported                      |
| Type of Piping :                             | Pressurized                       |
| Internal Tank Lining Date :                  | 00/00/0000                        |
| Pipe Connectors and Valves 1 :               | Not reported                      |
| Pipe Connectors and Valves 2 :               | Not reported                      |
| Pipe Connectors and Valves 3 :               | Not reported                      |
| Other Tank Corrosion Protection Text:        | Not reported                      |
| Tank Corrosion Protection Variance :         | No Variance                       |
| Pipe Corrosion Protection 3 :                | Not reported                      |
| Pipe Corrosion Protection Variance :         | No Variance                       |
| Stage 2 Vapor Recry Equipment Status :       | Not reported                      |
| Stage 1 Equipment Installed Date :           | Not reported                      |
| Tank Tested :                                | Tested                            |
| Compartment Capacity :                       | 0000000                           |
| Owner ID :                                   | 46081                             |
| Owner Name :                                 | SSP PARTNERS                      |
| Owner Address :                              | 2935 CACTUS DR                    |
|  | CORPUS CHRISTI, TX 78415          |
| Owner Contact Telephone :                    | 361-852-2266                      |
| Owner Type :                                 | Private or Corporate              |
| Owner Amendment Reason Code :                | Owner Name Changed                |
| Owner Amendment Date :                       | 02/05/11                          |
| Owner Tax ID :                               | 17427375724                       |
| Number of Facilities reported by Owner :     | 0324                              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**CIRCLE K 7049 (Continued)**

**U001262344**

|  |   |                    |              |
|--|---|--------------------|--------------|
| Mail Undeliverable :                     | Not reported                              |                    |              |
| Bankruptcy In Effect :                   | Not reported                              |                    |              |
| # Of Underground Storage Tanks :         | 1071                                      |                    |              |
| # Of Aboveground Storage Tanks :         | 0000                                      |                    |              |
| Operator Effective Date :                | Not reported                              |                    |              |
| Operator Type :                          | Private or Corporate                      |                    |              |
| Owner Contact Name:                      | ROBERT MUIR                               |                    |              |
| Date Registration Form Received :        | 08/86/05                                  |                    |              |
| Facility Type :                          | Retail                                    |                    |              |
| Name of Facility Manager :               | ROBERT MUIR                               |                    |              |
| Title of Facility Manager :              | COMP MGR                                  |                    |              |
| Facility Manager Phone :                 | 361-664-1932                              |                    |              |
| Sign Name on Registration Form :         | K.C. LOOSEMORE                            |                    |              |
| Title of Signer of Registration Form :   | EXEC. V.P.                                |                    |              |
| Date of Signature on Registration Form : | 042986                                    |                    |              |
| Number of USTs:                          | 0004                                      |                    |              |
| Number of ASTs:                          | 0000                                      |                    |              |
| Facility PO Box :                        | Not reported                              |                    |              |
| Owner PO Box :                           | Not reported                              |                    |              |
| Region Number :                          | 14  |                    |              |
| Facility in Ozone non-attainment area :  | Not reported                              |                    |              |
| Facility ID:                             | 0028711                                   | Tank Installer:    | Not reported |
| Tank ID:                                 | 2   | Installation Date: | 08/01/1993   |
| Tank Emptied:                            | No  | Status Date:       | Not reported |
| Capacity:                                | 10000                                     | Unit ID:           | 00075450     |
| Tank Material of Construction:           | Composite (steel with FRP laminate)       |                    |              |
| Pipe Material of Construction:           | Fiberglass-Reinforced Plastic (FRP)       |                    |              |
| Other Materials of Construction:         | Not reported                              |                    |              |
| Tank Status:                             | In Use                                    |                    |              |
| Tank Construction & Containment:         | Not reported                              |                    |              |
| Tank Construction & Containment II:      | Single Wall                               |                    |              |
| Pipe Construction & Containment:         | Not reported                              |                    |              |
| Pipe Construction & Containment II:      | Single Wall                               |                    |              |
| Other Construction & Containment:        | Not reported                              |                    |              |
| Compartment Substance Stored:            | Gasoline                                  |                    |              |
| Compartment Other Substance:             | Not reported                              |                    |              |
| Tank Release Detection Method:           | Vapor Monitoring                          |                    |              |
| Tank Release Method Detection II:        | Not reported                              |                    |              |
| Tank Release Method Detection III:       | Not reported                              |                    |              |
| Other Tank Release Method Detection:     | Inventory Control                         |                    |              |
| Tank Release Detection Variance :        | No Variance                               |                    |              |
| Pipe Release Detection Method:           | Vapor Monitoring                          |                    |              |
| Other Pipe Release Detection Method :    | Tightness Testing                         |                    |              |
| Pipe Release Detection Variance :        | No Variance                               |                    |              |
| Spill and Overfill Protection:           | Auto. Flow Restrictor Valve               |                    |              |
| Spill and Overfill Protection II:        | Factory-Built Spill Container/Bucket/Sump |                    |              |
| Spill and Overfill Protection III:       | Tight-Fill Fitting                        |                    |              |
| Tank Corrosion Protection:               | Noncorrodible Material (c.g. FRP)         |                    |              |
| Pipe Corrosion Protection:               | None                                      |                    |              |
| Other Corrosion Protection:              | Not reported                              |                    |              |
| Vapor Recovery Equipment Status:         | No Stage 2 Vapor Recovery Equipment       |                    |              |
| Equipment Installed Date:                | Not reported                              |                    |              |
| Equipment Installer:                     | Not reported                              |                    |              |
| Contractor Registration Number:          | Not reported                              |                    |              |
| Tank Registration Date:                  | 05/08/1986                                |                    |              |
| Installer License Number:                | Not reported                              |                    |              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**CIRCLE K 7049 (Continued)**

**U001262344**

Operator Name: SSP PARTNERS INC  
 Operator Telephone number: Not reported  
 Operator Address: 2935 CACTUS RD  
 CORPUS CHRISTI, TX 78415  
 Operator Address building: Not reported  
 Contact Operator Name: ROBERT MUIR  
 Contact Operator title: COMP MGR  
 Contact Operator Phone: 361-852-2266  
 Self-Certification date: 121905  
 Signature Name: Robert Muir  
 Signature Title Name: V.P. Facilities Mgmt  
 Signature Type Text: Legally-Authorized Rep of Owner  
 Certification Submitted Type: Annual  
 Registration Self-Certification Flag: Yes  
 Fees Self-Certification Flag: Not reported  
 Financial Assurance Self-Certification flag: Yes  
 Technical standards Self-Certification flag: Yes  
 UST Delivery Certificate Expiration Date: 20/07/01  
 Compartment letter: A  
 Financial Responsibility Type: Insurance or Risk Retention Group  
 Corrective Action Met Flag: Yes  
 Third Party Met Flag: Yes  
 Financial Assurance Beginning Date: 03/01/94  
 Piping Design & Ext. Containment 3 : Not reported  
 Piping Design & Ext. Containment 4 : Not reported  
 Type of Piping : Pressurized  
 Internal Tank Lining Date : 00/00/0000  
 Pipe Connectors and Valves 1 : 3  
 Pipe Connectors and Valves 2 : 1  
 Pipe Connectors and Valves 3 : Not reported  
 Other Tank Corrosion Protection Text: Not reported  
 Tank Corrosion Protection Variance : No Variance  
 Pipe Corrosion Protection 3 : Not reported  
 Pipe Corrosion Protection Variance : No Variance  
 Stage 2 Vapor Recry Equipment Status : Not reported  
 Stage 1 Equipment Installed Date : Not reported  
 Tank Tested : Tested  
 Compartment Capacity : 0000000  
 Owner ID : 46081  
 Owner Name : SSP PARTNERS  
 Owner Address : 2935 CACTUS DR  
 CORPUS CHRISTI, TX 78415  
 Owner Contact Telephone : 361-852-2266  
 Owner Type : Private or Corporate  
 Owner Amendment Reason Code : Owner Name Changed  
 Owner Amendment Date : 02/05/11  
 Owner Tax ID : 17427375724  
 Number of Facilities reported by Owner : 0324  
 Mail Undeliverable : Not reported  
 Bankruptcy In Effect : Not reported  
 # Of Underground Storage Tanks : 1071  
 # Of Aboveground Storage Tanks : 0000  
 Operator Effective Date : Not reported  
 Operator Type : Private or Corporate  
 Owner Contact Name: ROBERT MUIR  
 Date Registration Form Received : 08/86/05

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**CIRCLE K 7049 (Continued)**

**U001262344**

|  |   |
|--|---|
| Facility Type :                          | Retail                                    |
| Name of Facility Manager :               | ROBERT MUIR                               |
| Title of Facility Manager :              | COMP MGR                                  |
| Facility Manager Phone :                 | 361-664-1932                              |
| Sign Name on Registration Form :         | K.C. LOOSEMORE                            |
| Title of Signer of Registration Form :   | EXEC. V.P.                                |
| Date of Signature on Registration Form : | 042986                                    |
| Number of USTs:                          | 0004                                      |
| Number of ASTs:                          | 0000                                      |
| Facility PO Box :                        | Not reported                              |
| Owner PO Box :                           | Not reported                              |
| Region Number :                          | 14  |
| Facility in Ozone non-attainment area :  | Not reported                              |
| Facility ID:                             | 0028711                                   |
| Tank ID:                                 | 1   |
| Tank Emptied:                            | No  |
| Capacity:                                | 10000                                     |
| Tank Material of Construction:           | Composite (steel with FRP laminate)       |
| Pipe Material of Construction:           | Fiberglass-Reinforced Plastic (FRP)       |
| Other Materials of Construction:         | Not reported                              |
| Tank Status:                             | In Use                                    |
| Tank Construction & Containment:         | Not reported                              |
| Tank Construction & Containment II:      | Single Wall                               |
| Pipe Construction & Containment:         | Single Wall                               |
| Other Construction & Containment:        | Not reported                              |
| Compartment Substance Stored:            | Gasoline                                  |
| Compartment Other Substance:             | Not reported                              |
| Tank Release Detection Method:           | Vapor Monitoring                          |
| Tank Release Method Detection II:        | Not reported                              |
| Tank Release Method Detection III:       | Not reported                              |
| Other Tank Release Method Detection:     | Inventory Control                         |
| Tank Release Detection Variance :        | No Variance                               |
| Pipe Release Detection Method:           | Vapor Monitoring                          |
| Other Pipe Release Detection Method :    | Tightness Testing                         |
| Pipe Release Detection Variance :        | No Variance                               |
| Spill and Overfill Protection:           | Auto. Flow Restrictor Valve               |
| Spill and Overfill Protection II:        | Factory-Built Spill Container/Bucket/Sump |
| Spill and Overfill Protection III:       | Tight-Fill Fitting                        |
| Tank Corrosion Protection:               | Noncorrodible Material (c.g. FRP)         |
| Pipe Corrosion Protection:               | None                                      |
| Other Corrosion Protection:              | Not reported                              |
| Vapor Recovery Equipment Status:         | No Stage 2 Vapor Recovery Equipment       |
| Equipment Installed Date:                | Not reported                              |
| Equipment Installer:                     | Not reported                              |
| Contractor Registration Number:          | Not reported                              |
| Tank Registration Date:                  | 05/08/1986                                |
| Installer License Number:                | Not reported                              |
| Operator Name:                           | SSP PARTNERS INC                          |
| Operator Telephone number:               | Not reported                              |
| Operator Address:                        | 2935 CACTUS RD                            |
|  | CORPUS CHRISTI, TX 78415                  |
| Operator Address building:               | Not reported                              |
| Contact Operator Name:                   | ROBERT MUIR                               |
| Contact Operator title:                  | COMP MGR                                  |
| Contact Operator Phone:                  | 361-852-2266                              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

**CIRCLE K 7049 (Continued)**

**U001262344**

Self-Certification date: 121905  
Signature Name: Robert Muir  
Signature Title Name: V.P. Facilities Mgmt  
Signature Type Text: Legally-Authorized Rep of Owner  
Certification Submitted Type: Annual  
Registration Self-Certification Flag: Yes  
Fees Self-Certification Flag: Not reported  
Financial Assurance Self-Certification flag: Yes  
Technical standards Self-Certification flag: Yes  
UST Delivery Certificate Expiration Date: 20/07/01  
Compartment letter: A  
Financial Responsibility Type: Insurance or Risk Retention Group  
Corrective Action Met Flag: Yes  
Third Party Met Flag: Yes  
Financial Assurance Beginning Date: 03/01/94  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Pressurized  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : 3  
Pipe Connectors and Valves 2 : 1  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: Not reported  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Tested  
Compartment Capacity : 0000000  
Owner ID : 46081  
Owner Name : SSP PARTNERS  
Owner Address : 2935 CACTUS DR  
CORPUS CHRISTI, TX 78415  
Owner Contact Telephone : 361-852-2266  
Owner Type : Private or Corporate  
Owner Amendment Reason Code : Owner Name Changed  
Owner Amendment Date : 02/05/11  
Owner Tax ID : 17427375724  
Number of Facilities reported by Owner : 0324  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 1071  
# Of Aboveground Storage Tanks : 0000  
Operator Effective Date : Not reported  
Operator Type : Private or Corporate  
Owner Contact Name: ROBERT MUIR  
Date Registration Form Received : 08/86/05  
Facility Type : Retail  
Name of Facility Manager : ROBERT MUIR  
Title of Facility Manager : COMP MGR  
Facility Manager Phone : 361-664-1932  
Sign Name on Registration Form : K.C. LOOSEMORE  
Title of Signer of Registration Form : EXEC. V.P.  
Date of Signature on Registration Form : 042986  
Number of USTs: 0004  
Number of ASTs: 0000

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

MAP FINDINGS

**CIRCLE K 7049 (Continued)**

EDR ID Number  
 EPA ID Number

Database(s)

Facility PO Box : Not reported  
 Owner PO Box : Not reported  
 Region Number : 14  
 Facility in Ozone non-attainment area : Not reported

**U001262344**

**C11**  
**NNE**  
**1/8-1/4**  
**1023 ft.**

**SPEEDY STOP 61**  
**1725 E MAIN ST**  
**ALICE, TX 78332**

**UST** **U003413433**  
**LTANKS** **N/A**

**Site 2 of 2 in cluster C**

**Relative:**  
**Lower**

**LTANKS:**

**Actual:**  
**190 ft.**

Facility ID: 0026374  
 Facility Location: 1728 E MAIN ST  
 Reported Date: 4/10/1989  
 Entered Date: 4/14/1989  
 RPR Coordinator: IKE IKEMBA  
 Region: 14  
 Region City ID: CORPUS CHRISTI  
 LPST Id: 092820  
 Responsible Party: EXXON CO USA  
 RP Contact: ERNIE VILLASENOR  
 RP Telephone: 713/656-7701  
 RP Address: PO BOX 2180  
 HOUSTON, TX 77252 - 2180  
 Priority: GW IMPACT, PUBLIC/COMESTIC WATER SUPPLY WELL W/IN 0.25mi  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**

**UST:**

|                                       |                                     |                    |              |
|---------------------------------------|-------------------------------------|--------------------|--------------|
| Facility ID:                          | 0026374                             | Tank Installer:    | Not reported |
| Tank ID:                              | 1                                   | Installation Date: | 01/01/1985   |
| Tank Emptied:                         | No                                  | Status Date:       | 04/09/1990   |
| Capacity:                             | 8000                                | Unit ID:           | 00068482     |
| Tank Material of Construction:        | Fiberglass-Reinforced Plastic (FRP) |                    |              |
| Pipe Material of Construction:        | Fiberglass-Reinforced Plastic (FRP) |                    |              |
| Other Materials of Construction:      | Not reported                        |                    |              |
| Tank Status:                          | Removed from the Ground             |                    |              |
| Tank Construction & Containment:      | Not reported                        |                    |              |
| Pipe Construction & Containment:      | Not reported                        |                    |              |
| Other Construction & Containment:     | Not reported                        |                    |              |
| Compartment Substance Stored:         | Gasoline                            |                    |              |
| Compartment Other Substance:          | Not reported                        |                    |              |
| Tank Release Detection Method:        | Not reported                        |                    |              |
| Tank Release Method Detection II:     | Not reported                        |                    |              |
| Tank Release Method Detection III:    | Not reported                        |                    |              |
| Other Tank Release Method Detection:  | Not reported                        |                    |              |
| Tank Release Detection Variance :     | No Variance                         |                    |              |
| Pipe Release Detection Method:        | Not reported                        |                    |              |
| Other Pipe Release Detection Method : | Not reported                        |                    |              |
| Pipe Release Detection Variance :     | No Variance                         |                    |              |
| Spill and Overfill Protection:        | Not reported                        |                    |              |
| Tank Corrosion Protection:            | None                                |                    |              |
| Pipe Corrosion Protection:            | Not reported                        |                    |              |
| Other Corrosion Protection:           | Not reported                        |                    |              |
| Vapor Recovery Equipment Status:      | Not reported                        |                    |              |
| Equipment Installed Date:             | Not reported                        |                    |              |
| Equipment Installer:                  | Not reported                        |                    |              |
| Contractor Registration Number:       | Not reported                        |                    |              |
| Tank Registration Date:               | 05/08/1986                          |                    |              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**SPEEDY STOP 61 (Continued)**

**U003413433**

|  |                                 |
|--|---------------------------------|
| Installer License Number:                    | Not reported                    |
| Operator Name:                               | SPEEDY STOP FOOD STORES LTD     |
| Operator Telephone number:                   | Not reported                    |
| Operator Address:                            | VICTORIA, TX 77902              |
| Operator Address building:                   | PO BOX 1876                     |
| Contact Operator Name:                       | CARLTON LABEFF                  |
| Contact Operator title:                      | AUTH AGT                        |
| Contact Operator Phone:                      | 361-582-5121                    |
| Self-Certification date:                     | 010405                          |
| Signature Name:                              | CARLTON LEBEFF                  |
| Signature Title Name:                        | AUTHORIZED AGENT                |
| Signature Type Text:                         | Legally-Authorized Rep of Owner |
| Certification Submitted Type:                | Annual                          |
| Registration Self-Certification Flag:        | Yes                             |
| Fees Self-Certification Flag:                | Not reported                    |
| Financial Assurance Self-Certification flag: | Yes                             |
| Technical standards Self-Certification flag: | Yes                             |
| UST Delivery Certificate Expiration Date:    | 20/06/01                        |
| Compartment letter:                          | A                               |
| Financial Responsibility Type:               | Financial Test                  |
| Corrective Action Met Flag:                  | Yes                             |
| Third Party Met Flag:                        | Yes                             |
| Financial Assurance Beginning Date:          | 03/01/94                        |
| Piping Design & Ext. Containment 3 :         | Not reported                    |
| Piping Design & Ext. Containment 4 :         | Not reported                    |
| Type of Piping :                             | Not reported                    |
| Internal Tank Lining Date :                  | 00/00/0000                      |
| Pipe Connectors and Valves 1 :               | Not reported                    |
| Pipe Connectors and Valves 2 :               | Not reported                    |
| Pipe Connectors and Valves 3 :               | Not reported                    |
| Other Tank Corrosion Protection Text:        | Not reported                    |
| Tank Corrosion Protection Variance :         | No Variance                     |
| Pipe Corrosion Protection 3 :                | Not reported                    |
| Pipe Corrosion Protection Variance :         | No Variance                     |
| Stage 2 Vapor Recry Equipment Status :       | Not reported                    |
| Stage 1 Equipment Installed Date :           | Not reported                    |
| Tank Tested :                                | Tested                          |
| Compartment Capacity :                       | 0000000                         |
| Owner ID :                                   | 47801                           |
| Owner Name :                                 | SPEEDY STOP FOOD STORES LTD     |
| Owner Address :                              | VICTORIA, TX 77902              |
| Owner Contact Telephone :                    | 361-582-5121                    |
| Owner Type :                                 | Corporation                     |
| Owner Amendment Reason Code :                | 035                             |
| Owner Amendment Date :                       | 09/06/03                        |
| Owner Tax ID :                               | Not reported                    |
| Number of Facilities reported by Owner :     | 0108                            |
| Mail Undeliverable :                         | Not reported                    |
| Bankruptcy In Effect :                       | Not reported                    |
| # Of Underground Storage Tanks :             | 0438                            |
| # Of Aboveground Storage Tanks :             | 0001                            |
| Operator Effective Date :                    | Not reported                    |
| Operator Type :                              | Corporation                     |
| Owner Contact Name:                          | CARLTON LABEFF                  |
| Date Registration Form Received :            | 08/86/05                        |
| Facility Type :                              | Retail                          |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

**SPEEDY STOP 61 (Continued)**

**U003413433**

|  |                                     |                    |              |
|--|-------------------------------------|--------------------|--------------|
| Name of Facility Manager :               | Not reported                        |                    |              |
| Title of Facility Manager :              | Not reported                        |                    |              |
| Facility Manager Phone :                 | Not reported                        |                    |              |
| Sign Name on Registration Form :         | R ATHERTON                          |                    |              |
| Title of Signer of Registration Form :   | SUPV                                |                    |              |
| Date of Signature on Registration Form : | 050586                              |                    |              |
| Number of USTs:                          | 0007                                |                    |              |
| Number of ASTs:                          | 0000                                |                    |              |
| Facility PO Box :                        | Not reported                        |                    |              |
| Owner PO Box :                           | PO BOX 1876                         |                    |              |
| Region Number :                          | 14                                  |                    |              |
| Facility in Ozone non-attainment area :  | Not reported                        |                    |              |
| Facility ID:                             | 0026374                             | Tank Installer:    | Not reported |
| Tank ID:                                 | 3                                   | Installation Date: | 01/01/1985   |
| Tank Emptied:                            | No                                  | Status Date:       | 04/09/1990   |
| Capacity:                                | 12000                               | Unit ID:           | 00068483     |
| Tank Material of Construction:           | Fiberglass-Reinforced Plastic (FRP) |                    |              |
| Pipe Material of Construction:           | Fiberglass-Reinforced Plastic (FRP) |                    |              |
| Other Materials of Construction:         | Not reported                        |                    |              |
| Tank Status:                             | Removed from the Ground             |                    |              |
| Tank Construction & Containment:         | Not reported                        |                    |              |
| Pipe Construction & Containment:         | Not reported                        |                    |              |
| Other Construction & Containment:        | Not reported                        |                    |              |
| Compartment Substance Stored:            | Gasoline                            |                    |              |
| Compartment Other Substance:             | Not reported                        |                    |              |
| Tank Release Detection Method:           | Not reported                        |                    |              |
| Tank Release Method Detection II:        | Not reported                        |                    |              |
| Tank Release Method Detection III:       | Not reported                        |                    |              |
| Other Tank Release Method Detection:     | Not reported                        |                    |              |
| Tank Release Detection Variance :        | No Variance                         |                    |              |
| Pipe Release Detection Method:           | Not reported                        |                    |              |
| Other Pipe Release Detection Method :    | Not reported                        |                    |              |
| Pipe Release Detection Variance :        | No Variance                         |                    |              |
| Spill and Overfill Protection:           | Not reported                        |                    |              |
| Tank Corrosion Protection:               | None                                |                    |              |
| Pipe Corrosion Protection:               | Not reported                        |                    |              |
| Other Corrosion Protection:              | Not reported                        |                    |              |
| Vapor Recovery Equipment Status:         | Not reported                        |                    |              |
| Equipment Installed Date:                | Not reported                        |                    |              |
| Equipment Installer:                     | Not reported                        |                    |              |
| Contractor Registration Number:          | Not reported                        |                    |              |
| Tank Registration Date:                  | 05/08/1986                          |                    |              |
| Installer License Number:                | Not reported                        |                    |              |
| Operator Name:                           | SPEEDY STOP FOOD STORES LTD         |                    |              |
| Operator Telephone number:               | Not reported                        |                    |              |
| Operator Address:                        | VICTORIA, TX 77902                  |                    |              |
| Operator Address building:               | PO BOX 1876                         |                    |              |
| Contact Operator Name:                   | CARLTON LABEFF                      |                    |              |
| Contact Operator title:                  | AUTH AGT                            |                    |              |
| Contact Operator Phone:                  | 361-582-5121                        |                    |              |
| Self-Certification date:                 | 010405                              |                    |              |
| Signature Name:                          | CARLTON LEBEFF                      |                    |              |
| Signature Title Name:                    | AUTHORIZED AGENT                    |                    |              |
| Signature Type Text:                     | Legally-Authorized Rep of Owner     |                    |              |
| Certification Submitted Type:            | Annual                              |                    |              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

**SPEEDY STOP 61 (Continued)**

**U003413433**

Registration Self-Certification Flag: Yes  
Fees Self-Certification Flag: Not reported  
Financial Assurance Self-Certification flag: Yes  
Technical standards Self-Certification flag: Yes  
UST Delivery Certificate Expiration Date: 20/06/01  
Compartment letter: A  
Financial Responsibility Type: Financial Test  
Corrective Action Met Flag: Yes  
Third Party Met Flag: Yes  
Financial Assurance Beginning Date: 03/01/94  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Not reported  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: Not reported  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Tested  
Compartment Capacity : 0000000  
Owner ID : 47801  
Owner Name : SPEEDY STOP FOOD STORES LTD  
Owner Address : VICTORIA, TX 77902  
Owner Contact Telephone : 361-582-5121  
Owner Type : Corporation  
Owner Amendment Reason Code : 035  
Owner Amendment Date : 09/06/03  
Owner Tax ID : Not reported  
Number of Facilities reported by Owner : 0108  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 0438  
# Of Aboveground Storage Tanks : 0001  
Operator Effective Date : Not reported  
Operator Type : Corporation  
Owner Contact Name: CARLTON LABEFF  
Date Registration Form Received : 08/86/05  
Facility Type : Retail  
Name of Facility Manager : Not reported  
Title of Facility Manager : Not reported  
Facility Manager Phone : Not reported  
Sign Name on Registration Form : R ATHERTON  
Title of Signer of Registration Form : SUPV  
Date of Signature on Registration Form : 050586  
Number of USTs: 0007  
Number of ASTs: 0000  
Facility PO Box : Not reported  
Owner PO Box : PO BOX 1876  
Region Number : 14  
Facility in Ozone non-attainment area : Not reported

Facility ID: 0026374

Tank Installer: Not reported

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

MAP FINDINGS

**SPEEDY STOP 61 (Continued)**

EDR ID Number  
 EPA ID Number

Database(s)

**U003413433**

|  |                                     |                    |            |
|--|-------------------------------------|--------------------|------------|
| Tank ID:                                     | 2                                   | Installation Date: | 01/01/1985 |
| Tank Emptied:                                | No                                  | Status Date:       | 04/09/1990 |
| Capacity:                                    | 10000                               | Unit ID:           | 00068484   |
| Tank Material of Construction:               | Fiberglass-Reinforced Plastic (FRP) |                    |            |
| Pipe Material of Construction:               | Fiberglass-Reinforced Plastic (FRP) |                    |            |
| Other Materials of Construction:             | Not reported                        |                    |            |
| Tank Status:                                 | Removed from the Ground             |                    |            |
| Tank Construction & Containment:             | Not reported                        |                    |            |
| Pipe Construction & Containment:             | Not reported                        |                    |            |
| Other Construction & Containment:            | Not reported                        |                    |            |
| Compartment Substance Stored:                | Gasoline                            |                    |            |
| Compartment Other Substance:                 | Not reported                        |                    |            |
| Tank Release Detection Method:               | Not reported                        |                    |            |
| Tank Release Method Detection II:            | Not reported                        |                    |            |
| Tank Release Method Detection III:           | Not reported                        |                    |            |
| Other Tank Release Method Detection:         | Not reported                        |                    |            |
| Tank Release Detection Variance :            | No Variance                         |                    |            |
| Pipe Release Detection Method:               | Not reported                        |                    |            |
| Other Pipe Release Detection Method :        | Not reported                        |                    |            |
| Pipe Release Detection Variance :            | No Variance                         |                    |            |
| Spill and Overfill Protection:               | Not reported                        |                    |            |
| Tank Corrosion Protection:                   | None                                |                    |            |
| Pipe Corrosion Protection:                   | Not reported                        |                    |            |
| Other Corrosion Protection:                  | Not reported                        |                    |            |
| Vapor Recovery Equipment Status:             | Not reported                        |                    |            |
| Equipment Installed Date:                    | Not reported                        |                    |            |
| Equipment Installer:                         | Not reported                        |                    |            |
| Contractor Registration Number:              | Not reported                        |                    |            |
| Tank Registration Date:                      | 05/08/1986                          |                    |            |
| Installer License Number:                    | Not reported                        |                    |            |
| Operator Name:                               | SPEEDY STOP FOOD STORES LTD         |                    |            |
| Operator Telephone number:                   | Not reported                        |                    |            |
| Operator Address:                            | VICTORIA, TX 77902                  |                    |            |
| Operator Address building:                   | PO BOX 1876                         |                    |            |
| Contact Operator Name:                       | CARLTON LABEFF                      |                    |            |
| Contact Operator title:                      | AUTH AGT                            |                    |            |
| Contact Operator Phone:                      | 361-582-5121                        |                    |            |
| Self-Certification date:                     | 010405                              |                    |            |
| Signature Name:                              | CARLTON LEBEFF                      |                    |            |
| Signature Title Name:                        | AUTHORIZED AGENT                    |                    |            |
| Signature Type Text:                         | Legally-Authorized Rep of Owner     |                    |            |
| Certification Submitted Type:                | Annual                              |                    |            |
| Registration Self-Certification Flag:        | Yes                                 |                    |            |
| Fees Self-Certification Flag:                | Not reported                        |                    |            |
| Financial Assurance Self-Certification flag: | Yes                                 |                    |            |
| Technical standards Self-Certification flag: | Yes                                 |                    |            |
| UST Delivery Certificate Expiration Date:    | 20/06/01                            |                    |            |
| Compartment letter:                          | A                                   |                    |            |
| Financial Responsibility Type:               | Financial Test                      |                    |            |
| Corrective Action Met Flag:                  | Yes                                 |                    |            |
| Third Party Met Flag:                        | Yes                                 |                    |            |
| Financial Assurance Beginning Date:          | 03/01/94                            |                    |            |
| Piping Design & Ext. Containment 3 :         | Not reported                        |                    |            |
| Piping Design & Ext. Containment 4 :         | Not reported                        |                    |            |
| Type of Piping :                             | Not reported                        |                    |            |
| Internal Tank Lining Date :                  | 00/00/0000                          |                    |            |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**SPEEDY STOP 61 (Continued)**

**U003413433**

|  |                                     |                    |              |
|--|-------------------------------------|--------------------|--------------|
| Pipe Connectors and Valves 1 :           | Not reported                        |                    |              |
| Pipe Connectors and Valves 2 :           | Not reported                        |                    |              |
| Pipe Connectors and Valves 3 :           | Not reported                        |                    |              |
| Other Tank Corrosion Protection Text:    | Not reported                        |                    |              |
| Tank Corrosion Protection Variance :     | No Variance                         |                    |              |
| Pipe Corrosion Protection 3 :            | Not reported                        |                    |              |
| Pipe Corrosion Protection Variance :     | No Variance                         |                    |              |
| Stage 2 Vapor Recry Equipment Status :   | Not reported                        |                    |              |
| Stage 1 Equipment Installed Date :       | Not reported                        |                    |              |
| Tank Tested :                            | Tested                              |                    |              |
| Compartment Capacity :                   | 0000000                             |                    |              |
| Owner ID :                               | 47801                               |                    |              |
| Owner Name :                             | SPEEDY STOP FOOD STORES LTD         |                    |              |
| Owner Address :                          | VICTORIA, TX 77902                  |                    |              |
| Owner Contact Telephone :                | 361-582-5121                        |                    |              |
| Owner Type :                             | Corporation                         |                    |              |
| Owner Amendment Reason Code :            | 035                                 |                    |              |
| Owner Amendment Date :                   | 09/06/03                            |                    |              |
| Owner Tax ID :                           | Not reported                        |                    |              |
| Number of Facilities reported by Owner : | 0108                                |                    |              |
| Mail Undeliverable :                     | Not reported                        |                    |              |
| Bankruptcy In Effect :                   | Not reported                        |                    |              |
| # Of Underground Storage Tanks :         | 0438                                |                    |              |
| # Of Aboveground Storage Tanks :         | 0001                                |                    |              |
| Operator Effective Date :                | Not reported                        |                    |              |
| Operator Type :                          | Corporation                         |                    |              |
| Owner Contact Name:                      | CARLTON LABEFF                      |                    |              |
| Date Registration Form Received :        | 08/86/05                            |                    |              |
| Facility Type :                          | Retail                              |                    |              |
| Name of Facility Manager :               | Not reported                        |                    |              |
| Title of Facility Manager :              | Not reported                        |                    |              |
| Facility Manager Phone :                 | Not reported                        |                    |              |
| Sign Name on Registration Form :         | R ATHERTON                          |                    |              |
| Title of Signer of Registration Form :   | SUPV                                |                    |              |
| Date of Signature on Registration Form : | 050586                              |                    |              |
| Number of USTs:                          | 0007                                |                    |              |
| Number of ASTs:                          | 0000                                |                    |              |
| Facility PO Box :                        | Not reported                        |                    |              |
| Owner PO Box :                           | PO BOX 1876                         |                    |              |
| Region Number :                          | 14                                  |                    |              |
| Facility in Ozone non-attainment area :  | Not reported                        |                    |              |
| Facility ID:                             | 0026374                             | Tank Installer:    | Not reported |
| Tank ID:                                 | 4                                   | Installation Date: | 01/01/1985   |
| Tank Emptied:                            | No                                  | Status Date:       | 04/09/1990   |
| Capacity:                                | 1000                                | Unit ID:           | 00068485     |
| Tank Material of Construction:           | Fiberglass-Reinforced Plastic (FRP) |                    |              |
| Pipe Material of Construction:           | Fiberglass-Reinforced Plastic (FRP) |                    |              |
| Other Materials of Construction:         | Not reported                        |                    |              |
| Tank Status:                             | Removed from the Ground             |                    |              |
| Tank Construction & Containment:         | Not reported                        |                    |              |
| Pipe Construction & Containment:         | Not reported                        |                    |              |
| Other Construction & Containment:        | Not reported                        |                    |              |
| Compartment Substance Stored:            | Gasoline                            |                    |              |
| Compartment Other Substance:             | Not reported                        |                    |              |
| Tank Release Detection Method:           | Not reported                        |                    |              |
| Tank Release Method Detection II:        | Not reported                        |                    |              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**SPEEDY STOP 61 (Continued)**

**U003413433**

|  |                                 |
|--|---------------------------------|
| Tank Release Method Detection III:           | Not reported                    |
| Other Tank Release Method Detection:         | Not reported                    |
| Tank Release Detection Variance :            | No Variance                     |
| Pipe Release Detection Method:               | Not reported                    |
| Other Pipe Release Detection Method :        | Not reported                    |
| Pipe Release Detection Variance :            | No Variance                     |
| Spill and Overfill Protection:               | Not reported                    |
| Tank Corrosion Protection:                   | None                            |
| Pipe Corrosion Protection:                   | Not reported                    |
| Other Corrosion Protection:                  | Not reported                    |
| Vapor Recovery Equipment Status:             | Not reported                    |
| Equipment Installed Date:                    | Not reported                    |
| Equipment Installer:                         | Not reported                    |
| Contractor Registration Number:              | Not reported                    |
| Tank Registration Date:                      | 05/08/1986                      |
| Installer License Number:                    | Not reported                    |
| Operator Name:                               | SPEEDY STOP FOOD STORES LTD     |
| Operator Telephone number:                   | Not reported                    |
| Operator Address:                            |                                 |
|  | VICTORIA, TX 77902              |
| Operator Address building:                   | PO BOX 1876                     |
| Contact Operator Name:                       | CARLTON LABEFFF                 |
| Contact Operator title:                      | AUTH AGT                        |
| Contact Operator Phone:                      | 361-582-5121                    |
| Self-Certification date:                     | 010405                          |
| Signature Name:                              | CARLTON LEBEFF                  |
| Signature Title Name:                        | AUTHORIZED AGENT                |
| Signature Type Text:                         | Legally-Authorized Rep of Owner |
| Certification Submitted Type:                | Annual                          |
| Registration Self-Certification Flag:        | Yes                             |
| Fees Self-Certification Flag:                | Not reported                    |
| Financial Assurance Self-Certification flag: | Yes                             |
| Technical standards Self-Certification flag: | Yes                             |
| UST Delivery Certificate Expiration Date:    | 20/06/01                        |
| Compartment letter:                          | A                               |
| Financial Responsibility Type:               | Financial Test                  |
| Corrective Action Met Flag:                  | Yes                             |
| Third Party Met Flag:                        | Yes                             |
| Financial Assurance Beginning Date:          | 03/01/94                        |
| Piping Design & Ext. Containment 3 :         | Not reported                    |
| Piping Design & Ext. Containment 4 :         | Not reported                    |
| Type of Piping :                             | Not reported                    |
| Internal Tank Lining Date :                  | 00/00/0000                      |
| Pipe Connectors and Valves 1 :               | Not reported                    |
| Pipe Connectors and Valves 2 :               | Not reported                    |
| Pipe Connectors and Valves 3 :               | Not reported                    |
| Other Tank Corrosion Protection Text:        | Not reported                    |
| Tank Corrosion Protection Variance :         | No Variance                     |
| Pipe Corrosion Protection 3 :                | Not reported                    |
| Pipe Corrosion Protection Variance :         | No Variance                     |
| Stage 2 Vapor Recry Equipment Status :       | Not reported                    |
| Stage 1 Equipment Installed Date :           | Not reported                    |
| Tank Tested :                                | Tested                          |
| Compartment Capacity :                       | 0000000                         |
| Owner ID :                                   | 47801                           |
| Owner Name :                                 | SPEEDY STOP FOOD STORES LTD     |
| Owner Address :                              | VICTORIA, TX 77902              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**SPEEDY STOP 61 (Continued)**

**U003413433**

|  |  |                    |              |
|--|--|--------------------|--------------|
| Owner Contact Telephone :                | 361-582-5121                           |                    |              |
| Owner Type :                             | Corporation                            |                    |              |
| Owner Amendment Reason Code :            | 035                                    |                    |              |
| Owner Amendment Date :                   | 09/06/03                               |                    |              |
| Owner Tax ID :                           | Not reported                           |                    |              |
| Number of Facilities reported by Owner : | 0108                                   |                    |              |
| Mail Undeliverable :                     | Not reported                           |                    |              |
| Bankruptcy In Effect :                   | Not reported                           |                    |              |
| # Of Underground Storage Tanks :         | 0438                                   |                    |              |
| # Of Aboveground Storage Tanks :         | 0001                                   |                    |              |
| Operator Effective Date :                | Not reported                           |                    |              |
| Operator Type :                          | Corporation                            |                    |              |
| Owner Contact Name:                      | CARLTON LABEFF                         |                    |              |
| Date Registration Form Received :        | 08/86/05                               |                    |              |
| Facility Type :                          | Retail                                 |                    |              |
| Name of Facility Manager :               | Not reported                           |                    |              |
| Title of Facility Manager :              | Not reported                           |                    |              |
| Facility Manager Phone :                 | Not reported                           |                    |              |
| Sign Name on Registration Form :         | R ATHERTON                             |                    |              |
| Title of Signer of Registration Form :   | SUPV                                   |                    |              |
| Date of Signature on Registration Form : | 050586                                 |                    |              |
| Number of USTs:                          | 0007                                   |                    |              |
| Number of ASTs:                          | 0000                                   |                    |              |
| Facility PO Box :                        | Not reported                           |                    |              |
| Owner PO Box :                           | PO BOX 1876                            |                    |              |
| Region Number :                          | 14                                     |                    |              |
| Facility in Ozone non-attainment area :  | Not reported                           |                    |              |
| Facility ID:                             | 0026374                                | Tank Installer:    | Not reported |
| Tank ID:                                 | 3                                      | Installation Date: | 05/01/1992   |
| Tank Emptied:                            | No                                     | Status Date:       | Not reported |
| Capacity:                                | 6000                                   | Unit ID:           | 00068486     |
| Tank Material of Construction:           | Fiberglass-Reinforced Plastic (FRP)    |                    |              |
| Pipe Material of Construction:           | Fiberglass-Reinforced Plastic (FRP)    |                    |              |
| Other Materials of Construction:         | Not reported                           |                    |              |
| Tank Status:                             | In Use                                 |                    |              |
| Tank Construction & Containment:         | Single Wall                            |                    |              |
| Pipe Construction & Containment:         | Single Wall                            |                    |              |
| Other Construction & Containment:        | Not reported                           |                    |              |
| Compartment Substance Stored:            | Gasoline                               |                    |              |
| Compartment Other Substance:             | Not reported                           |                    |              |
| Tank Release Detection Method:           | Not reported                           |                    |              |
| Tank Release Method Detection II:        | Not reported                           |                    |              |
| Tank Release Method Detection III:       | Not reported                           |                    |              |
| Other Tank Release Method Detection:     | Not reported                           |                    |              |
| Tank Release Detection Variance :        | No Variance                            |                    |              |
| Pipe Release Detection Method:           | Not reported                           |                    |              |
| Other Pipe Release Detection Method :    | Not reported                           |                    |              |
| Pipe Release Detection Variance :        | No Variance                            |                    |              |
| Spill and Overfill Protection:           | Not reported                           |                    |              |
| Tank Corrosion Protection:               | None                                   |                    |              |
| Tank Corrosion Protection II:            | 9                                      |                    |              |
| Tank Corrosion Protection III:           | None                                   |                    |              |
| Pipe Corrosion Protection:               | None                                   |                    |              |
| Pipe Corrosion Protection II:            | External Coatings - Laminate/Tape/Wrap |                    |              |
| Other Corrosion Protection:              | Not reported                           |                    |              |
| Vapor Recovery Equipment Status:         | Not reported                           |                    |              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

**SPEEDY STOP 61 (Continued)**

**U003413433**

Equipment Installed Date: Not reported  
Equipment Installer: Not reported  
Contractor Registration Number: Not reported  
Tank Registration Date: 05/08/1986  
Installer License Number: Not reported  
Operator Name: SPEEDY STOP FOOD STORES LTD  
Operator Telephone number: Not reported  
Operator Address: VICTORIA, TX 77902  
Operator Address building: PO BOX 1876  
Contact Operator Name: CARLTON LABEFF  
Contact Operator title: AUTH AGT  
Contact Operator Phone: 361-582-5121  
Self-Certification date: 010405  
Signature Name: CARLTON LEBEFF  
Signature Title Name: AUTHORIZED AGENT  
Signature Type Text: Legally-Authorized Rep of Owner  
Certification Submitted Type: Annual  
Registration Self-Certification Flag: Yes  
Fees Self-Certification Flag: Not reported  
Financial Assurance Self-Certification flag: Yes  
Technical standards Self-Certification flag: Yes  
UST Delivery Certificate Expiration Date: 20/06/01  
Compartment letter: A  
Financial Responsibility Type: Financial Test  
Corrective Action Met Flag: Yes  
Third Party Met Flag: Yes  
Financial Assurance Beginning Date: 03/01/94  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Pressurized  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: Not reported  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : 9  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Tested  
Compartment Capacity : 0000000  
Owner ID : 47801  
Owner Name : SPEEDY STOP FOOD STORES LTD  
Owner Address : VICTORIA, TX 77902  
Owner Contact Telephone : 361-582-5121  
Owner Type : Corporation  
Owner Amendment Reason Code : 035  
Owner Amendment Date : 09/06/03  
Owner Tax ID : Not reported  
Number of Facilities reported by Owner : 0108  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 0438  
# Of Aboveground Storage Tanks : 0001  
Operator Effective Date : Not reported

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**SPEEDY STOP 61 (Continued)**

**U003413433**

Operator Type : Corporation  
 Owner Contact Name: CARLTON LABEFF  
 Date Registration Form Received : 08/86/05  
 Facility Type : Retail  
 Name of Facility Manager : Not reported  
 Title of Facility Manager : Not reported  
 Facility Manager Phone : Not reported  
 Sign Name on Registration Form : R ATHERTON  
 Title of Signer of Registration Form : SUPV  
 Date of Signature on Registration Form : 050586  
 Number of USTs: 0007  
 Number of ASTs: 0000  
 Facility PO Box : Not reported  
 Owner PO Box : PO BOX 1876  
 Region Number : 14  
 Facility in Ozone non-attainment area : Not reported

[Click this hyperlink](#) while viewing on your computer to access  
 2 additional TX UST record(s) in the EDR Site Report.

**12  
 West  
 1/8-1/4  
 1124 ft.**

**BOWDEN FORD  
 1300 E MAIN STREET  
 ALICE, TX 78333**

**RCRA-SQG 1000470481  
 FINDS TXD988024733  
 Ind. Haz Waste**

**Relative:  
 Higher  
 Actual:  
 195 ft.**

RCRAInfo:  
 Owner: LAMAR BOWDEN  
 (000) 000-0000  
 EPA ID: TXD988024733  
 Contact: OSCAR PAEZ  
 (512) 664-9541  
 Classification: Small Quantity Generator  
 TSDF Activities: Not reported  
 Violation Status: No violations found

**FINDS:**

Other Pertinent Environmental Activity Identified at Site:  
 RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**TX IHW:**

Registration Number: 76601  
 Year: 1999  
 Registration Initial Notification Date: 06/28/1991  
 Registration Last Amendment Date: 01/06/1994  
 EPA Identification: TXD988024733  
 TNRCC Permit Number: Not reported  
 Revcr Has Monthly Reporting Requirement: Not reported  
 Description of Facility Site Location: 1300 E. Main Street, Alice, TX  
 Site Primary Standard Industrial Code: 00  
 Not reported  
 Registration is a Generator of Waste: Yes  
 Registration is a Receivers of Waste: No  
 Registration is a Transporter of Waste: No  
 Registration is a Transfer Facility: No

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**BOWDEN FORD (Continued)**

**1000470481**

Mexican Facility: Does not represent a Maquiladora (Mexican Facility)  
 Facility Country: Not reported  
 Facility Status: Inactive  
 Type of Generator: SQG  
 Company Name: BOWDEN FORD  
 Facility County: Not reported  
 TNRCC Region: Not reported  
 TNRCC Facility ID : Not reported  
 Site Owner Tax ID : Not reported  
 Site Location Lat/Long : Not reported  
 Last Update to NOR Data : Not reported  
 Ind. waste permit # : Not reported  
 Mun waste permit # : Not reported  
 Non Notifier : Not reported  
 Facility is STEERS Reporter : Not reported  
 Fac Req to Submit Annual Waste Summary Rpt : Not reported  
 Facility Involved In Recycling: Not reported  
 Mailing Address: ALICE, TX 78333  
 Mailing County: USA  
 Mailing Add 3: Not reported  
 Contact: Oscar Paez  
 Contact Telephone Number: 512-664-9541

Registration Number: 76601  
 Year: 2000  
 Registration Initial Notification Date: 06/28/1991  
 Registration Last Amendment Date: 01/27/2001  
 EPA Identification: TXD988024733  
 TNRCC Permit Number: 030913  
 Revcr Has Monthly Reporting Requirement: Not reported  
 Description of Facility Site Location: 1300 E. Main Street, Alice, TX  
 Site Primary Standard Industrial Code: 55110

New And Used Car Dealers  
 Retail Trade

Registration is a Generator of Waste: Yes  
 Registration is a Receivers of Waste: No  
 Registration is a Transporter of Waste: No  
 Registration is a Transfer Facility: No  
 Mexican Facility: Does not represent a Maquiladora (Mexican Facility)  
 Facility Country: Not reported  
 Facility Status: Inactive  
 Type of Generator: SQG  
 Company Name: BOWDEN FORD  
 Facility County: Not reported  
 TNRCC Region: Not reported  
 TNRCC Facility ID : 030913  
 Site Owner Tax ID : Not reported  
 Site Location Lat/Long : Not reported  
 Last Update to NOR Data : 20010130  
 Ind. waste permit # : Not reported  
 Mun waste permit # : Not reported  
 Non Notifier : No  
 Facility is STEERS Reporter : No  
 Fac Req to Submit Annual Waste Summary Rpt : Yes  
 Facility Involved In Recycling: No  
 Mailing Address: ALICE, TX 78333  
 Mailing County: USA

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**BOWDEN FORD (Continued)**

**1000470481**

|  |   |
|--|---|
| Mailing Add 3:                               | Not reported  |
| Contact:                                     | Oscar Paez  |
| Contact Telephone Number:                    | 512-664-9541  |
| Registration Number:                         | 76601   |
| Year:  | 2001  |
| Registration Initial Notification Date:      | 06/28/1991  |
| Registration Last Amendment Date:            | 01/27/2001  |
| EPA Identification:                          | TXD988024733  |
| TNRCC Permit Number:                         | 030913  |
| Revr Has Monthly Reporting Requirement:      | Not reported  |
| Description of Facility Site Location:       | 1300 E. Main Street, Alice, TX                      |
| Site Primary Standard Industrial Code:       | 55110<br>New And Used Car Dealers<br>Retail Trade   |
| Registration is a Generator of Waste:        | Yes   |
| Registration is a Receivers of Waste:        | No  |
| Registration is a Transporter of Waste:      | No  |
| Registration is a Transfer Facility:         | No  |
| Mexican Facility:                            | Does not represent a Maquiladora (Mexican Facility) |
| Facility Country:                            | Not reported  |
| Facility Status:                             | Inactive  |
| Type of Generator:                           | SQG   |
| Company Name:                                | BOWDEN FORD   |
| Facility County:                             | Not reported  |
| TNRCC Region:                                | Not reported  |
| TNRCC Facility ID :                          | 030913  |
| Site Owner Tax ID :                          | Not reported  |
| Site Location Lat/Long :                     | Not reported  |
| Last Update to NOR Data :                    | 20010130  |
| Ind. waste permit # :                        | Not reported  |
| Mun waste permit # :                         | Not reported  |
| Non Notifier :                               | No  |
| Facility is STEERS Reporter :                | No  |
| Fac Req to Submit Annual Waste Summary Rpt : | Yes   |
| Facility Involved In Recycling:              | No  |
| Mailing Address:                             | ALICE, TX 78333                                     |
| Mailing County:                              | USA   |
| Mailing Add 3:                               | Not reported  |
| Contact:                                     | Oscar Paez  |
| Contact Telephone Number:                    | 512-664-9541  |
| Registration Number:                         | 76601   |
| Year:  | 2002  |
| Registration Initial Notification Date:      | 06/28/1991  |
| Registration Last Amendment Date:            | 01/27/2001  |
| EPA Identification:                          | TXD988024733  |
| TNRCC Permit Number:                         | 030913  |
| Revr Has Monthly Reporting Requirement:      | Not reported  |
| Description of Facility Site Location:       | 1300 E. Main Street, Alice, TX                      |
| Site Primary Standard Industrial Code:       | 55110<br>New And Used Car Dealers<br>Retail Trade   |
| Registration is a Generator of Waste:        | Yes   |
| Registration is a Receivers of Waste:        | No  |
| Registration is a Transporter of Waste:      | No  |
| Registration is a Transfer Facility:         | No  |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**BOWDEN FORD (Continued)**

**1000470481**

Mexican Facility: Does not represent a Maquiladora (Mexican Facility)  
 Facility Country: Not reported  
 Facility Status: Inactive  
 Type of Generator: SQG  
 Company Name: BOWDEN FORD  
 Facility County: Not reported  
 TNRCC Region: Not reported  
 TNRCC Facility ID : 030913  
 Site Owner Tax ID : Not reported  
 Site Location Lat/Long : Not reported  
 Last Update to NOR Data : 20010130  
 Ind. waste permit # : Not reported  
 Mun waste permit # : Not reported  
 Non Notifier : No  
 Facility is STEERS Reporter : No  
 Fac Req to Submit Annual Waste Summary Rpt : Yes  
 Facility Involved In Recycling: No  
 Mailing Address: ALICE, TX 78333  
 Mailing County: USA  
 Mailing Add 3: Not reported  
 Contact: Oscar Paez  
 Contact Telephone Number: 512-664-9541

Registration Number: 76601  
 Year: 2003  
 Registration Initial Notification Date: 06/28/1991  
 Registration Last Amendment Date: 01/27/2001  
 EPA Identification: TXD988024733  
 TNRCC Permit Number: 030913  
 Revcr Has Monthly Reporting Requirement: Not reported  
 Description of Facility Site Location: 1300 E Main Street, Alice, TX  
 Site Primary Standard Industrial Code: 55110

New And Used Car Dealers  
 Retail Trade

Registration is a Generator of Waste: Yes  
 Registration is a Receivers of Waste: No  
 Registration is a Transporter of Waste: No  
 Registration is a Transfer Facility: No  
 Mexican Facility: Does not represent a Maquiladora (Mexican Facility)  
 Facility Country: Not reported  
 Facility Status: Inactive  
 Type of Generator: SQG  
 Company Name: Bowden Ford  
 Facility County: Not reported  
 TNRCC Region: Not reported  
 TNRCC Facility ID : 030913  
 Site Owner Tax ID : Not reported  
 Site Location Lat/Long : Not reported  
 Last Update to NOR Data : 20031215  
 Ind. waste permit # : Not reported  
 Mun waste permit # : Not reported  
 Non Notifier : No  
 Facility is STEERS Reporter : No  
 Fac Req to Submit Annual Waste Summary Rpt : No  
 Facility Involved In Recycling: No  
 Mailing Address: Alice, TX 78333  
 Mailing County: USA

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**BOWDEN FORD (Continued)**

**1000470481**

|  |   |
|--|---|
| Mailing Add 3:                               | Not reported  |
| Contact:                                     | Oscar Paez  |
| Contact Telephone Number:                    | 512-664-9541  |
| Registration Number:                         | 76601   |
| Year:  | 2004  |
| Registration Initial Notification Date:      | 06/28/1991  |
| Registration Last Amendment Date:            | 01/27/2001  |
| EPA Identification:                          | TXD988024733  |
| TNRCC Permit Number:                         | 030913  |
| Revcr Has Monthly Reporting Requirement:     | 4   |
| Description of Facility Site Location:       | 1300 E Main Street, Alice, TX                       |
| Site Primary Standard Industrial Code:       | 55110   |
|  | New And Used Car Dealers                            |
|  | Retail Trade  |
| Registration is a Generator of Waste:        | Yes   |
| Registration is a Receivers of Waste:        | No  |
| Registration is a Transporter of Waste:      | No  |
| Registration is a Transfer Facility:         | No  |
| Mexican Facility:                            | Does not represent a Maquiladora (Mexican Facility) |
| Facility Country:                            | Not reported  |
| Facility Status:                             | Inactive  |
| Type of Generator:                           | SQG   |
| Company Name:                                | Bowden Ford   |
| Facility County:                             | Not reported  |
| TNRCC Region:                                | Not reported  |
| TNRCC Facility ID :                          | 030913  |
| Site Owner Tax ID :                          | Not reported  |
| Site Location Lat/Long :                     | Not reported  |
| Last Update to NOR Data :                    | 20031215  |
| Ind. waste permit # :                        | Not reported  |
| Mun waste permit # :                         | Not reported  |
| Non Notifier :                               | No  |
| Facility is STEERS Reporter :                | No  |
| Fac Req to Submit Annual Waste Summary Rpt : | No  |
| Facility Involved In Recycling:              | No  |
| Mailing Address:                             | PO Box 2218   |
|  | Alice, TX 78333                                     |
| Mailing County:                              | USA   |
| Mailing Add 3:                               | PO Box 2218   |
| Contact:                                     | Oscar Paez  |
| Contact Telephone Number:                    | 512-664-9541  |
| Registration Number:                         | 76601   |
| Year:  | 98-99   |
| Registration Initial Notification Date:      | 06/28/1991  |
| Registration Last Amendment Date:            | 01/06/1994  |
| EPA Identification:                          | TXD988024733  |
| TNRCC Permit Number:                         | Not reported  |
| Revcr Has Monthly Reporting Requirement:     | Not reported  |
| Description of Facility Site Location:       | 1300 E. Main Street, Alice, TX                      |
| Site Primary Standard Industrial Code:       | 00  |
|  | Not reported  |
| Registration is a Generator of Waste:        | Yes   |
| Registration is a Receivers of Waste:        | No  |
| Registration is a Transporter of Waste:      | No  |
| Registration is a Transfer Facility:         | No  |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

MAP FINDINGS

**BOWDEN FORD (Continued)**

EDR ID Number  
 EPA ID Number

Database(s)

**1000470481**

|  |   |
|--|---|
| Mexican Facility:                            | Does not represent a Maquiladora (Mexican Facility) |
| Facility Country:                            | Not reported  |
| Facility Status:                             | Inactive  |
| Type of Generator:                           | SQG   |
| Company Name:                                | BOWDEN FORD   |
| Facility County:                             | Not reported  |
| TNRCC Region:                                | Not reported  |
| TNRCC Facility ID :                          | Not reported  |
| Site Owner Tax ID :                          | Not reported  |
| Site Location Lat/Long :                     | Not reported  |
| Last Update to NOR Data :                    | Not reported  |
| Ind. waste permit # :                        | Not reported  |
| Mun waste permit # :                         | Not reported  |
| Non Notifier :                               | Not reported  |
| Facility is STEERS Reporter :                | Not reported  |
| Fac Req to Submit Annual Waste Summary Rpt : | Not reported  |
| Facility Involved In Recycling:              | Not reported  |
| Mailing Address:                             | ALICE, TX 78333                                     |
| Mailing County:                              | USA   |
| Mailing Add 3:                               | Not reported  |
| Contact:                                     | Oscar Paez  |
| Contact Telephone Number:                    | 512-664-9541  |

[Click this hyperlink](#) while viewing on your computer to access additional TX IHW detail in the EDR Site Report.

**13  
 NE  
 1/8-1/4  
 1316 ft.**

**CIRCLE K 2644  
 1800 E MAIN  
 ALICE, TX 78333**

**UST U001240929  
 LTANKS N/A**

**Relative:  
 Lower**

**LTANKS:**

|                    |  |
|--------------------|--|
| Facility ID:       | 0004175  |
| Facility Location: | 1800 E MAIN  |
| Reported Date:     | 1/30/1991  |
| Entered Date:      | 2/5/1991   |
| RPR Coordinator:   | MDS  |
| Region:            | 14   |
| Region City ID:    | CORPUS CHRISTI   |
| LPST Id:           | 097916   |
| Responsible Party: | MARROQUIN ARMANDO JR   |
| RP Contact:        | ARMANDO MARROQUIN JR   |
| RP Telephone:      | 361/664-4777   |
| RP Address:        | 811 E MAIN ST STE C<br>ALICE, TX 78332                       |
| Priority:          | FORMAER VAPOR IMPACT/NAPL NEAR UTILITY, POTENT'L VAPOR PTHWY |
| Status:            | <b>CORRECTIVE ACTION PLAN</b>                                |

**UST:**

|                                  |                                     |                    |              |
|----------------------------------|-------------------------------------|--------------------|--------------|
| Facility ID:                     | 0004175                             | Tank Installer:    | Not reported |
| Tank ID:                         | 2                                   | Installation Date: | 06/01/1984   |
| Tank Emptied:                    | No                                  | Status Date:       | 04/25/1994   |
| Capacity:                        | 10000                               | Unit ID:           | 00010103     |
| Tank Material of Construction:   | Steel                               |                    |              |
| Pipe Material of Construction:   | Fiberglass-Reinforced Plastic (FRP) |                    |              |
| Other Materials of Construction: | Not reported                        |                    |              |
| Tank Status:                     | Removed from the Ground             |                    |              |
| Tank Construction & Containment: | Single Wall                         |                    |              |
| Pipe Construction & Containment: | Single Wall                         |                    |              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**CIRCLE K 2644 (Continued)**

**U001240929**

|  |  |
|--|--|
| Other Construction & Containment:            | Not reported   |
| Compartment Substance Stored:                | Gasoline   |
| Compartment Other Substance:                 | Not reported   |
| Tank Release Detection Method:               | Not reported   |
| Tank Release Method Detection II:            | Not reported   |
| Tank Release Method Detection III:           | Not reported   |
| Other Tank Release Method Detection:         | Inventory Control                                    |
| Tank Release Detection Variance :            | No Variance  |
| Pipe Release Detection Method:               | Auto. Line Leak Detector(3.0gph for pressure piping) |
| Other Pipe Release Detection Method :        | Tightness Testing                                    |
| Pipe Release Detection Variance :            | No Variance  |
| Spill and Overfill Protection:               | Automatic Delivery Shut-off Valve                    |
| Spill and Overfill Protection II:            | Factory-Built Spill Container/Bucket/Sump            |
| Tank Corrosion Protection:                   | Not reported   |
| Pipe Corrosion Protection:                   | Not reported   |
| Other Corrosion Protection:                  | Cathodic Protection                                  |
| Vapor Recovery Equipment Status:             | Not reported   |
| Equipment Installed Date:                    | Not reported   |
| Equipment Installer:                         | Not reported   |
| Contractor Registration Number:              | Not reported   |
| Tank Registration Date:                      | 05/08/1986   |
| Installer License Number:                    | Not reported   |
| Operator Name:                               | Not reported   |
| Operator Telephone number:                   | Not reported   |
| Operator Address:                            |  |
| Operator Address building:                   | Not reported   |
| Contact Operator Name:                       |  |
| Contact Operator title:                      | Not reported   |
| Contact Operator Phone:                      | Not reported   |
| Self-Certification date:                     | Not reported   |
| Signature Name:                              | Not reported   |
| Signature Title Name:                        | Not reported   |
| Signature Type Text:                         | Not reported   |
| Certification Submitted Type:                | Not reported   |
| Registration Self-Certification Flag:        | Not reported   |
| Fees Self-Certification Flag:                | Not reported   |
| Financial Assurance Self-Certification flag: | Not reported   |
| Technical standards Self-Certification flag: | Not reported   |
| UST Delivery Certificate Expiration Date:    | Not reported   |
| Compartment letter:                          | Not reported   |
| Financial Responsibility Type:               | Not reported   |
| Corrective Action Met Flag:                  | Not reported   |
| Third Party Met Flag:                        | Not reported   |
| Financial Assurance Beginning Date:          | Not reported   |
| Piping Design & Ext. Containment 3 :         | Not reported   |
| Piping Design & Ext. Containment 4 :         | Not reported   |
| Type of Piping :                             | Pressurized  |
| Internal Tank Lining Date :                  | 00/00/0000   |
| Pipe Connectors and Valves 1 :               | Not reported   |
| Pipe Connectors and Valves 2 :               | Not reported   |
| Pipe Connectors and Valves 3 :               | Not reported   |
| Other Tank Corrosion Protection Text:        | Cathodic Protection                                  |
| Tank Corrosion Protection Variance :         | No Variance  |
| Pipe Corrosion Protection 3 :                | Not reported   |
| Pipe Corrosion Protection Variance :         | No Variance  |
| Stage 2 Vapor Recry Equipment Status :       | Not reported   |
| Stage 1 Equipment Installed Date :           | Not reported   |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

CIRCLE K 2644 (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001240929

|  |  |                    |              |
|--|--|--------------------|--------------|
| Tank Tested :                            | Tested   |                    |              |
| Compartment Capacity :                   | 0000000  |                    |              |
| Owner ID :                               | 21589  |                    |              |
| Owner Name :                             | CIRCLE K STORES INC                                  |                    |              |
| Owner Address :                          | 495 E RINCON ST STE 150                              |                    |              |
|  | CORONA, CA 92879                                     |                    |              |
| Owner Contact Telephone :                | 951-270-5193   |                    |              |
| Owner Type :                             | Corporation  |                    |              |
| Owner Amendment Reason Code :            | 035  |                    |              |
| Owner Amendment Date :                   | 06/05/12   |                    |              |
| Owner Tax ID :                           | 17411495405  |                    |              |
| Number of Facilities reported by Owner : | 0225   |                    |              |
| Mail Undeliverable :                     | Not reported   |                    |              |
| Bankruptcy In Effect :                   | Not reported   |                    |              |
| # Of Underground Storage Tanks :         | 0710   |                    |              |
| # Of Aboveground Storage Tanks :         | 0001   |                    |              |
| Operator Effective Date :                | Not reported   |                    |              |
| Operator Type :                          | Corporation  |                    |              |
| Owner Contact Name:                      | RICH GOSSETT   |                    |              |
| Date Registration Form Received :        | 08/86/05   |                    |              |
| Facility Type :                          | Retail   |                    |              |
| Name of Facility Manager :               | TOM LEVERETTE  |                    |              |
| Title of Facility Manager :              | Not reported   |                    |              |
| Facility Manager Phone :                 | 7068862101   |                    |              |
| Sign Name on Registration Form :         | KEN YOUNGER  |                    |              |
| Title of Signer of Registration Form :   | COMPLIANCE MGR                                       |                    |              |
| Date of Signature on Registration Form : | 051192   |                    |              |
| Number of USTs:                          | 0004   |                    |              |
| Number of ASTs:                          | 0000   |                    |              |
| Facility PO Box :                        | Not reported   |                    |              |
| Owner PO Box :                           | Not reported   |                    |              |
| Region Number :                          | 14   |                    |              |
| Facility in Ozone non-attainment area :  | Not reported   |                    |              |
| Facility ID:                             | 0004175  | Tank Installer:    | Not reported |
| Tank ID:                                 | 1  | Installation Date: | 06/01/1984   |
| Tank Emptied:                            | No   | Status Date:       | 04/25/1994   |
| Capacity:                                | 10000  | Unit ID:           | 00010104     |
| Tank Material of Construction:           | Steel  |                    |              |
| Pipe Material of Construction:           | Fiberglass-Reinforced Plastic (FRP)                  |                    |              |
| Other Materials of Construction:         | Not reported   |                    |              |
| Tank Status:                             | Removed from the Ground                              |                    |              |
| Tank Construction & Containment:         | Single Wall  |                    |              |
| Pipe Construction & Containment:         | Single Wall  |                    |              |
| Other Construction & Containment:        | Not reported   |                    |              |
| Compartment Substance Stored:            | Gasoline   |                    |              |
| Compartment Other Substance:             | Not reported   |                    |              |
| Tank Release Detection Method:           | Not reported   |                    |              |
| Tank Release Method Detection II:        | Not reported   |                    |              |
| Tank Release Method Detection III:       | Not reported   |                    |              |
| Other Tank Release Method Detection:     | Inventory Control                                    |                    |              |
| Tank Release Detection Variance :        | No Variance  |                    |              |
| Pipe Release Detection Method:           | Auto. Line Leak Detector(3.0gph for pressure piping) |                    |              |
| Other Pipe Release Detection Method :    | Tightness Testing                                    |                    |              |
| Pipe Release Detection Variance :        | No Variance  |                    |              |
| Spill and Overfill Protection:           | Automatic Delivery Shut-off Valve                    |                    |              |
| Spill and Overfill Protection II:        | Factory-Built Spill Container/Bucket/Sump            |                    |              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**CIRCLE K 2644 (Continued)**

**U001240929**

|  |   |
|--|---|
| Tank Corrosion Protection:                   | Not reported                                |
| Pipe Corrosion Protection:                   | Not reported                                |
| Other Corrosion Protection:                  | Cathodic Protection                         |
| Vapor Recovery Equipment Status:             | Not reported                                |
| Equipment Installed Date:                    | Not reported                                |
| Equipment Installer:                         | Not reported                                |
| Contractor Registration Number:              | Not reported                                |
| Tank Registration Date:                      | 05/08/1986                                  |
| Installer License Number:                    | Not reported                                |
| Operator Name:                               | Not reported                                |
| Operator Telephone number:                   | Not reported                                |
| Operator Address:                            |   |
| Operator Address building:                   | Not reported                                |
| Contact Operator Name:                       |   |
| Contact Operator title:                      | Not reported                                |
| Contact Operator Phone:                      | Not reported                                |
| Self-Certification date:                     | Not reported                                |
| Signature Name:                              | Not reported                                |
| Signature Title Name:                        | Not reported                                |
| Signature Type Text:                         | Not reported                                |
| Certification Submitted Type:                | Not reported                                |
| Registration Self-Certification Flag:        | Not reported                                |
| Fees Self-Certification Flag:                | Not reported                                |
| Financial Assurance Self-Certification flag: | Not reported                                |
| Technical standards Self-Certification flag: | Not reported                                |
| UST Delivery Certificate Expiration Date:    | Not reported                                |
| Compartment letter:                          | Not reported                                |
| Financial Responsibility Type:               | Not reported                                |
| Corrective Action Met Flag:                  | Not reported                                |
| Third Party Met Flag:                        | Not reported                                |
| Financial Assurance Beginning Date:          | Not reported                                |
| Piping Design & Ext. Containment 3 :         | Not reported                                |
| Piping Design & Ext. Containment 4 :         | Not reported                                |
| Type of Piping :                             | Pressurized                                 |
| Internal Tank Lining Date :                  | 00/00/0000                                  |
| Pipe Connectors and Valves 1 :               | Not reported                                |
| Pipe Connectors and Valves 2 :               | Not reported                                |
| Pipe Connectors and Valves 3 :               | Not reported                                |
| Other Tank Corrosion Protection Text:        | Cathodic Protection                         |
| Tank Corrosion Protection Variance :         | No Variance                                 |
| Pipe Corrosion Protection 3 :                | Not reported                                |
| Pipe Corrosion Protection Variance :         | No Variance                                 |
| Stage 2 Vapor Recry Equipment Status :       | Not reported                                |
| Stage 1 Equipment Installed Date :           | Not reported                                |
| Tank Tested :                                | Tested                                      |
| Compartment Capacity :                       | 0000000                                     |
| Owner ID :                                   | 21589                                       |
| Owner Name :                                 | CIRCLE K STORES INC                         |
| Owner Address :                              | 495 E RINCON ST STE 150<br>CORONA, CA 92879 |
| Owner Contact Telephone :                    | 951-270-5193                                |
| Owner Type :                                 | Corporation                                 |
| Owner Amendment Reason Code :                | 035   |
| Owner Amendment Date :                       | 06/05/12                                    |
| Owner Tax ID :                               | 17411495405                                 |
| Number of Facilities reported by Owner :     | 0225  |
| Mail Undeliverable :                         | Not reported                                |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**CIRCLE K 2644 (Continued)**

**U001240929**

|  |  |                    |              |
|--|--|--------------------|--------------|
| Bankruptcy In Effect :                   | Not reported   |                    |              |
| # Of Underground Storage Tanks :         | 0710   |                    |              |
| # Of Aboveground Storage Tanks :         | 0001   |                    |              |
| Operator Effective Date :                | Not reported   |                    |              |
| Operator Type :                          | Corporation  |                    |              |
| Owner Contact Name:                      | RICH GOSSETT   |                    |              |
| Date Registration Form Received :        | 08/86/05   |                    |              |
| Facility Type :                          | Retail   |                    |              |
| Name of Facility Manager :               | TOM LEVERETTE  |                    |              |
| Title of Facility Manager :              | Not reported   |                    |              |
| Facility Manager Phone :                 | 7068862101   |                    |              |
| Sign Name on Registration Form :         | KEN YOUNGER  |                    |              |
| Title of Signer of Registration Form :   | COMPLIANCE MGR                                       |                    |              |
| Date of Signature on Registration Form : | 051192   |                    |              |
| Number of USTs:                          | 0004   |                    |              |
| Number of ASTs:                          | 0000   |                    |              |
| Facility PO Box :                        | Not reported   |                    |              |
| Owner PO Box :                           | Not reported   |                    |              |
| Region Number :                          | 14   |                    |              |
| Facility in Ozone non-attainment area :  | Not reported   |                    |              |
| Facility ID:                             | 0004175  | Tank Installer:    | Not reported |
| Tank ID:                                 | 3  | Installation Date: | 07/01/1964   |
| Tank Emptied:                            | No   | Status Date:       | 04/25/1994   |
| Capacity:                                | 4000   | Unit ID:           | 00010105     |
| Tank Material of Construction:           | Steel  |                    |              |
| Pipe Material of Construction:           | Fiberglass-Reinforced Plastic (FRP)                  |                    |              |
| Other Materials of Construction:         | Not reported   |                    |              |
| Tank Status:                             | Removed from the Ground                              |                    |              |
| Tank Construction & Containment:         | Single Wall  |                    |              |
| Pipe Construction & Containment:         | Single Wall  |                    |              |
| Other Construction & Containment:        | Not reported   |                    |              |
| Compartment Substance Stored:            | Gasoline   |                    |              |
| Compartment Other Substance:             | Not reported   |                    |              |
| Tank Release Detection Method:           | Not reported   |                    |              |
| Tank Release Method Detection II:        | Not reported   |                    |              |
| Tank Release Method Detection III:       | Not reported   |                    |              |
| Other Tank Release Method Detection:     | Inventory Control                                    |                    |              |
| Tank Release Detection Variance :        | No Variance  |                    |              |
| Pipe Release Detection Method:           | Auto. Line Leak Detector(3.0gph for pressure piping) |                    |              |
| Other Pipe Release Detection Method :    | Tightness Testing                                    |                    |              |
| Pipe Release Detection Variance :        | No Variance  |                    |              |
| Spill and Overfill Protection:           | Automatic Delivery Shut-off Valve                    |                    |              |
| Spill and Overfill Protection II:        | Factory-Built Spill Container/Bucket/Sump            |                    |              |
| Tank Corrosion Protection:               | Not reported   |                    |              |
| Pipe Corrosion Protection:               | Not reported   |                    |              |
| Other Corrosion Protection:              | Cathodic Protection                                  |                    |              |
| Vapor Recovery Equipment Status:         | Not reported   |                    |              |
| Equipment Installed Date:                | Not reported   |                    |              |
| Equipment Installer:                     | Not reported   |                    |              |
| Contractor Registration Number:          | Not reported   |                    |              |
| Tank Registration Date:                  | 05/08/1986   |                    |              |
| Installer License Number:                | Not reported   |                    |              |
| Operator Name:                           | Not reported   |                    |              |
| Operator Telephone number:               | Not reported   |                    |              |
| Operator Address:                        |  |                    |              |
| Operator Address building:               | Not reported   |                    |              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

**CIRCLE K 2644 (Continued)**

**U001240929**

Contact Operator Name: Not reported  
Contact Operator title: Not reported  
Contact Operator Phone: Not reported  
Self-Certification date: Not reported  
Signature Name: Not reported  
Signature Title Name: Not reported  
Signature Type Text: Not reported  
Certification Submitted Type: Not reported  
Registration Self-Certification Flag: Not reported  
Fees Self-Certification Flag: Not reported  
Financial Assurance Self-Certification flag: Not reported  
Technical standards Self-Certification flag: Not reported  
UST Delivery Certificate Expiration Date: Not reported  
Compartment letter: Not reported  
Financial Responsibility Type: Not reported  
Corrective Action Met Flag: Not reported  
Third Party Met Flag: Not reported  
Financial Assurance Beginning Date: Not reported  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Pressurized  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: Cathodic Protection  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Tested  
Compartment Capacity : 0000000  
Owner ID : 21589  
Owner Name : CIRCLE K STORES INC  
Owner Address : 495 E RINCON ST STE 150  
CORONA, CA 92879  
Owner Contact Telephone : 951-270-5193  
Owner Type : Corporation  
Owner Amendment Reason Code : 035  
Owner Amendment Date : 06/05/12  
Owner Tax ID : 17411495405  
Number of Facilities reported by Owner : 0225  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 0710  
# Of Aboveground Storage Tanks : 0001  
Operator Effective Date : Not reported  
Operator Type : Corporation  
Owner Contact Name: RICH GOSSETT  
Date Registration Form Received : 08/86/05  
Facility Type : Retail  
Name of Facility Manager : TOM LEVERETTE  
Title of Facility Manager : Not reported  
Facility Manager Phone : 7068862101  
Sign Name on Registration Form : KEN YOUNGER  
Title of Signer of Registration Form : COMPLIANCE MGR

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**CIRCLE K 2644 (Continued)**

**U001240929**

|  |  |                    |              |
|--|--|--------------------|--------------|
| Date of Signature on Registration Form :     | 051192   |                    |              |
| Number of USTs:                              | 0004   |                    |              |
| Number of ASTs:                              | 0000   |                    |              |
| Facility PO Box :                            | Not reported   |                    |              |
| Owner PO Box :                               | Not reported   |                    |              |
| Region Number :                              | 14   |                    |              |
| Facility in Ozone non-attainment area :      | Not reported   |                    |              |
| <br>   |  |                    |              |
| Facility ID:                                 | 0004175  | Tank Installer:    | Not reported |
| Tank ID:                                     | 4  | Installation Date: | 08/31/1987   |
| Tank Emptied:                                | No   | Status Date:       | 08/31/1987   |
| Capacity:                                    | 4000   | Unit ID:           | 00010106     |
| Tank Material of Construction:               | Not reported   |                    |              |
| Pipe Material of Construction:               | Not reported   |                    |              |
| Other Materials of Construction:             | Not reported   |                    |              |
| Tank Status:                                 | Removed from the Ground                              |                    |              |
| Tank Construction & Containment:             | Not reported   |                    |              |
| Pipe Construction & Containment:             | Not reported   |                    |              |
| Other Construction & Containment:            | Not reported   |                    |              |
| Compartment Substance Stored:                | Gasoline   |                    |              |
| Compartment Other Substance:                 | Not reported   |                    |              |
| Tank Release Detection Method:               | Not reported   |                    |              |
| Tank Release Method Detection II:            | Not reported   |                    |              |
| Tank Release Method Detection III:           | Not reported   |                    |              |
| Other Tank Release Method Detection:         | Inventory Control                                    |                    |              |
| Tank Release Detection Variance :            | No Variance  |                    |              |
| Pipe Release Detection Method:               | Auto. Line Leak Detector(3.0gph for pressure piping) |                    |              |
| Other Pipe Release Detection Method :        | Tightness Testing                                    |                    |              |
| Pipe Release Detection Variance :            | No Variance  |                    |              |
| Spill and Overfill Protection:               | Automatic Delivery Shut-off Valve                    |                    |              |
| Spill and Overfill Protection II:            | Factory-Built Spill Container/Bucket/Sump            |                    |              |
| Tank Corrosion Protection:                   | Not reported   |                    |              |
| Pipe Corrosion Protection:                   | Not reported   |                    |              |
| Other Corrosion Protection:                  | Not reported   |                    |              |
| Vapor Recovery Equipment Status:             | Not reported   |                    |              |
| Equipment Installed Date:                    | Not reported   |                    |              |
| Equipment Installer:                         | Not reported   |                    |              |
| Contractor Registration Number:              | Not reported   |                    |              |
| Tank Registration Date:                      | 05/08/1986   |                    |              |
| Installer License Number:                    | Not reported   |                    |              |
| Operator Name:                               | Not reported   |                    |              |
| Operator Telephone number:                   | Not reported   |                    |              |
| Operator Address:                            |  |                    |              |
| Operator Address building:                   | Not reported   |                    |              |
| Contact Operator Name:                       |  |                    |              |
| Contact Operator title:                      | Not reported   |                    |              |
| Contact Operator Phone:                      | Not reported   |                    |              |
| Self-Certification date:                     | Not reported   |                    |              |
| Signature Name:                              | Not reported   |                    |              |
| Signature Title Name:                        | Not reported   |                    |              |
| Signature Type Text:                         | Not reported   |                    |              |
| Certification Submitted Type:                | Not reported   |                    |              |
| Registration Self-Certification Flag:        | Not reported   |                    |              |
| Fees Self-Certification Flag:                | Not reported   |                    |              |
| Financial Assurance Self-Certification flag: | Not reported   |                    |              |
| Technical standards Self-Certification flag: | Not reported   |                    |              |
| UST Delivery Certificate Expiration Date:    | Not reported   |                    |              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

CIRCLE K 2644 (Continued)

EDR ID Number  
EPA ID Number

Database(s)

U001240929

Compartment letter: Not reported  
Financial Responsibility Type: Not reported  
Corrective Action Met Flag: Not reported  
Third Party Met Flag: Not reported  
Financial Assurance Beginning Date: Not reported  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Not reported  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: Not reported  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Tested  
Compartment Capacity : 0000000  
Owner ID : 21589  
Owner Name : CIRCLE K STORES INC  
Owner Address : 495 E RINCON ST STE 150  
CORONA, CA 92879  
Owner Contact Telephone : 951-270-5193  
Owner Type : Corporation  
Owner Amendment Reason Code : 035  
Owner Amendment Date : 06/05/12  
Owner Tax ID : 17411495405  
Number of Facilities reported by Owner : 0225  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 0710  
# Of Aboveground Storage Tanks : 0001  
Operator Effective Date : Not reported  
Operator Type : Corporation  
Owner Contact Name: RICH GOSSETT  
Date Registration Form Received : 08/86/05  
Facility Type : Retail  
Name of Facility Manager : TOM LEVERETTE  
Title of Facility Manager : Not reported  
Facility Manager Phone : 7068862101  
Sign Name on Registration Form : KEN YOUNGER  
Title of Signer of Registration Form : COMPLIANCE MGR  
Date of Signature on Registration Form : 051192  
Number of USTs: 0004  
Number of ASTs: 0000  
Facility PO Box : Not reported  
Owner PO Box : Not reported  
Region Number : 14  
Facility in Ozone non-attainment area : Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**14**  
**West**  
**1/4-1/2**  
**1463 ft.**

**YAWN MOTOR CO**  
**1259 E MAIN**  
**ALICE, TX 78332**

**UST**  
**LTANKS**     **U001252036**  
                   **N/A**

**Relative:**  
**Higher**

**LTANKS:**

**Actual:**  
**195 ft.**

Facility ID: 0016937  
 Facility Location: 1259 E MAIN  
 Reported Date: 9/7/1995  
 Entered Date: 9/29/1995  
 RPR Coordinator: ARM  
 Region: 14  
 Region City ID: CORPUS CHRISTI  
 LPST Id: 109847  
 Responsible Party: YAWN MOTOR CO  
 RP Contact: JIM YAWN  
 RP Telephone: 512/664-9955  
 RP Address: PO BOX 330  
                   ALICE, TX  
 Priority: GW IMPACTED, NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Status: **FINAL CONCURRENCE ISSUED, CASE CLOSED**

**UST:**

|                                       |                         |                    |              |
|---------------------------------------|-------------------------|--------------------|--------------|
| Facility ID:                          | 0016937                 | Tank Installer:    | Not reported |
| Tank ID:                              | 2                       | Installation Date: | 01/01/1966   |
| Tank Emptied:                         | No                      | Status Date:       | 07/11/1994   |
| Capacity:                             | 300                     | Unit ID:           | 00043071     |
| Tank Material of Construction:        | Steel                   |                    |              |
| Pipe Material of Construction:        | Steel                   |                    |              |
| Other Materials of Construction:      | Not reported            |                    |              |
| Tank Status:                          | Removed from the Ground |                    |              |
| Tank Construction & Containment:      | Not reported            |                    |              |
| Pipe Construction & Containment:      | Not reported            |                    |              |
| Other Construction & Containment:     | Not reported            |                    |              |
| Compartment Substance Stored:         | Used Oil                |                    |              |
| Compartment Other Substance:          | Not reported            |                    |              |
| Tank Release Detection Method:        | Not reported            |                    |              |
| Tank Release Method Detection II:     | Not reported            |                    |              |
| Tank Release Method Detection III:    | Not reported            |                    |              |
| Other Tank Release Method Detection:  | None                    |                    |              |
| Tank Release Detection Variance :     | No Variance             |                    |              |
| Pipe Release Detection Method:        | Not reported            |                    |              |
| Other Pipe Release Detection Method : | None                    |                    |              |
| Pipe Release Detection Variance :     | No Variance             |                    |              |
| Spill and Overfill Protection:        | Not reported            |                    |              |
| Tank Corrosion Protection:            | Not reported            |                    |              |
| Pipe Corrosion Protection:            | Not reported            |                    |              |
| Other Corrosion Protection:           | None                    |                    |              |
| Vapor Recovery Equipment Status:      | Not reported            |                    |              |
| Equipment Installed Date:             | Not reported            |                    |              |
| Equipment Installer:                  | Not reported            |                    |              |
| Contractor Registration Number:       | Not reported            |                    |              |
| Tank Registration Date:               | 05/08/1986              |                    |              |
| Installer License Number:             | Not reported            |                    |              |
| Operator Name:                        | Not reported            |                    |              |
| Operator Telephone number:            | Not reported            |                    |              |
| Operator Address:                     |                         |                    |              |
| Operator Address building:            | Not reported            |                    |              |
| Contact Operator Name:                |                         |                    |              |
| Contact Operator title:               | Not reported            |                    |              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

YAWN MOTOR CO (Continued)

U001252036

Contact Operator Phone: Not reported  
Self-Certification date: Not reported  
Signature Name: Not reported  
Signature Title Name: Not reported  
Signature Type Text: Not reported  
Certification Submitted Type: Not reported  
Registration Self-Certification Flag: Not reported  
Fees Self-Certification Flag: Not reported  
Financial Assurance Self-Certification flag: Not reported  
Technical standards Self-Certification flag: Not reported  
UST Delivery Certificate Expiration Date: Not reported  
Compartment letter: Not reported  
Financial Responsibility Type: Not reported  
Corrective Action Met Flag: Not reported  
Third Party Met Flag: Not reported  
Financial Assurance Beginning Date: Not reported  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Not reported  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: None  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Tested  
Compartment Capacity : 0000000  
Owner ID : 08547  
Owner Name : YAWN MOTOR COMPANY  
Owner Address : 1259 E MAIN  
ALICE, TX 78333  
Owner Contact Telephone : (512) 664-9955  
Owner Type : Private or Corporate  
Owner Amendment Reason Code : Owner Name Changed  
Owner Amendment Date : 21/03/03  
Owner Tax ID : 17415060239  
Number of Facilities reported by Owner : 0001  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 0002  
# Of Aboveground Storage Tanks : 0000  
Operator Effective Date : Not reported  
Operator Type : Private or Corporate  
Owner Contact Name:  
Date Registration Form Received : 08/86/05  
Facility Type : Other  
Name of Facility Manager : E. LABBE'  
Title of Facility Manager : OFFICE MGR  
Facility Manager Phone : 5126649955  
Sign Name on Registration Form : E LABBE  
Title of Signer of Registration Form : OFFICE MGR  
Date of Signature on Registration Form : 042486  
Number of USTs: 0002

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation    Site

MAP FINDINGS

Database(s)    EDR ID Number  
 EPA ID Number

**YAWN MOTOR CO (Continued)**

**U001252036**

|  |                         |                    |              |
|--|-------------------------|--------------------|--------------|
| Number of ASTs:                              | 0000                    |                    |              |
| Facility PO Box :                            | Not reported            |                    |              |
| Owner PO Box :                               | PO BOX 330              |                    |              |
| Region Number :                              | 14                      |                    |              |
| Facility in Ozone non-attainment area :      | Not reported            |                    |              |
|  |                         |                    |              |
| Facility ID:                                 | 0016937                 | Tank Installer:    | Not reported |
| Tank ID:                                     | 1                       | Installation Date: | 01/01/1966   |
| Tank Emptied:                                | No                      | Status Date:       | 07/11/1994   |
| Capacity:                                    | 500                     | Unit ID:           | 00043072     |
| Tank Material of Construction:               | Steel                   |                    |              |
| Pipe Material of Construction:               | Steel                   |                    |              |
| Other Materials of Construction:             | Not reported            |                    |              |
| Tank Status:                                 | Removed from the Ground |                    |              |
| Tank Construction & Containment:             | Not reported            |                    |              |
| Pipe Construction & Containment:             | Not reported            |                    |              |
| Other Construction & Containment:            | Not reported            |                    |              |
| Compartment Substance Stored:                | Used Oil                |                    |              |
| Compartment Other Substance:                 | Not reported            |                    |              |
| Tank Release Detection Method:               | Not reported            |                    |              |
| Tank Release Method Detection II:            | Not reported            |                    |              |
| Tank Release Method Detection III:           | Not reported            |                    |              |
| Other Tank Release Method Detection:         | None                    |                    |              |
| Tank Release Detection Variance :            | No Variance             |                    |              |
| Pipe Release Detection Method:               | Not reported            |                    |              |
| Other Pipe Release Detection Method :        | None                    |                    |              |
| Pipe Release Detection Variance :            | No Variance             |                    |              |
| Spill and Overfill Protection:               | Not reported            |                    |              |
| Tank Corrosion Protection:                   | Not reported            |                    |              |
| Pipe Corrosion Protection:                   | Not reported            |                    |              |
| Other Corrosion Protection:                  | None                    |                    |              |
| Vapor Recovery Equipment Status:             | Not reported            |                    |              |
| Equipment Installed Date:                    | Not reported            |                    |              |
| Equipment Installer:                         | Not reported            |                    |              |
| Contractor Registration Number:              | Not reported            |                    |              |
| Tank Registration Date:                      | 05/08/1986              |                    |              |
| Installer License Number:                    | Not reported            |                    |              |
| Operator Name:                               | Not reported            |                    |              |
| Operator Telephone number:                   | Not reported            |                    |              |
| Operator Address:                            |                         |                    |              |
| Operator Address building:                   | Not reported            |                    |              |
| Contact Operator Name:                       |                         |                    |              |
| Contact Operator title:                      | Not reported            |                    |              |
| Contact Operator Phone:                      | Not reported            |                    |              |
| Self-Certification date:                     | Not reported            |                    |              |
| Signature Name:                              | Not reported            |                    |              |
| Signature Title Name:                        | Not reported            |                    |              |
| Signature Type Text:                         | Not reported            |                    |              |
| Certification Submitted Type:                | Not reported            |                    |              |
| Registration Self-Certification Flag:        | Not reported            |                    |              |
| Fees Self-Certification Flag:                | Not reported            |                    |              |
| Financial Assurance Self-Certification flag: | Not reported            |                    |              |
| Technical standards Self-Certification flag: | Not reported            |                    |              |
| UST Delivery Certificate Expiration Date:    | Not reported            |                    |              |
| Compartment letter:                          | Not reported            |                    |              |
| Financial Responsibility Type:               | Not reported            |                    |              |
| Corrective Action Met Flag:                  | Not reported            |                    |              |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
EPA ID Number

**YAWN MOTOR CO (Continued)**

**U001252036**

Third Party Met Flag: Not reported  
Financial Assurance Beginning Date: Not reported  
Piping Design & Ext. Containment 3 : Not reported  
Piping Design & Ext. Containment 4 : Not reported  
Type of Piping : Gravity  
Internal Tank Lining Date : 00/00/0000  
Pipe Connectors and Valves 1 : Not reported  
Pipe Connectors and Valves 2 : Not reported  
Pipe Connectors and Valves 3 : Not reported  
Other Tank Corrosion Protection Text: None  
Tank Corrosion Protection Variance : No Variance  
Pipe Corrosion Protection 3 : Not reported  
Pipe Corrosion Protection Variance : No Variance  
Stage 2 Vapor Recry Equipment Status : Not reported  
Stage 1 Equipment Installed Date : Not reported  
Tank Tested : Tested  
Compartment Capacity : 0000000  
Owner ID : 08547  
Owner Name : YAWN MOTOR COMPANY  
Owner Address : 1259 E MAIN  
ALICE, TX 78333  
Owner Contact Telephone : (512) 664-9955  
Owner Type : Private or Corporate  
Owner Amendment Reason Code : Owner Name Changed  
Owner Amendment Date : 21/03/03  
Owner Tax ID : 17415060239  
Number of Facilities reported by Owner : 0001  
Mail Undeliverable : Not reported  
Bankruptcy In Effect : Not reported  
# Of Underground Storage Tanks : 0002  
# Of Aboveground Storage Tanks : 0000  
Operator Effective Date : Not reported  
Operator Type : Private or Corporate  
Owner Contact Name:  
Date Registration Form Received : 08/86/05  
Facility Type : Other  
Name of Facility Manager : E. LABBE'  
Title of Facility Manager : OFFICE MGR  
Facility Manager Phone : 5126649955  
Sign Name on Registration Form : E LABBE  
Title of Signer of Registration Form : OFFICE MGR  
Date of Signature on Registration Form : 042486  
Number of USTs: 0002  
Number of ASTs: 0000  
Facility PO Box : Not reported  
Owner PO Box : PO BOX 330  
Region Number : 14  
Facility in Ozone non-attainment area : Not reported

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**15**  
**NNW**  
**1/4-1/2**  
**2115 ft.**

**BUS FLEET GARAGE**  
**1212 N STADIUM RD**  
**ALICE, TX 78332**

**UST** **U001238843**  
**LTANKS** **N/A**

**Relative:**  
**Higher**

**LTANKS:**

**Actual:**  
**198 ft.**

Facility ID: 0001715  
 Facility Location: N STADIUM DR  
 Reported Date: 3/19/1991  
 Entered Date: 3/19/1991  
 RPR Coordinator: KKC  
 Region: 14  
 Region City ID: CORPUS CHRISTI  
 LPST Id: 098300  
 Responsible Party: ALICE ISD  
 RP Contact: ARNOLD SALINAS  
 RP Telephone: 512/664-0981  
 RP Address: 1801 E MAIN  
 ALICE, TX 78332  
 Priority: GW IMPACTED, NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Status: **FINAL CONCURRENCE ISSUED, CASE CLOSED**

**UST:**

|                                       |                         |                    |              |
|---------------------------------------|-------------------------|--------------------|--------------|
| Facility ID:                          | 0001715                 | Tank Installer:    | Not reported |
| Tank ID:                              | 1                       | Installation Date: | 01/01/1974   |
| Tank Emptied:                         | No                      | Status Date:       | 03/30/1991   |
| Capacity:                             | 0                       | Unit ID:           | 00004251     |
| Tank Material of Construction:        | Steel                   |                    |              |
| Pipe Material of Construction:        | Steel                   |                    |              |
| Other Materials of Construction:      | Not reported            |                    |              |
| Tank Status:                          | Removed from the Ground |                    |              |
| Tank Construction & Containment:      | Not reported            |                    |              |
| Pipe Construction & Containment:      | Not reported            |                    |              |
| Other Construction & Containment:     | Not reported            |                    |              |
| Compartment Substance Stored:         | Gasoline                |                    |              |
| Compartment Other Substance:          | Not reported            |                    |              |
| Tank Release Detection Method:        | Not reported            |                    |              |
| Tank Release Method Detection II:     | Not reported            |                    |              |
| Tank Release Method Detection III:    | Not reported            |                    |              |
| Other Tank Release Method Detection:  | None                    |                    |              |
| Tank Release Detection Variance :     | No Variance             |                    |              |
| Pipe Release Detection Method:        | Not reported            |                    |              |
| Other Pipe Release Detection Method : | None                    |                    |              |
| Pipe Release Detection Variance :     | No Variance             |                    |              |
| Spill and Overfill Protection:        | Not reported            |                    |              |
| Tank Corrosion Protection:            | Not reported            |                    |              |
| Pipe Corrosion Protection:            | Not reported            |                    |              |
| Other Corrosion Protection:           | None                    |                    |              |
| Vapor Recovery Equipment Status:      | Not reported            |                    |              |
| Equipment Installed Date:             | Not reported            |                    |              |
| Equipment Installer:                  | Not reported            |                    |              |
| Contractor Registration Number:       | Not reported            |                    |              |
| Tank Registration Date:               | 05/08/1986              |                    |              |
| Installer License Number:             | Not reported            |                    |              |
| Operator Name:                        | Not reported            |                    |              |
| Operator Telephone number:            | Not reported            |                    |              |
| Operator Address:                     |                         |                    |              |
| Operator Address building:            | Not reported            |                    |              |
| Contact Operator Name:                |                         |                    |              |
| Contact Operator title:               | Not reported            |                    |              |

Map ID  
 Direction  
 Distance  
 Distance (ft.)  
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number  
 EPA ID Number

**BUS FLEET GARAGE (Continued)**

**U001238843**

|  |                                    |
|--|------------------------------------|
| Contact Operator Phone:                      | Not reported                       |
| Self-Certification date:                     | Not reported                       |
| Signature Name:                              | Not reported                       |
| Signature Title Name:                        | Not reported                       |
| Signature Type Text:                         | Not reported                       |
| Certification Submitted Type:                | Not reported                       |
| Registration Self-Certification Flag:        | Not reported                       |
| Fees Self-Certification Flag:                | Not reported                       |
| Financial Assurance Self-Certification flag: | Not reported                       |
| Technical standards Self-Certification flag: | Not reported                       |
| UST Delivery Certificate Expiration Date:    | Not reported                       |
| Compartment letter:                          | Not reported                       |
| Financial Responsibility Type:               | Not reported                       |
| Corrective Action Met Flag:                  | Not reported                       |
| Third Party Met Flag:                        | Not reported                       |
| Financial Assurance Beginning Date:          | Not reported                       |
| Piping Design & Ext. Containment 3 :         | Not reported                       |
| Piping Design & Ext. Containment 4 :         | Not reported                       |
| Type of Piping :                             | Not reported                       |
| Internal Tank Lining Date :                  | 00/00/0000                         |
| Pipe Connectors and Valves 1 :               | Not reported                       |
| Pipe Connectors and Valves 2 :               | Not reported                       |
| Pipe Connectors and Valves 3 :               | Not reported                       |
| Other Tank Corrosion Protection Text:        | Not reported                       |
| Tank Corrosion Protection Variance :         | No Variance                        |
| Pipe Corrosion Protection 3 :                | Not reported                       |
| Pipe Corrosion Protection Variance :         | No Variance                        |
| Stage 2 Vapor Recry Equipment Status :       | Not reported                       |
| Stage 1 Equipment Installed Date :           | Not reported                       |
| Tank Tested :                                | Not reported                       |
| Compartment Capacity :                       | 0000000                            |
| Owner ID :                                   | 01025                              |
| Owner Name :                                 | ALICE ISD                          |
| Owner Address :                              | 1801 E MAIN<br>ALICE, TX 78332     |
| Owner Contact Telephone :                    | (512) 664-0981                     |
| Owner Type :                                 | L                                  |
| Owner Amendment Reason Code :                | Owner Billing Address Changed      |
| Owner Amendment Date :                       | 14/01/11                           |
| Owner Tax ID :                               | Not reported                       |
| Number of Facilities reported by Owner :     | 0001                               |
| Mail Undeliverable :                         | Not reported                       |
| Bankruptcy In Effect :                       | Not reported                       |
| # Of Underground Storage Tanks :             | 0001                               |
| # Of Aboveground Storage Tanks :             | 0000                               |
| Operator Effective Date :                    | Not reported                       |
| Operator Type :                              | L                                  |
| Owner Contact Name:                          |                                    |
| Date Registration Form Received :            | 08/86/05                           |
| Facility Type :                              | None of the above, or unidentified |
| Name of Facility Manager :                   | ARNOLDO SALINAS                    |
| Title of Facility Manager :                  | DIR OF OPERATIONS                  |
| Facility Manager Phone :                     | 5126640981                         |
| Sign Name on Registration Form :             | ARNOLDO SALINAS                    |
| Title of Signer of Registration Form :       | DIR OF OPERATIONS                  |
| Date of Signature on Registration Form :     | 042486                             |
| Number of USTs:                              | 0001                               |

Map ID  
Direction  
Distance  
Distance (ft.)  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUS FLEET GARAGE (Continued)**

**U001238843**

Number of ASTs: 0000  
Facility PO Box : Not reported  
Owner PO Box : Not reported  
Region Number : 14  
Facility in Ozone non-attainment area : Not reported

## ORPHAN SUMMARY

| City          | EDR ID     | Site Name                          | Site Address                   | Zip   | Database(s)                     |
|---------------|------------|------------------------------------|--------------------------------|-------|---------------------------------|
| ALICE         | U003424624 | J P PALACIOS GROCERY               | RT 1                           | 78332 | UST                             |
| ALICE         | A100124899 | M F ADAMS & SON                    | RT 2                           | 78332 | AST                             |
| ALICE         | 1001203740 | OSAGE ENVIRONMENTAL INC            | FM 2507 AT HWY 44              | 78332 | RCRA-SQG, FINDS, Ind. Haz Waste |
| ALICE         | S105050157 | TXDOT                              | HWY 281                        | 78332 | LTANKS                          |
| ALICE         | S104275420 | WEATHERFORD SURPLUS PROPERTY       | HIGHWAY 281 NORTH AT COMMERCE  |       | TX VCP                          |
| ALICE         | A100190318 | TILLER HELICOPTER SERVICE INC      | RT 4                           | 78332 | AST                             |
| ALICE         | A100124894 | HUB OILFIELD SUPPLY CO             | HWY 44 W                       | 78332 | AST                             |
| ALICE         | S106169202 | CITY OF ALICE SOLID WASTE PROCESSI | NO ADDRESS                     |       | SWF/LF                          |
| ALICE         | S103500442 | ALICE TEXAS DIVISION               | 1249 COMMERCE                  | 78332 | Ind. Haz Waste, LTANKS          |
| ALICE         | U004022044 | NAVAL AUXILIARY LANDING FIELD ORAN | 3 MI E OF HWY 281              | 78332 | UST                             |
| ALICE         | 1004784447 | WESTERN ATLAS SERVICES             | FALFARIAS HWY 1M S             | 78332 | RCRA-SQG, FINDS                 |
| ALICE         | 1003874354 | STARR IND SERV INC                 | FALFURRA HWY                   | 78332 | CERC-NFRAP                      |
| ALICE         | A100210800 | B & J AIR & PUMP RENTAL            | 4097 E HIGHWAY 44              | 78332 | AST                             |
| ALICE         | U003750657 | EL TIGRE FOOD STORE 19             | 5015 S HIGHWAY 281             | 78332 | UST                             |
| ALICE         | S105050320 | ALICE TERMINAL                     | E HWY 44                       | 78332 | LTANKS                          |
| ALICE         | A100124915 | ALICE TERMINAL                     | E HWY 44                       | 78332 | AST                             |
| ALICE         | 1007116611 | SIMONS PETROLEUM WAREHOUSE         | 2619 S HWY 281                 | 78332 | RCRA-SQG                        |
| ALICE         | 1008892474 | COASTAL CHEMICAL CO LLC            | 6110 E HWY 44                  | 78332 | RCRA-SQG                        |
| ALICE         | A100190319 | BRADFORDS GM MOTOR CARS            | E HWY 44                       | 78332 | AST                             |
| ALICE         | S107615938 | ALICE CLEANERS                     | 1015 E MAIN ST                 | 78332 | DRYCLEANERS                     |
| ALICE         | U003974669 | MURPHY USA 7065                    | 2911 E MAIN ST                 | 78332 | UST                             |
| ALICE         | U004022043 | WAL-MART SUPERCENTER 791           | 2701 E MAIN ST                 | 78332 | UST                             |
| ALICE         | 1003874093 | W.J.T.,INC. (TILLER HELICOPTER)    | 3.25 MI S OF HWY 44 ON FM 2507 | 78332 | CERC-NFRAP                      |
| PALITO BLANCO | S106170285 | JIM WELLS COUNTY LANDFILL          | NO ADDRESS                     | 78332 | SWF/LF                          |

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

## **FEDERAL RECORDS**

### **NPL: National Priority List**

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

|   |  |
|---|--|
| Date of Government Version: 04/19/2006  | Source: EPA                            |
| Date Data Arrived at EDR: 05/05/2006    | Telephone: N/A                         |
| Date Made Active in Reports: 05/22/2006 | Last EDR Contact: 05/05/2006           |
| Number of Days to Update: 17            | Next Scheduled EDR Contact: 07/31/2006 |
|   | Data Release Frequency: Quarterly      |

### **NPL Site Boundaries**

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)  
Telephone: 202-564-7333

EPA Region 1  
Telephone 617-918-1143

EPA Region 6  
Telephone: 214-655-6659

EPA Region 3  
Telephone 215-814-5418

EPA Region 8  
Telephone: 303-312-6774

EPA Region 4  
Telephone 404-562-8033

### **Proposed NPL: Proposed National Priority List Sites**

|   |  |
|---|--|
| Date of Government Version: 04/19/2006  | Source: EPA                            |
| Date Data Arrived at EDR: 05/05/2006    | Telephone: N/A                         |
| Date Made Active in Reports: 05/22/2006 | Last EDR Contact: 05/05/2006           |
| Number of Days to Update: 17            | Next Scheduled EDR Contact: 07/31/2006 |
|   | Data Release Frequency: Quarterly      |

### **DELISTED NPL: National Priority List Deletions**

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

|   |  |
|---|--|
| Date of Government Version: 04/19/2006  | Source: EPA                            |
| Date Data Arrived at EDR: 05/05/2006    | Telephone: N/A                         |
| Date Made Active in Reports: 05/22/2006 | Last EDR Contact: 05/05/2006           |
| Number of Days to Update: 17            | Next Scheduled EDR Contact: 07/31/2006 |
|   | Data Release Frequency: Quarterly      |

### **NPL RECOVERY: Federal Superfund Liens**

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

|   |   |
|---|---|
| Date of Government Version: 10/15/1991  | Source: EPA                               |
| Date Data Arrived at EDR: 02/02/1994    | Telephone: 202-564-4267                   |
| Date Made Active in Reports: 03/30/1994 | Last EDR Contact: 05/23/2006              |
| Number of Days to Update: 56            | Next Scheduled EDR Contact: 08/21/2006    |
|   | Data Release Frequency: No Update Planned |

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## **CERCLIS:** Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

|   |  |
|---|--|
| Date of Government Version: 02/01/2006  | Source: EPA                            |
| Date Data Arrived at EDR: 03/21/2006    | Telephone: 703-413-0223                |
| Date Made Active in Reports: 04/13/2006 | Last EDR Contact: 06/22/2006           |
| Number of Days to Update: 23            | Next Scheduled EDR Contact: 09/18/2006 |
|   | Data Release Frequency: Quarterly      |

## **CERCLIS-NFRAP:** CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

|   |  |
|---|--|
| Date of Government Version: 02/01/2006  | Source: EPA                            |
| Date Data Arrived at EDR: 03/21/2006    | Telephone: 703-413-0223                |
| Date Made Active in Reports: 04/13/2006 | Last EDR Contact: 06/23/2006           |
| Number of Days to Update: 23            | Next Scheduled EDR Contact: 09/18/2006 |
|   | Data Release Frequency: Quarterly      |

## **CORRACTS:** Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

|   |  |
|---|--|
| Date of Government Version: 03/15/2006  | Source: EPA                            |
| Date Data Arrived at EDR: 03/17/2006    | Telephone: 800-424-9346                |
| Date Made Active in Reports: 04/13/2006 | Last EDR Contact: 05/21/2006           |
| Number of Days to Update: 27            | Next Scheduled EDR Contact: 09/04/2006 |
|   | Data Release Frequency: Quarterly      |

## **RCRA:** Resource Conservation and Recovery Act Information

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

|   |  |
|---|--|
| Date of Government Version: 03/09/2006  | Source: EPA                            |
| Date Data Arrived at EDR: 04/27/2006    | Telephone: 800-424-9346                |
| Date Made Active in Reports: 05/30/2006 | Last EDR Contact: 06/28/2006           |
| Number of Days to Update: 33            | Next Scheduled EDR Contact: 08/21/2006 |
|   | Data Release Frequency: Quarterly      |

## **ERNS:** Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

|   |   |
|---|---|
| Date of Government Version: 12/31/2005  | Source: National Response Center, United States Coast Guard |
| Date Data Arrived at EDR: 01/12/2006    | Telephone: 202-260-2342                                     |
| Date Made Active in Reports: 02/21/2006 | Last EDR Contact: 04/26/2006                                |
| Number of Days to Update: 40            | Next Scheduled EDR Contact: 07/24/2006                      |
|   | Data Release Frequency: Annually                            |

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## **HMIRS:** Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

|   |   |
|---|---|
| Date of Government Version: 12/31/2005  | Source: U.S. Department of Transportation |
| Date Data Arrived at EDR: 04/14/2006    | Telephone: 202-366-4555                   |
| Date Made Active in Reports: 05/30/2006 | Last EDR Contact: 04/14/2006              |
| Number of Days to Update: 46            | Next Scheduled EDR Contact: 07/17/2006    |
|   | Data Release Frequency: Annually          |

## **US ENG CONTROLS:** Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

|   |   |
|---|---|
| Date of Government Version: 03/21/2006  | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 03/27/2006    | Telephone: 703-603-8905                 |
| Date Made Active in Reports: 05/22/2006 | Last EDR Contact: 07/03/2006            |
| Number of Days to Update: 56            | Next Scheduled EDR Contact: 10/02/2006  |
|   | Data Release Frequency: Varies          |

## **US INST CONTROL:** Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

|   |   |
|---|---|
| Date of Government Version: 03/21/2006  | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 03/27/2006    | Telephone: 703-603-8905                 |
| Date Made Active in Reports: 05/22/2006 | Last EDR Contact: 07/03/2006            |
| Number of Days to Update: 56            | Next Scheduled EDR Contact: 10/02/2006  |
|   | Data Release Frequency: Varies          |

## **DOD:** Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

|   |  |
|---|--|
| Date of Government Version: 12/31/2004  | Source: USGS                           |
| Date Data Arrived at EDR: 02/08/2005    | Telephone: 703-692-8801                |
| Date Made Active in Reports: 08/04/2005 | Last EDR Contact: 05/12/2006           |
| Number of Days to Update: 177           | Next Scheduled EDR Contact: 08/07/2006 |
|   | Data Release Frequency: Semi-Annually  |

## **FUDS:** Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

|   |  |
|---|--|
| Date of Government Version: 12/05/2005  | Source: U.S. Army Corps of Engineers   |
| Date Data Arrived at EDR: 01/19/2006    | Telephone: 202-528-4285                |
| Date Made Active in Reports: 02/21/2006 | Last EDR Contact: 07/03/2006           |
| Number of Days to Update: 33            | Next Scheduled EDR Contact: 10/02/2006 |
|   | Data Release Frequency: Varies         |

## **US BROWNFIELDS:** A Listing of Brownfields Sites

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

|   |   |
|---|---|
| Date of Government Version: 04/26/2006  | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 04/27/2006    | Telephone: 202-566-2777                 |
| Date Made Active in Reports: 05/30/2006 | Last EDR Contact: 06/12/2006            |
| Number of Days to Update: 33            | Next Scheduled EDR Contact: 09/11/2006  |
|   | Data Release Frequency: Semi-Annually   |

## **CONSENT:** Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

|   |   |
|---|---|
| Date of Government Version: 12/14/2004  | Source: Department of Justice, Consent Decree Library |
| Date Data Arrived at EDR: 02/15/2005    | Telephone: Varies                                     |
| Date Made Active in Reports: 04/25/2005 | Last EDR Contact: 03/13/2006                          |
| Number of Days to Update: 69            | Next Scheduled EDR Contact: 07/24/2006                |
|   | Data Release Frequency: Varies                        |

## **ROD:** Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

|   |  |
|---|--|
| Date of Government Version: 04/13/2006  | Source: EPA                            |
| Date Data Arrived at EDR: 04/28/2006    | Telephone: 703-416-0223                |
| Date Made Active in Reports: 05/30/2006 | Last EDR Contact: 07/06/2006           |
| Number of Days to Update: 32            | Next Scheduled EDR Contact: 10/02/2006 |
|   | Data Release Frequency: Annually       |

## **UMTRA:** Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

|   |  |
|---|--|
| Date of Government Version: 11/04/2005  | Source: Department of Energy           |
| Date Data Arrived at EDR: 11/28/2005    | Telephone: 505-845-0011                |
| Date Made Active in Reports: 01/30/2006 | Last EDR Contact: 06/21/2006           |
| Number of Days to Update: 63            | Next Scheduled EDR Contact: 09/18/2006 |
|   | Data Release Frequency: Varies         |

## **ODI:** Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

|   |   |
|---|---|
| Date of Government Version: 06/30/1985  | Source: Environmental Protection Agency   |
| Date Data Arrived at EDR: 08/09/2004    | Telephone: 800-424-9346                   |
| Date Made Active in Reports: 09/17/2004 | Last EDR Contact: 06/09/2004              |
| Number of Days to Update: 39            | Next Scheduled EDR Contact: N/A           |
|   | Data Release Frequency: No Update Planned |

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

**TRIS:** Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

|   |  |
|---|--|
| Date of Government Version: 12/31/2003  | Source: EPA                            |
| Date Data Arrived at EDR: 07/13/2005    | Telephone: 202-566-0250                |
| Date Made Active in Reports: 08/17/2005 | Last EDR Contact: 06/22/2006           |
| Number of Days to Update: 35            | Next Scheduled EDR Contact: 09/18/2006 |
|   | Data Release Frequency: Annually       |

**TSCA:** Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

|   |  |
|---|--|
| Date of Government Version: 12/31/2002  | Source: EPA                            |
| Date Data Arrived at EDR: 04/14/2006    | Telephone: 202-260-5521                |
| Date Made Active in Reports: 05/30/2006 | Last EDR Contact: 04/12/2006           |
| Number of Days to Update: 46            | Next Scheduled EDR Contact: 07/17/2006 |
|   | Data Release Frequency: Every 4 Years  |

**FTTS:** FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

|   |   |
|---|---|
| Date of Government Version: 03/29/2006  | Source: EPA/Office of Prevention, Pesticides and Toxic Substances |
| Date Data Arrived at EDR: 04/26/2006    | Telephone: 202-566-1667   |
| Date Made Active in Reports: 05/30/2006 | Last EDR Contact: 06/19/2006                                      |
| Number of Days to Update: 34            | Next Scheduled EDR Contact: 09/18/2006                            |
|   | Data Release Frequency: Quarterly                                 |

**FTTS INSP:** FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

|   |  |
|---|--|
| Date of Government Version: 03/31/2006  | Source: EPA                            |
| Date Data Arrived at EDR: 04/26/2006    | Telephone: 202-566-1667                |
| Date Made Active in Reports: 05/30/2006 | Last EDR Contact: 06/19/2006           |
| Number of Days to Update: 34            | Next Scheduled EDR Contact: 09/18/2006 |
|   | Data Release Frequency: Quarterly      |

**SSTS:** Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

|   |  |
|---|--|
| Date of Government Version: 12/31/2004  | Source: EPA                            |
| Date Data Arrived at EDR: 05/11/2006    | Telephone: 202-564-4203                |
| Date Made Active in Reports: 05/22/2006 | Last EDR Contact: 03/06/2006           |
| Number of Days to Update: 11            | Next Scheduled EDR Contact: 07/17/2006 |
|   | Data Release Frequency: Annually       |

**ICIS:** Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

|   |   |
|---|---|
| Date of Government Version: 02/13/2006  | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 04/21/2006    | Telephone: 202-564-5088                 |
| Date Made Active in Reports: 05/11/2006 | Last EDR Contact: 04/11/2006            |
| Number of Days to Update: 20            | Next Scheduled EDR Contact: 07/17/2006  |
|   | Data Release Frequency: Quarterly       |

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## **PADS:** PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

|   |  |
|---|--|
| Date of Government Version: 12/27/2005  | Source: EPA                            |
| Date Data Arrived at EDR: 02/08/2006    | Telephone: 202-566-0500                |
| Date Made Active in Reports: 02/27/2006 | Last EDR Contact: 06/28/2006           |
| Number of Days to Update: 19            | Next Scheduled EDR Contact: 08/07/2006 |
|   | Data Release Frequency: Annually       |

## **MLTS:** Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

|   |  |
|---|--|
| Date of Government Version: 04/12/2006  | Source: Nuclear Regulatory Commission  |
| Date Data Arrived at EDR: 04/26/2006    | Telephone: 301-415-7169                |
| Date Made Active in Reports: 05/30/2006 | Last EDR Contact: 07/03/2006           |
| Number of Days to Update: 34            | Next Scheduled EDR Contact: 10/02/2006 |
|   | Data Release Frequency: Quarterly      |

## **MINES:** Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

|   |  |
|---|--|
| Date of Government Version: 02/09/2006  | Source: Department of Labor, Mine Safety and Health Administration |
| Date Data Arrived at EDR: 03/29/2006    | Telephone: 303-231-5959  |
| Date Made Active in Reports: 05/30/2006 | Last EDR Contact: 06/28/2006                                       |
| Number of Days to Update: 62            | Next Scheduled EDR Contact: 09/25/2006                             |
|   | Data Release Frequency: Semi-Annually                              |

## **FINDS:** Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

|   |  |
|---|--|
| Date of Government Version: 04/27/2006  | Source: EPA                            |
| Date Data Arrived at EDR: 05/02/2006    | Telephone: N/A                         |
| Date Made Active in Reports: 05/30/2006 | Last EDR Contact: 04/03/2006           |
| Number of Days to Update: 28            | Next Scheduled EDR Contact: 07/03/2006 |
|   | Data Release Frequency: Quarterly      |

## **RAATS:** RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

|   |   |
|---|---|
| Date of Government Version: 04/17/1995  | Source: EPA                               |
| Date Data Arrived at EDR: 07/03/1995    | Telephone: 202-564-4104                   |
| Date Made Active in Reports: 08/07/1995 | Last EDR Contact: 06/05/2006              |
| Number of Days to Update: 35            | Next Scheduled EDR Contact: 09/04/2006    |
|   | Data Release Frequency: No Update Planned |

## **BRS:** Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2003  
Date Data Arrived at EDR: 06/17/2005  
Date Made Active in Reports: 08/04/2005  
Number of Days to Update: 48

Source: EPA/NTIS  
Telephone: 800-424-9346  
Last EDR Contact: 06/30/2006  
Next Scheduled EDR Contact: 09/11/2006  
Data Release Frequency: Biennially

## STATE AND LOCAL RECORDS

### **SHWS:** State Superfund Registry

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/07/2006  
Date Data Arrived at EDR: 05/19/2006  
Date Made Active in Reports: 06/07/2006  
Number of Days to Update: 19

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5680  
Last EDR Contact: 07/14/2006  
Next Scheduled EDR Contact: 10/09/2006  
Data Release Frequency: Semi-Annually

### **IOP:** Innocent Owner/Operator Program

Contains information on all sites that are in the IOP. An IOP is an innocent owner or operator whose property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to the source or sources of contamination.

Date of Government Version: 05/16/2006  
Date Data Arrived at EDR: 05/17/2006  
Date Made Active in Reports: 06/07/2006  
Number of Days to Update: 21

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5894  
Last EDR Contact: 05/15/2006  
Next Scheduled EDR Contact: 08/07/2006  
Data Release Frequency: Quarterly

### **SWF/LF:** Permitted Solid Waste Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 06/01/2006  
Date Data Arrived at EDR: 06/02/2006  
Date Made Active in Reports: 07/12/2006  
Number of Days to Update: 40

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-6706  
Last EDR Contact: 05/23/2006  
Next Scheduled EDR Contact: 08/21/2006  
Data Release Frequency: Quarterly

### **CLI:** Closed Landfill Inventory

Closed and abandoned landfills (permitted as well as unauthorized) across the state of Texas.

Date of Government Version: 08/30/1999  
Date Data Arrived at EDR: 09/28/2000  
Date Made Active in Reports: 10/30/2000  
Number of Days to Update: 32

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-6016  
Last EDR Contact: 05/01/2006  
Next Scheduled EDR Contact: 07/31/2006  
Data Release Frequency: Varies

### **WASTEMGT:** Commercial Hazardous & Solid Waste Management Facilities

This list contains commercial recycling facilities and facilities permitted or authorized (interim status) by the Texas Natural Resource Conservation Commission.

Date of Government Version: 11/01/2003  
Date Data Arrived at EDR: 02/17/2004  
Date Made Active in Reports: 03/04/2004  
Number of Days to Update: 16

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2920  
Last EDR Contact: 05/04/2006  
Next Scheduled EDR Contact: 07/31/2006  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## **LTANKS:** Leaking Petroleum Storage Tank Database

An inventory of reported leaking petroleum storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 05/04/2006  
Date Data Arrived at EDR: 05/08/2006  
Date Made Active in Reports: 06/07/2006  
Number of Days to Update: 30

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2200  
Last EDR Contact: 04/26/2006  
Next Scheduled EDR Contact: 07/24/2006  
Data Release Frequency: Quarterly

## **UST:** Petroleum Storage Tank Database

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 04/26/2006  
Date Data Arrived at EDR: 05/08/2006  
Date Made Active in Reports: 05/22/2006  
Number of Days to Update: 14

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2160  
Last EDR Contact: 04/26/2006  
Next Scheduled EDR Contact: 07/24/2006  
Data Release Frequency: Quarterly

## **AST:** Petroleum Storage Tank Database

Registered Aboveground Storage Tanks.

Date of Government Version: 04/26/2006  
Date Data Arrived at EDR: 05/08/2006  
Date Made Active in Reports: 05/25/2006  
Number of Days to Update: 17

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2160  
Last EDR Contact: 04/26/2006  
Next Scheduled EDR Contact: 07/24/2006  
Data Release Frequency: Quarterly

## **LIENS:** Environmental Liens Listing

The listing covers TCEQ liens placed against either State Superfund sites or Federal Superfund sites to recover cost incurred by TCEQ.

Date of Government Version: 01/27/2006  
Date Data Arrived at EDR: 01/27/2006  
Date Made Active in Reports: 02/13/2006  
Number of Days to Update: 17

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2209  
Last EDR Contact: 07/11/2006  
Next Scheduled EDR Contact: 09/18/2006  
Data Release Frequency: Varies

## **DEL SHWS:** Deleted Superfund Registry Sites

Sites have been deleted from the state Superfund registry in accordance with the Act, ?361.189

Date of Government Version: 04/07/2006  
Date Data Arrived at EDR: 04/26/2006  
Date Made Active in Reports: 05/12/2006  
Number of Days to Update: 16

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-0666  
Last EDR Contact: 07/14/2006  
Next Scheduled EDR Contact: 10/09/2006  
Data Release Frequency: Quarterly

## **SPILLS:** Spills Database

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 04/13/2006  
Date Made Active in Reports: 05/12/2006  
Number of Days to Update: 29

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-0983  
Last EDR Contact: 06/19/2006  
Next Scheduled EDR Contact: 09/18/2006  
Data Release Frequency: Quarterly

## **AUL:** Sites with Controls

Activity and use limitations include both engineering controls and institutional controls.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/01/2006  
Date Data Arrived at EDR: 05/02/2006  
Date Made Active in Reports: 06/07/2006  
Number of Days to Update: 36

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5891  
Last EDR Contact: 05/02/2006  
Next Scheduled EDR Contact: 07/31/2006  
Data Release Frequency: Varies

## **VCP:** Voluntary Cleanup Program Database

The Texas Voluntary Cleanup Program was established to provide administrative, technical, and legal incentives to encourage the cleanup of contaminated sites in Texas.

Date of Government Version: 04/01/2006  
Date Data Arrived at EDR: 05/02/2006  
Date Made Active in Reports: 06/07/2006  
Number of Days to Update: 36

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5891  
Last EDR Contact: 05/02/2006  
Next Scheduled EDR Contact: 07/31/2006  
Data Release Frequency: Quarterly

## **VCP:** Voluntary Cleanup Program Sites

The Voluntary Cleanup Program (RRC-VCP) provides an incentive to remediate Oil & Gas related pollution by participants as long as they did not cause or contribute to the contamination. Applicants to the program receive a release of liability to the state in exchange for a successful cleanup.

Date of Government Version: 04/10/2006  
Date Data Arrived at EDR: 05/02/2006  
Date Made Active in Reports: 05/12/2006  
Number of Days to Update: 10

Source: Railroad Commission of Texas  
Telephone: 512-463-6969  
Last EDR Contact: 05/02/2006  
Next Scheduled EDR Contact: 07/31/2006  
Data Release Frequency: Varies

## **DRYCLEANERS:** Drycleaner Registration Database Listing

A listing of drycleaning facilities.

Date of Government Version: 04/04/2006  
Date Data Arrived at EDR: 04/04/2006  
Date Made Active in Reports: 05/12/2006  
Number of Days to Update: 38

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2160  
Last EDR Contact: 07/03/2006  
Next Scheduled EDR Contact: 10/02/2006  
Data Release Frequency: Varies

## **BROWNFIELDS:** Brownfields Site Assessments

Brownfield site assessments that are being cleaned under EPA grant monies.

Date of Government Version: 04/01/2006  
Date Data Arrived at EDR: 05/02/2006  
Date Made Active in Reports: 05/12/2006  
Number of Days to Update: 10

Source: TCEQ  
Telephone: 512-239-5872  
Last EDR Contact: 05/02/2006  
Next Scheduled EDR Contact: 07/31/2006  
Data Release Frequency: Semi-Annually

## **ENFORCEMENT:** Notice of Violations Listing

A listing of permit violations.

Date of Government Version: 06/21/2006  
Date Data Arrived at EDR: 06/27/2006  
Date Made Active in Reports: 07/12/2006  
Number of Days to Update: 15

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-6012  
Last EDR Contact: 06/05/2006  
Next Scheduled EDR Contact: 09/04/2006  
Data Release Frequency: Semi-Annually

## **Ind. Haz Waste:** Industrial & Hazardous Waste Database

Summary reports reported by waste handlers, generators and shippers in Texas.

Date of Government Version: 12/31/2004  
Date Data Arrived at EDR: 05/16/2005  
Date Made Active in Reports: 06/09/2005  
Number of Days to Update: 24

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-0985  
Last EDR Contact: 05/01/2006  
Next Scheduled EDR Contact: 07/31/2006  
Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## **ED AQUIF:** Edwards Aquifer Permits

A listing of permits in the Edwards Aquifer Protection Program database. The information provided is for the counties located in the Austin Region (Hays, Travis, and Williamson counties).

Date of Government Version: 05/10/2006  
Date Data Arrived at EDR: 05/11/2006  
Date Made Active in Reports: 06/07/2006  
Number of Days to Update: 27

Source: Texas Commission on Environmental Quality, Austin Region  
Telephone: 512-339-2929  
Last EDR Contact: 05/08/2006  
Next Scheduled EDR Contact: 07/24/2006  
Data Release Frequency: Varies

## **AIRS:** Current Emission Inventory Data

The database lists by company, along with their actual emissions, the TNRCC air accounts that emit EPA criteria pollutants.

Date of Government Version: 08/31/2005  
Date Data Arrived at EDR: 01/25/2006  
Date Made Active in Reports: 03/08/2006  
Number of Days to Update: 42

Source: Texas Commission on Environmental Quality  
Telephone: N/A  
Last EDR Contact: 07/14/2006  
Next Scheduled EDR Contact: 10/09/2006  
Data Release Frequency: Semi-Annually

## **TRIBAL RECORDS**

### **INDIAN RESERV:** Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2004  
Date Data Arrived at EDR: 02/08/2005  
Date Made Active in Reports: 08/04/2005  
Number of Days to Update: 177

Source: USGS  
Telephone: 202-208-3710  
Last EDR Contact: 05/12/2006  
Next Scheduled EDR Contact: 08/07/2006  
Data Release Frequency: Semi-Annually

### **INDIAN UST:** USTs on Indian Land

Date of Government Version: 12/14/2005  
Date Data Arrived at EDR: 12/14/2005  
Date Made Active in Reports: 01/23/2006  
Number of Days to Update: 40

Source: Environmental Protection Agency, Region 6  
Telephone: 214-665-7591  
Last EDR Contact: 05/23/2006  
Next Scheduled EDR Contact: 08/21/2006  
Data Release Frequency: Varies

## **EDR PROPRIETARY RECORDS**

### **Manufactured Gas Plants:** EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

### **EDR Historical Auto Stations:** EDR Proprietary Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

## **EDR Historical Cleaners:** EDR Proprietary Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

## **OTHER DATABASE(S)**

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

### **CT MANIFEST:** Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2004  
Date Data Arrived at EDR: 02/17/2006  
Date Made Active in Reports: 04/07/2006  
Number of Days to Update: 49

Source: Department of Environmental Protection  
Telephone: 860-424-3375  
Last EDR Contact: 06/14/2006  
Next Scheduled EDR Contact: 09/11/2006  
Data Release Frequency: Annually

### **NJ MANIFEST:** Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2004  
Date Data Arrived at EDR: 04/24/2006  
Date Made Active in Reports: 05/02/2006  
Number of Days to Update: 8

Source: Department of Environmental Protection  
Telephone: N/A  
Last EDR Contact: 07/05/2006  
Next Scheduled EDR Contact: 10/02/2006  
Data Release Frequency: Annually

### **NY MANIFEST:** Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 05/02/2006  
Date Data Arrived at EDR: 05/31/2006  
Date Made Active in Reports: 06/27/2006  
Number of Days to Update: 27

Source: Department of Environmental Conservation  
Telephone: 518-402-8651  
Last EDR Contact: 05/31/2006  
Next Scheduled EDR Contact: 08/28/2006  
Data Release Frequency: Annually

### **PA MANIFEST:** Manifest Information

Hazardous waste manifest information.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 05/04/2006  
Date Made Active in Reports: 06/06/2006  
Number of Days to Update: 33

Source: Department of Environmental Protection  
Telephone: N/A  
Last EDR Contact: 06/12/2006  
Next Scheduled EDR Contact: 09/11/2006  
Data Release Frequency: Annually

## **RI MANIFEST:** Manifest information

Hazardous waste manifest information

Date of Government Version: 09/30/2005  
Date Data Arrived at EDR: 05/09/2006  
Date Made Active in Reports: 05/24/2006  
Number of Days to Update: 15

Source: Department of Environmental Management  
Telephone: 401-222-2797  
Last EDR Contact: 06/19/2006  
Next Scheduled EDR Contact: 09/18/2006  
Data Release Frequency: Annually

## **VT MANIFEST:** Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 12/31/2004  
Date Data Arrived at EDR: 03/17/2006  
Date Made Active in Reports: 05/17/2006  
Number of Days to Update: 61

Source: Department of Environmental Conservation  
Telephone: 802-241-3443  
Last EDR Contact: 05/15/2006  
Next Scheduled EDR Contact: 08/14/2006  
Data Release Frequency: Annually

## **WI MANIFEST:** Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 03/17/2006  
Date Made Active in Reports: 05/02/2006  
Number of Days to Update: 46

Source: Department of Natural Resources  
Telephone: N/A  
Last EDR Contact: 07/11/2006  
Next Scheduled EDR Contact: 10/09/2006  
Data Release Frequency: Annually

**Oil/Gas Pipelines:** This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

## **Electric Power Transmission Line Data**

Source: PennWell Corporation  
Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

**Sensitive Receptors:** There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

## **AHA Hospitals:**

Source: American Hospital Association, Inc.  
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

## **Medical Centers: Provider of Services Listing**

Source: Centers for Medicare & Medicaid Services  
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

## **Nursing Homes**

Source: National Institutes of Health  
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## **Public Schools**

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

## **Private Schools**

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

## **Daycare Centers: Child Care Facility List**

Source: Department of Protective & Regulatory Services

Telephone: 512-438-3269

**Flood Zone Data:** This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

## **Scanned Digital USGS 7.5' Topographic Map (DRG)**

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

## **STREET AND ADDRESS INFORMATION**

© 2006 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM

### TARGET PROPERTY ADDRESS

ALICE USARC  
100 S STADIUM RD  
ALICE, TX 78332

### TARGET PROPERTY COORDINATES

|                                |                          |
|--------------------------------|--------------------------|
| Latitude (North):              | 27.75540 - 27° 45' 19.4" |
| Longitude (West):              | 98.0549 - 98° 3' 17.6"   |
| Universal Transverse Mercator: | Zone 14                  |
| UTM X (Meters):                | 593137.8                 |
| UTM Y (Meters):                | 3070294.5                |
| Elevation:                     | 192 ft. above sea level  |

### USGS TOPOGRAPHIC MAP

|                       |                          |
|-----------------------|--------------------------|
| Target Property Map:  | 27098-G1 ALICE NORTH, TX |
| Most Recent Revision: | 1963                     |
| South Map:            | 27098-F1 ALICE SOUTH, TX |
| Most Recent Revision: | 1963                     |

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General ENE

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## FEMA FLOOD ZONE

|                               |                                   |
|-------------------------------|-----------------------------------|
| <u>Target Property County</u> | <u>FEMA Flood Electronic Data</u> |
| JIM WELLS, TX                 | Not Available                     |

Flood Plain Panel at Target Property: Not Reported

Additional Panels in search area: Not Reported

## NATIONAL WETLAND INVENTORY

|                                    |                                     |
|------------------------------------|-------------------------------------|
| <u>NWI Quad at Target Property</u> | <u>NWI Electronic Data Coverage</u> |
| ALICE NORTH                        | Not Available                       |

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### *Site-Specific Hydrogeological Data\*:*

|                |            |
|----------------|------------|
| Search Radius: | 1.25 miles |
| Status:        | Not found  |

## AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

| <u>MAP ID</u> | <u>LOCATION FROM TP</u> | <u>GENERAL DIRECTION GROUNDWATER FLOW</u> |
|---------------|-------------------------|---|
| Not Reported  |                         |   |

\* ©1996 Site-specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

## GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

### ROCK STRATIGRAPHIC UNIT

Era: Cenozoic  
System: Quaternary  
Series: Pleistocene  
Code: Qp (*decoded above as Era, System & Series*)

### GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

## DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: LATTAS

Soil Surface Texture: clay

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Somewhat poorly. Soils commonly have a layer with low hydraulic conductivity, wet state high in profile, etc. Depth to water table is 1 to 3 feet.

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: HIGH

Depth to Bedrock Min: > 60 inches

Depth to Bedrock Max: > 60 inches

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

| Soil Layer Information |           |           |                    |  |   |                           |                        |
|------------------------|-----------|-----------|--------------------|--|---|---------------------------|------------------------|
| Layer                  | Boundary  |           | Soil Texture Class | Classification   |   | Permeability Rate (in/hr) | Soil Reaction (pH)     |
|                        | Upper     | Lower     |                    | AASHTO Group   | Unified Soil  |                           |                        |
| 1                      | 0 inches  | 5 inches  | clay               | Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils. | FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay. | Max: 0.20<br>Min: 0.06    | Max: 8.40<br>Min: 7.90 |
| 2                      | 5 inches  | 53 inches | clay               | Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils. | FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay. | Max: 0.06<br>Min: 0.00    | Max: 8.40<br>Min: 7.90 |
| 3                      | 53 inches | 70 inches | clay               | Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils. | FINE-GRAINED SOILS, Silts and Clays (liquid limit 50% or more), Fat Clay. | Max: 0.06<br>Min: 0.00    | Max: 8.40<br>Min: 7.90 |

### OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: fine sandy loam  
clay loam

Surficial Soil Types: fine sandy loam  
clay loam

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: sandy clay loam  
clay loam

### LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

### WELL SEARCH DISTANCE INFORMATION

| <u>DATABASE</u>  | <u>SEARCH DISTANCE (miles)</u> |
|------------------|--------------------------------|
| Federal USGS     | 1.000                          |
| Federal FRDS PWS | Nearest PWS within 1 mile      |
| State Database   | 1.000                          |

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

| MAP ID         | WELL ID | LOCATION<br>FROM TP |
|----------------|---------|---------------------|
| No Wells Found |         |                     |

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


| MAP ID | WELL ID   | LOCATION<br>FROM TP |
|--------|-----------|---------------------|
| 11     | TX1250014 | 1/2 - 1 Mile WSW    |

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

| MAP ID | WELL ID         | LOCATION<br>FROM TP  |
|--------|-----------------|----------------------|
| A1     | TXD1001492      | 1/8 - 1/4 Mile South |
| A2     | TXD1001491      | 1/8 - 1/4 Mile South |
| A3     | TXD1001493      | 1/8 - 1/4 Mile South |
| A4     | TXD1001495      | 1/8 - 1/4 Mile South |
| A5     | TXD1001494      | 1/8 - 1/4 Mile South |
| 6      | TXD1001501      | 1/4 - 1/2 Mile NNE   |
| 7      | TX0000000024242 | 1/4 - 1/2 Mile WNW   |
| 8      | TX0000000024243 | 1/4 - 1/2 Mile NNE   |
| B9     | TXD1001486      | 1/2 - 1 Mile WSW     |
| B10    | TXD1001487      | 1/2 - 1 Mile WSW     |
| 12     | TX0000000024239 | 1/2 - 1 Mile WNW     |
| 13     | TX0000000024240 | 1/2 - 1 Mile NW      |
| 14     | TXD1001507      | 1/2 - 1 Mile ENE     |


# PHYSICAL SETTING SOURCE MAP - 1715374.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons



- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil or gas wells (in certain Texas counties)



SITE NAME: Alice USARC  
 ADDRESS: 100 S Stadium Rd  
 Alice TX 78332  
 LAT/LONG: 27.7554 / 98.0549

CLIENT: ENSAFE  
 CONTACT: Phil Hardy  
 INQUIRY #: 1715374.2s  
 DATE: July 14, 2006

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**A1**  
**South**  
**1/8 - 1/4 Mile**  
**Higher**

**TX WELLS      TXD1001492**

|              |  |             |                                |
|--------------|--|-------------|--------------------------------|
| Rec id:      | 26306  | Edr record: | 1                              |
| Edr site i:  | 58128  | Ownerwell:  | CB-1                           |
| Owner name:  | JC Penneys   | Citystatez: | Plano ,TX75024                 |
| Address:     | 6501 Legacy Drive  |             |                                |
| Grid:        | 84-16-8  |             |                                |
| Waddress:    | 1401 E. Main Street  |             |                                |
| Wcitystate:  | Alice ,TX78332   | Lat:        | 27&deg; 45 07N                 |
| Wcounty:     | Jim Wells  | Lon:        | 098&deg; 03 19 W               |
| Elevation:   | No Data  | Gpsused:    | Maptech                        |
| Typeofwork:  | New Well   | Propuse:    | Environmental Soil Boring      |
| Sdate:       | 4/1/2002   | Completedd: | 4/1/2002                       |
| Diameter:    | 2 in From Surface To   | 14 ft       |                                |
| Dmethod:     | Not Reported   |             |                                |
| Bcompleto:   | Open Hole  |             |                                |
| Packedfrom:  | Not Reported   |             |                                |
| Packsizes:   | Not Reported   |             |                                |
| Finterval:   | No Data  |             |                                |
| Sinterval:   | No Data  |             |                                |
| Tinterval:   | No Data  |             |                                |
| Usedmethod:  | Not Reported   | Cementedby: | Not Reported                   |
| Contaminat:  | Not Reported   | Propertyli: | Not Reported                   |
| Verrimetho:  | Not Reported   | Variance:   | Not Reported                   |
| Surface:     | No Data  | Staticleve: | No Data                        |
| Flow:        | No Data  |             |                                |
| Packers:     | No Data  |             |                                |
| Cementinwe:  | Not Reported   | Typepump:   | No Data                        |
| Pumpbowl:    | Not Reported   | Welltests:  | No Data                        |
| Yield:       | Not Reported   |             |                                |
| Watertype:   | No Data  | Stratadept: | No Data                        |
| Chemicalma:  | No Data  | Undesirabl: | No                             |
| Certificat:  | The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required |             |                                |
| Companyname: | Universal Drilling Services, Company   | Companyadd: | 3233 W. 11th Street, Suite 800 |
| Ccitystate:  | Houston , TX 77008   | Licensenum: | 54572                          |
| Wsignature:  | Robert Zulaica   | Dsignature: | No Data                        |
| Regnum:      | No Data  |             |                                |
| Comments:    | No Data  |             |                                |
| Ftdescript:  | 0-1 SAND: With trace fine gravel, light brown, fine to coarse, loose.1-4 CLAY: Dark brown, moist, hgh plasticity, medium stiff.4-6 grades with some fine sand, less moisture, medium plasticity, stiff.6-7.5 grades with caliche and iron, very stif       |             |                                |
| Typesettin:  | Not Reported   |             |                                |
| Oid :        | 561  |             |                                |

**A2**  
**South**  
**1/8 - 1/4 Mile**  
**Higher**

**TX WELLS      TXD1001491**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

|              |  |             |                                |
|--------------|--|-------------|--------------------------------|
| Rec id:      | 26310  | Edr record: | 1                              |
| Edr site i:  | 57274  | Ownerwell:  | CB-4                           |
| Owner name:  | JC Penneys   | Citystatez: | Plano ,TX75024                 |
| Address:     | 6501 Legacy Drive  |             |                                |
| Grid:        | 84-16-8  |             |                                |
| Waddress:    | 1401 E. Main Street  |             |                                |
| Wcitystate:  | Alice ,TX78332   | Lat:        | 27&deg; 45 07N                 |
| Wcounty:     | Jim Wells  | Lon:        | 098&deg; 03 19 W               |
| Elevation:   | No Data  | Gpsused:    | Maptech                        |
| Typeofwork:  | New Well   | Propuse:    | Environmental Soil Boring      |
| Sdate:       | 4/1/2002   | Completedd: | 4/1/2002                       |
| Diameter:    | 2 in From Surface To   | 16 ft       |                                |
| Dmethod:     | Not Reported   |             |                                |
| Bcompletio:  | Open Hole  |             |                                |
| Packedfrom:  | Not Reported   |             |                                |
| Packsiz:     | Not Reported   |             |                                |
| Finterval:   | No Data  |             |                                |
| Sinterval:   | No Data  |             |                                |
| Tinterval:   | No Data  |             |                                |
| Usedmethod:  | Not Reported   | Cementedby: | Not Reported                   |
| Contaminat:  | Not Reported   | Propertyli: | Not Reported                   |
| Verrimetho:  | Not Reported   | Variance:   | Not Reported                   |
| Surface:     | No Data  | Staticleve: | No Data                        |
| Flow:        | No Data  |             |                                |
| Packers:     | No Data  |             |                                |
| Cementinwe:  | Not Reported   | Typepump:   | No Data                        |
| Pumpbowl:    | Not Reported   | Welltests:  | No Data                        |
| Yield:       | Not Reported   |             |                                |
| Watertype:   | No Data  | Stratadept: | No Data                        |
| Chemicalma:  | No Data  | Undesirabl: | No                             |
| Certificat:  | The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required |             |                                |
| Companyname: | Universal Drilling Services, Company   | Companyadd: | 3233 W. 11th Street, Suite 800 |
| Ccitystate:  | Houston , TX 77008   | Licensenum: | 54572                          |
| Wsignature:  | Robert Zulaica   | Dsignature: | No Data                        |
| Regnum:      | No Data  |             |                                |
| Comments:    | No Data  |             |                                |
| Ftdescript:  | 0-6 CEMENT: concrete6-4 CLAY: Dark brown, moist, soft, high plasticity.4-6 mm sand lens, fine to coarse, with trace caliche.6-6.5 with some corase sand, less moisture, stiff, lowto medium plasticity.6.5-9 color change to brown with dark brown         |             |                                |
| Typesettin:  | Not Reported   |             |                                |
| Oid :        | 561  |             |                                |

**A3  
South  
1/8 - 1/4 Mile  
Higher**

**TX WELLS TXD1001493**

|             |                     |             |                  |
|-------------|---------------------|-------------|------------------|
| Rec id:     | 26307               | Edr record: | 1                |
| Edr site i: | 58123               | Ownerwell:  | CB-5             |
| Owner name: | JC Penneys          | Citystatez: | Plano ,TX75024   |
| Address:    | 6501 Legacy Drive   |             |                  |
| Grid:       | 84-16-8             |             |                  |
| Waddress:   | 1401 E. Main Street |             |                  |
| Wcitystate: | Alice ,TX78332      | Lat:        | 27&deg; 45 07N   |
| Wcounty:    | Jim Wells           | Lon:        | 098&deg; 03 19 W |
| Elevation:  | No Data             | Gpsused:    | Maptech          |

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

|              |  |             |                                |
|--------------|--|-------------|--------------------------------|
| Typeofwork:  | New Well   | Propuse:    | Environmental Soil Boring      |
| Sdate:       | 4/1/2002   | Completedd: | 4/1/2002                       |
| Diameter:    | 2 in From Surface To   | 16 ft       |                                |
| Dmethod:     | Driven   |             |                                |
| Bcompletio:  | Open Hole  |             |                                |
| Packedfrom:  | Not Reported   |             |                                |
| Packsiz:     | Not Reported   |             |                                |
| Finterval:   | No Data  |             |                                |
| Sinterval:   | No Data  |             |                                |
| Tinterval:   | No Data  |             |                                |
| Usedmethod:  | Not Reported   | Cementedby: | Not Reported                   |
| Contaminat:  | Not Reported   | Propertyli: | Not Reported                   |
| Verrimetho:  | Not Reported   | Variance:   | Not Reported                   |
| Surface:     | No Data  | Staticleve: | No Data                        |
| Flow:        | No Data  |             |                                |
| Packers:     | No Data  |             |                                |
| Cementinw:   | Not Reported   | Typepump:   | No Data                        |
| Pumpbowl:    | Not Reported   | Welltests:  | No Data                        |
| Yield:       | Not Reported   |             |                                |
| Watertype:   | No Data  | Stratadept: | No Data                        |
| Chemicalma:  | No Data  | Undesirabl: | No                             |
| Certificat:  | The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required |             |                                |
| Companyname: | Universal Drilling Services, Company   | Companyadd: | 3233 W. 11th Street, Suite 800 |
| Ccitystate:  | Houston , TX 77008   | Licensenum: | 54572                          |
| Wsignature:  | Robert Zulaica   | Dsignature: | No Data                        |
| Regnum:      | No Data  |             |                                |
| Comments:    | No Data  |             |                                |
| Ftdescript:  | 0-1.5 CLAY AND SAND: Brown and dark brown, fine, soft.1.5-6 CLAY: With some fine sand and trace caliche, dark brown, very slightly moist, soft, high plasticity.6-8 trace corase sand, dry, stiff, low plasticity.8-9.5 color change to dark brown wi      |             |                                |
| Typesettin:  | Not Reported   |             |                                |
| Oid :        | 561  |             |                                |

**A4  
South  
1/8 - 1/4 Mile  
Higher**

**TX WELLS TXD1001495**

|             |                      |             |                           |
|-------------|----------------------|-------------|---------------------------|
| Rec id:     | 26312                | Edr record: | 1                         |
| Edr site i: | 57075                | Ownerwell:  | CB-2                      |
| Owner name: | JC Penneys           | Citystatez: | Plano ,TX75024            |
| Address:    | 6501 Legacy Drive    |             |                           |
| Grid:       | 84-16-8              |             |                           |
| Waddress:   | 1401 E. Main Street  |             |                           |
| Wcitystate: | Alice ,TX78332       | Lat:        | 27&deg; 45 07N            |
| Wcounty:    | Jim Wells            | Lon:        | 098&deg; 03 19 W          |
| Elevation:  | No Data              | Gpsused:    | Maptech                   |
| Typeofwork: | New Well             | Propuse:    | Environmental Soil Boring |
| Sdate:      | 4/1/2002             | Completedd: | 4/1/2002                  |
| Diameter:   | 2 in From Surface To | 16 ft       |                           |
| Dmethod:    | Not Reported         |             |                           |
| Bcompletio: | Open Hole            |             |                           |
| Packedfrom: | Not Reported         |             |                           |
| Packsiz:    | Not Reported         |             |                           |
| Finterval:  | No Data              |             |                           |

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

|              |  |             |                                |
|--------------|--|-------------|--------------------------------|
| Sinterval:   | No Data  |             |                                |
| Tinterval:   | No Data  |             |                                |
| Usedmethod:  | Not Reported   | Cementedby: | Not Reported                   |
| Contaminat:  | Not Reported   | Propertyli: | Not Reported                   |
| Verrimetho:  | Not Reported   | Variance:   | Not Reported                   |
| Surface:     | No Data  | Staticleve: | No Data                        |
| Flow:        | No Data  |             |                                |
| Packers:     | No Data  |             |                                |
| Cementinwe:  | Not Reported   | Typepump:   | No Data                        |
| Pumpbowl:    | Not Reported   | Welltests:  | No Data                        |
| Yield:       | Not Reported   |             |                                |
| Watertype:   | No Data  | Stratadept: | No Data                        |
| Chemicalma:  | No Data  | Undesirabl: | No                             |
| Certificat:  | The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required |             |                                |
| Companyname: | Universal Drilling Services, Company   | Companyadd: | 3233 W. 11th Street, Suite 800 |
| Ccitystate:  | Houston, TX 77008  | Licensenum: | 54572                          |
| Wsignature:  | Robert Zulaica   | Dsignature: | No Data                        |
| Regnum:      | No Data  |             |                                |
| Comments:    | No Data  |             |                                |
| Ftdescript:  | 0-1 SAND: With trace fine gravel, light brown, fine, loose1-3 CLAY: with trace caliche, dark brown, moist, high plasticity, soft.3-4 grades with no caliche.4-5 grades with some fine sand, very moist, trace caliche, dry.5-12 grades with increasin      |             |                                |
| Typesettin:  | Not Reported   |             |                                |
| Oid :        | 561  |             |                                |

**A5  
South  
1/8 - 1/4 Mile  
Higher**

**TX WELLS TXD1001494**

|             |                      |             |                           |
|-------------|----------------------|-------------|---------------------------|
| Rec id:     | 26311                |             |                           |
| Edr site i: | 57093                | Edr record: | 1                         |
| Owner name: | JC Penneys           | Ownerwell:  | CB-3                      |
| Address:    | 6501 Legacy Drive    | Citystatez: | Plano, TX75024            |
| Grid:       | 84-16-8              |             |                           |
| Waddress:   | 1401 E. Main Street  |             |                           |
| Wcitystate: | Alice, TX78332       | Lat:        | 27&deg; 45 07N            |
| Wcounty:    | Jim Wells            | Lon:        | 098&deg; 03 19 W          |
| Elevation:  | No Data              | Gpsused:    | Maptech                   |
| Typeofwork: | New Well             | Propuse:    | Environmental Soil Boring |
| Sdate:      | 4/1/2002             | Completedd: | 4/1/2002                  |
| Diameter:   | 2 in From Surface To | 16 ft       |                           |
| Dmethod:    | Not Reported         |             |                           |
| Bcompletio: | Open Hole            |             |                           |
| Packedfrom: | Not Reported         |             |                           |
| Packsizes:  | Not Reported         |             |                           |
| Finterval:  | No Data              |             |                           |
| Sinterval:  | No Data              |             |                           |
| Tinterval:  | No Data              |             |                           |
| Usedmethod: | Not Reported         | Cementedby: | Not Reported              |
| Contaminat: | Not Reported         | Propertyli: | Not Reported              |
| Verrimetho: | Not Reported         | Variance:   | Not Reported              |
| Surface:    | No Data              | Staticleve: | No Data                   |
| Flow:       | No Data              |             |                           |
| Packers:    | No Data              |             |                           |
| Cementinwe: | Not Reported         | Typepump:   | No Data                   |

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

|              |  |             |                                |
|--------------|--|-------------|--------------------------------|
| Pump/bowl:   | Not Reported   | Welltests:  | No Data                        |
| Yield:       | Not Reported   |             |                                |
| Watertype:   | No Data  | Stratadept: | No Data                        |
| Chemicalma:  | No Data  | Undesirabl: | No                             |
| Certificat:  | The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required |             |                                |
| Companyname: | Universal Drilling Services, Company   | Companyadd: | 3233 W. 11th Street, Suite 800 |
| Ccitystate:  | Houston, TX 77008  | Licensenum: | 54572                          |
| Wsignature:  | Robert Zulaica   | Dsignature: | No Data                        |
| Regnum:      | No Data  |             |                                |
| Comments:    | No Data  |             |                                |
| Ftdescript:  | 0-6 CEMENT: concrete6-4.5 CLAY: Dark brown, sl. moistm medium plasticity, with trace silt and fine sand.4.5-5.5 grades with trace fine sand.5.5-6 color change to dark brown mottled brown.6-8 increasing sand, trace caliche, dry, crumbly8-10 in         |             |                                |
| Typesettin:  | Not Reported   |             |                                |
| Oid :        | 561  |             |                                |

**6**  
**NNE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXD1001501**

|              |  |             |                                     |
|--------------|--|-------------|-------------------------------------|
| Rec id:      | 26190  | Edr record: | 1                                   |
| Edr site i:  | 7742   | Ownerwell:  | MW-3A                               |
| Owner name:  | El Paso Co. CM#3049  | Citystatez: | Alice, TX                           |
| Address:     | 1723 E. Main St.   |             |                                     |
| Grid:        | 84-16-8  |             |                                     |
| Waddress:    | 1723 E. Main St.   |             |                                     |
| Wcitystate:  | Alice, TX  | Lat:        | 27° 45' 34N                         |
| Wcounty:     | Jim Wells  | Lon:        | 098° 03' 10" W                      |
| Elevation:   | 156 ft.  | Gpsused:    | Garmin/eTrex                        |
| Typeofwork:  | New Well   | Propuse:    | Monitor                             |
| Sdate:       | 4/28/2004  | Completedd: | 4/28/2004                           |
| Diameter:    | 8.25 in From Surface To  | 25.0 ft     |                                     |
| Dmethod:     | Hollow Stem Auger  |             |                                     |
| Bcompletio:  | Not Reported   |             |                                     |
| Packedfrom:  | 3.0 ft to  | 25.0 ft     |                                     |
| Packsizes:   | 20/40  |             |                                     |
| Finterval:   | From 0 ft to   | 1.0 ft with | 1/2 bentonite (#sacks and material) |
| Sinterval:   | No Data  |             |                                     |
| Tinterval:   | No Data  |             |                                     |
| Usedmethod:  | Tremie   | Cementedby: | Best Drilling Services, Inc.        |
| Contaminat:  | No Data  | Propertyli: | No Data                             |
| Verrimetho:  | No Data  | Variance:   | No Data                             |
| Surface:     | Surface Slab Installed   | Staticleve: | No Data                             |
| Flow:        | No Data  |             |                                     |
| Packers:     | Bentonite  | 1.0 - 3.0   |                                     |
| Cementinwe:  | No Data  |             |                                     |
| Pump/bowl:   | Not Reported   | Welltests:  | No Data                             |
| Yield:       | Not Reported   |             |                                     |
| Watertype:   | No Data  | Stratadept: | No Data                             |
| Chemicalma:  | No Data  | Undesirabl: | No Data                             |
| Certificat:  | The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required |             |                                     |
| Companyname: | Best Drilling Services, Inc.   | Companyadd: | P.O. Box 845                        |
| Ccitystate:  | Friendswood, TX 77549  | Licensenum: | 54221                               |
| Wsignature:  | Jose V. Herrera  | Dsignature: | No Data                             |

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Regnum: No Data  
 Comments: Project #: 421002  
 Ftdescript: 0 16 SILTY CLAY, drk. brown to lt. gray16 25 SILTY SAND, gray  
 Typesettin: 4 N SCHL 40 PVC 0/54 N SCHL 40 PVC  
 5/20 0.010  
 Oid : 225

7

**WNW**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS TX0000000024242**

|                     |                            |                    |                     |
|---------------------|----------------------------|--------------------|---------------------|
| WELL DEPTH:         | 896                        | SOURCE OF DEPTH:   | Not Reported        |
| TYPE OF LIFT:       | TURBINE PUMP               | TYPE OF POWER:     | ELECTRIC MOTOR      |
| HORSEPOWER:         | 60.00                      | PRIMARY WATER USE: | PUBLIC SUPPLY       |
| SECOND WATER USE:   | Not Reported               | TERTIA WATER USE:  | Not Reported        |
| WATER LEVEL AVAIL:  | H                          | WATER QUAL AVAIL:  | Y                   |
| WELL LOGS AVAIL:    | Not Reported               | OTHER DATA AVAIL:  | Not Reported        |
| DATE COLL OR UPDAT: | Not Reported               | REPORTING AGENCY:  | Not Reported        |
| WELL SCHED IN FILE: | Y                          | CONSTRUCT METHOD:  | Not Reported        |
| COMPLETION:         | Not Reported               | CASING MATERIAL:   | Not Reported        |
| SCREEN MATERIAL:    | Not Reported               | LITH LOG TYPE:     | Not Reported        |
| LITH INT BY:        | Not Reported               | LITH DATE:         | Not Reported        |
| TODAYS DATE:        | Not Reported               | USER NAME:         | Not Reported        |
| STATE WELL NUMBER:  | 8416806                    | COUNTY CODE:       | 249                 |
| BASIN:              | Nueces-Rio Grande Rivers   | ZONE:              | 1                   |
| REGION NUMBER:      | 10                         | PREVIOUS WELL NU:  | A-7                 |
| LATITUDE:           | 274526                     | LAT DEC:           | 27.7572222          |
| LONGITUDE:          | 980336                     | LONG DEC:          | -98.06              |
| OWNER 1:            | City of Alice              | OWNER 2:           | Not Reported        |
| DRILLER 1:          | Layne-Texas                | DRILLER 2:         | Not Reported        |
| SOURCE OF COORDS:   | Not Reported               |                    |                     |
| AQUIFER CODE:       | 121GOLD                    |                    |                     |
| AQUIFER ID1:        | Gulf Coast                 | AQUIFER ID2:       | Not Reported        |
| AQUIFER ID3:        | Not Reported               | ELEV OF LSD:       | 197                 |
| METH OF MEAS ELEV:  | INTERPOLATED FROM TOPO MAP |                    |                     |
| USER CODE ECON:     | 12200                      |                    |                     |
| DATE DRILLED:       | 1945                       | WELL TYPE:         | Withdrawal of Water |

|                    |                              |            |       |
|--------------------|------------------------------|------------|-------|
| STATE WELL NUMBER: | 8416806                      | MM DATE:   | 2     |
| DD DATE:           | 16                           | YY DATE:   | 1961  |
| SAMPLE NUMBER:     | 1                            |            |       |
| STORET:            | BORON, DISSOLVED (UG/L AS B) |            |       |
| FLAG:              | Not Reported                 | CONST VAL: | 1900. |
| PLUS MINUS:        | Not Reported                 |            |       |

|                    |                          |            |      |
|--------------------|--------------------------|------------|------|
| STATE WELL NUMBER: | 8416806                  | MM DATE:   | 2    |
| DD DATE:           | 16                       | YY DATE:   | 1961 |
| SAMPLE NUMBER:     | 1                        |            |      |
| STORET:            | IRON, TOTAL (UG/L AS FE) |            |      |
| FLAG:              | Not Reported             | CONST VAL: | 280. |
| PLUS MINUS:        | Not Reported             |            |      |

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

|                    |                              |            |      |
|--------------------|------------------------------|------------|------|
| STATE WELL NUMBER: | 8416806                      | MM DATE:   | 2    |
| DD DATE:           | 16                           | YY DATE:   | 1961 |
| SAMPLE NUMBER:     | 1                            |            |      |
| STORET:            | IRON, DISSOLVED (UG/L AS FE) |            |      |
| FLAG:              | Not Reported                 | CONST VAL: | 10.  |
| PLUS MINUS:        | Not Reported                 |            |      |

Water Level Information:

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | P            |
| DEPTH FROM LSD:     | -256         | MM DATE:            | 7            |
| DD DATE:            | 6            | YY DATE:            | 1955         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 12           |
| METHOD OF MEAS:     | Not Reported | REMARK:             | 01           |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | P            |
| DEPTH FROM LSD:     | -207.4       | MM DATE:            | 10           |
| DD DATE:            | 6            | YY DATE:            | 1960         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 12           |
| METHOD OF MEAS:     | Not Reported | REMARK:             | 01           |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | P            |
| DEPTH FROM LSD:     | -193.9       | MM DATE:            | 11           |
| DD DATE:            | 7            | YY DATE:            | 1960         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 12           |
| METHOD OF MEAS:     | Not Reported | REMARK:             | 01           |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | P            |
| DEPTH FROM LSD:     | -192.3       | MM DATE:            | 12           |
| DD DATE:            | 8            | YY DATE:            | 1960         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 12           |
| METHOD OF MEAS:     | Not Reported | REMARK:             | 01           |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | P            |
| DEPTH FROM LSD:     | -194.4       | MM DATE:            | 1            |
| DD DATE:            | 6            | YY DATE:            | 1961         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 04           |
| METHOD OF MEAS:     | 1            | REMARK:             | Not Reported |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | P            |
| DEPTH FROM LSD:     | -190.4       | MM DATE:            | 2            |
| DD DATE:            | 7            | YY DATE:            | 1961         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 04           |
| METHOD OF MEAS:     | 1            | REMARK:             | Not Reported |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | P            |
| DEPTH FROM LSD:     | -202.5       | MM DATE:            | 4            |
| DD DATE:            | 6            | YY DATE:            | 1961         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 04           |
| METHOD OF MEAS:     | 2            | REMARK:             | Not Reported |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

STATE WELL NUMBER: 8416806  
 DEPTH FROM LSD: -203.8  
 DD DATE: 8  
 MEASUREMENT NUMBER: 01  
 METHOD OF MEAS: 1  
 DATE ENTERED: Not Reported

PN WELL VISIT MARK: P  
 MM DATE: 5  
 YY DATE: 1961  
 MEASURING AGENCY: 04  
 REMARK: Not Reported  
 USER NAME: Not Reported

STATE WELL NUMBER: 8416806  
 DEPTH FROM LSD: -200.0  
 DD DATE: 4  
 MEASUREMENT NUMBER: 01  
 METHOD OF MEAS: 1  
 DATE ENTERED: Not Reported

PN WELL VISIT MARK: P  
 MM DATE: 8  
 YY DATE: 1961  
 MEASURING AGENCY: 04  
 REMARK: Not Reported  
 USER NAME: Not Reported

STATE WELL NUMBER: 8416806  
 DEPTH FROM LSD: -201.7  
 DD DATE: 9  
 MEASUREMENT NUMBER: 01  
 METHOD OF MEAS: 1  
 DATE ENTERED: Not Reported

PN WELL VISIT MARK: P  
 MM DATE: 10  
 YY DATE: 1961  
 MEASURING AGENCY: 04  
 REMARK: Not Reported  
 USER NAME: Not Reported

STATE WELL NUMBER: 8416806  
 DEPTH FROM LSD: -175.6  
 DD DATE: 26  
 MEASUREMENT NUMBER: 01  
 METHOD OF MEAS: 1  
 DATE ENTERED: Not Reported

PN WELL VISIT MARK: P  
 MM DATE: 2  
 YY DATE: 1963  
 MEASURING AGENCY: 01  
 REMARK: Not Reported  
 USER NAME: Not Reported

STATE WELL NUMBER: 8416806  
 DEPTH FROM LSD: Not Reported  
 DD DATE: 25  
 MEASUREMENT NUMBER: 01  
 METHOD OF MEAS: Not Reported  
 DATE ENTERED: Not Reported

PN WELL VISIT MARK: N  
 MM DATE: 3  
 YY DATE: 1964  
 MEASURING AGENCY: 01  
 REMARK: 41  
 USER NAME: Not Reported

STATE WELL NUMBER: 8416806  
 DEPTH FROM LSD: -194.7  
 DD DATE: 11  
 MEASUREMENT NUMBER: 01  
 METHOD OF MEAS: 1  
 DATE ENTERED: Not Reported

PN WELL VISIT MARK: P  
 MM DATE: 3  
 YY DATE: 1965  
 MEASURING AGENCY: 01  
 REMARK: Not Reported  
 USER NAME: Not Reported

STATE WELL NUMBER: 8416806  
 DEPTH FROM LSD: -174.6  
 DD DATE: 22  
 MEASUREMENT NUMBER: 01  
 METHOD OF MEAS: 1  
 DATE ENTERED: Not Reported

PN WELL VISIT MARK: P  
 MM DATE: 2  
 YY DATE: 1966  
 MEASURING AGENCY: 01  
 REMARK: Not Reported  
 USER NAME: Not Reported

STATE WELL NUMBER: 8416806  
 DEPTH FROM LSD: -121.0  
 DD DATE: 27  
 MEASUREMENT NUMBER: 01  
 METHOD OF MEAS: 1  
 DATE ENTERED: Not Reported

PN WELL VISIT MARK: P  
 MM DATE: 2  
 YY DATE: 1967  
 MEASURING AGENCY: 01  
 REMARK: Not Reported  
 USER NAME: Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | P            |
| DEPTH FROM LSD:     | -130.2       | MM DATE:            | 2            |
| DD DATE:            | 13           | YY DATE:            | 1968         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 01           |
| METHOD OF MEAS:     | 1            | REMARK:             | Not Reported |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | N            |
| DEPTH FROM LSD:     | Not Reported | MM DATE:            | 3            |
| DD DATE:            | 13           | YY DATE:            | 1969         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 01           |
| METHOD OF MEAS:     | Not Reported | REMARK:             | 41           |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | N            |
| DEPTH FROM LSD:     | Not Reported | MM DATE:            | 3            |
| DD DATE:            | 26           | YY DATE:            | 1970         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 01           |
| METHOD OF MEAS:     | Not Reported | REMARK:             | 61           |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | P            |
| DEPTH FROM LSD:     | -104.2       | MM DATE:            | 4            |
| DD DATE:            | 7            | YY DATE:            | 1971         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 01           |
| METHOD OF MEAS:     | 1            | REMARK:             | Not Reported |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | N            |
| DEPTH FROM LSD:     | -108.5       | MM DATE:            | 3            |
| DD DATE:            | 8            | YY DATE:            | 1972         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 01           |
| METHOD OF MEAS:     | 1            | REMARK:             | 25           |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | PN WELL VISIT MARK: | N            |
| DEPTH FROM LSD:     | Not Reported | MM DATE:            | 3            |
| DD DATE:            | 21           | YY DATE:            | 1973         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | 01           |
| METHOD OF MEAS:     | Not Reported | REMARK:             | 40           |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

Water Quality Information:

|                     |              |                  |              |
|---------------------|--------------|------------------|--------------|
| STATE WELL NUMBER:  | 8416806      | MM DATE:         | 2            |
| DD DATE:            | 16           | YYDATE:          | 1961         |
| SAMPLE NUMBER:      | 1            | SAMPLE TIME:     | Not Reported |
| TEMP CENTIGRADE:    | 28           | TOP S INTERVAL:  | Not Reported |
| BOTTOM S INTERVAL:  | Not Reported | SAMP INT AQCODE: | Not Reported |
| COLLECTION REMARKS: | Not Reported | RELIABILITY REM: | 03           |
| COLLECTING AGENCY:  | 03           | LAB CODE:        | 02           |
| BU WQANALYSIS:      | B            | Q00955 FLAG:     | Not Reported |
| Q00955 SILICA MGL:  | 19           | Q00910 FLAG:     | Not Reported |
| Q00910 CALCIUM MGL: | 31           | Q00920 FLAG:     | Not Reported |
| Q00920 MAGNES MGL:  | 18           | Q00929 FLAG:     | Not Reported |
| Q00929 SODIUM MGL:  | 363          | Q00937 FLAG:     | Not Reported |
| Q00937 POTASS MGL:  | 9.4          | Q01080 FLAG:     | Not Reported |
| Q01080 STRONTIUM:   | Not Reported | Q00445 CARB MGL: | 0            |
| Q00440 BICARB MGL:  | 352.09       | Q00945 FLAG:     | Not Reported |
| Q00945 SULFATE MGL: | 158          | Q00940 FLAG:     | Not Reported |
| Q00940 CHLORIDE MG: | 345          | Q00951 FLAG:     | Not Reported |
| Q00951 FLUORIDE MG: | .9           | Q71850 FLAG:     | Not Reported |
| Q71850 NITRATE MGL: | 15           | Q00403 FLAG:     | Not Reported |

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

|                     |              |                    |         |
|---------------------|--------------|--------------------|---------|
| Q00403 PH:          | 7.6          | Q70300 TDS:        | 1132    |
| Q00415 PHEN ALK:    | 0            | Q00410 TOTAL ALK:  | 288.52  |
| Q00900 TOT HARDNES: | 151          | Q00932 PERCENT NA: | 83      |
| Q00931 SAR:         | 12.83        | Q71860 RSC:        | 2.74    |
| Q00095 FLAG:        | Not Reported | Q00095 SPEC COND:  | 1950    |
| DATE ENTERED:       | Not Reported | USER NAME:         | jderton |

Remarks Information:

|                    |  |               |   |
|--------------------|--|---------------|---|
| STATE WELL NUMBER: | 8416806  | GROUP NUMBER: | 1 |
| REMARKS 1:         | Casing: 16-in. to 322 ft., 10-in. to 387 ft., 8-in. to bottom. |               |   |
| REMARKS 2:         |  |               |   |

|                    |                                     |               |   |
|--------------------|-------------------------------------|---------------|---|
| STATE WELL NUMBER: | 8416806                             | GROUP NUMBER: | 2 |
| REMARKS 1:         | Screens from 388 to 410, 478 to 559 |               |   |
| REMARKS 2:         | 578 to 613, 668 to 688, 708 to 764, |               |   |

|                    |                                |               |   |
|--------------------|--------------------------------|---------------|---|
| STATE WELL NUMBER: | 8416806                        | GROUP NUMBER: | 3 |
| REMARKS 1:         | 788 to 804, and 813 to 862 ft. |               |   |
| REMARKS 2:         | Measured discharge 197 gpm.    |               |   |

|                    |                                  |               |   |
|--------------------|----------------------------------|---------------|---|
| STATE WELL NUMBER: | 8416806                          | GROUP NUMBER: | 4 |
| REMARKS 1:         | Altitude of ground level 197 ft. |               |   |
| REMARKS 2:         | Observation well.                |               |   |

8

**NNE**

**1/4 - 1/2 Mile**

**Lower**

**TX WELLS**

**TX0000000024243**

|                     |                            |                    |                     |
|---------------------|----------------------------|--------------------|---------------------|
| WELL DEPTH:         | 896                        | SOURCE OF DEPTH:   | Not Reported        |
| TYPE OF LIFT:       | TURBINE PUMP               | TYPE OF POWER:     | ELECTRIC MOTOR      |
| HORSEPOWER:         | 60.00                      | PRIMARY WATER USE: | PUBLIC SUPPLY       |
| SECOND WATER USE:   | Not Reported               | TERTIA WATER USE:  | Not Reported        |
| WATER LEVEL AVAIL:  | M                          | WATER QUAL AVAIL:  | Y                   |
| WELL LOGS AVAIL:    | Not Reported               | OTHER DATA AVAIL:  | AC                  |
| DATE COLL OR UPDAT: | Not Reported               | REPORTING AGENCY:  | Not Reported        |
| WELL SCHED IN FILE: | Y                          | CONSTRUCT METHOD:  | Not Reported        |
| COMPLETION:         | Not Reported               | CASING MATERIAL:   | Not Reported        |
| SCREEN MATERIAL:    | Not Reported               | LITH LOG TYPE:     | Not Reported        |
| LITH INT BY:        | Not Reported               | LITH DATE:         | Not Reported        |
| TODAYS DATE:        | 01/04/2001 00:00:00        | USER NAME:         | Not Reported        |
| STATE WELL NUMBER:  | 8416807                    | COUNTY CODE:       | 249                 |
| BASIN:              | Nueces-Rio Grande Rivers   | ZONE:              | 1                   |
| REGION NUMBER:      | 10                         | PREVIOUS WELL NU:  | Not Reported        |
| LATITUDE:           | 274540                     | LAT DEC:           | 27.7611111          |
| LONGITUDE:          | 980306                     | LONG DEC:          | -98.0516667         |
| OWNER 1:            | City of Alice              | OWNER 2:           | Not Reported        |
| DRILLER 1:          | Layne-Texas                | DRILLER 2:         | Not Reported        |
| SOURCE OF COORDS:   | 1                          |                    |                     |
| AQUIFER CODE:       | 121GOLD                    |                    |                     |
| AQUIFER ID1:        | Gulf Coast                 | AQUIFER ID2:       | Not Reported        |
| AQUIFER ID3:        | Not Reported               | ELEV OF LSD:       | Not Reported        |
| METH OF MEAS ELEV:  | INTERPOLATED FROM TOPO MAP |                    |                     |
| USER CODE ECON:     | 12200                      |                    |                     |
| DATE DRILLED:       | 1948                       | WELL TYPE:         | Withdrawal of Water |



# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**Remarks Information:**

|                    |                                     |               |   |
|--------------------|-------------------------------------|---------------|---|
| STATE WELL NUMBER: | 8416807                             | GROUP NUMBER: | 1 |
| REMARKS 1:         | Casing: 10-in. to 420 ft., 8-in. to |               |   |
| REMARKS 2:         | bottom. Screens from 320 to 360,    |               |   |
| <br>               |                                     |               |   |
| STATE WELL NUMBER: | 8416807                             | GROUP NUMBER: | 2 |
| REMARKS 1:         | 370 to 400, 425 to 487, 528 to 559, |               |   |
| REMARKS 2:         | 683 to 727, 739 to 779, and 834 to  |               |   |
| <br>               |                                     |               |   |
| STATE WELL NUMBER: | 8416807                             | GROUP NUMBER: | 3 |
| REMARKS 1:         | 856 ft. Gravel packed. Altitude     |               |   |
| REMARKS 2:         | of ground level 190 ft. Aquifer     |               |   |
| <br>               |                                     |               |   |
| STATE WELL NUMBER: | 8416807                             | GROUP NUMBER: | 4 |
| REMARKS 1:         | test data in TWDB R-98.             |               |   |
| REMARKS 2:         | Not Reported                        |               |   |

**B9  
WSW  
1/2 - 1 Mile  
Higher**

**TX WELLS      TXD1001486**

|              |  |                 |                  |                           |             |                       |  |
|--------------|--|-----------------|------------------|---------------------------|-------------|-----------------------|--|
| Rec id:      | 26163  | Edr record:     | 1                |                           |             |                       |  |
| Edr site i:  | 17332  | Ownerwell:      | MW 20            |                           |             |                       |  |
| Owner name:  | Stephen Burns  | Citystatez:     | Alice            | ,TX                       |             |                       |  |
| Address:     | 1813 Alta Vista  |                 |                  |                           |             |                       |  |
| Grid:        | 84-16-8  |                 |                  |                           |             |                       |  |
| Waddress:    | 1100 East Front St   |                 |                  |                           |             |                       |  |
| Wcitystate:  | Alice ,TX  | Lat:            | 27&deg;          | 45                        | 01N         |                       |  |
| Wcounty:     | Jim Wells  | Lon:            | 098&deg;         | 03                        | 49          | W                     |  |
| Elevation:   | No Data  | Gpsused:        | No Data          |                           |             |                       |  |
| Typeofwork:  | New Well   | Propuse:        | Monitor          |                           |             |                       |  |
| Sdate:       | 12/2/2004  | Completedd:     | 12/2/2004        |                           |             |                       |  |
| Diameter:    | 10.5 in  | From Surface To | 35               | ft                        |             |                       |  |
| Dmethod:     | Hollow Stem Auger  |                 |                  |                           |             |                       |  |
| Bcompletio:  | Not Reported   |                 |                  |                           |             |                       |  |
| Packedfrom:  | 8  | ft to           | 35               | ft                        |             |                       |  |
| Packsiz:     | Not Reported   |                 |                  |                           |             |                       |  |
| Finterval:   | From 8   | ft to           | 2                | ft with                   | 4 Bentonite | (#sacks and material) |  |
| Sinterval:   | From 2   | ft to           | 0                | ft with                   | 1 Cement    | (#sacks and material) |  |
| Tinterval:   | No Data  |                 |                  |                           |             |                       |  |
| Usedmethod:  | Mixed by hand  | Cementedby:     | Johnny Body      |                           |             |                       |  |
| Contaminat:  | No Data  | Propertyli:     | No Data          |                           |             |                       |  |
| Verrimetho:  | No Data  | Variance:       | No Data          |                           |             |                       |  |
| Surface:     | Surface Slab Installed   | Staticleve:     | 23               | ft. below land surface on | 12/2/2004   |                       |  |
| Flow:        | No Data  |                 |                  |                           |             |                       |  |
| Packers:     | No Data  |                 |                  |                           |             |                       |  |
| Cementinwe:  | No Data  | Typepump:       | No Data          |                           |             |                       |  |
| Pumpbowl:    | Not Reported   | Welltests:      | No Data          |                           |             |                       |  |
| Yield:       | Not Reported   |                 |                  |                           |             |                       |  |
| Watertype:   | No Data  | Stratadept:     | No Data          |                           |             |                       |  |
| Chemicalma:  | No Data  | Undesirabl:     | No               |                           |             |                       |  |
| Certificat:  | The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required |                 |                  |                           |             |                       |  |
| Companyname: | dba Universal Drilling Services  | Companyadd:     | 3532 Maggie Blvd |                           |             |                       |  |
| Ccitystate:  | Orlando , FL 32811   | Licensenum:     | 3060             |                           |             |                       |  |
| Wsignature:  | Johnny Body  | Dsignature:     | No Data          |                           |             |                       |  |

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Regnum: No Data  
 Comments: Amended 12-16-04 Ref#813  
 Ftdescription: 0 TO 8 Gray to black very firm, clay, moist, no odor8 to 14 Tan to brown, clay, firm, moist, no odor14 to 24 Tan, silty clay, small nodular cuttings, no odor24 to 35 Tan, silty clay, wet, very soft, no odor  
 Typesettin: 4 N PVC Riser 0/10 Sched. 404 N  
 PVC Screen 10/35 0.010  
 Oid : 633

**B10  
 WSW  
 1/2 - 1 Mile  
 Higher**

**TX WELLS TXD1001487**

Rec id: 26164  
 Edr site i: 15491 Edr record: 1  
 Owner name: Stephen Burns Ownerwell: MW 21  
 Address: 1813 Alta Vista Citystatez: Alice ,TX  
 Grid: 84-16-8  
 Waddress: 1100 East Front St  
 Wcitystate: Alice ,TX Lat: 27&deg; 45 01N  
 Wcounty: Jim Wells Lon: 098&deg; 03 49 W  
 Elevation: No Data Gpsused: No Data  
 Typeofwork: New Well Propuse: Monitor  
 Sdate: 12/2/2004 Completedd: 12/2/2004  
 Diameter: 10.5 in From Surface To 35 ft  
 Dmethod: Hollow Stem Auger  
 Bcompletio: Not Reported  
 Packedfrom: 8 ft to 35 ft  
 Packsize: Not Reported  
 Finterval: From 2 ft to 8 ft with 4 Bentonite (#sacks and material)  
 Sinterval: From 2 ft to 0 ft with 1 Cement (#sacks and material)  
 Tinterval: No Data  
 Usedmethod: Mixed by hand Cementedby: Johnny Body  
 Contaminat: No Data Propertyli: No Data  
 Verrimetho: No Data Variance: No Data  
 Surface: Surface Slab Installed Staticleve: 21 ft. below land surface on12/2/2004  
 Flow: No Data  
 Packers: No Data  
 Cementinwe: No Data Typepump: No Data  
 Pumpbowl: Not Reported Welltests: No Data  
 Yield: Not Reported  
 Watertype: No Data Stratadept: No Data  
 Chemicalma: No Data Undesirabl: No  
 Certificat: The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required  
 Companyname: dba Universal Drilling Services Companyadd: 3532 Maggie Blvd  
 Ccitystate: Orlando , FL 32811 Licensenum: 3060  
 Wsignature: Johnny Body Dsignature: No Data  
 Regnum: No Data  
 Comments: No Data  
 Ftdescription: 0 to 10 Gray, clay, firm, moist, no odor10 to 16 Gray to grayish brown, firm, moist, no odor16 to 22 Tan, silty clay, very firm, brittle, no odor22 to 30 Wet, soft, silty clay, brittle, no odor30 to 35 Tan, silty clay, wet, firm, no odor  
 Typesettin: 4 N PVC Riser 0/10 Sched. 404 N  
 PVC Screen 10/35 0.010  
 Oid : 633

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**11**  
**WSW**  
**1/2 - 1 Mile**  
**Higher**

**FRDS PWS      TX1250014**

PWS ID: TX1250014      PWS Status: Active  
 Date Initiated: 7706      Date Deactivated: Not Reported  
 PWS Name: CRESTVIEW MOBILE HOME PARK  
 RT 2 BOX 483  
 ALICE, TX 78332

Addressee / Facility: Not Reported

Facility Latitude: 27 45 06      Facility Longitude: 098 04 09  
 City Served: Not Reported  
 Treatment Class: Untreated      Population: 00000030

PWS currently has or had major violation(s) or enforcement: No

**12**  
**WNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TX0000000024239**

|   |                                  |
|---|----------------------------------|
| WELL DEPTH: 864                               | SOURCE OF DEPTH: Not Reported    |
| TYPE OF LIFT: TURBINE PUMP                    | TYPE OF POWER: ELECTRIC MOTOR    |
| HORSEPOWER: 60.00                             | PRIMARY WATER USE: PUBLIC SUPPLY |
| SECOND WATER USE: Not Reported                | TERTIA WATER USE: Not Reported   |
| WATER LEVEL AVAIL: N                          | WATER QUAL AVAIL: Y              |
| WELL LOGS AVAIL: Not Reported                 | OTHER DATA AVAIL: Not Reported   |
| DATE COLL OR UPDAT: Not Reported              | REPORTING AGENCY: Not Reported   |
| WELL SCHED IN FILE: Y                         | CONSTRUCT METHOD: Not Reported   |
| COMPLETION: Not Reported                      | CASING MATERIAL: Not Reported    |
| SCREEN MATERIAL: Not Reported                 | LITH LOG TYPE: Not Reported      |
| LITH INT BY: Not Reported                     | LITH DATE: Not Reported          |
| TODAYS DATE: Not Reported                     | USER NAME: Not Reported          |
| STATE WELL NUMBER: 8416803                    | COUNTY CODE: 249                 |
| BASIN: Nueces-Rio Grande Rivers               | ZONE: 1                          |
| REGION NUMBER: 10                             | PREVIOUS WELL NU: Not Reported   |
| LATITUDE: 274539                              | LAT DEC: 27.7608333              |
| LONGITUDE: 980408                             | LONG DEC: -98.0688889            |
| OWNER 1: City of Alice                        | OWNER 2: Not Reported            |
| DRILLER 1: Layne- Texas Co                    | DRILLER 2: Not Reported          |
| SOURCE OF COORDS: 1                           |                                  |
| AQUIFER CODE: 121GOLD                         |                                  |
| AQUIFER ID1: Gulf Coast                       | AQUIFER ID2: Not Reported        |
| AQUIFER ID3: Not Reported                     | ELEV OF LSD: Not Reported        |
| METH OF MEAS ELEV: INTERPOLATED FROM TOPO MAP |                                  |
| USER CODE ECON: 12200                         |                                  |
| DATE DRILLED: 1947                            | WELL TYPE: Withdrawal of Water   |

|                                      |                  |
|--------------------------------------|------------------|
| STATE WELL NUMBER: 8416803           | MM DATE: 1       |
| DD DATE: 15                          | YY DATE: 1961    |
| SAMPLE NUMBER: 1                     |                  |
| STORET: BORON, DISSOLVED (UG/L AS B) |                  |
| FLAG: Not Reported                   | CONST VAL: 1800. |
| PLUS MINUS: Not Reported             |                  |

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

|                    |                          |            |      |
|--------------------|--------------------------|------------|------|
| STATE WELL NUMBER: | 8416803                  | MM DATE:   | 1    |
| DD DATE:           | 15                       | YY DATE:   | 1961 |
| SAMPLE NUMBER:     | 1                        |            |      |
| STORET:            | IRON, TOTAL (UG/L AS FE) |            |      |
| FLAG:              | Not Reported             | CONST VAL: | 30.  |
| PLUS MINUS:        | Not Reported             |            |      |

|                    |                              |            |      |
|--------------------|------------------------------|------------|------|
| STATE WELL NUMBER: | 8416803                      | MM DATE:   | 1    |
| DD DATE:           | 15                           | YY DATE:   | 1961 |
| SAMPLE NUMBER:     | 1                            |            |      |
| STORET:            | IRON, DISSOLVED (UG/L AS FE) |            |      |
| FLAG:              | Not Reported                 | CONST VAL: | 10.  |
| PLUS MINUS:        | Not Reported                 |            |      |

Water Quality Information:

|                      |              |                    |              |
|----------------------|--------------|--------------------|--------------|
| STATE WELL NUMBER:   | 8416803      | MM DATE:           | 1            |
| DD DATE:             | 15           | YYDATE:            | 1961         |
| SAMPLE NUMBER:       | 1            | SAMPLE TIME:       | Not Reported |
| TEMP CENTIGRADE:     | 28           | TOP S INTERVAL:    | Not Reported |
| BOTTOM S INTERVAL:   | Not Reported | SAMP INT AQCODE:   | Not Reported |
| COLLECTION REMARKS:  | Not Reported | RELIABILITY REM:   | 03           |
| COLLECTING AGENCY:   | 03           | LAB CODE:          | 02           |
| BU WQANALYSIS:       | B            | Q00955 FLAG:       | Not Reported |
| Q00955 SILICA MGL:   | 20           | Q00910 FLAG:       | Not Reported |
| Q00910 CALCIUM MGL:  | 40           | Q00920 FLAG:       | Not Reported |
| Q00920 MAGNES MGL:   | 23           | Q00929 FLAG:       | Not Reported |
| Q00929 SODIUM MGL:   | 376          | Q00937 FLAG:       | Not Reported |
| Q00937 POTASS MGL:   | 10           | Q01080 FLAG:       | Not Reported |
| Q01080 STRONTIUM:    | Not Reported | Q00445 CARB MGL:   | 0            |
| Q00440 BICARB MGL:   | 352.09       | Q00945 FLAG:       | Not Reported |
| Q00945 SULFATE MGL:  | 168          | Q00940 FLAG:       | Not Reported |
| Q00940 CHLORIDE MGL: | 402          | Q00951 FLAG:       | Not Reported |
| Q00951 FLUORIDE MG:  | 1.1          | Q71850 FLAG:       | Not Reported |
| Q71850 NITRATE MGL:  | 13           | Q00403 FLAG:       | Not Reported |
| Q00403 PH:           | 7.5          | Q70300 TDS:        | 1226         |
| Q00415 PHEN ALK:     | 0            | Q00410 TOTAL ALK:  | 288.52       |
| Q00900 TOT HARDNES:  | 194          | Q00932 PERCENT NA: | 80           |
| Q00931 SAR:          | 11.73        | Q71860 RSC:        | 1.88         |
| Q00095 FLAG:         | Not Reported | Q00095 SPEC COND:  | 2130         |
| DATE ENTERED:        | Not Reported | USER NAME:         | jderton      |

Remarks Information:

|                    |                                     |               |   |
|--------------------|-------------------------------------|---------------|---|
| STATE WELL NUMBER: | 8416803                             | GROUP NUMBER: | 1 |
| REMARKS 1:         | Casing: 16-in. to 310ft., 10-in. to |               |   |
| REMARKS 2:         | 445 ft., and 8-in. to bottom        |               |   |
| STATE WELL NUMBER: | 8416803                             | GROUP NUMBER: | 2 |
| REMARKS 1:         | Screens from 323 to 403, 444 to 545 |               |   |
| REMARKS 2:         | 577 to 613, 694 to 744, and 804 to  |               |   |
| STATE WELL NUMBER: | 8416803                             | GROUP NUMBER: | 3 |
| REMARKS 1:         | 833 ft. Gravel-packed. Altitude     |               |   |
| REMARKS 2:         | of ground level 204 ft. Temp. 82    |               |   |



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**Water Level Information:**

|                     |              |                     |              |
|---------------------|--------------|---------------------|--------------|
| STATE WELL NUMBER:  | 8416804      | PN WELL VISIT MARK: | P            |
| DEPTH FROM LSD:     | -206.3       | MM DATE:            | 8            |
| DD DATE:            | 4            | YY DATE:            | 1961         |
| MEASUREMENT NUMBER: | 01           | MEASURING AGENCY:   | Not Reported |
| METHOD OF MEAS:     | Not Reported | REMARK:             | Not Reported |
| DATE ENTERED:       | Not Reported | USER NAME:          | Not Reported |

**Water Quality Information:**

|                      |              |                    |              |
|----------------------|--------------|--------------------|--------------|
| STATE WELL NUMBER:   | 8416804      | MM DATE:           | 1            |
| DD DATE:             | 15           | YYDATE:            | 1961         |
| SAMPLE NUMBER:       | 1            | SAMPLE TIME:       | Not Reported |
| TEMP CENTIGRADE:     | 28           | TOP S INTERVAL:    | Not Reported |
| BOTTOM S INTERVAL:   | Not Reported | SAMP INT AQCODE:   | Not Reported |
| COLLECTION REMARKS:  | Not Reported | RELIABILITY REM:   | 03           |
| COLLECTING AGENCY:   | 03           | LAB CODE:          | 02           |
| BU WQANALYSIS:       | B            | Q00955 FLAG:       | Not Reported |
| Q00955 SILICA MGL:   | 20           | Q00910 FLAG:       | Not Reported |
| Q00910 CALCIUM MGL:  | 36           | Q00920 FLAG:       | Not Reported |
| Q00920 MAGNES MGL:   | 22           | Q00929 FLAG:       | Not Reported |
| Q00929 SODIUM MGL:   | 372          | Q00937 FLAG:       | Not Reported |
| Q00937 POTASS MGL:   | 9.9          | Q01080 FLAG:       | Not Reported |
| Q01080 STRONTIUM:    | Not Reported | Q00445 CARB MGL:   | 0            |
| Q00440 BICARB MGL:   | 362.1        | Q00945 FLAG:       | Not Reported |
| Q00945 SULFATE MGL:  | 166          | Q00940 FLAG:       | Not Reported |
| Q00940 CHLORIDE MGL: | 380          | Q00951 FLAG:       | Not Reported |
| Q00951 FLUORIDE MG:  | .9           | Q71850 FLAG:       | Not Reported |
| Q71850 NITRATE MGL:  | 13           | Q00403 FLAG:       | Not Reported |
| Q00403 PH:           | 7.6          | Q70300 TDS:        | 1197         |
| Q00415 PHEN ALK:     | 0            | Q00410 TOTAL ALK:  | 296.72       |
| Q00900 TOT HARDNES:  | 180          | Q00932 PERCENT NA: | 81           |
| Q00931 SAR:          | 12.05        | Q71860 RSC:        | 2.33         |
| Q00095 FLAG:         | Not Reported | Q00095 SPEC COND:  | 2080         |
| DATE ENTERED:        | Not Reported | USER NAME:         | jderton      |

**Remarks Information:**

|                    |                                     |               |   |
|--------------------|-------------------------------------|---------------|---|
| STATE WELL NUMBER: | 8416804                             | GROUP NUMBER: | 1 |
| REMARKS 1:         | Casing: 16-in. to 309 ft., 10-in.   |               |   |
| REMARKS 2:         | to 422 ft., 8-in. to bottom.        |               |   |
| STATE WELL NUMBER: | 8416804                             | GROUP NUMBER: | 2 |
| REMARKS 1:         | Screens from 321 to 401, 422 to 480 |               |   |
| REMARKS 2:         | 510 to 610, 630 to 670, 748 to 770, |               |   |
| STATE WELL NUMBER: | 8416804                             | GROUP NUMBER: | 3 |
| REMARKS 1:         | and 810 to 841 ft. Gravel-packed.   |               |   |
| REMARKS 2:         | Altitude of ground level 202 ft.    |               |   |
| STATE WELL NUMBER: | 8416804                             | GROUP NUMBER: | 4 |
| REMARKS 1:         | Aquifer test data in TWDB R-98.     |               |   |
| REMARKS 2:         | Not Reported                        |               |   |

14  
ENE  
1/2 - 1 Mile  
Lower

TX WELLS TXD1001507

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

|             |  |              |  |
|-------------|--|--------------|--|
| Rec id:     | 26189  | Edr record:  | 1                                      |
| Edr site i: | 7758   | Ownerwell:   | 2                                      |
| Owner name: | HILLCREST FARMS  | Citystatez:  | ALICE ,TX78333                         |
| Address:    | PO BOX 3336  |              |  |
| Grid:       | 84-16-9  |              |  |
| Waddress:   | CR 343   |              |  |
| Wcitystate: | ALICE ,TX78332   | Lat:         | 27&deg; 45 44N                         |
| Wcounty:    | Jim Wells  | Lon:         | 098&deg; 02 27 W                       |
| Elevation:  | 215 ft.  | Gpsused:     | GARMIN                                 |
| Typeofwork: | New Well   | Propuse:     | Domestic                               |
| Sdate:      | 2/5/2004   | Completedd:  | 2/9/2004                               |
| Diameter:   | 8 in From Surface To   | 860 ft       |  |
| Dmethod:    | Mud Rotary   |              |  |
| Bcompletio: | Straight Wall  |              |  |
| Packedfrom: | Not Reported   |              |  |
| Packsize:   | Not Reported   |              |  |
| Finterval:  | From 0 ft to 10 ft with  | 6 CEMENT     | (#sacks and material)                  |
| Sinterval:  | No Data  |              |  |
| Tinterval:  | No Data  |              |  |
| Usedmethod: | No Data  | Cementedby:  | No Data                                |
| Contaminat: | 150 ft   | Propertyli:  | 150 ft                                 |
| Verrimetho: | MEASURED   | Variance:    | No Data                                |
| Surface:    | Surface Slab Installed   | Staticleve:  | 102 ft. below land surface on2/10/2004 |
| Flow:       | No Data  |              |  |
| Packers:    | NEOPREME   | 10           |  |
| Cementinwe: | No Data  | Typepump:    | Submersible                            |
| Pumpbowl:   | 200 ft   | Welltests:   | Jetted\ Estimated                      |
| Yield:      | 65 GPM with  | (No Data)    | ft drawdown after (No Data) hours      |
| Watertype:  | GOOD   | Stratadept:  | 820-860 ft.                            |
| Chemicalma: | No   | Undesirabl:  | No                                     |
| Certificat: | The driller certified that the driller drilled this well (or the well was drilled under the drillers direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required |              |  |
| Companynam: | PAGE WATER WELL  | Companyadd:  | PO BOX 3588                            |
| Ccitystate: | ALICE , TX 78333   | Licensenum:  | 2601                                   |
| Wsignature: | C O PAGE   | Dsignature:  | RICKY PERALES                          |
| Regnum:     | 1744   |              |  |
| Comments:   | No Data  |              |  |
| Ftdescript: | 0-3 TOP SOIL 3-80 CLACHIE 80-240 RED CLAY340-340 RED/GREY SANDY SHALE 340-420 RED SAND 420-660 SANDY SHALE 660-820 RED CLAY 820-860 RED/GOLD M/C SAND  |              |  |
| Typesettin: | 5 NEW PVC CASING   | 0-820 SDR175 | NEW PVC SCREEN                         |
|             | 820-860 16T  |              |  |
| Oid :       | 111  |              |  |

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: TX Radon

### Radon Test Results

| County    | Mean | Total Sites | %>4 pCi/L | %>20 pCi/L | Min pCi/L | Max pCi/L |
|-----------|------|-------------|-----------|------------|-----------|-----------|
| JIM WELLS | *    | 1           |           |            |           |           |

Federal EPA Radon Zone for JIM WELLS County: 3

Note: Zone 1 indoor average level > 4 pCi/L.  
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.  
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 78332

Number of sites tested: 1

| Area                    | Average Activity | % <4 pCi/L   | % 4-20 pCi/L | % >20 pCi/L  |
|-------------------------|------------------|--------------|--------------|--------------|
| Living Area - 1st Floor | -0.400 pCi/L     | 100%         | 0%           | 0%           |
| Living Area - 2nd Floor | Not Reported     | Not Reported | Not Reported | Not Reported |
| Basement                | Not Reported     | Not Reported | Not Reported | Not Reported |

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

### **USGS 7.5' Digital Elevation Model (DEM)**

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

### **Scanned Digital USGS 7.5' Topographic Map (DRG)**

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

## HYDROLOGIC INFORMATION

**Flood Zone Data:** This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

## HYDROGEOLOGIC INFORMATION

### **AQUIFLOW<sup>R</sup> Information System**

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

### **Geologic Age and Rock Stratigraphic Unit**

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### **STATSGO: State Soil Geographic Database**

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

### **SSURGO: Soil Survey Geographic Database**

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### **PWS:** Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### **PWS ENF:** Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### **USGS Water Wells:** USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

### STATE RECORDS

#### **Texas Groundwater Database**

Source: Texas Water Development Board

Telephone: 512-936-0837

#### **Texas Public Water Supply Database on Ground and Surface Water**

Source: Texas Commission on Environmental Quality

#### **Texas Water Wells DOL**

Source: Texas Department of Licensing and Regulation

Telephone: 512-463-6599

## OTHER STATE DATABASE INFORMATION

#### **Texas Oil and Gas Wells:** Inventory of oil and gas wells in select Texas counties

Source: Texas Railroad Commission

Oil and gas well locations in the following counties: Bexar, Brazoria, Collin, Dallas, Denton, El Paso, Fort Bend, Galveston, Gregg, Harris, Hidalgo, Jefferson, Lubbock, Montgomery, Nueces, Tarrant, and Travis.

### RADON

#### **State Database: TX Radon**

Source: Department of Health

Telephone: 512-834-6688

Final Report of the Texas Indoor Radon Survey

#### **Area Radon Information**

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

#### **EPA Radon Zones**

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## OTHER

**Airport Landing Facilities:** Private and public use landing facilities  
Source: Federal Aviation Administration, 800-457-6656

**Epicenters:** World earthquake epicenters, Richter 5 or greater  
Source: Department of Commerce, National Oceanic and Atmospheric Administration

## STREET AND ADDRESS INFORMATION

© 2006 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.



"Linking Technology with Tradition"®

## Sanborn® Map Report

**Ship To:** Phil Hardy

ENSAFE

5724 Summer Trees Drive

Memphis, TN 38134

**Order Date:** 7/14/2006 **Completion Date:** 7/14/2006

**Inquiry #:** 1715374.3s

**P.O. #:** 0888802978 033

**Site Name:** Alice USARC

**Address:** 100 S Stadium Rd

**City/State:** Alice, TX 78332

**Cross Streets:**

**Customer Project:** TEJV-ECP Proj.

1013941ERN

901-372-7962

This document reports that the largest and most complete collection of Sanborn fire insurance maps has been reviewed based on client supplied information, and fire insurance maps depicting the target property at the specified address were not identified.

**NO COVERAGE**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.



**EDR**® Environmental  
Data Resources Inc

**EDR Historical  
Topographic Map  
Report**

Alice USARC  
100 S Stadium Rd  
Alice, TX 78332

**Inquiry Number: 1715374.4**

**July 14, 2006**

**The Standard in  
Environmental Risk  
Management Information**

440 Wheelers Farms Road  
Milford, Connecticut 06461

**Nationwide Customer Service**

Telephone: 1-800-352-0050  
Fax: 1-800-231-6802  
Internet: [www.edrnet.com](http://www.edrnet.com)

## EDR Historical Topographic Map Report

Environmental Data Resources, Inc.'s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900's.

*Thank you for your business.*

Please contact EDR at 1-800-352-0050  
with any questions or comments.

### **Disclaimer - Copyright and Trademark Notice**

This report contains information obtained from a variety of public and other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.** It can not be concluded from this report that coverage information for the target and surrounding properties does not exist from other sources. Any analyses, estimates, ratings or risk codes provided in this report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Any liability on the part of EDR is strictly limited to a refund of the amount paid for this report.

Copyright © 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



**EDR**® Environmental  
Data Resources Inc

## **The EDR Aerial Photo Decade Package**

**Alice USARC  
100 S Stadium Rd  
Alice, TX 78332**

**Inquiry Number: 1715374.5**

**July 17, 2006**

## **The Standard in Environmental Risk Management Information**

**440 Wheelers Farms Road  
Milford, Connecticut 06461**

### **Nationwide Customer Service**

Telephone: 1-800-352-0050  
Fax: 1-800-231-6802  
Internet: [www.edrnet.com](http://www.edrnet.com)

# EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDRs professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

**When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.**

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

## **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



**EDR**® Environmental  
Data Resources Inc

**The EDR-City Directory**  
*Abstract*

Alice USARC  
100 S Stadium Rd  
Alice, TX 78332

Inquiry Number: 1715374.6

Tuesday, July 18, 2006

**The Standard in  
Environmental Risk  
Management Information**

440 Wheelers Farms Road  
Milford, Connecticut 06461

**Nationwide Customer Service**

Telephone: 1-800-352-0050  
Fax: 1-800-231-6802  
Internet: [www.edrnet.com](http://www.edrnet.com)

## EDR City Directory Abstract

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening report designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

***Thank you for your business.***

Please contact EDR at 1-800-352-0050  
with any questions or comments.

### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.**

Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## **SUMMARY**

- ***City Directories:***

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1952 through 1961. (These years are not necessarily inclusive.) A summary of the information obtained is provided in the text of this report.

**Date EDR Searched Historical Sources:** July 18, 2006

**Target Property:**

100 S Stadium Rd  
Alice, TX 78332

| <u>Year</u> | <u>Uses</u>                          | <u>Source</u>         |
|-------------|--------------------------------------|-----------------------|
| 1952        | Street Not Listed in Research Source | Polk's City Directory |
| 1958        | Street Not Listed in Research Source | Polk's City Directory |
| 1961        | USA Reserve Armory                   | Polk's City Directory |

**Adjoining Properties**

**SURROUNDING**

Multiple Addresses  
Alice, TX 78332

| <u>Year</u> | <u>Uses</u>                              | <u>Source</u>         |
|-------------|--|-----------------------|
| 1952        | Street Not Listed in Research Source     | Polk's City Directory |
| 1958        | Street Not Listed in Research Source     | Polk's City Directory |
| 1961        | *Stadium Road South*                     | Polk's City Directory |
|             | No Listings Prior To The Target Property | Polk's City Directory |
|             | Alice Independent School Dist (115)      | Polk's City Directory |
|             | Alice Memorial Stadium (115)             | Polk's City Directory |
|             | Schlumberger Well Surveying Corp. (130)  | Polk's City Directory |
|             | No Listings Beyond The Target Property   | Polk's City Directory |